



Report no.: HK09101055-1  
Transceiver Mode  
AC Mains "N"

Report No.: HK09101055-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB


Transducer No.	Start	Stop	Name
----------------	-------	------	------

1	9k	30M	2454
---	----	-----	------

2	9k	30M	0700
---	----	-----	------

3	9k	30M	0090
---	----	-----	------

4	9k	30M	30_10_09
---	----	-----	----------





Report no.: HK09101055-1  
Transceiver Mode  
AC Mains "N"

Report No.:HK09101055-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dB	dB	dB
0.26700	40.7	61.2	-20.5
0.40200	40.8	57.8	-17.0
0.46050	45.0	56.7	-11.7
0.64950	39.7	56.0	-16.3
0.96000	48.3	56.0	-7.7
1.20750	39.7	56.0	-16.3
1.55400	37.6	56.0	-18.4
2.54850	38.4	56.0	-17.6
3.30900	35.9	56.0	-20.1
5.68950	33.3	60.0	-26.7
5.78400	33.2	60.0	-26.8

Frequency	AV Level	AV Limit	Delta
MHz	dB	dB	dB
0.44700	36.0	46.9	-10.9
0.73500	32.7	46.0	-13.3
0.94650	34.7	46.0	-11.3
1.09500	30.7	46.0	-15.3
1.83300	25.5	46.0	-20.5
2.95350	25.2	46.0	-20.8

\* limit exceeded



Report no.: HK09101055-1  
Transceiver Mode  
AC Mains "L"

Report No.:HK09101055-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB


Transducer No.	Start	Stop	Name
----------------	-------	------	------

1	1	9k	30M	2454
---	---	----	-----	------

2	9k	30M	0700
---	----	-----	------

3	9k	30M	0090
---	----	-----	------

4	9k	30M	30_10_09
---	----	-----	----------





Report no.: HK09101055-1  
Transceiver Mode  
AC Mains "L"

Report No.:HK09101055-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.26700	39.1	61.2	-22.1
0.40200	37.6	57.8	-20.2
0.52800	39.4	56.0	-16.6
0.78000	40.2	56.0	-15.8
0.93750	44.9	56.0	-11.1
1.09500	37.4	56.0	-18.6
1.73850	37.4	56.0	-18.6
2.87250	39.2	56.0	-16.8
3.00300	38.4	56.0	-17.6
4.55550	36.2	56.0	-19.8
5.90100	34.8	60.0	-25.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.45150	33.7	46.8	-13.1
0.74400	32.5	46.0	-13.5
0.96450	35.5	46.0	-10.5
1.09500	27.2	46.0	-18.8
1.93200	25.3	46.0	-20.7
2.51700	26.1	46.0	-19.9
3.08850	25.9	46.0	-20.1
4.17300	25.9	46.0	-20.1

\* limit exceeded