


**Radiated Spurious Emissions according to 47 CFR Part 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck HWRD 650  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE20-SU ER, 5180 MHz  
 Test Date: 2024-02-24  
 Note:

Index 66

**RadiMation**




### Radiated Spurious Emissions according to 47 CFR Part 15.407

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Amplifier Research AT4560  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE20-SU ER, 5180 MHz  
 Test Date: 2024-02-24  
 Note:

Index 69

RadiMation




### Radiated Spurious Emissions according to 47 CFR Part 15.407

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE40-TB, 5310 MHz, RU-56 (106tones)  
 Test Date: 2024-02-24  
 Note:

Index 65

RadiMation




Frequency	Peak	Peak Limit	Peak Difference	Peak Status	Polarization
1.2 GHz	37.02 dBµV/m	74 dBµV/m	-36.98 dB	Pass	Vertical
1.4 GHz	37.72 dBµV/m	74 dBµV/m	-36.28 dB	Pass	Horizontal
1.6 GHz	38.74 dBµV/m	74 dBµV/m	-35.26 dB	Pass	Vertical
2.4 GHz	38.62 dBµV/m	68.2 dBµV/m	-29.58 dB	Pass	Vertical
3.54 GHz	38.48 dBµV/m	68.2 dBµV/m	-29.72 dB	Pass	Vertical

**Radiated Spurious Emissions according to 47 CFR Part 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE40-TB, 5310 MHz, RU-56 (106tones)  
 Test Date: 2024-02-26  
 Note: lower band area

Index 70

**RadiMation**




**Radiated Spurious Emissions according to 47 CFR Part 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck HWRD 650  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE40-TB, 5310 MHz, RU-56 (106tones)  
 Test Date: 2024-02-24  
 Note:

Index 67

**RadiMation**




**Radiated Spurious Emissions according to 47 CFR Part 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 47713  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Amplifier Research AT4560  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE40-TB, 5310 MHz, RU-56 (106tones)  
 Test Date: 2024-02-24  
 Note:

Index 68

**RadiMation**




## ANNEX C Transmitter spurious emissions with TDK antenna

### Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE-20 SU-ER, 5320 MHz  
 Test Date: 2024-02-26  
 Note:

Index 89

RadiMation




Frequency	Peak	Peak Limit	Peak Difference	Peak Status	Polarization
1.2 GHz	39.85 dBµV/m	74 dBµV/m	-34.15 dB	Pass	Horizontal
1.6 GHz	40.4 dBµV/m	74 dBµV/m	-33.6 dB	Pass	Vertical
2.4 GHz	38.65 dBµV/m	68.2 dBµV/m	-29.55 dB	Pass	Vertical
2.8 GHz	38.72 dBµV/m	74 dBµV/m	-35.28 dB	Pass	Vertical
3.6 GHz	39.9 dBµV/m	68.2 dBµV/m	-28.3 dB	Pass	Horizontal

**Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE-20 SU-ER, 5320 MHz  
 Test Date: 2024-02-26  
 Note: lower band area

Index 90

**RadiMation**






**Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck HWRD 650  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE20-SU ER, 5320 MHz  
 Test Date: 2024-02-24  
 Note:

Index 85

**RadiMation**




**Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Amplifier Research AT4560  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HES0-SU ER, 5320 MHz  
 Test Date: 2024-02-24  
 Note:

Index 87

**RadiMation**




### Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE80-TB, 5775 MHz, RU-37 (52tones)  
 Test Date: 2024-02-24  
 Note:

Index 83

RadiMation




Frequency	Peak	Peak Limit	Peak Difference	Peak Status	Polarization
1.4 GHz	40.21 dBµV/m	74 dBµV/m	-33.79 dB	Pass	Horizontal
1.6 GHz	39.96 dBµV/m	74 dBµV/m	-34.04 dB	Pass	Horizontal
2.4 GHz	39.2 dBµV/m	68.2 dBµV/m	-29 dB	Pass	Vertical
2.8 GHz	38.97 dBµV/m	74 dBµV/m	-35.03 dB	Pass	Vertical
5.662 GHz	49.23 dBµV/m	77.45 dBµV/m	-28.21 dB	Pass	Horizontal

**Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck BBHA 9120B  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE-80 MU, 5775 MHz  
 Test Date: 2024-02-26  
 Note: lower band area

Index 88

**RadiMation**




**Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407**

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Schwarzbeck HWRD 650  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE80-TB, 5775 MHz, RU-37 (52tones)  
 Test Date: 2024-02-24  
 Note:

Index 84

**RadiMation**




### Radiated Spurious Emissions according to FCC 47 e-CFR § 15.407

Project Number: G0M-2309-2215  
 Applicant: Panasonic Industrial Devices Europe GmbH  
 Model Description: Wi-Fi 6 Dual Band 2.4 GHz/5 GHz, Bluetooth® and 802.15.4 Module  
 Model: ENWF9511C1KF  
 Test Sample ID: 46897  
 Test Site: Eurofins Product Service GmbH  
 Operator: Ibraimov Azamat  
 Measurement software: RadiMation, version 2020.1.8  
 Test Conditions: Tnom: 24 °Celsius, Vnom: 1.8/3.3  
 Antenna: Amplifier Research AT4560  
 Measurement distance: 3 m  
 Mode: Tx; IEEE 802.11ax, HE80-TB, 5785 MHz, RU-37 (52tones)  
 Test Date: 2024-02-24  
 Note:

Index 86

**RadiMation**



=== END OF TEST REPORT ===