


Annex 4: Test setup photographs 21-1-0132201T05a-A4

Number of pages:	7	Date of Report:	2022-Mar-07
Testing company:	CETECOM GmbH Im Teelbruch 116 45219 Essen Germany Tel. + 49 (0) 20 54 / 95 19-0 Fax: + 49 (0) 20 54 / 95 19-150	Applicant:	SOMMER Antriebs- und Funktechnik GmbH
Product:	Wireless Keypad		
Model:	Telecody+		
FCC ID:	T8C203	IC:	6496A-203
Testing has been carried out in accordance with:	FCC Regulations: Title 47 CFR, Chapter I, Subchapter A, Subpart C: §15.231 ISED Regulations: RSS-210, Issue 10 RSS-Gen, Issue 5 Deviations, modifications or clarifications (if any) to above mentioned documents are written in each section under "Test method and limit".		


Table of Contents

1	Test setup photographs.....	3
	Photograph 1 : Test setup in the fully anechoic chamber, close up view_EUT elevation 90°, measurement >1 GHz.....	3
	Photograph 2 : Test setup in the fully anechoic chamber, overview_EUT elevation 90°, measurement >1 GHz.....	3
	Photograph 3 : Test setup in the semi anechoic chamber, close up view_EUT elevation 0°, measurement 30 MHz-1 GHz.....	4
	Photograph 4 : Test setup in the semi anechoic chamber, overview_EUT elevation 0°, measurement 30 MHz-1 GHz	4
	Photograph 5 : Test setup in the semi anechoic chamber, close up view_EUT elevation 90°, measurement 30 MHz-1 GHz.....	5
	Photograph 6 : Test setup in the semi anechoic chamber, overview_EUT elevation 90°, measurement 30 MHz-1 GHz	5
	Photograph 7 : Test setup in the semi anechoic chamber, close up view_EUT elevation 90°, measurement <30 MHz	6
	Photograph 8 : Test setup in the semi anechoic chamber, overview_EUT elevation 90°, measurement <30 MHz	6
	Photograph 9 : Test setup conducted measurement of test FW EUT, overview.....	7
	Photograph 10 : Test setup conducted measurement of normal mode EUT, overview.....	7


1 Test setup photographs




Photograph 1: Test setup in the fully anechoic chamber, close up view_EUT elevation 90°, measurement >1 GHz




Photograph 2: Test setup in the fully anechoic chamber, overview_EUT elevation 90°, measurement >1 GHz




Photograph 3: Test setup in the semi anechoic chamber, close up view_EUT elevation 0°, measurement 30 MHz-1 GHz




Photograph 4: Test setup in the semi anechoic chamber, overview_EUT elevation 0°, measurement 30 MHz-1 GHz




Photograph 5: Test setup in the semi anechoic chamber, close up view_EUT elevation 90°, measurement 30 MHz-1 GHz




Photograph 6: Test setup in the semi anechoic chamber, overview_EUT elevation 90°, measurement 30 MHz-1 GHz




Photograph 7: Test setup in the semi anechoic chamber, close up view_EUT elevation 90°, measurement <30 MHz



Photograph 8: Test setup in the semi anechoic chamber, overview_EUT elevation 90°, measurement <30 MHz



Photograph 9: Test setup conducted measurement of test FW EUT, overview



Photograph 10: Test setup conducted measurement of normal mode EUT, overview

End Of Annex 4