


Annex B

RF power output conducted

FCC Part 22 H Output power conducted

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:06:56

Measurement diagram

Eurofins ETS Product Service GmbH
Storkower Str. 38c, D-15526 Reichenwalde, Germany

FCC Part 22 H
Output power conducted

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:11:06

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

FCC Part 22 H
Output power conducted

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:35:06

Measurement diagram

Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

FCC Part 24 E
Output power conducted

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	
Comment 3	



Date: 8.MAY.2008 09:01:49


Measurement diagram

**FCC Part 24 E
Output power conducted**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenicojj
Temperature / Voltage	23°C / Unom 7.4 V
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661
Comment 2	
Comment 3	



Ref	36 dBm	Att	55 dB	* REW	3 MHz	Marker 1 [T1]
				* VBW	3 MHz	29.44 dBm
				SWT	2.5 ms	1.879951923 GHz




Date: 8.MAY.2008 08:32:58

Measurement diagram

FCC Part 24 E
Output power conducted

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	24°C / Unom: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	
Comment 3	



Date: 8.MAY.2008 11:35:27

Measurement diagram

Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany


Annex C

RF power output radiated

Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.167MHz, Pmax: 26.40dBm, RBW: 3MHz



Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.139MHz, Pmax: 22.88dBm, RBW: 3MHz



Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.187MHz, Pmax: 25.64dBm, RBW: 3MHz



Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.133MHz, Pmax: 22.96dBm, RBW: 3MHz



Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.733MHz, Pmax: 25.43dBm, RBW: 3MHz



Effective Radiated Power

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.733MHz, Pmax: 23.28dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 25.38dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 30.22dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 24.41dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 66 6 1
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 29.70dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 24.57dBm, RBW: 3MHz



Equivalent Isotropically Radiated Power

FCC RULES PART 24 SUBPART E

Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 29.01dBm, RBW: 3MHz




Annex D

Occupied bandwidth, emission bandwidth

**FCC Part 22 H
 Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:05:20

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 22 H
Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:10:00

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 22 H
Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	
Comment 3	




Date: 8.MAY.2008 13:33:55

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 22 H
 Emission Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	-26 dB Emission Bandwidth
Comment 3	




Date: 8.MAY.2008 13:01:39

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 22 H
Emission Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 188
Comment 2	-26 dB Emission Bandwidth
Comment 3	



Date: 8.MAY.2008 13:08:49

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany




FCC Part 22 H
Emission Bandwidth

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	-26 dB Emission Bandwidth
Comment 3	



Ref 36 dBm Att 55 dB *RBW 3 kHz Marker 1 [T1] 23.94 dBm
 *VBW 3 kHz 848.816025641 MHz
 *SWT 280 ms




Date: 8.MAY.2008 13:12:32

Measurement diagram

**FCC Part 24 E
Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	
Comment 3	




Date: 8.MAY.2008 09:03:45

Measurement diagram

Eurofins ETS Product Service GmbH
Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
 Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom 7.4 V
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661
Comment 2	
Comment 3	



Date: 8.MAY.2008 08:27:31

Measurement diagram


 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
 Occupied Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	24°C / Unom: 7.4 V DC
Test Site / Operator	ETS
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	
Comment 3	



Ref	36 dBm	Att	55 dB	*RBW	3 kHz	Marker 1 [T1]	
				*VBW	3 kHz		21.69 dBm
				*SWT	200 ms		1.909783974 GHz




Date: 8.MAY.2008 11:34:04

Measurement diagram

Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
Emission Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	-26 dB Emission Bandwidth
Comment 3	




Date: 8.MAY.2008 12:50:32

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
 Emission Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 661
Comment 2	-26 dB Emission Bandwidth
Comment 3	




Date: 8.MAY.2008 12:56:43

Measurement diagram

Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
Emission Bandwidth**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	-26 dB Emission Bandwidth
Comment 3	



Date: 8.MAY.2008 12:58:35

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany


Annex E

Spurious emission radiated

Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 186.022MHz, Pmax: -50.05dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 182.056MHz, Pmax: -43.42dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 354.062MHz, Pmax: -58.77dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 908.182MHz, Pmax: -50.41dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.653GHz, Pmax: -31.04dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.653GHz, Pmax: -33.15dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.991GHz, Pmax: -35.81dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.547GHz, Pmax: -36.46dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.809GHz, Pmax: -42.51dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 128
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.067GHz, Pmax: -44.13dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.167MHz, Pmax: -50.45dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 175.067MHz, Pmax: -44.05dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 354.062MHz, Pmax: -58.57dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 876.224MHz, Pmax: -59.65dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.677GHz, Pmax: -33.95dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.677GHz, Pmax: -36.58dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.947GHz, Pmax: -36.41dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.524GHz, Pmax: -36.83dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 12.000GHz, Pmax: -42.65dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.107GHz, Pmax: -48.48dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 197.922MHz, Pmax: -49.78dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 179.033MHz, Pmax: -44.65dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 354.062MHz, Pmax: -58.52dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 876.062MHz, Pmax: -60.07dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.703GHz, Pmax: -35.90dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 1.703GHz, Pmax: -38.17dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.529GHz, Pmax: -35.88dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.502GHz, Pmax: -37.24dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.862GHz, Pmax: -43.02dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 22 SUBPART H


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 251
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 9.089GHz, Pmax: -47.82dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 188.478MHz, Pmax: -49.88dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I79 10 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 177.522MHz, Pmax: -43.11dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 985.778MHz, Pmax: -75.28dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 995.556MHz, Pmax: -74.21dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.986GHz, Pmax: -41.14dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.961GHz, Pmax: -40.92dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.538GHz, Pmax: -35.93dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.524GHz, Pmax: -34.19dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.102GHz, Pmax: -37.69dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.102GHz, Pmax: -30.55dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.307GHz, Pmax: -39.79dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.253GHz, Pmax: -40.09dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.292GHz, Pmax: -34.57dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 512
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.217GHz, Fmax: -34.66dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 190.933MHz, Pmax: -49.59dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I79 10 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 180.544MHz, Pmax: -43.21dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 997.333MHz, Pmax: -74.86dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 984.889MHz, Pmax: -75.28dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.981GHz, Pmax: -41.96dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.958GHz, Pmax: -40.71dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.547GHz, Pmax: -36.32dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.524GHz, Pmax: -34.98dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.280GHz, Pmax: -40.53dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.280GHz, Pmax: -38.05dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.253GHz, Pmax: -40.42dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.200GHz, Pmax: -40.63dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.368GHz, Pmax: -34.59dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.254GHz, Pmax: -34.17dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 193.956MHz, Pmax: -49.44dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 180.922MHz, Pmax: -44.19dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 993.778MHz, Pmax: -75.49dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 994.667MHz, Pmax: -75.70dBm, RBW: 100kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.986GHz, Pmax: -41.22dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7 910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.963GHz, Pmax: -41.21dBm, RBW: 1MHz/3kHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.538GHz, Pmax: -35.65dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.524GHz, Pmax: -35.01dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.809GHz, Pmax: -41.09dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.853GHz, Pmax: -41.71dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.193GHz, Pmax: -40.61dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.300GHz, Pmax: -40.26dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.387GHz, Pmax: -33.46dBm, RBW: 1MHz



Radiated Emissions Tx

FCC RULES PART 24 SUBPART E

Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 810
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S24.238
Comment 1: Dist.: 1m, Ant.: HL025, amplif.
Comment 2: Freq: 26.188GHz, Pmax: -34.49dBm, RBW: 1MHz



Annex F

Block edge compliance


Test Report No.: G0M20804-1711-P-2224

Eurofins ETS Product Service GmbH
Storkower Str. 38c, D-15526 Reichenwalde, Germany

Annex F

**FCC Part 22 H
 Lower Block edge**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 128
Comment 2	
Comment 3	



Date: 8.MAY.2008 13:04:09

Measurement diagram

Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany




FCC Part 22 H
Higher Block edge

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 22 Subpart H
Comment 1	Channel: 251
Comment 2	
Comment 3	



Ref 36 dBm Att 55 dB *RBW 3 kHz Marker 1 [T1] 32.67 dBm
 *VBW 3 kHz 848.717948718 MHz
 SWT 225 ms




Date: 8.MAY.2008 13:36:21

Measurement diagram

**FCC Part 24 E
Lower Block edge**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	23°C / Unom.: 7.4 V
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 512
Comment 2	
Comment 3	




Date: 8.MAY.2008 09:10:02

Measurement diagram

 Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

**FCC Part 24 E
 Higher Block edge**

EUT	Payment terminal
Model	I7910
Approval Holder	Ingenico
Temperature / Voltage	24°C / Unom: 7.4 V DC
Test Site / Operator	ETS / Mr. Walter
Test Specification	FCC Part 24 Subpart E
Comment 1	Channel: 810
Comment 2	
Comment 3	



Date: 8.MAY.2008 11:32:50

Measurement diagram


Eurofins ETS Product Service GmbH
 Storkower Str. 38c, D-15526 Reichenwalde, Germany

Annex G

AC power line conducted emissions


EMI voltage test in the ac-mains according to FCC part 15

Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910
Test Site / Operator: Eurofins ETS Product Service GmbH / Mr. Pflug
Test Conditions: Unom: 120 V AC (AC/DC-ADAPTOR), Tnom: 23°C
Test Specification: V-Network: ESH2-Z5 (N)
Comment 1: mode: GSM-link + charging
Comment 2: adaptor: power supply ALI0105A



EMI voltage test in the ac-mains according to FCC part 15

Approval Holder: Ingenico
 EUT: Payment terminal
 Model: I7910
 Test Site / Operator: Eurofins ETS Product Service GmbH / Mr. Pflug
 Test Conditions: Unom: 120 V AC (AC/DC-ADAPTOR), Tnom: 23°C
 Test Specification: V-Network: ESH2-Z5 (L1)
 Comment 1: mode: GSM-link + charging
 Comment 2: adaptor: power supply ALI0105A




Annex H

Receiver radiated emission

Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:118.022MHz Emax:28.81dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:191.689MHz Emax:29.00dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:876.444MHz Emax:31.93dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:354.667MHz Emax:32.75dB μ V/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.537GHz Emax:42.77dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.740GHz Emax:43.21dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.973GHz Emax:42.51dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 188
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.636GHz Emax:42.08dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:118.211MHz Emax:27.94dB μ V/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq:199.056MHz Emax:26.44dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:472.000MHz Emax:30.71dBµV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to RSS-Gen
Comment 1: Dist.: 3m, Ant.: HL 223, ampl.
Comment 2: Freq:354.667MHz Emax:32.42dBuV/m RBW: 100 kHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:3.310GHz Emax:42.85dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:4.000GHz Emax:43.15dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.587GHz Emax:43.01dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN


Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:7.969GHz Emax:42.20dBµV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.880GHz Emax:37.66dBuV/m RBW: 1 MHz



Field Strength under normal conditions

Standards Industry Canada, RSS-GEN

Approval Holder: Ingenico
EUT: Payment terminal
Model: I7910 / Ch.: 661
Operator: Eurofins ETS Product Service GmbH / Mr. Meng
Test Conditions: 25°C / Unom.: 120 VAC (AC/DC-adapter)
Test Specification: according to S15109, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, ampl.
Comment 2: Freq:11.991GHz Emax:37.45dBµV/m RBW: 1 MHz

