

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode MIMO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	16.3	15.8	15.7
Maximum EIRP power (dBm)	13.8	13.3	12.9

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.):	CONDUCTED OUTPUT POWER
<p>Middle Channel</p>	
<p style="text-align: center;">Gated Trace</p> <p style="text-align: center;">Level in dBm</p> <p style="text-align: center;">Time in s</p> <p>— Gated Trace — Overall — Limit</p>	
<p>Highest Channel</p>	
<p style="text-align: center;">Gated Trace</p> <p style="text-align: center;">Level in dBm</p> <p style="text-align: center;">Time in s</p> <p>— Gated Trace — Overall — Limit</p>	

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	11.4	11.6	11.6
Maximum EIRP power (dBm)	8.9	9.1	9.1

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.


Lowest Channel



TEST RESULTS (Cont.)

Middle Channel


Gated Trace



— Gated Trace — Overall — Limit

Highest Channel

Gated Trace



— Gated Trace — Overall — Limit

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	6.0	6.3	6.3
Maximum EIRP power (dBm)	3.5	3.8	3.8


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode MIMO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	10.6	10.0	10.0
Maximum EIRP power (dBm)	8.1	7.5	7.5


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	6.5	5.8	5.2
Maximum EIRP power (dBm)	4.0	3.3	2.7


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



— Gated Trace — Overall — Limit

Highest Channel



— Gated Trace — Overall — Limit

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	6.7	6.8	6.9
Maximum EIRP power (dBm)	4.2	4.3	4.4


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode MIMO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	10.2	9.8	9.6
Maximum EIRP power (dBm)	7.7	7.3	7.1


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	8.5	7.3	7.3
Maximum EIRP power (dBm)	6.0	4.8	4.8


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	6.5	6.8	6.9
Maximum EIRP power (dBm)	4.0	4.3	4.4


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode MIMO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	10.6	10.0	10.0
Maximum EIRP power (dBm)	8.1	7.5	7.5


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.8 dBi

Radio A

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	7.2	6.4	6.0
Maximum EIRP power (dBm)	4.4	3.6	3.2


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	6.7	6.8	6.9
Maximum EIRP power (dBm)	4.2	4.3	4.4


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode MIMO)
TEST RESULTS:	PASS


Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	10.4	10.1	9.9
Maximum EIRP power (dBm)	7.9	7.6	7.4


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax20 mode Beam forming MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi


Beam forming gain: +3 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	10.2	12.1	11.7
Maximum EIRP power (dBm)	10.7	12.6	12.2


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax40 mode Beam forming MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi


Beam forming gain: +3 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	10.2	12.2	11.9
Maximum EIRP power (dBm)	10.7	12.7	12.4


The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel




TEST RESULTS (Cont.)

Middle Channel



Highest Channel




TEST C.3: BAND-EDGE EMISSIONS COMPLIANCE (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.247 and RSS-247
	Test standard:	Part 15 Subpart C §15.247(d) and RSS-247 5.5

LIMITS



In any 100 kHz bandwidth outside the frequency band in which the digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB instead of 20 dB.

TEST SETUP




TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS

Radio A
Lowest Channel




TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2396.525000	-30.4	3.9	-26.5	PASS
2396.475000	-30.4	3.9	-26.5	PASS
2396.025000	-30.7	4.2	-26.5	PASS
2395.975000	-30.9	4.3	-26.5	PASS
2398.525000	-31.0	4.5	-26.5	PASS
2396.325000	-31.0	4.5	-26.5	PASS
2396.175000	-31.1	4.6	-26.5	PASS
2396.275000	-31.2	4.7	-26.5	PASS
2396.225000	-31.3	4.8	-26.5	PASS
2398.475000	-31.6	5.1	-26.5	PASS
2397.525000	-31.8	5.3	-26.5	PASS
2396.375000	-31.9	5.3	-26.5	PASS
2398.575000	-31.9	5.3	-26.5	PASS
2397.475000	-31.9	5.4	-26.5	PASS
2399.075000	-31.9	5.4	-26.5	PASS



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.875000	-42.6	15.4	-27.2	PASS
2484.925000	-43.0	15.8	-27.2	PASS
2499.625000	-43.4	16.2	-27.2	PASS
2484.475000	-43.4	16.3	-27.2	PASS
2484.525000	-43.6	16.4	-27.2	PASS
2484.825000	-43.7	16.5	-27.2	PASS
2499.925000	-43.8	16.6	-27.2	PASS
2499.975000	-43.8	16.7	-27.2	PASS
2500.000000	-43.8	16.7	-27.2	PASS
2485.125000	-43.9	16.7	-27.2	PASS
2485.975000	-44.2	17.0	-27.2	PASS
2499.675000	-44.2	17.0	-27.2	PASS
2484.625000	-44.2	17.0	-27.2	PASS
2484.675000	-44.3	17.1	-27.2	PASS
2499.575000	-44.3	17.1	-27.2	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS

Radio B
Lowest Channel





TEST RESULTS (Cont.):



Measurement



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2326.275000	-43.5	16.4	-27.0	PASS
2326.225000	-43.6	16.6	-27.0	PASS
2398.525000	-43.9	16.9	-27.0	PASS
2395.225000	-44.1	17.0	-27.0	PASS
2393.775000	-44.1	17.0	-27.0	PASS
2387.875000	-44.2	17.1	-27.0	PASS
2398.825000	-44.2	17.2	-27.0	PASS
2320.625000	-44.3	17.3	-27.0	PASS
2393.725000	-44.3	17.3	-27.0	PASS
2387.925000	-44.3	17.3	-27.0	PASS
2380.325000	-44.3	17.3	-27.0	PASS
2398.575000	-44.4	17.3	-27.0	PASS
2380.375000	-44.4	17.3	-27.0	PASS
2364.525000	-44.4	17.4	-27.0	PASS
2398.475000	-44.5	17.4	-27.0	PASS






TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode MIMO)
TEST RESULTS:	PASS

Radio A + B
Lowest Channel




TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.075000	-27.2	2.0	-25.2	PASS
2397.025000	-27.3	2.1	-25.2	PASS
2396.975000	-27.3	2.1	-25.2	PASS
2399.125000	-27.6	2.4	-25.2	PASS
2399.025000	-27.9	2.7	-25.2	PASS
2398.025000	-28.0	2.7	-25.2	PASS
2397.975000	-28.0	2.8	-25.2	PASS
2397.475000	-28.2	3.0	-25.2	PASS
2398.525000	-28.2	3.0	-25.2	PASS
2397.525000	-28.3	3.0	-25.2	PASS
2398.575000	-28.5	3.3	-25.2	PASS
2398.475000	-28.6	3.3	-25.2	PASS
2397.175000	-28.7	3.5	-25.2	PASS
2398.325000	-28.7	3.5	-25.2	PASS
2398.275000	-28.8	3.6	-25.2	PASS



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2487.475000	-37.1	11.4	-25.7	PASS
2487.525000	-37.2	11.5	-25.7	PASS
2487.825000	-37.9	12.2	-25.7	PASS
2487.775000	-38.0	12.3	-25.7	PASS
2488.025000	-38.1	12.4	-25.7	PASS
2487.975000	-38.2	12.5	-25.7	PASS
2486.975000	-38.4	12.7	-25.7	PASS
2487.025000	-38.6	12.9	-25.7	PASS
2487.725000	-38.6	12.9	-25.7	PASS
2487.675000	-38.6	12.9	-25.7	PASS
2488.975000	-38.8	13.1	-25.7	PASS
2488.075000	-39.0	13.2	-25.7	PASS
2489.025000	-39.0	13.3	-25.7	PASS
2487.925000	-39.1	13.4	-25.7	PASS
2486.925000	-39.1	13.4	-25.7	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Radio A
Lowest Channel




TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.825000	-34.5	2.4	-32.2	PASS
2399.525000	-34.6	2.4	-32.2	PASS
2399.775000	-34.6	2.4	-32.2	PASS
2399.475000	-34.7	2.5	-32.2	PASS
2397.925000	-35.0	2.8	-32.2	PASS
2397.975000	-35.2	3.1	-32.2	PASS
2398.875000	-35.3	3.1	-32.2	PASS
2398.625000	-35.3	3.2	-32.2	PASS
2396.675000	-35.4	3.3	-32.2	PASS
2398.275000	-35.4	3.3	-32.2	PASS
2396.725000	-35.4	3.3	-32.2	PASS
2397.625000	-35.4	3.3	-32.2	PASS
2398.675000	-35.5	3.3	-32.2	PASS
2398.925000	-35.5	3.4	-32.2	PASS
2399.175000	-35.6	3.4	-32.2	PASS



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.675000	-44.4	10.9	-33.5	PASS
2485.375000	-44.4	11.0	-33.5	PASS
2483.625000	-44.6	11.1	-33.5	PASS
2485.425000	-44.6	11.1	-33.5	PASS
2483.825000	-45.1	11.6	-33.5	PASS
2484.525000	-45.6	12.1	-33.5	PASS
2484.575000	-45.6	12.1	-33.5	PASS
2483.875000	-45.7	12.2	-33.5	PASS
2485.325000	-45.7	12.3	-33.5	PASS
2483.725000	-45.8	12.4	-33.5	PASS
2484.175000	-45.9	12.5	-33.5	PASS
2484.275000	-46.0	12.6	-33.5	PASS
2484.225000	-46.1	12.6	-33.5	PASS
2485.675000	-46.2	12.7	-33.5	PASS
2483.775000	-46.2	12.7	-33.5	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Radio B
Lowest Channel




TEST RESULTS (Cont.):




Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.975000	-49.3	11.7	-37.6	PASS
2398.675000	-49.4	11.8	-37.6	PASS
2398.725000	-49.7	12.1	-37.6	PASS
2398.625000	-50.2	12.6	-37.6	PASS
2399.725000	-50.3	12.6	-37.6	PASS
2399.925000	-50.3	12.7	-37.6	PASS
2399.675000	-50.3	12.7	-37.6	PASS
2399.375000	-50.4	12.8	-37.6	PASS
2399.575000	-50.5	12.8	-37.6	PASS
2399.525000	-50.5	12.8	-37.6	PASS
2399.775000	-50.6	12.9	-37.6	PASS
2399.325000	-50.6	13.0	-37.6	PASS
2399.625000	-50.8	13.2	-37.6	PASS
2399.425000	-50.9	13.2	-37.6	PASS
2399.125000	-50.9	13.2	-37.6	PASS



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.875000	-51.4	16.8	-34.5	PASS
2483.925000	-51.4	16.9	-34.5	PASS
2483.975000	-52.2	17.6	-34.5	PASS
2483.525000	-52.2	17.7	-34.5	PASS
2484.875000	-52.2	17.7	-34.5	PASS
2484.175000	-52.3	17.8	-34.5	PASS
2484.125000	-52.5	18.0	-34.5	PASS
2483.825000	-52.5	18.0	-34.5	PASS
2483.575000	-52.5	18.0	-34.5	PASS
2483.625000	-52.6	18.0	-34.5	PASS
2484.925000	-52.6	18.1	-34.5	PASS
2483.675000	-52.6	18.1	-34.5	PASS
2484.275000	-53.1	18.6	-34.5	PASS
2484.225000	-53.1	18.6	-34.5	PASS
2483.775000	-53.1	18.6	-34.5	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode MIMO)
TEST RESULTS:	PASS

Radio A + B
Lowest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2397.925000	-31.5	1.8	-29.6	PASS
2397.875000	-31.7	2.0	-29.6	PASS
2398.525000	-32.3	2.6	-29.6	PASS
2398.575000	-32.3	2.7	-29.6	PASS
2397.975000	-32.3	2.7	-29.6	PASS
2399.375000	-32.5	2.9	-29.6	PASS
2399.825000	-32.5	2.9	-29.6	PASS
2399.475000	-32.6	2.9	-29.6	PASS
2399.875000	-32.6	2.9	-29.6	PASS
2399.425000	-32.6	3.0	-29.6	PASS
2399.275000	-32.7	3.0	-29.6	PASS
2399.525000	-32.7	3.1	-29.6	PASS
2399.225000	-32.7	3.1	-29.6	PASS
2396.975000	-32.8	3.2	-29.6	PASS
2396.925000	-32.9	3.2	-29.6	PASS

TEST RESULTS (Cont.):

Highest Channel



TEST RESULTS (Cont.):





Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.575000	-36.1	6.0	-30.1	PASS
2483.625000	-36.5	6.4	-30.1	PASS
2483.525000	-36.8	6.7	-30.1	PASS
2483.775000	-37.6	7.5	-30.1	PASS
2483.825000	-37.9	7.8	-30.1	PASS
2483.875000	-38.0	7.9	-30.1	PASS
2483.925000	-38.0	7.9	-30.1	PASS
2484.225000	-38.3	8.2	-30.1	PASS
2483.725000	-38.3	8.2	-30.1	PASS
2484.175000	-38.3	8.2	-30.1	PASS
2484.025000	-38.5	8.4	-30.1	PASS
2484.125000	-38.6	8.5	-30.1	PASS
2484.075000	-38.7	8.6	-30.1	PASS
2483.675000	-38.8	8.7	-30.1	PASS
2484.475000	-38.8	8.7	-30.1	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS

Radio A
Lowest Channel



TEST RESULTS (Cont.):




Measurement


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2326.275000	-43.5	16.4	-27.0	PASS
2326.225000	-43.6	16.6	-27.0	PASS
2398.525000	-43.9	16.9	-27.0	PASS
2395.225000	-44.1	17.0	-27.0	PASS
2393.775000	-44.1	17.0	-27.0	PASS
2387.875000	-44.2	17.1	-27.0	PASS
2398.825000	-44.2	17.2	-27.0	PASS
2320.625000	-44.3	17.3	-27.0	PASS
2393.725000	-44.3	17.3	-27.0	PASS
2387.925000	-44.3	17.3	-27.0	PASS
2380.325000	-44.3	17.3	-27.0	PASS
2398.575000	-44.4	17.3	-27.0	PASS
2380.375000	-44.4	17.3	-27.0	PASS
2364.525000	-44.4	17.4	-27.0	PASS
2398.475000	-44.5	17.4	-27.0	PASS

TEST RESULTS (Cont.):

Highest Channel




— Limit — Sum Level × Fail



Date: 1.MAR.2022 21:22:26

TEST RESULTS (Cont.):



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.875000	-43.1	7.8	-35.3	PASS
2483.925000	-43.1	7.8	-35.3	PASS
2483.575000	-43.4	8.1	-35.3	PASS
2483.625000	-43.5	8.1	-35.3	PASS
2485.125000	-44.2	8.8	-35.3	PASS
2483.825000	-44.2	8.9	-35.3	PASS
2485.075000	-44.3	9.0	-35.3	PASS
2483.975000	-44.4	9.1	-35.3	PASS
2484.175000	-44.6	9.3	-35.3	PASS
2484.825000	-44.6	9.3	-35.3	PASS
2484.225000	-44.7	9.4	-35.3	PASS
2483.525000	-44.7	9.4	-35.3	PASS
2484.525000	-44.8	9.4	-35.3	PASS
2485.175000	-44.8	9.4	-35.3	PASS
2484.575000	-44.9	9.6	-35.3	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS

Radio B
Lowest Channel

