


TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	15 / max. 15	15 / max. 15	15 / max. 15
Stable	3 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-2.372	-2.339	-1.484

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	15 / max. 15	15 / max. 15	15 / max. 15
Stable	3 / 3	3 / 3	1 / 3
Max Stable Difference	0.00 dB	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency 5755 MHz	Highest frequency 5795 MHz
Power spectral density (dBm)	-4.597	-4.823

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	2 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency 5755 MHz	Highest frequency 5795 MHz
Power spectral density (dBm)	-5.521	-4.734

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency 5755 MHz	Highest frequency 5795 MHz
Power spectral density (dBm)	-2.532	-2.602

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	2 / 3	2 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-6.167

Lowest Channel



— Limit — Sum Level ◆ PSD
Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μs
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-6.477

Lowest Channel



— Limit — Sum Level ◆ PSD
Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μs
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-4.502

Lowest Channel



Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-5.093	-5.424	-3.140

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	13 / max. 15	15 / max. 15	12 / max. 15
Stable	2 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	2.72 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency 5755 MHz	Highest frequency 5795 MHz
Power spectral density (dBm)	-6.446	-0.242

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement

Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-9.686

Lowest Channel

Power Spectral Density



— Limit ◆ PSD — Sum Level


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-2.721	-3.416	-2.501

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	13 / max. 15	15 / max. 15	12 / max. 15
Stable	2 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	2.72 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency	Highest frequency
	5755 MHz	5795 MHz
Power spectral density (dBm)	-5.368	-6.506

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement

Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-9.636

Lowest Channel

Power Spectral Density



Measurement

Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB


SECTION C.5: BAND-EDGE EMISSIONS COMPLIANCE (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.407 and RSS-247
	Test standard:	Part 15 Subpart C §15.407(b)(4) and RSS-247 6.2.4.2

LIMITS

For transmitters operating in the 5.725 – 5.850 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.]


TEST SETUP



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.750000	-55.6	28.6	-27.0	PASS
5630.250000	-55.9	28.9	-27.0	PASS
5615.250000	-56.3	29.3	-27.0	PASS
5648.250000	-56.4	29.4	-27.0	PASS
5626.250000	-56.6	29.6	-27.0	PASS
5615.750000	-56.6	29.6	-27.0	PASS
5647.250000	-56.6	29.6	-27.0	PASS
5626.750000	-56.7	29.7	-27.0	PASS
5633.750000	-56.7	29.7	-27.0	PASS
5622.250000	-56.7	29.7	-27.0	PASS
5643.250000	-56.7	29.7	-27.0	PASS
5618.250000	-56.7	29.7	-27.0	PASS
5640.250000	-56.7	29.7	-27.0	PASS
5595.750000	-56.8	29.8	-27.0	PASS
5649.750000	-56.8	29.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6843.750000	-53.7	26.7	-27.0	PASS
6824.750000	-53.8	26.8	-27.0	PASS
6814.250000	-54.5	27.5	-27.0	PASS
6825.750000	-54.6	27.6	-27.0	PASS
6756.250000	-54.6	27.6	-27.0	PASS
6003.250000	-54.8	27.8	-27.0	PASS
6845.250000	-54.8	27.8	-27.0	PASS
6022.750000	-54.8	27.8	-27.0	PASS
6821.250000	-54.8	27.8	-27.0	PASS
6844.750000	-54.8	27.8	-27.0	PASS
6401.250000	-54.9	27.9	-27.0	PASS
6789.250000	-54.9	27.9	-27.0	PASS
6808.250000	-54.9	27.9	-27.0	PASS
6842.250000	-54.9	27.9	-27.0	PASS
6731.250000	-54.9	27.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5636.250000	-54.8	27.8	-27.0	PASS
5637.250000	-55.1	28.1	-27.0	PASS
5645.250000	-55.2	28.2	-27.0	PASS
5629.750000	-55.3	28.3	-27.0	PASS
5632.750000	-55.3	28.3	-27.0	PASS
5649.250000	-55.3	28.3	-27.0	PASS
5638.750000	-55.4	28.4	-27.0	PASS
5614.750000	-55.5	28.5	-27.0	PASS
5584.250000	-55.5	28.5	-27.0	PASS
5650.750000	-55.0	28.6	-26.4	PASS
5646.250000	-55.6	28.6	-27.0	PASS
5638.250000	-55.6	28.6	-27.0	PASS
5648.750000	-55.6	28.6	-27.0	PASS
5634.750000	-55.6	28.6	-27.0	PASS
5641.750000	-55.7	28.7	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.250000	-53.3	26.3	-27.0	PASS
6796.750000	-53.4	26.4	-27.0	PASS
6753.250000	-53.8	26.8	-27.0	PASS
6788.750000	-53.9	26.9	-27.0	PASS
6847.250000	-54.0	27.0	-27.0	PASS
6837.750000	-54.1	27.1	-27.0	PASS
6814.750000	-54.1	27.1	-27.0	PASS
6785.250000	-54.2	27.2	-27.0	PASS
6768.750000	-54.3	27.3	-27.0	PASS
6803.250000	-54.3	27.3	-27.0	PASS
6821.750000	-54.3	27.3	-27.0	PASS
6783.250000	-54.3	27.3	-27.0	PASS
6825.750000	-54.4	27.4	-27.0	PASS
6832.250000	-54.4	27.4	-27.0	PASS
6676.250000	-54.4	27.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5641.250000	-52.7	25.7	-27.0	PASS
5650.250000	-52.6	25.8	-26.8	PASS
5649.250000	-53.0	26.0	-27.0	PASS
5639.750000	-53.0	26.0	-27.0	PASS
5647.750000	-53.1	26.1	-27.0	PASS
5629.750000	-53.1	26.1	-27.0	PASS
5634.750000	-53.1	26.1	-27.0	PASS
5637.250000	-53.1	26.1	-27.0	PASS
5638.750000	-53.1	26.1	-27.0	PASS
5648.250000	-53.1	26.1	-27.0	PASS
5648.750000	-53.1	26.1	-27.0	PASS
5634.250000	-53.2	26.2	-27.0	PASS
5633.750000	-53.2	26.2	-27.0	PASS
5640.250000	-53.2	26.2	-27.0	PASS
5649.750000	-53.2	26.2	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6835.750000	-51.5	24.5	-27.0	PASS
6826.750000	-51.6	24.6	-27.0	PASS
6835.250000	-51.7	24.7	-27.0	PASS
6797.250000	-51.7	24.7	-27.0	PASS
6750.750000	-51.7	24.7	-27.0	PASS
6840.250000	-51.8	24.8	-27.0	PASS
6814.250000	-51.8	24.8	-27.0	PASS
6849.250000	-51.9	24.9	-27.0	PASS
6715.750000	-51.9	24.9	-27.0	PASS
6838.250000	-51.9	24.9	-27.0	PASS
6836.750000	-51.9	24.9	-27.0	PASS
6807.750000	-51.9	24.9	-27.0	PASS
6815.750000	-51.9	24.9	-27.0	PASS
6843.250000	-51.9	24.9	-27.0	PASS
6829.750000	-52.0	25.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5637.750000	-55.4	28.4	-27.0	PASS
5631.250000	-56.2	29.2	-27.0	PASS
5614.750000	-56.4	29.4	-27.0	PASS
5636.250000	-56.5	29.5	-27.0	PASS
5630.250000	-56.5	29.5	-27.0	PASS
5648.250000	-56.6	29.6	-27.0	PASS
5643.250000	-56.7	29.7	-27.0	PASS
5649.250000	-56.7	29.7	-27.0	PASS
5619.750000	-56.8	29.8	-27.0	PASS
5634.250000	-56.8	29.8	-27.0	PASS
5632.250000	-56.8	29.8	-27.0	PASS
5634.750000	-56.8	29.8	-27.0	PASS
5631.750000	-56.8	29.8	-27.0	PASS
5633.250000	-56.9	29.9	-27.0	PASS
5642.750000	-56.9	29.9	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6773.250000	-53.8	26.8	-27.0	PASS
6797.750000	-54.0	27.0	-27.0	PASS
6766.250000	-54.3	27.3	-27.0	PASS
6769.250000	-54.4	27.4	-27.0	PASS
6799.250000	-54.5	27.5	-27.0	PASS
6764.750000	-54.6	27.6	-27.0	PASS
6828.750000	-54.6	27.6	-27.0	PASS
6812.750000	-54.6	27.6	-27.0	PASS
6825.250000	-54.6	27.6	-27.0	PASS
5940.250000	-54.6	27.6	-27.0	PASS
6709.250000	-54.6	27.6	-27.0	PASS
5925.750000	-54.6	27.6	-27.0	PASS
6676.750000	-54.7	27.7	-27.0	PASS
6689.250000	-54.7	27.7	-27.0	PASS
6839.750000	-54.7	27.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5632.750000	-55.4	28.4	-27.0	PASS
5646.750000	-55.6	28.6	-27.0	PASS
5639.750000	-55.6	28.6	-27.0	PASS
5646.250000	-55.7	28.7	-27.0	PASS
5636.250000	-55.7	28.7	-27.0	PASS
5627.750000	-55.8	28.8	-27.0	PASS
5640.750000	-55.9	28.9	-27.0	PASS
5635.250000	-55.9	28.9	-27.0	PASS
5638.250000	-55.9	28.9	-27.0	PASS
5636.750000	-55.9	28.9	-27.0	PASS
5643.750000	-55.9	28.9	-27.0	PASS
5649.750000	-55.9	28.9	-27.0	PASS
5648.250000	-55.9	28.9	-27.0	PASS
5633.750000	-55.9	28.9	-27.0	PASS
5645.250000	-56.0	29.0	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6815.250000	-54.0	27.0	-27.0	PASS
6767.750000	-54.2	27.2	-27.0	PASS
6802.250000	-54.2	27.2	-27.0	PASS
6797.750000	-54.5	27.5	-27.0	PASS
6773.750000	-54.5	27.5	-27.0	PASS
6730.750000	-54.5	27.5	-27.0	PASS
6842.750000	-54.5	27.5	-27.0	PASS
6831.250000	-54.5	27.5	-27.0	PASS
6772.250000	-54.5	27.5	-27.0	PASS
6558.250000	-54.5	27.5	-27.0	PASS
6715.750000	-54.5	27.5	-27.0	PASS
6828.750000	-54.6	27.6	-27.0	PASS
6830.750000	-54.6	27.6	-27.0	PASS
6841.750000	-54.6	27.6	-27.0	PASS
6833.750000	-54.6	27.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.250000	-51.8	24.8	-27.0	PASS
5650.250000	-51.7	24.9	-26.8	PASS
5634.250000	-52.0	25.0	-27.0	PASS
5638.750000	-52.2	25.2	-27.0	PASS
5649.250000	-52.2	25.2	-27.0	PASS
5635.250000	-52.2	25.2	-27.0	PASS
5638.250000	-52.3	25.3	-27.0	PASS
5639.250000	-52.4	25.4	-27.0	PASS
5636.250000	-52.4	25.4	-27.0	PASS
5642.250000	-52.5	25.5	-27.0	PASS
5648.750000	-52.5	25.5	-27.0	PASS
5646.750000	-52.5	25.5	-27.0	PASS
5637.750000	-52.5	25.5	-27.0	PASS
5650.750000	-52.1	25.6	-26.4	PASS
5644.250000	-52.7	25.7	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6840.750000	-51.4	24.4	-27.0	PASS
6835.750000	-51.4	24.4	-27.0	PASS
6829.750000	-51.5	24.5	-27.0	PASS
6828.750000	-51.6	24.6	-27.0	PASS
6762.750000	-51.6	24.6	-27.0	PASS
6832.250000	-51.7	24.7	-27.0	PASS
6841.750000	-51.9	24.9	-27.0	PASS
6747.750000	-51.9	24.9	-27.0	PASS
6806.250000	-51.9	24.9	-27.0	PASS
6850.000000	-51.9	24.9	-27.0	PASS
6849.750000	-51.9	24.9	-27.0	PASS
6847.250000	-52.0	25.0	-27.0	PASS
6830.250000	-52.0	25.0	-27.0	PASS
6837.750000	-52.0	25.0	-27.0	PASS
6792.250000	-52.0	25.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5624.750000	-52.2	25.2	-27.0	PASS
5625.750000	-52.3	25.3	-27.0	PASS
5647.250000	-52.4	25.4	-27.0	PASS
5618.250000	-52.4	25.4	-27.0	PASS
5629.250000	-52.5	25.5	-27.0	PASS
5621.750000	-52.5	25.5	-27.0	PASS
5646.250000	-52.6	25.6	-27.0	PASS
5621.250000	-52.7	25.7	-27.0	PASS
5650.250000	-52.6	25.8	-26.8	PASS
5648.250000	-52.8	25.8	-27.0	PASS
5646.750000	-52.9	25.9	-27.0	PASS
5617.750000	-52.9	25.9	-27.0	PASS
5620.750000	-52.9	25.9	-27.0	PASS
5619.250000	-52.9	25.9	-27.0	PASS
5644.250000	-53.0	26.0	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5926.250000	-51.9	24.9	-27.0	PASS
5927.250000	-52.3	25.3	-27.0	PASS
5925.750000	-52.5	25.5	-27.0	PASS
5926.750000	-52.8	25.8	-27.0	PASS
5929.250000	-52.9	25.9	-27.0	PASS
5932.250000	-52.9	25.9	-27.0	PASS
5928.750000	-53.0	26.0	-27.0	PASS
5925.250000	-53.1	26.1	-27.0	PASS
5931.750000	-53.1	26.1	-27.0	PASS
5933.250000	-53.1	26.1	-27.0	PASS
5954.750000	-53.2	26.2	-27.0	PASS
5939.250000	-53.2	26.2	-27.0	PASS
5935.750000	-53.2	26.2	-27.0	PASS
5923.250000	-51.9	26.2	-25.7	PASS
5924.750000	-53.1	26.3	-26.8	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.750000	-51.0	24.0	-27.0	PASS
5645.750000	-51.3	24.3	-27.0	PASS
5643.750000	-51.4	24.4	-27.0	PASS
5652.250000	-50.0	24.7	-25.3	PASS
5649.250000	-51.8	24.8	-27.0	PASS
5650.250000	-51.7	24.8	-26.8	PASS
5634.250000	-52.2	25.2	-27.0	PASS
5646.750000	-52.3	25.3	-27.0	PASS
5639.250000	-52.6	25.6	-27.0	PASS
5648.750000	-52.6	25.6	-27.0	PASS
5633.250000	-52.6	25.6	-27.0	PASS
5638.750000	-52.7	25.7	-27.0	PASS
5647.750000	-52.7	25.7	-27.0	PASS
5643.250000	-52.8	25.8	-27.0	PASS
5637.250000	-52.8	25.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6637.250000	-54.1	27.1	-27.0	PASS
6741.750000	-54.3	27.3	-27.0	PASS
6753.750000	-54.3	27.3	-27.0	PASS
6814.750000	-54.4	27.4	-27.0	PASS
6836.250000	-54.4	27.4	-27.0	PASS
6398.750000	-54.5	27.5	-27.0	PASS
6431.750000	-54.5	27.5	-27.0	PASS
6833.250000	-54.5	27.5	-27.0	PASS
6703.750000	-54.5	27.5	-27.0	PASS
6842.750000	-54.5	27.5	-27.0	PASS
6818.250000	-54.6	27.6	-27.0	PASS
6736.750000	-54.6	27.6	-27.0	PASS
6828.750000	-54.7	27.7	-27.0	PASS
6831.250000	-54.7	27.7	-27.0	PASS
6834.750000	-54.7	27.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.750000	-48.5	21.5	-27.0	PASS
5638.250000	-48.7	21.7	-27.0	PASS
5646.250000	-48.7	21.7	-27.0	PASS
5648.250000	-49.0	22.0	-27.0	PASS
5649.250000	-49.0	22.0	-27.0	PASS
5648.750000	-49.1	22.1	-27.0	PASS
5649.750000	-49.1	22.1	-27.0	PASS
5640.750000	-49.1	22.1	-27.0	PASS
5642.250000	-49.2	22.2	-27.0	PASS
5650.250000	-49.0	22.2	-26.8	PASS
5647.750000	-49.2	22.2	-27.0	PASS
5638.750000	-49.4	22.4	-27.0	PASS
5651.250000	-48.5	22.5	-26.1	PASS
5637.750000	-49.5	22.5	-27.0	PASS
5650.750000	-49.0	22.6	-26.4	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5938.250000	-50.6	23.6	-27.0	PASS
5925.750000	-50.6	23.6	-27.0	PASS
6803.250000	-50.6	23.6	-27.0	PASS
5927.750000	-50.7	23.7	-27.0	PASS
6822.250000	-50.7	23.7	-27.0	PASS
5936.250000	-50.7	23.7	-27.0	PASS
6793.750000	-50.8	23.8	-27.0	PASS
6839.250000	-50.8	23.8	-27.0	PASS
5925.250000	-50.8	23.8	-27.0	PASS
6839.750000	-50.8	23.8	-27.0	PASS
5939.750000	-50.8	23.8	-27.0	PASS
5926.250000	-50.8	23.8	-27.0	PASS
6819.750000	-50.8	23.8	-27.0	PASS
6846.750000	-50.9	23.9	-27.0	PASS
6832.750000	-50.9	23.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5619.250000	-54.6	27.6	-27.0	PASS
5632.250000	-54.9	27.9	-27.0	PASS
5601.750000	-55.0	28.0	-27.0	PASS
5634.750000	-55.0	28.0	-27.0	PASS
5647.750000	-55.2	28.2	-27.0	PASS
5636.750000	-55.2	28.2	-27.0	PASS
5623.750000	-55.2	28.2	-27.0	PASS
5622.750000	-55.3	28.3	-27.0	PASS
5633.250000	-55.4	28.4	-27.0	PASS
5640.750000	-55.5	28.5	-27.0	PASS
5647.250000	-55.6	28.6	-27.0	PASS
5641.750000	-55.6	28.6	-27.0	PASS
5629.750000	-55.6	28.6	-27.0	PASS
5627.250000	-55.6	28.6	-27.0	PASS
5645.250000	-55.7	28.7	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6730.250000	-53.1	26.1	-27.0	PASS
6829.250000	-53.2	26.2	-27.0	PASS
6413.250000	-53.2	26.2	-27.0	PASS
5926.750000	-53.3	26.3	-27.0	PASS
6805.250000	-53.3	26.3	-27.0	PASS
6841.750000	-53.4	26.4	-27.0	PASS
6826.750000	-53.5	26.5	-27.0	PASS
6848.250000	-53.5	26.5	-27.0	PASS
6828.250000	-53.5	26.5	-27.0	PASS
6845.250000	-53.6	26.6	-27.0	PASS
6473.750000	-53.6	26.6	-27.0	PASS
6490.250000	-53.6	26.6	-27.0	PASS
5991.250000	-53.7	26.7	-27.0	PASS
6586.750000	-53.7	26.7	-27.0	PASS
6834.750000	-53.7	26.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.750000	-55.6	28.6	-27.0	PASS
5632.750000	-55.7	28.7	-27.0	PASS
5631.250000	-55.7	28.7	-27.0	PASS
5650.250000	-55.6	28.8	-26.8	PASS
5643.250000	-55.8	28.8	-27.0	PASS
5599.750000	-55.8	28.8	-27.0	PASS
5647.750000	-55.8	28.8	-27.0	PASS
5642.750000	-55.8	28.8	-27.0	PASS
5649.250000	-55.9	28.9	-27.0	PASS
5603.250000	-55.9	28.9	-27.0	PASS
5644.250000	-56.0	29.0	-27.0	PASS
5633.250000	-56.0	29.0	-27.0	PASS
5634.250000	-56.0	29.0	-27.0	PASS
5640.250000	-56.0	29.0	-27.0	PASS
5639.250000	-56.1	29.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6752.250000	-53.9	26.9	-27.0	PASS
6647.750000	-54.0	27.0	-27.0	PASS
6836.250000	-54.1	27.1	-27.0	PASS
6660.250000	-54.1	27.1	-27.0	PASS
6844.250000	-54.2	27.2	-27.0	PASS
6808.250000	-54.2	27.2	-27.0	PASS
6752.750000	-54.2	27.2	-27.0	PASS
6842.750000	-54.4	27.4	-27.0	PASS
6425.250000	-54.4	27.4	-27.0	PASS
6771.250000	-54.4	27.4	-27.0	PASS
6753.750000	-54.5	27.5	-27.0	PASS
6516.250000	-54.5	27.5	-27.0	PASS
6805.750000	-54.5	27.5	-27.0	PASS
6814.250000	-54.6	27.6	-27.0	PASS
6783.250000	-54.6	27.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.250000	-52.6	25.6	-27.0	PASS
5630.250000	-52.6	25.6	-27.0	PASS
5641.250000	-52.7	25.7	-27.0	PASS
5633.250000	-52.8	25.8	-27.0	PASS
5649.250000	-52.8	25.8	-27.0	PASS
5647.750000	-52.8	25.8	-27.0	PASS
5647.250000	-52.9	25.9	-27.0	PASS
5646.750000	-52.9	25.9	-27.0	PASS
5648.750000	-52.9	25.9	-27.0	PASS
5613.250000	-53.0	26.0	-27.0	PASS
5649.750000	-53.0	26.0	-27.0	PASS
5645.750000	-53.0	26.0	-27.0	PASS
5640.750000	-53.0	26.0	-27.0	PASS
5639.250000	-53.0	26.0	-27.0	PASS
5650.750000	-52.5	26.1	-26.4	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.750000	-50.3	23.3	-27.0	PASS
6829.250000	-50.4	23.4	-27.0	PASS
6813.750000	-50.7	23.7	-27.0	PASS
6818.250000	-50.8	23.8	-27.0	PASS
6835.750000	-50.8	23.8	-27.0	PASS
6820.250000	-50.8	23.8	-27.0	PASS
6817.750000	-50.9	23.9	-27.0	PASS
6832.250000	-50.9	23.9	-27.0	PASS
6767.750000	-51.0	24.0	-27.0	PASS
6835.250000	-51.0	24.0	-27.0	PASS
6844.750000	-51.0	24.0	-27.0	PASS
6837.750000	-51.1	24.1	-27.0	PASS
6774.250000	-51.1	24.1	-27.0	PASS
6809.750000	-51.1	24.1	-27.0	PASS
6784.250000	-51.1	24.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5652.250000	-47.8	22.5	-25.3	PASS
5650.250000	-49.9	23.0	-26.8	PASS
5649.750000	-50.1	23.1	-27.0	PASS
5652.750000	-48.1	23.1	-25.0	PASS
5649.250000	-50.1	23.1	-27.0	PASS
5651.250000	-49.3	23.3	-26.1	PASS
5646.250000	-50.3	23.3	-27.0	PASS
5648.750000	-50.5	23.5	-27.0	PASS
5646.750000	-50.5	23.5	-27.0	PASS
5650.750000	-50.0	23.6	-26.4	PASS
5647.750000	-50.6	23.6	-27.0	PASS
5640.750000	-50.8	23.8	-27.0	PASS
5644.250000	-51.1	24.1	-27.0	PASS
5648.250000	-51.1	24.1	-27.0	PASS
5626.250000	-51.1	24.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5937.750000	-50.3	23.3	-27.0	PASS
5925.250000	-50.4	23.4	-27.0	PASS
5930.750000	-50.6	23.6	-27.0	PASS
5924.750000	-50.5	23.7	-26.8	PASS
5925.750000	-50.8	23.8	-27.0	PASS
5924.250000	-50.3	23.9	-26.4	PASS
5937.250000	-51.0	24.0	-27.0	PASS
5932.250000	-51.1	24.1	-27.0	PASS
5938.750000	-51.2	24.2	-27.0	PASS
5938.250000	-51.2	24.2	-27.0	PASS
5951.750000	-51.3	24.3	-27.0	PASS
5930.250000	-51.4	24.4	-27.0	PASS
5931.250000	-51.4	24.4	-27.0	PASS
5927.250000	-51.4	24.4	-27.0	PASS
5929.750000	-51.5	24.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.250000	-49.9	22.9	-27.0	PASS
5646.250000	-50.0	23.0	-27.0	PASS
5647.750000	-50.2	23.2	-27.0	PASS
5645.750000	-50.2	23.2	-27.0	PASS
5648.250000	-50.4	23.4	-27.0	PASS
5648.750000	-50.9	23.9	-27.0	PASS
5646.750000	-51.1	24.1	-27.0	PASS
5647.250000	-51.3	24.3	-27.0	PASS
5649.750000	-51.4	24.4	-27.0	PASS
5641.250000	-51.6	24.6	-27.0	PASS
5651.250000	-50.7	24.6	-26.1	PASS
5645.250000	-51.6	24.6	-27.0	PASS
5650.750000	-51.3	24.8	-26.4	PASS
5652.750000	-49.8	24.9	-25.0	PASS
5643.250000	-52.0	25.0	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5938.750000	-53.3	26.3	-27.0	PASS
5937.750000	-54.1	27.1	-27.0	PASS
6844.250000	-54.2	27.2	-27.0	PASS
5937.250000	-54.2	27.2	-27.0	PASS
6729.250000	-54.2	27.2	-27.0	PASS
6755.750000	-54.2	27.2	-27.0	PASS
5929.250000	-54.3	27.3	-27.0	PASS
6754.250000	-54.3	27.3	-27.0	PASS
5928.250000	-54.3	27.3	-27.0	PASS
6848.750000	-54.4	27.4	-27.0	PASS
6838.250000	-54.4	27.4	-27.0	PASS
6800.750000	-54.4	27.4	-27.0	PASS
6830.250000	-54.4	27.4	-27.0	PASS
6775.750000	-54.5	27.5	-27.0	PASS
5924.750000	-54.3	27.5	-26.8	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.250000	-47.7	20.7	-27.0	PASS
5650.250000	-47.7	20.9	-26.8	PASS
5648.250000	-48.2	21.2	-27.0	PASS
5643.750000	-48.3	21.3	-27.0	PASS
5649.250000	-48.3	21.3	-27.0	PASS
5647.750000	-48.4	21.4	-27.0	PASS
5644.750000	-48.4	21.4	-27.0	PASS
5646.250000	-48.4	21.4	-27.0	PASS
5645.750000	-48.5	21.5	-27.0	PASS
5640.750000	-48.5	21.5	-27.0	PASS
5650.750000	-47.9	21.5	-26.4	PASS
5642.250000	-48.7	21.7	-27.0	PASS
5642.750000	-48.7	21.7	-27.0	PASS
5647.250000	-48.8	21.8	-27.0	PASS
5649.750000	-48.8	21.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5937.750000	-49.8	22.8	-27.0	PASS
5927.250000	-50.0	23.0	-27.0	PASS
5925.250000	-50.1	23.1	-27.0	PASS
5928.750000	-50.1	23.1	-27.0	PASS
5926.250000	-50.1	23.1	-27.0	PASS
5937.250000	-50.2	23.2	-27.0	PASS
5938.250000	-50.3	23.3	-27.0	PASS
5926.750000	-50.3	23.3	-27.0	PASS
5928.250000	-50.4	23.4	-27.0	PASS
5930.750000	-50.4	23.4	-27.0	PASS
5953.250000	-50.4	23.4	-27.0	PASS
6831.750000	-50.4	23.4	-27.0	PASS
5931.250000	-50.5	23.5	-27.0	PASS
5932.250000	-50.5	23.5	-27.0	PASS
5929.750000	-50.5	23.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5639.750000	-39.0	12.0	-27.0	PASS
5648.750000	-39.2	12.2	-27.0	PASS
5639.250000	-39.9	12.9	-27.0	PASS
5642.250000	-40.0	13.0	-27.0	PASS
5650.250000	-39.9	13.1	-26.8	PASS
5650.750000	-39.6	13.1	-26.4	PASS
5645.250000	-40.4	13.4	-27.0	PASS
5649.250000	-40.6	13.6	-27.0	PASS
5651.250000	-39.7	13.6	-26.1	PASS
5629.750000	-40.7	13.7	-27.0	PASS
5645.750000	-40.7	13.7	-27.0	PASS
5627.250000	-40.7	13.7	-27.0	PASS
5626.750000	-40.8	13.8	-27.0	PASS
5644.750000	-40.8	13.8	-27.0	PASS
5636.250000	-40.8	13.8	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5930.250000	-42.8	15.8	-27.0	PASS
5927.250000	-42.9	15.9	-27.0	PASS
5925.750000	-43.0	16.0	-27.0	PASS
5929.750000	-43.4	16.4	-27.0	PASS
5929.250000	-43.5	16.5	-27.0	PASS
5926.250000	-43.6	16.6	-27.0	PASS
5927.750000	-43.9	16.9	-27.0	PASS
5928.250000	-44.0	17.0	-27.0	PASS
5923.250000	-42.7	17.0	-25.7	PASS
5924.750000	-43.9	17.0	-26.8	PASS
5928.750000	-44.1	17.1	-27.0	PASS
5923.750000	-43.2	17.1	-26.1	PASS
5930.750000	-44.1	17.1	-27.0	PASS
5926.750000	-44.2	17.2	-27.0	PASS
5925.250000	-44.3	17.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.250000	-38.6	11.6	-27.0	PASS
5646.750000	-39.5	12.5	-27.0	PASS
5643.250000	-39.7	12.7	-27.0	PASS
5633.250000	-39.8	12.8	-27.0	PASS
5628.250000	-39.9	12.9	-27.0	PASS
5640.250000	-40.0	13.0	-27.0	PASS
5648.750000	-40.1	13.1	-27.0	PASS
5645.750000	-40.2	13.2	-27.0	PASS
5650.250000	-40.0	13.2	-26.8	PASS
5647.750000	-40.2	13.2	-27.0	PASS
5638.750000	-40.4	13.4	-27.0	PASS
5641.250000	-40.4	13.4	-27.0	PASS
5626.750000	-40.5	13.5	-27.0	PASS
5650.750000	-40.0	13.6	-26.4	PASS
5641.750000	-40.6	13.6	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.250000	-48.3	21.3	-27.0	PASS
5923.750000	-47.6	21.5	-26.1	PASS
5923.250000	-47.2	21.5	-25.7	PASS
5926.250000	-48.8	21.8	-27.0	PASS
5924.750000	-48.9	22.1	-26.8	PASS
5924.250000	-48.6	22.1	-26.4	PASS
5925.750000	-49.3	22.3	-27.0	PASS
5927.250000	-49.8	22.8	-27.0	PASS
5927.750000	-49.9	22.9	-27.0	PASS
5926.750000	-49.9	22.9	-27.0	PASS
5929.750000	-50.0	23.0	-27.0	PASS
5922.250000	-47.9	23.0	-25.0	PASS
5921.250000	-47.3	23.1	-24.2	PASS
5920.750000	-47.0	23.2	-23.9	PASS
5930.250000	-50.3	23.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.750000	-36.2	9.2	-27.0	PASS
5650.750000	-35.6	9.2	-26.4	PASS
5628.250000	-36.2	9.2	-27.0	PASS
5627.750000	-36.3	9.3	-27.0	PASS
5648.250000	-36.4	9.4	-27.0	PASS
5650.250000	-36.2	9.4	-26.8	PASS
5642.750000	-36.6	9.6	-27.0	PASS
5649.750000	-36.7	9.7	-27.0	PASS
5647.750000	-36.7	9.7	-27.0	PASS
5652.750000	-35.0	10.1	-25.0	PASS
5653.250000	-34.8	10.2	-24.6	PASS
5625.250000	-37.3	10.3	-27.0	PASS
5652.250000	-35.6	10.3	-25.3	PASS
5647.250000	-37.3	10.3	-27.0	PASS
5627.250000	-37.3	10.3	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-42.9	15.9	-27.0	PASS
5927.750000	-43.5	16.5	-27.0	PASS
5929.750000	-43.5	16.5	-27.0	PASS
5930.250000	-43.5	16.5	-27.0	PASS
5925.250000	-43.6	16.6	-27.0	PASS
5929.250000	-43.8	16.8	-27.0	PASS
5923.750000	-42.9	16.9	-26.1	PASS
5926.750000	-43.9	16.9	-27.0	PASS
5924.750000	-43.7	16.9	-26.8	PASS
5927.250000	-43.9	16.9	-27.0	PASS
5930.750000	-44.1	17.1	-27.0	PASS
5926.250000	-44.3	17.3	-27.0	PASS
5928.750000	-44.6	17.6	-27.0	PASS
5934.750000	-44.6	17.6	-27.0	PASS
5923.250000	-43.3	17.6	-25.7	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.750000	-56.1	29.1	-27.0	PASS
5620.250000	-56.1	29.1	-27.0	PASS
5637.750000	-56.3	29.3	-27.0	PASS
5638.750000	-56.4	29.4	-27.0	PASS
5641.750000	-56.5	29.5	-27.0	PASS
5635.250000	-56.5	29.5	-27.0	PASS
5629.750000	-56.7	29.7	-27.0	PASS
5590.750000	-56.7	29.7	-27.0	PASS
5587.750000	-56.8	29.8	-27.0	PASS
5638.250000	-56.8	29.8	-27.0	PASS
5631.750000	-56.8	29.8	-27.0	PASS
5614.750000	-56.8	29.8	-27.0	PASS
5586.250000	-56.8	29.8	-27.0	PASS
5640.250000	-56.8	29.8	-27.0	PASS
5634.250000	-56.8	29.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6663.750000	-54.1	27.1	-27.0	PASS
6844.250000	-54.1	27.1	-27.0	PASS
6814.750000	-54.2	27.2	-27.0	PASS
6525.750000	-54.3	27.3	-27.0	PASS
6842.250000	-54.3	27.3	-27.0	PASS
6837.250000	-54.3	27.3	-27.0	PASS
6653.250000	-54.4	27.4	-27.0	PASS
6756.250000	-54.4	27.4	-27.0	PASS
6803.750000	-54.4	27.4	-27.0	PASS
6818.250000	-54.4	27.4	-27.0	PASS
6831.750000	-54.5	27.5	-27.0	PASS
6735.750000	-54.6	27.6	-27.0	PASS
6581.250000	-54.6	27.6	-27.0	PASS
6848.750000	-54.6	27.6	-27.0	PASS
6604.750000	-54.7	27.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.750000	-54.9	27.9	-27.0	PASS
5640.750000	-55.2	28.2	-27.0	PASS
5647.250000	-55.3	28.3	-27.0	PASS
5639.250000	-55.3	28.3	-27.0	PASS
5636.750000	-55.6	28.6	-27.0	PASS
5631.750000	-55.6	28.6	-27.0	PASS
5641.750000	-55.7	28.7	-27.0	PASS
5642.250000	-55.8	28.8	-27.0	PASS
5644.250000	-55.8	28.8	-27.0	PASS
5648.250000	-55.9	28.9	-27.0	PASS
5647.750000	-55.9	28.9	-27.0	PASS
5645.750000	-55.9	28.9	-27.0	PASS
5639.750000	-56.0	29.0	-27.0	PASS
5637.250000	-56.0	29.0	-27.0	PASS
5582.750000	-56.0	29.0	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6818.250000	-53.9	26.9	-27.0	PASS
6636.250000	-54.3	27.3	-27.0	PASS
6831.250000	-54.4	27.4	-27.0	PASS
6400.250000	-54.5	27.5	-27.0	PASS
6778.250000	-54.5	27.5	-27.0	PASS
6811.250000	-54.5	27.5	-27.0	PASS
6677.750000	-54.5	27.5	-27.0	PASS
6742.750000	-54.5	27.5	-27.0	PASS
6797.250000	-54.5	27.5	-27.0	PASS
6849.250000	-54.5	27.5	-27.0	PASS
6812.250000	-54.6	27.6	-27.0	PASS
6829.750000	-54.6	27.6	-27.0	PASS
6672.250000	-54.6	27.6	-27.0	PASS
6848.750000	-54.6	27.6	-27.0	PASS
6653.250000	-54.7	27.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5643.75000	-52.0	25.0	-27.0	PASS
5646.75000	-52.5	25.5	-27.0	PASS
5649.75000	-52.6	25.6	-27.0	PASS
5641.25000	-52.6	25.6	-27.0	PASS
5638.25000	-52.7	25.7	-27.0	PASS
5631.25000	-52.7	25.7	-27.0	PASS
5647.75000	-52.7	25.7	-27.0	PASS
5649.25000	-52.7	25.7	-27.0	PASS
5623.75000	-52.8	25.8	-27.0	PASS
5639.75000	-52.8	25.8	-27.0	PASS
5634.75000	-52.8	25.8	-27.0	PASS
5629.75000	-52.8	25.8	-27.0	PASS
5631.75000	-52.8	25.8	-27.0	PASS
5622.25000	-52.8	25.8	-27.0	PASS
5647.25000	-52.8	25.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6835.250000	-51.3	24.3	-27.0	PASS
6828.250000	-51.5	24.5	-27.0	PASS
6830.750000	-51.5	24.5	-27.0	PASS
6834.250000	-51.6	24.6	-27.0	PASS
6831.250000	-51.7	24.7	-27.0	PASS
6826.750000	-51.7	24.7	-27.0	PASS
6818.750000	-51.9	24.9	-27.0	PASS
6777.250000	-51.9	24.9	-27.0	PASS
6807.250000	-51.9	24.9	-27.0	PASS
6750.750000	-51.9	24.9	-27.0	PASS
6660.750000	-51.9	24.9	-27.0	PASS
6838.250000	-51.9	24.9	-27.0	PASS
6453.250000	-52.0	25.0	-27.0	PASS
6819.750000	-52.0	25.0	-27.0	PASS
6786.250000	-52.0	25.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.250000	-50.9	23.9	-27.0	PASS
5645.750000	-50.9	23.9	-27.0	PASS
5645.250000	-51.0	24.0	-27.0	PASS
5650.250000	-50.9	24.1	-26.8	PASS
5650.750000	-51.2	24.8	-26.4	PASS
5649.750000	-52.1	25.1	-27.0	PASS
5651.250000	-51.3	25.2	-26.1	PASS
5639.750000	-52.2	25.2	-27.0	PASS
5642.250000	-52.4	25.4	-27.0	PASS
5638.250000	-52.5	25.5	-27.0	PASS
5649.250000	-52.5	25.5	-27.0	PASS
5654.250000	-49.4	25.6	-23.9	PASS
5647.250000	-52.6	25.6	-27.0	PASS
5647.750000	-52.6	25.6	-27.0	PASS
5655.250000	-48.8	25.6	-23.1	PASS

TEST RESULTS (Cont.)

Highest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5932.250000	-51.5	24.5	-27.0	PASS
5929.250000	-52.0	25.0	-27.0	PASS
5928.750000	-52.1	25.1	-27.0	PASS
5931.750000	-52.1	25.1	-27.0	PASS
5934.250000	-52.3	25.3	-27.0	PASS
5938.750000	-52.5	25.5	-27.0	PASS
5934.750000	-52.5	25.5	-27.0	PASS
5928.250000	-52.5	25.5	-27.0	PASS
5927.250000	-52.6	25.6	-27.0	PASS
5938.250000	-52.6	25.6	-27.0	PASS
5942.250000	-52.6	25.6	-27.0	PASS
5942.750000	-52.6	25.6	-27.0	PASS
5926.250000	-52.7	25.7	-27.0	PASS
5930.250000	-52.9	25.9	-27.0	PASS
5924.750000	-52.7	25.9	-26.8	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.750000	-49.7	22.7	-27.0	PASS
5644.250000	-50.0	23.0	-27.0	PASS
5647.750000	-50.3	23.3	-27.0	PASS
5649.750000	-50.5	23.5	-27.0	PASS
5645.250000	-50.8	23.8	-27.0	PASS
5647.250000	-50.8	23.8	-27.0	PASS
5643.250000	-50.9	23.9	-27.0	PASS
5646.250000	-51.0	24.0	-27.0	PASS
5648.250000	-51.1	24.1	-27.0	PASS
5650.750000	-50.5	24.1	-26.4	PASS
5642.750000	-51.2	24.2	-27.0	PASS
5650.250000	-51.1	24.3	-26.8	PASS
5649.250000	-51.3	24.3	-27.0	PASS
5652.750000	-49.4	24.4	-25.0	PASS
5646.750000	-51.6	24.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6805.250000	-53.5	26.5	-27.0	PASS
6847.750000	-53.9	26.9	-27.0	PASS
6812.250000	-53.9	26.9	-27.0	PASS
6695.250000	-54.0	27.0	-27.0	PASS
6712.750000	-54.2	27.2	-27.0	PASS
5924.250000	-53.7	27.2	-26.4	PASS
6841.750000	-54.2	27.2	-27.0	PASS
6842.750000	-54.2	27.2	-27.0	PASS
6775.250000	-54.3	27.3	-27.0	PASS
6833.250000	-54.3	27.3	-27.0	PASS
6740.250000	-54.3	27.3	-27.0	PASS
6748.250000	-54.3	27.3	-27.0	PASS
5958.750000	-54.3	27.3	-27.0	PASS
6844.250000	-54.3	27.3	-27.0	PASS
6706.750000	-54.3	27.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.250000	-46.9	19.9	-27.0	PASS
5646.250000	-47.1	20.1	-27.0	PASS
5644.250000	-47.5	20.5	-27.0	PASS
5651.250000	-46.6	20.5	-26.1	PASS
5644.750000	-47.6	20.6	-27.0	PASS
5649.750000	-47.8	20.8	-27.0	PASS
5648.250000	-48.1	21.1	-27.0	PASS
5639.750000	-48.2	21.2	-27.0	PASS
5646.750000	-48.2	21.2	-27.0	PASS
5650.750000	-47.8	21.3	-26.4	PASS
5643.750000	-48.4	21.4	-27.0	PASS
5637.750000	-48.4	21.4	-27.0	PASS
5638.750000	-48.4	21.4	-27.0	PASS
5639.250000	-48.4	21.4	-27.0	PASS
5642.250000	-48.5	21.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5930.250000	-49.9	22.9	-27.0	PASS
5929.250000	-50.1	23.1	-27.0	PASS
5944.750000	-50.1	23.1	-27.0	PASS
5933.250000	-50.2	23.2	-27.0	PASS
6827.250000	-50.2	23.2	-27.0	PASS
5933.750000	-50.3	23.3	-27.0	PASS
5939.750000	-50.4	23.4	-27.0	PASS
6835.250000	-50.4	23.4	-27.0	PASS
5936.250000	-50.4	23.4	-27.0	PASS
5930.750000	-50.4	23.4	-27.0	PASS
5938.750000	-50.4	23.4	-27.0	PASS
5931.250000	-50.4	23.4	-27.0	PASS
5937.250000	-50.5	23.5	-27.0	PASS
6849.250000	-50.5	23.5	-27.0	PASS
5947.250000	-50.5	23.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5642.250000	-39.4	12.4	-27.0	PASS
5647.250000	-39.5	12.5	-27.0	PASS
5639.750000	-40.0	13.0	-27.0	PASS
5646.750000	-40.0	13.0	-27.0	PASS
5645.250000	-40.2	13.2	-27.0	PASS
5643.250000	-40.2	13.2	-27.0	PASS
5648.750000	-40.2	13.2	-27.0	PASS
5650.250000	-40.2	13.4	-26.8	PASS
5647.750000	-40.4	13.4	-27.0	PASS
5645.750000	-40.5	13.5	-27.0	PASS
5641.750000	-40.5	13.5	-27.0	PASS
5642.750000	-40.5	13.5	-27.0	PASS
5650.750000	-40.0	13.5	-26.4	PASS
5651.250000	-39.7	13.6	-26.1	PASS
5646.250000	-40.7	13.7	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5933.250000	-42.2	15.2	-27.0	PASS
5927.250000	-43.0	16.0	-27.0	PASS
5936.750000	-43.0	16.0	-27.0	PASS
5927.750000	-43.0	16.0	-27.0	PASS
5936.250000	-43.1	16.1	-27.0	PASS
5926.250000	-43.1	16.1	-27.0	PASS
5934.250000	-43.1	16.1	-27.0	PASS
5938.750000	-43.2	16.2	-27.0	PASS
5934.750000	-43.2	16.2	-27.0	PASS
5932.250000	-43.3	16.3	-27.0	PASS
5926.750000	-43.3	16.3	-27.0	PASS
5932.750000	-43.6	16.6	-27.0	PASS
5937.250000	-43.9	16.9	-27.0	PASS
5929.750000	-43.9	16.9	-27.0	PASS
5939.250000	-43.9	16.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.250000	-34.8	7.8	-27.0	PASS
5645.750000	-35.4	8.4	-27.0	PASS
5647.250000	-36.3	9.3	-27.0	PASS
5644.750000	-36.3	9.3	-27.0	PASS
5650.250000	-36.3	9.5	-26.8	PASS
5650.750000	-36.0	9.5	-26.4	PASS
5640.250000	-36.7	9.7	-27.0	PASS
5649.250000	-36.8	9.8	-27.0	PASS
5648.250000	-36.9	9.9	-27.0	PASS
5631.250000	-36.9	9.9	-27.0	PASS
5648.750000	-37.0	10.0	-27.0	PASS
5637.750000	-37.0	10.0	-27.0	PASS
5651.250000	-36.1	10.0	-26.1	PASS
5649.750000	-37.0	10.0	-27.0	PASS
5647.750000	-37.1	10.1	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5927.250000	-47.9	20.9	-27.0	PASS
5930.750000	-48.2	21.2	-27.0	PASS
5926.250000	-48.4	21.4	-27.0	PASS
5924.750000	-48.4	21.6	-26.8	PASS
5928.250000	-48.8	21.8	-27.0	PASS
5928.750000	-49.0	22.0	-27.0	PASS
5925.250000	-49.1	22.1	-27.0	PASS
5931.250000	-49.2	22.2	-27.0	PASS
5924.250000	-48.8	22.3	-26.4	PASS
5923.750000	-48.4	22.4	-26.1	PASS
5931.750000	-49.4	22.4	-27.0	PASS
5926.750000	-49.4	22.4	-27.0	PASS
5922.750000	-47.8	22.4	-25.3	PASS
5930.250000	-49.5	22.5	-27.0	PASS
5925.750000	-49.5	22.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.750000	-35.0	8.0	-27.0	PASS
5642.250000	-35.3	8.3	-27.0	PASS
5647.250000	-35.5	8.5	-27.0	PASS
5645.750000	-35.6	8.6	-27.0	PASS
5647.750000	-35.6	8.6	-27.0	PASS
5650.250000	-35.5	8.7	-26.8	PASS
5641.750000	-35.7	8.7	-27.0	PASS
5642.750000	-35.7	8.7	-27.0	PASS
5648.750000	-35.8	8.8	-27.0	PASS
5645.250000	-35.9	8.9	-27.0	PASS
5650.750000	-35.6	9.1	-26.4	PASS
5649.750000	-36.1	9.1	-27.0	PASS
5646.250000	-36.2	9.2	-27.0	PASS
5649.250000	-36.2	9.2	-27.0	PASS
5643.250000	-36.2	9.2	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-44.1	17.1	-27.0	PASS
5927.250000	-44.6	17.6	-27.0	PASS
5927.750000	-44.7	17.7	-27.0	PASS
5926.750000	-45.0	18.0	-27.0	PASS
5925.250000	-45.2	18.2	-27.0	PASS
5926.250000	-45.3	18.3	-27.0	PASS
5930.750000	-45.4	18.4	-27.0	PASS
5928.250000	-45.4	18.4	-27.0	PASS
5931.750000	-45.6	18.6	-27.0	PASS
5928.750000	-45.8	18.8	-27.0	PASS
5924.250000	-45.3	18.8	-26.4	PASS
5932.250000	-45.9	18.9	-27.0	PASS
5929.250000	-46.0	19.0	-27.0	PASS
5937.250000	-46.1	19.1	-27.0	PASS
5929.750000	-46.1	19.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5636.750000	-52.8	25.8	-27.0	PASS
5643.750000	-52.9	25.9	-27.0	PASS
5640.750000	-52.9	25.9	-27.0	PASS
5639.750000	-53.1	26.1	-27.0	PASS
5610.750000	-53.2	26.2	-27.0	PASS
5639.250000	-53.2	26.2	-27.0	PASS
5649.750000	-53.3	26.3	-27.0	PASS
5617.250000	-53.3	26.3	-27.0	PASS
5580.250000	-53.3	26.3	-27.0	PASS
5646.750000	-53.4	26.4	-27.0	PASS
5607.250000	-53.4	26.4	-27.0	PASS
5634.750000	-53.4	26.4	-27.0	PASS
5609.250000	-53.4	26.4	-27.0	PASS
5635.250000	-53.4	26.4	-27.0	PASS
5583.250000	-53.5	26.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-50.4	23.4	-27.0	PASS
5932.750000	-50.6	23.6	-27.0	PASS
5931.750000	-50.8	23.8	-27.0	PASS
6844.250000	-50.8	23.8	-27.0	PASS
6818.250000	-50.9	23.9	-27.0	PASS
5929.250000	-50.9	23.9	-27.0	PASS
5925.250000	-51.0	24.0	-27.0	PASS
6831.250000	-51.1	24.1	-27.0	PASS
6816.250000	-51.1	24.1	-27.0	PASS
6482.250000	-51.1	24.1	-27.0	PASS
6808.750000	-51.1	24.1	-27.0	PASS
5934.750000	-51.2	24.2	-27.0	PASS
5927.750000	-51.2	24.2	-27.0	PASS
5937.750000	-51.2	24.2	-27.0	PASS
6842.250000	-51.2	24.2	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5637.250000	-44.1	17.1	-27.0	PASS
5640.750000	-44.2	17.2	-27.0	PASS
5648.750000	-44.5	17.5	-27.0	PASS
5644.250000	-44.7	17.7	-27.0	PASS
5643.250000	-45.0	18.0	-27.0	PASS
5642.750000	-45.2	18.2	-27.0	PASS
5638.750000	-45.4	18.4	-27.0	PASS
5642.250000	-45.7	18.7	-27.0	PASS
5650.250000	-45.5	18.7	-26.8	PASS
5647.750000	-45.7	18.7	-27.0	PASS
5648.250000	-45.8	18.8	-27.0	PASS
5646.750000	-45.9	18.9	-27.0	PASS
5637.750000	-46.0	19.0	-27.0	PASS
5638.250000	-46.0	19.0	-27.0	PASS
5647.250000	-46.0	19.0	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5927.750000	-48.6	21.6	-27.0	PASS
5945.250000	-48.7	21.7	-27.0	PASS
5928.750000	-48.9	21.9	-27.0	PASS
5926.750000	-49.0	22.0	-27.0	PASS
5937.250000	-49.1	22.1	-27.0	PASS
5929.250000	-49.2	22.2	-27.0	PASS
5933.750000	-49.3	22.3	-27.0	PASS
5930.250000	-49.3	22.3	-27.0	PASS
6843.750000	-49.4	22.4	-27.0	PASS
5928.250000	-49.4	22.4	-27.0	PASS
6847.250000	-49.4	22.4	-27.0	PASS
5925.250000	-49.5	22.5	-27.0	PASS
5927.250000	-49.5	22.5	-27.0	PASS
6831.250000	-49.5	22.5	-27.0	PASS
5924.750000	-49.4	22.5	-26.8	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.750000	-39.1	12.1	-27.0	PASS
5649.250000	-40.5	13.5	-27.0	PASS
5630.250000	-40.6	13.6	-27.0	PASS
5649.750000	-40.7	13.7	-27.0	PASS
5646.750000	-41.0	14.0	-27.0	PASS
5615.750000	-41.5	14.5	-27.0	PASS
5643.250000	-41.6	14.6	-27.0	PASS
5630.750000	-41.6	14.6	-27.0	PASS
5648.250000	-41.7	14.7	-27.0	PASS
5619.250000	-41.7	14.7	-27.0	PASS
5647.750000	-41.7	14.7	-27.0	PASS
5629.250000	-41.7	14.7	-27.0	PASS
5625.750000	-41.8	14.8	-27.0	PASS
5652.250000	-40.1	14.8	-25.3	PASS
5650.250000	-41.7	14.9	-26.8	PASS

TEST RESULTS (Cont.)

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5924.250000	-47.9	21.4	-26.4	PASS
5930.250000	-48.6	21.6	-27.0	PASS
5927.250000	-48.7	21.7	-27.0	PASS
5925.750000	-49.3	22.3	-27.0	PASS
5930.750000	-49.4	22.4	-27.0	PASS
5923.750000	-48.6	22.5	-26.1	PASS
5927.750000	-49.7	22.7	-27.0	PASS
5926.750000	-49.7	22.7	-27.0	PASS
5928.250000	-49.7	22.7	-27.0	PASS
5931.750000	-49.8	22.8	-27.0	PASS
5938.750000	-49.8	22.8	-27.0	PASS
5932.250000	-49.8	22.8	-27.0	PASS
5924.750000	-49.7	22.9	-26.8	PASS
5926.250000	-50.0	23.0	-27.0	PASS
5935.250000	-50.1	23.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5644.250000	-50.4	23.4	-27.0	PASS
5639.750000	-51.6	24.6	-27.0	PASS
5642.750000	-51.6	24.6	-27.0	PASS
5648.750000	-51.9	24.9	-27.0	PASS
5649.750000	-52.0	25.0	-27.0	PASS
5641.750000	-52.0	25.0	-27.0	PASS
5629.750000	-52.0	25.0	-27.0	PASS
5643.250000	-52.1	25.1	-27.0	PASS
5637.250000	-52.1	25.1	-27.0	PASS
5635.250000	-52.2	25.2	-27.0	PASS
5646.250000	-52.2	25.2	-27.0	PASS
5649.250000	-52.2	25.2	-27.0	PASS
5590.250000	-52.2	25.2	-27.0	PASS
5651.250000	-51.3	25.2	-26.1	PASS
5642.250000	-52.2	25.2	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5921.750000	-47.3	22.7	-24.6	PASS
5931.750000	-50.3	23.3	-27.0	PASS
5925.250000	-50.5	23.5	-27.0	PASS
6834.750000	-50.6	23.6	-27.0	PASS
6825.750000	-50.6	23.6	-27.0	PASS
6836.750000	-50.7	23.7	-27.0	PASS
6841.750000	-50.7	23.7	-27.0	PASS
5941.250000	-50.7	23.7	-27.0	PASS
6849.250000	-50.8	23.8	-27.0	PASS
5931.250000	-50.8	23.8	-27.0	PASS
5924.750000	-50.7	23.9	-26.8	PASS
5937.750000	-51.0	24.0	-27.0	PASS
5935.250000	-51.0	24.0	-27.0	PASS
5929.250000	-51.0	24.0	-27.0	PASS
6838.750000	-51.0	24.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5643.750000	-44.8	17.8	-27.0	PASS
5643.250000	-44.8	17.8	-27.0	PASS
5637.750000	-44.9	17.9	-27.0	PASS
5638.250000	-45.0	18.0	-27.0	PASS
5647.250000	-45.0	18.0	-27.0	PASS
5640.250000	-45.5	18.5	-27.0	PASS
5649.250000	-45.6	18.6	-27.0	PASS
5648.250000	-45.6	18.6	-27.0	PASS
5642.250000	-46.0	19.0	-27.0	PASS
5644.250000	-46.1	19.1	-27.0	PASS
5652.750000	-44.5	19.5	-25.0	PASS
5642.750000	-46.6	19.6	-27.0	PASS
5639.750000	-46.6	19.6	-27.0	PASS
5650.250000	-46.5	19.7	-26.8	PASS
5641.750000	-46.8	19.8	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6828.750000	-49.6	22.6	-27.0	PASS
6845.250000	-49.7	22.7	-27.0	PASS
6811.750000	-49.9	22.9	-27.0	PASS
6828.250000	-49.9	22.9	-27.0	PASS
6834.750000	-50.0	23.0	-27.0	PASS
6822.750000	-50.1	23.1	-27.0	PASS
6848.250000	-50.1	23.1	-27.0	PASS
6823.250000	-50.1	23.1	-27.0	PASS
6808.250000	-50.1	23.1	-27.0	PASS
6428.750000	-50.2	23.2	-27.0	PASS
6846.750000	-50.2	23.2	-27.0	PASS
6827.750000	-50.3	23.3	-27.0	PASS
6773.250000	-50.3	23.3	-27.0	PASS
6850.000000	-50.3	23.3	-27.0	PASS
6849.750000	-50.3	23.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beamforming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.250000	-40.3	13.3	-27.0	PASS
5648.750000	-40.6	13.6	-27.0	PASS
5651.250000	-39.9	13.8	-26.1	PASS
5649.750000	-40.9	13.9	-27.0	PASS
5650.750000	-40.5	14.1	-26.4	PASS
5650.250000	-40.9	14.1	-26.8	PASS
5646.750000	-41.2	14.2	-27.0	PASS
5641.250000	-41.3	14.3	-27.0	PASS
5647.250000	-41.4	14.4	-27.0	PASS
5648.250000	-41.4	14.4	-27.0	PASS
5651.750000	-40.5	14.8	-25.7	PASS
5644.750000	-41.9	14.9	-27.0	PASS
5652.250000	-40.3	14.9	-25.3	PASS
5652.750000	-40.1	15.1	-25.0	PASS
5647.750000	-42.1	15.1	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel

Band Edge



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5932.750000	-48.6	21.6	-27.0	PASS
5926.250000	-48.7	21.7	-27.0	PASS
5925.750000	-48.9	21.9	-27.0	PASS
5925.250000	-49.0	22.0	-27.0	PASS
5924.750000	-48.9	22.0	-26.8	PASS
5926.750000	-49.1	22.1	-27.0	PASS
5931.750000	-49.1	22.1	-27.0	PASS
5930.250000	-49.2	22.2	-27.0	PASS
5932.250000	-49.2	22.2	-27.0	PASS
5928.250000	-49.3	22.3	-27.0	PASS
5938.750000	-49.3	22.3	-27.0	PASS
5927.250000	-49.3	22.3	-27.0	PASS
5927.750000	-49.3	22.3	-27.0	PASS
5929.250000	-49.4	22.4	-27.0	PASS
5933.750000	-49.4	22.4	-27.0	PASS

SECTION C.6: UNDESIRABLE RADIATED EMISSIONS (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.407 and RSS-247
	Test standard:	Part 15 Subpart E §15.407(b) (4) and RSS-Gen 8.9 and 8.10

LIMITS

For transmitters operating in the 5.15 – 5.25 GHz band: all emissions outside of the 5.15 – 5.25 GHz band shall not exceed an EIRP of -27 dBm/MHz (68.23 dBμ V/m at 3m distance).

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c) / RSS-Gen):

Frequency Range (MHz)	Field strength (μV/m)	Field strength (dBμV/m)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	30
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
960 - 25000	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function

TEST SETUP

All radiated tests were performed in a semi-anechoic chamber. The measurement antenna is situated at 3 m for the frequency range 30-1000 MHz (Bilog antenna) and 1-18 GHz (Double ridge horn antenna) and at 1m for the frequency range 18-40 GHz (Double ridge horn antenna).

For radiated emissions in the range 18-40 GHz that is performed at a distance closer than the specified distance, an inverse proportionality factor of 20 dB per decade is used to normalize the measured data for determining compliance.


The equipment under test was set up on a non-conductive platform above the ground plane and the situation and orientation was varied to find the maximum radiated emission. It was also rotated 360° and the antenna height was varied from 1 to 4 meters to find the maximum radiated emission.

Measurements were made in both horizontal and vertical planes of polarization.


The field strength is calculated by adding correction factor to the measured level from the spectrum analyzer. This correction factor includes antenna factor, cable loss and pre-amplifiers gain.

TEST SETUP (CONT.)


Radiated measurements Setup $f < 1$ GHz



Radiated measurements setup $1 < f < 18$ GHz



Radiated measurements setup $f > 18$ GHz



TESTED SAMPLES:	S/02
TESTED CONDITIONS MODES:	TC#06 (ax mode Beamforming)
TEST RESULTS:	PASS


The results for the worst operation mode of ax20 mode Beamforming are shown below.

Frequency range 1 GHz – 40 GHz

The results and plots below show the maximum measured levels in the 1- 40 GHz range.

FREQUENCY RANGE	1 GHz – 18 GHz
------------------------	-----------------------

Lowest Channel




- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1GHz to 40 GHz) Restricted Bands PK Lim
- TX limits to Spurious Emission FCC15.407 (1GHz to 40 GHz) Restricted Bands AVG Li

Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5748.500000	95.9	89.1	H	---	---	Fundamental
9000.000000	51.8	46.1	H	7.9	54.0	

FREQUENCY RANGE

1 GHz – 18 GHz

Mid Channel



- AVG_MAXH
- PK+_MAXH
- - - TX limits to Spurious Emission FCC15.407 (1GHz to 40 GHz) Restricted Bands PK Lim
- - - TX limits to Spurious Emission FCC15.407 (1GHz to 40 GHz) Restricted Bands AVG Li

Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Azimuth (deg)	Margin - AVG (dB)	Limit - AVG (dBµV/m)
5786.000000	99.4	90.1	H	---	---	Fundamental
11575.500000	48.5	40.5	V	13.5	54.0	