

Modulation: BT (8DPSK 3-DH5)

Results

Freq (MHz)	Maximum EIRP Power (dBm)	Maximum Conducted Power (dBm)
2402.00000	-1.0	-1,7
2441.00000	-0.2	-0,9
2480.00000	-0.8	-1,5

Verdict

Pass


Uncertainty

Measurement uncertainty (dB) < ±0.80

Attachments


Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5)

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2441.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5)

Images:



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2480.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5)

Images:



RSS-247 5.5 / FCC 15.247 (d) [Bndedge] Band-edge emissions compliance (Transmitter)

Limits

In any 100 kHz bandwidths outside the frequency band in which the intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

Modulation: BT (GFSK 1-DH5)

Results

Radiated measurements were used to show compliance with the limits in the restricted bands 2.31-2.39 GHz and 2.4835-2.5 GHz.

Verdict

Pass


Uncertainty

Measurement uncertainty (dB) $< \pm 1.53$

Attachments


Operation Band MHz = [2400, 2483.5], Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Measurement Point = 1

Images:



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2480.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Measurement Point = 1

Images:



Modulation: BT (Pi/4 DQPSK 2-DH5)

Results

Radiated measurements were used to show compliance with the limits in the restricted bands 2.31-2.39 GHz and 2.4835-2.5 GHz.

Verdict

Pass


Uncertainty

Measurement uncertainty (dB) $< \pm 1.53$

Attachments


Operation Band MHz = [2400, 2483.5], Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (Pi/4 DQPSK 2-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (Pi/4 DQPSK 2-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (Pi/4 DQPSK 2-DH5), Measurement Point = 1

Images:



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2480.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (Pi/4 DQPSK 2-DH5), Measurement Point = 1



Modulation: BT (8DPSK 3-DH5)

Results

Radiated measurements were used to show compliance with the limits in the restricted bands 2.31-2.39 GHz and 2.4835-2.5 GHz.

Verdict

Pass


Uncertainty

Measurement uncertainty (dB) $< \pm 1.53$

Attachments


Operation Band MHz = [2400, 2483.5], Frequency MHz = 0.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5), Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5), Measurement Point = 1

Images:



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2480.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (8DPSK 3-DH5), Measurement Point = 1

Images:



RSS-247 5.5 / FCC 15.247 (d) [RSE] Emission limitations radiated (Transmitter)

Limits

Radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)/RSS-Gen):

Frequency Range (MHz)	Field strength ($\mu\text{V/m}$)	Field strength (dB $\mu\text{V/m}$)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	30
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
Above 960	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function.

RSS-247: Attenuation below the general field strength limits specified in RSS-Gen is not required.

Modulation: BT (GFSK 1-DH5)

Results

Freq (MHz)	Freq Rng (GHz)	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
2402.00000	[1, 3]	2378.920000	42.91	V	AVG
2402.00000		2321.880000	53.97	V	PK
2480.00000		2493.375000	43.54	V	AVG
2480.00000		2493.144000	55.69	V	PK
2402.00000	[0.03, 1]	244.402333	24.42	V	PK
2402.00000		244.402333	21.18	V	QP
2402.00000		337.845667	39.67	H	PK
2402.00000		337.845667	35.61	H	QP
2402.00000		43.806333	22.01	V	PK
2402.00000		43.806333	17.09	V	QP
2402.00000		47.977333	21.62	V	PK
2402.00000		47.977333	17.92	V	QP
2402.00000		694.353000	28.61	V	PK
2402.00000		694.353000	22.51	V	QP
2402.00000		900.736667	30.90	V	PK
2402.00000		900.736667	25.23	V	QP
2441.00000		335.582333	37.16	H	PK
2441.00000		335.582333	32.79	H	QP
2402.00000	[3, 17]	4998.780000	46.71	H	PK
2402.00000		5373.700000	42.62	V	PK

Verdict

Pass


Uncertainty

Measurement Uncertainty (dB):
0.03 GHz < f < 1 GHz <± 5.07
1 GHz < f < 3 GHz: <± 4.00
3 GHz < f < 17 GHz: <± 5.08
17 GHz < f < 26 GHz: <± 5.33

Attachments


Operation Band MHz = [2400, 2483.5], Frequency MHz = The spurious frequencies detected do not depend neither on the operating channel, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [0.03, 1], Measurement Point = 1

Images:




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [1, 3], Measurement Point = 1


Images:



Full Spectrum




Full Spectrum




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2441.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [1, 3], Measurement Point = 1


Images:



Full Spectrum




Full Spectrum




Operation Band MHz = [2400, 2483.5], Frequency MHz = 2480.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [1, 3], Measurement Point = 1


Images:



Full Spectrum




Full Spectrum



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2402.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [3, 17], Measurement Point = 1

Images:



Operation Band MHz = [2400, 2483.5], Frequency MHz = 2441.00000, Equipment Type = Frequency Hopping Spread Spectrum systems (DSS), Modulation = BT (GFSK 1-DH5), Frequency Range GHz = [3, 17], Measurement Point = 1

Images:

