





## 5.4 OCCUPIED CHANNEL BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.606
NVNT	a	5200	Ant1	16.561
NVNT	a	5240	Ant1	16.717
NVNT	a	5180	Ant2	16.681
NVNT	a	5200	Ant2	16.435
NVNT	a	5240	Ant2	16.549
NVNT	n20	5180	Ant1	17.704
NVNT	n20	5200	Ant1	17.8
NVNT	n20	5240	Ant1	17.626
NVNT	n20	5180	Ant2	17.671
NVNT	n20	5200	Ant2	17.704
NVNT	n20	5240	Ant2	17.56
NVNT	n40	5190	Ant1	36.146
NVNT	n40	5230	Ant1	36.05
NVNT	n40	5190	Ant2	36.122
NVNT	n40	5230	Ant2	36.068
NVNT	ac20	5180	Ant1	16.636
NVNT	ac20	5200	Ant1	16.432
NVNT	ac20	5240	Ant1	16.561
NVNT	ac20	5180	Ant2	16.627
NVNT	ac20	5200	Ant2	16.54
NVNT	ac20	5240	Ant2	16.51
NVNT	ac40	5190	Ant1	36.14
NVNT	ac40	5230	Ant1	36.068
NVNT	ac40	5190	Ant2	36.122
NVNT	ac40	5230	Ant2	36.05
NVNT	ac80	5210	Ant1	75.076
NVNT	ac80	5210	Ant2	75.028

























































## 5.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.76	0.08	-1.68	11	Pass
NVNT	a	5200	Ant1	-1.4	0.07	-1.33	11	Pass
NVNT	a	5240	Ant1	-1.7	0.08	-1.62	11	Pass
NVNT	a	5180	Ant2	-1.05	0.07	-0.98	11	Pass
NVNT	a	5200	Ant2	-1.18	0.07	-1.11	11	Pass
NVNT	a	5240	Ant2	-0.79	0.08	-0.71	11	Pass
NVNT	n20	5180	Ant1	-1.03	0.04	-0.99	11	Pass
NVNT	n20	5200	Ant1	-0.72	0.04	-0.68	11	Pass
NVNT	n20	5240	Ant1	-0.89	0.04	-0.85	11	Pass
NVNT	n20	5180	Ant2	-1.33	0.04	-1.29	11	Pass
NVNT	n20	5200	Ant2	-1.07	0.04	-1.03	11	Pass
NVNT	n20	5240	Ant2	-1.08	0.04	-1.04	11	Pass
NVNT	n40	5190	Ant1	-4.78	0.04	-4.74	11	Pass
NVNT	n40	5230	Ant1	-3.95	0.04	-3.91	11	Pass
NVNT	n40	5190	Ant2	-4.31	0.04	-4.27	11	Pass
NVNT	n40	5230	Ant2	-4.28	0.04	-4.24	11	Pass
NVNT	ac20	5180	Ant1	-0.85	0.07	-0.78	11	Pass
NVNT	ac20	5200	Ant1	-0.37	0.08	-0.29	11	Pass
NVNT	ac20	5240	Ant1	-0.72	0.08	-0.64	11	Pass
NVNT	ac20	5180	Ant2	-1.11	0.08	-1.03	11	Pass
NVNT	ac20	5200	Ant2	-0.75	0.08	-0.67	11	Pass
NVNT	ac20	5240	Ant2	-0.74	0.07	-0.67	11	Pass
NVNT	ac40	5190	Ant1	-3.76	0.04	-3.72	11	Pass
NVNT	ac40	5230	Ant1	-3.97	0.04	-3.93	11	Pass
NVNT	ac40	5190	Ant2	-4.39	0.04	-4.35	11	Pass
NVNT	ac40	5230	Ant2	-3.94	0.04	-3.9	11	Pass
NVNT	ac80	5210	Ant1	-6.66	0.04	-6.62	11	Pass
NVNT	ac80	5210	Ant2	-7.11	0.04	-7.07	11	Pass



















































## 5.6 BAND EDGE

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-41.6	-27	Pass
NVNT	a	5240	Ant1	-41.14	-27	Pass
NVNT	a	5180	Ant2	-41.7	-27	Pass
NVNT	a	5240	Ant2	-41.26	-27	Pass
NVNT	n20	5180	Ant1	-41.7	-27	Pass
NVNT	n20	5240	Ant1	-42	-27	Pass
NVNT	n20	5180	Ant2	-40.6	-27	Pass
NVNT	n20	5240	Ant2	-41.34	-27	Pass
NVNT	n40	5190	Ant1	-36.79	-27	Pass
NVNT	n40	5230	Ant1	-42.21	-27	Pass
NVNT	n40	5190	Ant2	-37.2	-27	Pass
NVNT	n40	5230	Ant2	-41.8	-27	Pass
NVNT	ac20	5180	Ant1	-41.45	-27	Pass
NVNT	ac20	5240	Ant1	-41.44	-27	Pass
NVNT	ac20	5180	Ant2	-41.35	-27	Pass
NVNT	ac20	5240	Ant2	-41.4	-27	Pass
NVNT	ac40	5190	Ant1	-36.11	-27	Pass
NVNT	ac40	5230	Ant1	-41.83	-27	Pass
NVNT	ac40	5190	Ant2	-33.78	-27	Pass
NVNT	ac40	5230	Ant2	-42.15	-27	Pass
NVNT	ac80	5210	Ant1	-42.08	-27	Pass
NVNT	ac80	5210	Ant2	-40.84	-27	Pass

