









5.7 CONDUCTED RF SPURIOUS EMISSION



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-32.48	-27	Pass
NVNT	a	5200	Ant1	-32.31	-27	Pass
NVNT	a	5240	Ant1	-32.3	-27	Pass
NVNT	a	5180	Ant2	-33.81	-27	Pass
NVNT	a	5200	Ant2	-33.61	-27	Pass
NVNT	a	5240	Ant2	-32.5	-27	Pass
NVNT	n20	5180	Ant1	-33.18	-27	Pass
NVNT	n20	5200	Ant1	-33.13	-27	Pass
NVNT	n20	5240	Ant1	-33.2	-27	Pass
NVNT	n20	5180	Ant2	-32.92	-27	Pass
NVNT	n20	5200	Ant2	-33.13	-27	Pass
NVNT	n20	5240	Ant2	-32.71	-27	Pass
NVNT	n40	5190	Ant1	-33.24	-27	Pass
NVNT	n40	5230	Ant1	-33.09	-27	Pass
NVNT	n40	5190	Ant2	-33.21	-27	Pass
NVNT	n40	5230	Ant2	-33.32	-27	Pass
NVNT	ac20	5180	Ant1	-33.72	-27	Pass
NVNT	ac20	5200	Ant1	-33.57	-27	Pass
NVNT	ac20	5240	Ant1	-33.55	-27	Pass
NVNT	ac20	5180	Ant2	-31.83	-27	Pass
NVNT	ac20	5200	Ant2	-33.18	-27	Pass
NVNT	ac20	5240	Ant2	-32.72	-27	Pass
NVNT	ac40	5190	Ant1	-33.55	-27	Pass
NVNT	ac40	5230	Ant1	-33.59	-27	Pass
NVNT	ac40	5190	Ant2	-33.53	-27	Pass
NVNT	ac40	5230	Ant2	-32.98	-27	Pass
NVNT	ac80	5210	Ant1	-33.64	-27	Pass
NVNT	ac80	5210	Ant2	-33.36	-27	Pass













































5.8G WIFI



5.1 DUTY CYCLE



Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	98.23	0.08	0.48
NVNT	a	5785	Ant1	98.36	0.07	0.48
NVNT	a	5825	Ant1	98.35	0.07	0.48
NVNT	a	5745	Ant2	98.22	0.08	0.48
NVNT	a	5785	Ant2	98.3	0.07	0.48
NVNT	a	5825	Ant2	98.36	0.07	0.48
NVNT	n20	5745	Ant1	99.08	0.04	0.25
NVNT	n20	5785	Ant1	99.09	0.04	0.25
NVNT	n20	5825	Ant1	99.07	0.04	0.25
NVNT	n20	5745	Ant2	99.07	0.04	0.25
NVNT	n20	5785	Ant2	99.11	0.04	0.25
NVNT	n20	5825	Ant2	99.11	0.04	0.25
NVNT	n40	5755	Ant1	99.07	0.04	0.25
NVNT	n40	5795	Ant1	99.09	0.04	0.25
NVNT	n40	5755	Ant2	99.11	0.04	0.25
NVNT	n40	5795	Ant2	99.09	0.04	0.25
NVNT	ac20	5745	Ant1	98.33	0.07	0.48
NVNT	ac20	5785	Ant1	98.2	0.08	0.48
NVNT	ac20	5825	Ant1	98.29	0.07	0.48
NVNT	ac20	5745	Ant2	98.23	0.08	0.48
NVNT	ac20	5785	Ant2	98.35	0.07	0.48
NVNT	ac20	5825	Ant2	98.3	0.07	0.48
NVNT	ac40	5755	Ant1	99.09	0.04	0.25
NVNT	ac40	5795	Ant1	99.1	0.04	0.25
NVNT	ac40	5755	Ant2	99.08	0.04	0.25
NVNT	ac40	5795	Ant2	99.08	0.04	0.25
NVNT	ac80	5775	Ant1	99.07	0.04	0.25
NVNT	ac80	5775	Ant2	99.08	0.04	0.25



























5.2 MAXIMUM CONDUCTED OUTPUT POWER


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.8	30	Pass
NVNT	a	5785	Ant1	11.6	30	Pass
NVNT	a	5825	Ant1	11.77	30	Pass
NVNT	a	5745	Ant2	11.43	30	Pass
NVNT	a	5785	Ant2	11.24	30	Pass
NVNT	a	5825	Ant2	11.51	30	Pass
NVNT	n20	5745	Ant1	11.66	30	Pass
NVNT	n20	5785	Ant1	11.56	30	Pass
NVNT	n20	5825	Ant1	11.6	30	Pass
NVNT	n20	5745	Ant2	11.37	30	Pass
NVNT	n20	5785	Ant2	11.29	30	Pass
NVNT	n20	5825	Ant2	11.58	30	Pass
NVNT	n40	5755	Ant1	11.81	30	Pass
NVNT	n40	5795	Ant1	11.83	30	Pass
NVNT	n40	5755	Ant2	11.52	30	Pass
NVNT	n40	5795	Ant2	11.5	30	Pass
NVNT	ac20	5745	Ant1	11.73	30	Pass
NVNT	ac20	5785	Ant1	11.53	30	Pass
NVNT	ac20	5825	Ant1	11.66	30	Pass
NVNT	ac20	5745	Ant2	11.41	30	Pass
NVNT	ac20	5785	Ant2	11.32	30	Pass
NVNT	ac20	5825	Ant2	11.49	30	Pass
NVNT	ac40	5755	Ant1	11.82	30	Pass
NVNT	ac40	5795	Ant1	11.82	30	Pass
NVNT	ac40	5755	Ant2	11.51	30	Pass
NVNT	ac40	5795	Ant2	11.51	30	Pass
NVNT	ac80	5775	Ant1	11.94	30	Pass
NVNT	ac80	5775	Ant2	11.66	30	Pass

5.3 -6DB BANDWIDTH

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.308	0.5	Pass
NVNT	a	5785	Ant1	16.335	0.5	Pass
NVNT	a	5825	Ant1	16.395	0.5	Pass
NVNT	a	5745	Ant2	16.458	0.5	Pass
NVNT	a	5785	Ant2	16.449	0.5	Pass
NVNT	a	5825	Ant2	16.542	0.5	Pass
NVNT	n20	5745	Ant1	17.769	0.5	Pass
NVNT	n20	5785	Ant1	17.709	0.5	Pass
NVNT	n20	5825	Ant1	17.571	0.5	Pass
NVNT	n20	5745	Ant2	17.796	0.5	Pass
NVNT	n20	5785	Ant2	17.781	0.5	Pass
NVNT	n20	5825	Ant2	17.796	0.5	Pass
NVNT	n40	5755	Ant1	36.294	0.5	Pass
NVNT	n40	5795	Ant1	36.354	0.5	Pass
NVNT	n40	5755	Ant2	36.45	0.5	Pass
NVNT	n40	5795	Ant2	36.558	0.5	Pass
NVNT	ac20	5745	Ant1	16.335	0.5	Pass
NVNT	ac20	5785	Ant1	16.362	0.5	Pass
NVNT	ac20	5825	Ant1	16.44	0.5	Pass
NVNT	ac20	5745	Ant2	16.344	0.5	Pass
NVNT	ac20	5785	Ant2	16.527	0.5	Pass
NVNT	ac20	5825	Ant2	16.332	0.5	Pass
NVNT	ac40	5755	Ant1	36.372	0.5	Pass
NVNT	ac40	5795	Ant1	36.522	0.5	Pass
NVNT	ac40	5755	Ant2	36.462	0.5	Pass
NVNT	ac40	5795	Ant2	36.33	0.5	Pass
NVNT	ac80	5775	Ant1	68.772	0.5	Pass
NVNT	ac80	5775	Ant2	56.7	0.5	Pass

Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1

