


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

R0.13 4 PLCS

NOTES UNLESS OTHERWISE SPECIFIED:

1. MAT'L TO BE 0.003 MIL WHITE POLYCARBONATE WITH BLACK PRINTING.
2. ADHESIVE TO BE CAPABLE OF PERMANENTLY ADHERING TO ABS PLASTIC
3. LABELS TO BE SUPPLIED ON ROLLS OF 250 LABELS. SERIAL NUMBERS AND BAR CODE TO PRE-PRINTED ON LABELS. SERIAL NUMBERS TO START WITH 10001



BAR CODE TO BE ADDED TO THIS AREA
0.125 HIGH CODE 39 STANDARD

UNLESS OTHERWISE NOTED
INTERPRET DRAWING PER Y14.5 ALL
DIMENSIONS IN INCHES TOLERANCES:
XX=±0.01 XXX=±0.005 Z=±1°
DIMENSIONS APPLY AFTER FINISH
BREAK SHARP EDGES AND DEBURR



Electronic Design Consultants Inc.
PO Box 379 Aumsville OR 97325 (503) 749-3444

PAD 3500 FCC LABEL

DRAWN	DATE	SIZE	FSCM NO.	DWG NO.	REV
TLM	17MAY2006				A
CHECKED	DATE	SCALE			
TLM	17MAY2006	NONE			
		SHEET			
		1 OF 1			

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Label Attached
Here

