

TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 37 of 95

Figure 39: Power Spectral Density, 2480MHz, BLE-1Mbps





Figure 40: Power Spectral Density, 2402MHz, BLE-2Mbps



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 38 of 95

Figure 41: Power Spectral Density, 2440MHz, BLE-2Mbps




Figure 42: Power Spectral Density, 2480MHz, BLE-2Mbps



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 39 of 95

(CC2642R1F) BLE2 Data plots

Figure 43: Power Spectral Density, 2402MHz, BLE-1Mbps





Figure 44: Power Spectral Density, 2440MHz, BLE-1Mbps




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 40 of 95

Figure 45: Power Spectral Density, 2480MHz, BLE-1Mbps



Figure 46: Power Spectral Density, 2402MHz, BLE-2Mbps



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 41 of 95

Figure 47: Power Spectral Density, 2440MHz, BLE-2Mbps





Figure 48: Power Spectral Density, 2480MHz, BLE-2Mbps



TEST REPORT

(RTL8720DN) BLE Data plots

Figure 49: Power Spectral Density, 2402MHz, BLE-1Mbps



Figure 50: Power Spectral Density, 2440MHz, BLE-1Mbps



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 43 of 95

Figure 51: Power Spectral Density, 2480MHz, BLE-1Mbps




Figure 52: Power Spectral Density, 2402MHz, BLE-2Mbps




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 44 of 95

Figure 53: Power Spectral Density, 2440MHz, BLE-2Mbps



Figure 54: Power Spectral Density, 2480MHz, BLE-2Mbps



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 45 of 95

4.1.5 Conducted Spurious Emission & Authorized-band band-edge

RESULT: PASS

Test standard : FCC Part 15.247(d)
Requirement : ANSI C63.10-2013, Clause 11.11.1(a)
KDB 558074 D01 v05r02, Clause 8.5
Kind of test site : Shielded room


Test setup

Test Channel : Low/Middle/High for spurious, Low/High for Band Edge
Operation Mode : A.1.a
Ambient temperature : 23.1°C
Relative humidity : 52%

For details refer to following test plot.

(CC2642R1F) BLE1 Data plots


Figure 55: Conducted Spurious Emission & Authorized-band band-edge, 2402MHz, BLE-1Mbps Carrier Level




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 46 of 95

Band Edge



Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 47 of 95




Figure 56: Conducted Spurious Emission & Authorized-band band-edge, 2440MHz, BLE-1Mbps Carrier Level



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 48 of 95

Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 49 of 95

Figure 57: Conducted Spurious Emission & Authorized-band band-edge, 2480MHz, BLE-1Mbps Carrier Level



Band Edge




TEST REPORT

Report No.: SHE24050068-01AE

Date: 2024-06-07

Page 50 of 95


Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 51 of 95

Figure 58: Conducted Spurious Emission & Authorized-band band-edge, 2402MHz, BLE-2Mbps Carrier Level



Band Edge




TEST REPORT

Report No.: SHE24050068-01AE

Date: 2024-06-07

Page 52 of 95


Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 53 of 95

Figure 59: Conducted Spurious Emission & Authorized-band band-edge, 2440MHz, BLE-2Mbps Carrier Level



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 54 of 95





Figure 60: Conducted Spurious Emission & Authorized-band band-edge, 2480MHz, BLE-2Mbps Carrier Level




TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 55 of 95

Band Edge




Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE24050068-01AE Date: 2024-06-07 Page 56 of 95



(CC2642R1F) BLE2 Data plots

Figure 61: Conducted Spurious Emission & Authorized-band band-edge, 2402MHz, BLE-1Mbps Carrier Level

