


30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 949.996500 | 38.30 | 84.40 | 46.10 | 124.8 | H | 71.0 | 28.0 |

30-1000MHz, Vertical

Full Spectrum




TEST REPORT

| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 973.325000 | 38.28 | 84.40 | 46.12 | 106.4 | V | -20.0 | 28.0 |

1-9GHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 8452.400000 | 36.29 | 84.40 | 48.11 | 118.6 | H | 259.0 | -20.1 |

1-9GHz, Vertical

Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 8641.600000 | 36.49 | 84.40 | 47.91 | 124.9 | V | 260.0 | -20.0 |

| Configuration | Channel Position | Carrier | Carrier Bandwidth | Modulation |
|---------------|------------------|-----------|-------------------|------------|
| GB-1C-UE | M | 1 Carrier | 10MHz | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 901.205500 | 37.76 | 84.40 | 46.64 | 124.8 | H | 1.0 | 27.6 |

30-1000MHz, Vertical

Full Spectrum




TEST REPORT

| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 905.037000 | 38.05 | 84.40 | 46.35 | 112.4 | V | -15.0 | 27.8 |


1-9GHz, Horizontal

Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 5808.600000 | 34.15 | 84.40 | 50.25 | 99.9 | H | 1.0 | -20.0 |

1-9GHz, Vertical
Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 5943.000000 | 33.87 | 84.40 | 50.53 | 112.7 | V | 299.0 | -20.4 |

| Configuration | Channel Position | Carrier | Carrier Bandwidth | Modulation |
|---------------|------------------|-----------|-------------------|------------|
| SA-1C-UE | B | 1 Carrier | 0.2MHz | QPSK |
| SA-1C-UE | T | 1 Carrier | 0.2MHz | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 910.517500 | 38.22 | 84.40 | 46.18 | 124.8 | H | 79.0 | 27.9 |

30-1000MHz, Vertical


Full Spectrum



TEST REPORT


| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 903.824500 | 37.94 | 84.40 | 46.46 | 124.8 | V | 16.0 | 27.8 |

1-9GHz, Horizontal
Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 5772.200000 | 34.14 | 84.40 | 50.26 | 124.9 | H | 257.0 | -20.2 |

1-9GHz, Vertical
Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 7467.200000 | 35.03 | 84.40 | 49.37 | 106.5 | V | 257.0 | -21.2 |

| Configuration | Channel Position | Carrier | Carrier Bandwidth | Modulation |
|---------------|------------------|-----------|-------------------|------------|
| SA-2C-UE | B | 2 Carrier | 0.2MHz | QPSK |
| SA-2C-UE | T | 2 Carrier | 0.2MHz | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 980.454500 | 38.43 | 84.40 | 45.97 | 99.8 | H | 332.0 | 28.1 |

30-1000MHz, Vertical

Full Spectrum




TEST REPORT

| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 928.511000 | 37.99 | 84.40 | 46.41 | 99.8 | V | 1.0 | 27.8 |


1-9GHz, Horizontal

Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 5864.600000 | 33.94 | 84.40 | 50.46 | 124.9 | H | 257.0 | -20.2 |

1-9GHz, Vertical
Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 8695.000000 | 36.29 | 84.40 | 48.11 | 118.4 | V | 299.0 | -20.0 |

| Configuration | Channel Position | Carrier | NR Carrier Bandwidth (MHz) | LTE Carrier Bandwidth (MHz) | Modulation |
|----------------|------------------|----------|----------------------------|-----------------------------|------------|
| NR+LTE-MC-1-UE | M | 1NR+1LTE | 5 | 5 | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 955.283000 | 38.32 | 84.40 | 46.08 | 124.8 | H | -14.0 | 28.0 |

30-1000MHz, Vertical


Full Spectrum



TEST REPORT


| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 949.463000 | 38.33 | 84.40 | 46.07 | 124.9 | V | -20.0 | 28.0 |

1-9GHz, Horizontal
Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 5822.800000 | 34.08 | 84.40 | 50.32 | 124.9 | H | 266.0 | -20.0 |

1-9GHz, Vertical
Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 7943.600000 | 35.25 | 84.40 | 49.15 | 124.9 | V | 1.0 | -20.9 |

| Configuration | Channel Position | Carrier | Carrier Bandwidth | Modulation |
|-----------------|------------------|-----------|-------------------|------------|
| NB ESS IB-1C-UE | M | 1 Carrier | 10MHz | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 986.420000 | 38.74 | 84.40 | 45.66 | 119.3 | H | 86.0 | 28.4 |

30-1000MHz, Vertical

Full Spectrum




TEST REPORT

| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 933.749000 | 38.15 | 84.40 | 46.25 | 99.8 | V | -14.0 | 27.9 |

1-9GHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 4895.800000 | 32.31 | 84.40 | 52.09 | 124.9 | H | 307.0 | -22.0 |

1-9GHz, Vertical

Full Spectrum




| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 5863.200000 | 33.96 | 84.40 | 50.44 | 124.9 | V | 296.0 | -20.1 |

| Configuration | Channel Position | Carrier | NR Carrier Bandwidth (MHz) | LTE Carrier Bandwidth (MHz) | Modulation |
|-------------------|------------------|--------------|----------------------------|-----------------------------|------------|
| NR+LTE+SA-MC-1-UE | B | 1NR+1LTE+1SA | 5 | 3 | QPSK |
| NR+LTE+SA-MC-1-UE | T | 1NR+1LTE+1SA | 5 | 3 | QPSK |

30-1000MHz, Horizontal


Full Spectrum



| Frequency (MHz) | RMS (dB V/m) | Limit (dB V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 994.180000 | 39.01 | 84.40 | 45.39 | 107.2 | H | 26.0 | 28.7 |

30-1000MHz, Vertical

Full Spectrum




TEST REPORT

| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 924.582500 | 38.03 | 84.40 | 46.37 | 118.7 | V | 1.0 | 27.9 |


1-9GHz, Horizontal

Full Spectrum



| Frequency (MHz) | RMS (dB μ V/m) | Limit (dB μ V/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------------|----------------------|-------------|-------------|-----|---------------|------------|
| 6106.000000 | 34.19 | 84.40 | 50.21 | 124.9 | H | 257.0 | -20.4 |

1-9GHz, Vertical
Full Spectrum



| Frequency (MHz) | RMS (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB) |
|-----------------|--------------|----------------|-------------|-------------|-----|---------------|------------|
| 6101.400000 | 34.18 | 84.40 | 50.22 | 99.9 | V | 260.0 | -20.4 |

8 Frequency Stability

Test result: **Tested**

8.1 Limit

The carrier frequency shall not depart from the reference frequency in excess of ± 2.5 ppm for mobile stations and ± 1.5 ppm for base stations.

In lieu of meeting the above stability values, the test report may show that the frequency stability is sufficient to ensure that the occupied bandwidth stays within each of the sub-bands (see Section 5.1) when tested to the temperature and supply voltage variations specified in RSS-Gen.

8.2 Measurement Procedure

Temperature Variation

The EUT was tested over the temperature range -30°C to $+50^{\circ}\text{C}$ in 10°C steps with -48 VDC Power Supply. At each temperature step, the Base Station was configured to transmit at maximum power on the middle channel of the operating band.

Voltage Variation

The EUT was tested at the supplied voltages varied from 85 to 115 percent of the nominal values of -48 VDC. At $+20^{\circ}\text{C}$, the Base Station was configured to transmit at maximum power on the middle channel of the frequency block.

8.3 Measurement result

Frequency Error – Temperature Variation

NR-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 0.234 | - |
| | | -30 | - | 0.264 | - |
| | | -20 | - | 0.468 | - |
| | | -10 | - | 0.267 | - |
| | | 0 | - | 0.318 | - |
| | | 10 | - | 0.231 | - |
| | | 20 | - | 0.201 | - |
| | | 30 | - | 0.326 | - |
| | | 40 | - | 0.319 | - |
| | | 50 | - | 0.282 | - |
| | | 55 | - | 0.275 | - |

Frequency Error – Voltage Variation

NR-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 0.177 | - |
| | | | -48.0 | - | 0.201 | - |
| | | | -55.2 | - | 0.217 | - |

TEST REPORT

Frequency Error – Temperature Variation

LTE-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 1.07 | - |
| | | -30 | - | 1.08 | - |
| | | -20 | - | 1.81 | - |
| | | -10 | - | 1.44 | - |
| | | 0 | - | 1.23 | - |
| | | 10 | - | 1.41 | - |
| | | 20 | - | 1.21 | - |
| | | 30 | - | 1.23 | - |
| | | 40 | - | 1.21 | - |
| | | 50 | - | 1.19 | - |
| | | 55 | - | 1.09 | - |

Frequency Error – Voltage Variation

LTE-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 1.35 | - |
| | | | -48.0 | - | 1.21 | - |
| | | | -55.2 | - | 1.29 | - |

TEST REPORT

Frequency Error – Temperature Variation

GB-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 1.42 | - |
| | | -30 | - | 1.86 | - |
| | | -20 | - | 2.37 | - |
| | | -10 | - | 2.35 | - |
| | | 0 | - | 1.03 | - |
| | | 10 | - | 1.97 | - |
| | | 20 | - | 1.01 | - |
| | | 30 | - | 1.92 | - |
| | | 40 | - | 1.39 | - |
| | | 50 | - | 1.49 | - |
| | | 55 | - | 1.77 | - |

Frequency Error – Voltage Variation

GB-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 1.01 | - |
| | | | -48.0 | - | 1.01 | - |
| | | | -55.2 | - | 1.01 | - |

Frequency Error – Temperature Variation

IB-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 1.97 | - |
| | | -30 | - | 4.04 | - |
| | | -20 | - | 2.71 | - |
| | | -10 | - | 2.92 | - |
| | | 0 | - | 3.09 | - |
| | | 10 | - | 2.74 | - |
| | | 20 | - | 3.72 | - |
| | | 30 | - | 2.41 | - |
| | | 40 | - | 3.79 | - |
| | | 50 | - | 2.21 | - |
| | | 55 | - | 3.71 | - |

Frequency Error – Voltage Variation

IB-1C, Channel Bandwidth: 10MHz

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 3.63 | - |
| | | | -48.0 | - | 3.72 | - |
| | | | -55.2 | - | 3.81 | - |

TEST REPORT

Frequency Error – Temperature Variation

SA-1C, Channel Bandwidth: 0.2MHz

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | 0.576 | 0.583 | 0.409 |
| | | -30 | 0.525 | 0.257 | 0.447 |
| | | -20 | 0.706 | 0.429 | 0.434 |
| | | -10 | 0.531 | 0.501 | 0.431 |
| | | 0 | 0.721 | 0.492 | 0.407 |
| | | 10 | 0.459 | 0.491 | 0.456 |
| | | 20 | 0.521 | 0.517 | 0.507 |
| | | 30 | 0.463 | 0.434 | 0.548 |
| | | 40 | 0.501 | 0.414 | 0.472 |
| | | 50 | 0.551 | 0.468 | 0.461 |
| | | 55 | 0.528 | 0.484 | 0.501 |

Frequency Error – Voltage Variation

SA-1C, Channel Bandwidth: 0.2MHz

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | 0.471 | 0.585 | 0.555 |
| | | | -48.0 | 0.521 | 0.517 | 0.507 |
| | | | -55.2 | 0.519 | 0.555 | 0.558 |

Frequency Error – Temperature Variation

NR ESS IB-1C, NR

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 0.612 | - |
| | | -30 | - | 0.594 | - |
| | | -20 | - | 0.732 | - |
| | | -10 | - | 0.589 | - |
| | | 0 | - | 0.498 | - |
| | | 10 | - | 0.462 | - |
| | | 20 | - | 0.441 | - |
| | | 30 | - | 0.429 | - |
| | | 40 | - | 0.358 | - |
| | | 50 | - | 0.422 | - |
| | | 55 | - | 0.428 | - |

Frequency Error – Voltage Variation

NR ESS IB-1C, NR

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 0.558 | - |
| | | | -48.0 | - | 0.441 | - |
| | | | -55.2 | - | 0.292 | - |

TEST REPORT

Frequency Error – Temperature Variation

NR ESS IB-1C, IB

| Antenna Port | Modulation | Temperature (°C) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------------|--------------------|--------------------|
| | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | -40 | - | 3.53 | - |
| | | -30 | - | 3.43 | - |
| | | -20 | - | 1.17 | - |
| | | -10 | - | 2.84 | - |
| | | 0 | - | 3.31 | - |
| | | 10 | - | 2.27 | - |
| | | 20 | - | 3.47 | - |
| | | 30 | - | 3.13 | - |
| | | 40 | - | 2.09 | - |
| | | 50 | - | 3.12 | - |
| | | 55 | - | 3.17 | - |

Frequency Error – Voltage Variation

NR ESS IB-1C, IB

| Antenna Port | Modulation | Temperature (°C) | Supply Voltage (V) | Frequency Stability (Hz) | | |
|--------------|------------|------------------|--------------------|--------------------------|--------------------|--------------------|
| | | | | Channel Position B | Channel Position M | Channel Position T |
| D | QPSK | 20 | -40.8 | - | 1.92 | - |
| | | | -48.0 | - | 3.47 | - |
| | | | -55.2 | - | 3.01 | - |

***** END *****