



Port C, Channel Position T, 20.0MHz



Configuration NB-IoT-InBand-1C, QPSK


Band Edge Frequency	Channel Bandwidth	RBW(KHz)	Limit(dBm)
Channel Position B 2110.0MHz	5.0 MHz	51	-19.02
	10.0 MHz	100	-19.02
	15.0 MHz	150	-19.02
	20.0 MHz	200	-19.02
Channel Position T 2200.0MHz	5.0 MHz	51	-19.02
	10.0 MHz	100	-19.02
	15.0 MHz	150	-19.02
	20.0 MHz	200	-19.02

Port C, Channel Position B, 5.0MHz






Port C, Channel Position T, 5.0MHz



Port C, Channel Position B, 10.0MHz



Port C, Channel Position T, 10.0MHz





Port C, Channel Position B, 15.0MHz



Port C, Channel Position T, 15.0MHz



Port C, Channel Position B, 20.0MHz





Port C, Channel Position T, 20.0MHz



Configuration WCDMA+LTE-MIMO-MC-1-BE (1WCDMA, 16QAM + 1LTE, QPSK)

Band Edge Frequency	Channel Bandwidth	RBW (KHz)	Limit (dBm)
Channel Position B 2110.0MHz	(W) 5.0MHz, (L) 5.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 10.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 15.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 20.0 MHz	51	-19.02

Port C, Channel Position B, LTE 5.0MHz



The channel power of 50kHz for 2109.975MHz is -23.93dBm, which is within the limit of -19.02dBm.






Port C, Channel Position B, LTE 10.0MHz



The channel power of 50kHz for 2109.975MHz is -23.85dBm, which is within the limit of -19.02dBm.





Port C, Channel Position B, LTE 15.0MHz



The channel power of 50kHz for 2109.975MHz is -24.42dBm, which is within the limit of -19.02dBm.





Port C, Channel Position B, LTE 20.0MHz



The channel power of 50kHz for 2109.975MHz is -24.32dBm, which is within the limit of -19.02dBm.





Configuration WCDMA+LTE-MIMO-MC-2-BE (2WCDMA, 16QAM + 1LTE, QPSK)

Band Edge Frequency	Channel Bandwidth	RBW (KHz)	Limit (dBm)
Channel Position B 2110.0MHz	(W) 5.0MHz, (L) 5.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 10.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 15.0 MHz	51	-19.02
	(W) 5.0MHz, (L) 20.0 MHz	51	-19.02

Port C, Channel Position B, LTE 5.0MHz




The channel power of 50kHz for 2109.975MHz is -25.38dBm, which is within the limit of-19.02dBm.



Port C, Channel Position B, LTE 10.0MHz



The channel power of 50kHz for 2109.975MHz is -25.47dBm, which is within the limit of-19.02dBm.




Port C, Channel Position B, LTE 15.0MHz



The channel power of 50kHz for 2109.975MHz is -25.51dBm, which is within the limit of-19.02dBm.



Port C, Channel Position B, LTE 20.0MHz




The channel power of 50kHz for 2109.975MHz is -25.28dBm, which is within the limit of-19.02dBm.



Configuration NB-IoT+WCDMA-MIMO-MC-1-BE, (1NB, QPSK +1WCDMA, 16QAM)

Band Edge Frequency	Channel Bandwidth	RBW (KHz)	Limit (dBm)
Channel Position B 2110.0MHz	(NB) 250KHz, (W) 5.0MHz	3.3	-19.02

Port C, Channel Position B



Configuration NB-IoT+WCDMA-MIMO-MC-2-BE, (1NB, QPSK +2WCDMA, 16QAM)

Band Edge Frequency	Channel Bandwidth	RBW (KHz)	Limit (dBm)
Channel Position B 2110.0MHz	(NB) 250KHz, (W) 5.0MHz	3.3	-19.02

Port C, Channel Position B



Configuration NB-IoT+LTE-MIMO-MC-1-BE, (1NB, QPSK +1LTE, QPSK)

Band Edge Frequency	Channel Bandwidth	RBW (KHz)	Limit (dBm)
Channel Position B 2110.0MHz	(NB) 250KHz, (L) 5.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 10.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 15.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 20.0MHz	3.3	-19.02
Channel Position T 2200.0MHz	(NB) 250KHz, (L) 5.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 10.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 15.0MHz	3.3	-19.02
	(NB) 250KHz, (L) 20.0MHz	3.3	-19.02

Port C, Channel Position B, LTE 5.0MHz

