

Test data, continued

On the plots below the measured Tx1 (Ref) value in the "Power" column must be -19 dBm (or -13 dBm for operations with GSM) and lower.




Figure 8.5-177: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz with IB
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-178: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz with IB
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-179: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz with IB
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-180: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz with IB
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-181: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-182: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-183: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-184: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-185: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 15 MHz with IoT
 Limit: -19 dBm/150 kHz Notes: None




Figure 8.5-186: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 15 MHz with IoT
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-187: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 15 MHz with IoT
 Limit: -19 dBm/150 kHz Notes: None




Figure 8.5-188: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 15 MHz with IoT
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-189: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 20 MHz with IoT
 Limit: -19 dBm/200 kHz Notes: None



Figure 8.5-190: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 20 MHz with IoT
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-191: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single-carrier operation
 Meas. BW: 1% of EBW Tech.: LTE 20 MHz with IoT
 Limit: -19 dBm/200 kHz Notes: None




Figure 8.5-192: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single-carrier operation
 Meas. BW: 1 MHz Tech.: LTE 20 MHz with IoT
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-193: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 4x LTE 5 MHz with IB
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-194: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 4x LTE 5 MHz with IB
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-195: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 4x LTE 5 MHz with IB
 Limit: -19 dBm/50 kHz Notes: None



Figure 8.5-196: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 4x LTE 5 MHz with IB
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-197: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 2x LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-198: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 2x LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-199: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 2x LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None



Figure 8.5-200: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 2x LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-201: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 3x LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None



Figure 8.5-202: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 3x LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None



Figure 8.5-203: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 3x LTE 10 MHz with IoT
 Limit: -19 dBm/100 kHz Notes: None



Figure 8.5-204: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 3x LTE 10 MHz with IoT
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-205: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-206: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 5 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-207: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-208: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 5 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-209: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-210: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 10 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-211: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-212: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 10 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued



Figure 8.5-213: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 15 MHz
 Limit: -19 dBm/150 kHz Notes: None



Figure 8.5-214: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 15 MHz
 Limit: -19 dBm/MHz Notes: None



Figure 8.5-215: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 15 MHz
 Limit: -19 dBm/150 kHz Notes: None



Figure 8.5-216: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 15 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-217: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 20 MHz
 Limit: -19 dBm/200 kHz Notes: None




Figure 8.5-218: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 20 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-219: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: NR 20 MHz
 Limit: -19 dBm/200 kHz Notes: None




Figure 8.5-220: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: NR 20 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-221: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-222: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 4x NR 5 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-223: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-224: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 4x NR 5 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-225: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 2x NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-226: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 2x NR 10 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-227: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 2x NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None



Figure 8.5-228: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 2x NR 10 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-229: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 3x NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-230: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 3x NR 10 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-231: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-carrier operation
 Meas. BW: 1% of EBW Tech.: 3x NR 10 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-232: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-carrier operation
 Meas. BW: 1 MHz Tech.: 3x NR 10 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-233: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: GSM
 Limit: -13 dBm/2 kHz Notes: None




Figure 8.5-234: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: GSM
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-235: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: GSM
 Limit: -13 dBm/2 kHz Notes: GSM top channel is 1989.8 MHz




Figure 8.5-236: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: GSM
 Limit: -13 dBm/MHz Notes: GSM top channel is 1989.8 MHz

Test data, continued




Figure 8.5-237: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: CDMA
 Limit: -13 dBm/12.5 kHz Notes: None




Figure 8.5-238: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: CDMA
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-239: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: CDMA
 Limit: -13 dBm/12.5 kHz Notes: CDMA top channel is 1988.125 MHz




Figure 8.5-240: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: CDMA
 Limit: -13 dBm/MHz Notes: CDMA top channel is 1988.125 MHz

Test data, continued




Figure 8.5-241: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: WCDMA
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-242: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: WCDMA
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-243: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Single carrier operation
 Meas. BW: 1% of EBW Tech.: WCDMA
 Limit: -19 dBm/50 kHz Notes: WCDMA top channel is 1987.6 MHz




Figure 8.5-244: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Single carrier operation
 Meas. BW: 1 MHz Tech.: WCDMA
 Limit: -19 dBm/MHz Notes: WCDMA top channel is 1987.6 MHz

Test data, continued




Figure 8.5-245: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: CDMA + 4x NR 5 MHz + LTE 5 MHz
 Limit: -13 dBm/12.5 kHz Notes: None



Figure 8.5-246: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: CDMA + 4x NR 5 MHz + LTE 5 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-247: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: WCDMA + 4x NR 5 MHz + LTE 5 MHz
 Limit: -19 dBm/50 kHz Notes: None



Figure 8.5-248: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: WCDMA + 4x NR 5 MHz + LTE 5 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-249: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: CDMA + LTE 15 MHz
 Limit: -13 dBm/12.5 kHz Notes: None



Figure 8.5-250: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: CDMA + LTE 15 MHz
 Limit: -13 dBm/MHz Notes: None



Figure 8.5-251: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: CDMA + NR 15 MHz
 Limit: -13 dBm/MHz Notes: CDMA top channel is 1988.75 MHz




Figure 8.5-252: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: CDMA + LTE 15 MHz
 Limit: -13 dBm/MHz Notes: CDMA top channel is 1988.75 MHz

Test data, continued




Figure 8.5-253: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: CDMA + NR 15 MHz
 Limit: -13 dBm/12.5 kHz Notes: None



Figure 8.5-254: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: CDMA + NR 15 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-255: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: GSM + LTE 15 MHz
 Limit: -13 dBm/2 kHz Notes: Re-measured result: -15.32 dBm/2 kHz



Figure 8.5-256: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: GSM + LTE 15 MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-257: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + CDMA + LTE 5 MHz
 Limit: -13 dBm/50 kHz Notes: None




Figure 8.5-258: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + CDMA + LTE 5 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-259: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + CDMA + LTE 5 MHz
 Limit: -13 dBm/50 kHz Notes: None




Figure 8.5-260: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + CDMA + LTE 5 MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-261: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + GSM + LTE 5 MHz
 Limit: -13 dBm/50 kHz Notes: None




Figure 8.5-262: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + GSM + LTE 5 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-263: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + GSM + LTE 5 MHz
 Limit: -13 dBm/50 kHz Notes: None




Figure 8.5-264: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + GSM + LTE 5 MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-265: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + WCDMA + LTE 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-266: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + WCDMA + LTE 5 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-267: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: 4x NR 5MHz + WCDMA + LTE 5 MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-268: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: 4x NR 5MHz + WCDMA + LTE 5 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-269: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + CDMA + 4x NR 5MHz
 Limit: -13 dBm/50 kHz Notes: None



Figure 8.5-270: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + CDMA + 4x NR 5MHz
 Limit: -13 dBm/MHz Notes: None



Figure 8.5-271: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + CDMA + 4x NR 5MHz
 Limit: -13 dBm/50 kHz Notes: None



Figure 8.5-272: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + CDMA + 4x NR 5MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-273: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + GSM + 4x NR 5MHz
 Limit: -13 dBm/50 kHz Notes: None




Figure 8.5-274: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + GSM + 4x NR 5MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-275: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + GSM + 4x NR 5MHz
 Limit: -13 dBm/50 kHz Notes: None



Figure 8.5-276: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + GSM + 4x NR 5MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-277: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + WCDMA + 4x NR 5MHz
 Limit: -19 dBm/50 kHz Notes: None



Figure 8.5-278: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + WCDMA + 4x NR 5MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-279: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 5 MHz + WCDMA + 4x NR 5MHz
 Limit: -19 dBm/50 kHz Notes: None




Figure 8.5-280: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 5 MHz + WCDMA + 4x NR 5MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-281: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + CDMA + NR 5 MHz
 Limit: -13 dBm/100 kHz Notes: None



Figure 8.5-282: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + CDMA + NR 5 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-283: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + CDMA + NR 5 MHz
 Limit: -13 dBm/100 kHz Notes: None



Figure 8.5-284: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + CDMA + NR 5 MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-285: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + WCDMA + NR 5 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-286: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + WCDMA + NR 5 MHz
 Limit: -19 dBm/MHz Notes: None




Figure 8.5-287: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + WCDMA + NR 5 MHz
 Limit: -19 dBm/100 kHz Notes: None




Figure 8.5-288: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + WCDMA + NR 5 MHz
 Limit: -19 dBm/MHz Notes: None

Test data, continued




Figure 8.5-289: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + GSM + NR 5 MHz
 Limit: -13 dBm/100 kHz Notes: None




Figure 8.5-290: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + GSM + NR 5 MHz
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-291: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 10 MHz + GSM + NR 5 MHz
 Limit: -13 dBm/100 kHz Notes: None




Figure 8.5-292: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 10 MHz + GSM + NR 5 MHz
 Limit: -13 dBm/MHz Notes: None

Test data, continued




Figure 8.5-293: Conducted emission at the lower band edge

Frequency: 1930 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 15 MHz + CDMA
 Limit: -13 dBm/150 kHz Notes: None




Figure 8.5-294: Conducted emission 1 MHz away from the lower band edge

Frequency: 1929 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 15 MHz + CDMA
 Limit: -13 dBm/MHz Notes: None




Figure 8.5-295: Conducted emission at the upper band edge

Frequency: 1995 MHz Mode: Multi-RAT operation
 Meas. BW: 1% of EBW Tech.: LTE 15 MHz + CDMA
 Limit: -13 dBm/150 kHz Notes: None




Figure 8.5-296: Conducted emission 1 MHz away from the upper band edge

Frequency: 1996 MHz Mode: Multi-RAT operation
 Meas. BW: 1 MHz Tech.: LTE 15 MHz + CDMA
 Limit: -13 dBm/MHz Notes: None