



TEST REPORT



Channel Position T



Total Quality. Assured.


TEST REPORT





Configuration NR+LTE-MIMO-MC-2-UE

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	20	10	200	-19.02
						1000	-19.02
B	T	QPSK	QPSK	20	10	100	-19.02
						1000	-19.02

Channel Position B




Channel Position T




Total Quality. Assured.

TEST REPORT



Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	100	20	1000	-19.02
						1000	-19.02
B	T	QPSK	QPSK	100	20	200	-19.02
						1000	-19.02

Channel Position B



TEST REPORT



Channel Position T



Total Quality. Assured.


TEST REPORT




Configuration NR+LTE-MIMO-MC-3-UE

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	20	10	200	-19.02
						1000	-19.02
B	T	QPSK	QPSK	20	10	100	-19.02
						1000	-19.02

Channel Position B




Channel Position T




Total Quality. Assured.

TEST REPORT




Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	20	20	200	-19.02
						1000	-19.02
B	T	QPSK	QPSK	20	20	200	-19.02
						1000	-19.02

Channel Position B




Channel Position T



Configuration NR+LTE-MIMO-MC-4-UE

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	20	10	200	-19.02
						1000	-19.02
B	T	QPSK	QPSK	20	10	100	-19.02
						1000	-19.02

Channel Position B



Total Quality. Assured.

TEST REPORT




Channel Position T



Total Quality. Assured.


TEST REPORT



TEST REPORT

Antenna Port	Channel Position	NR Modulation	LTE Modulation	NR Channel Bandwidth (MHz)	LTE Channel Bandwidth (MHz)	RBW (kHz)	Limit (dBm)
B	B	QPSK	QPSK	20	20	200	-19.02
						1000	-19.02
B	T	QPSK	QPSK	20	20	200	-19.02
						1000	-19.02

Channel Position B




Total Quality. Assured.

TEST REPORT



Channel Position T



Total Quality. Assured.

TEST REPORT



6 Conducted Unwanted Emission

Test result: Pass

6.1 Limit

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10\log(P)$ dB.

6.2 Measurement Procedure

In accordance with FCC rules, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10\log(P)$ dB.

The spurious emissions from the antenna terminal were measured. The transmitter output power was attenuated using an attenuator and the frequency spectrum investigated from 9kHz to 27GHz. The resolution bandwidth of 1MHz was employed for frequency band 9kHz to 27GHz. The spectrum analyzer detector was set to RMS.

For MIMO mode configurations, the limit was adjusted with a correction of -6.02dB [$10\log(1/4)$] by using the Measure and Add $10\log(N)$ dB technique according to KDB 662911 D01 Multiple Transmitter Output accounting for simultaneous transmission from antenna ports. Then the limit was adjusted to -19.02dBm .