



Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH11 by 802.11g ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.920	96.298	58.957	N/A	N/A	37.341	AV
2			2483.500	52.865	15.424	-1.135	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2385.600	70.735	33.127	-3.265	74.000	37.608	PK
2		*	2411.752	108.093	70.250	N/A	N/A	37.843	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.095	14.448	-1.905	54.000	37.648	AV
2		*	2412.872	96.659	58.806	N/A	N/A	37.852	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2388.680	66.407	29.426	-7.593	74.000	36.981	PK
2		*	2413.264	101.932	64.829	N/A	N/A	37.103	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	48.846	11.859	-5.154	54.000	36.988	AV
2		*	2413.040	90.881	53.779	N/A	N/A	37.102	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.144	109.680	71.403	N/A	N/A	38.278	PK
2			2483.608	73.919	35.443	-0.081	74.000	38.476	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.728	99.169	60.878	N/A	N/A	38.292	AV
2			2483.500	53.878	15.403	-0.112	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.032	107.631	70.294	N/A	N/A	37.337	PK
2			2484.400	73.586	36.141	-0.414	74.000	37.446	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.240	96.250	58.917	N/A	N/A	37.333	AV
2			2483.500	51.884	14.443	-2.116	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2387.154	73.128	35.506	-0.872	74.000	37.622	PK
2		*	2423.388	102.446	64.501	N/A	N/A	37.945	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.568	15.921	-0.432	54.000	37.648	AV
2		*	2420.682	91.683	53.762	N/A	N/A	37.921	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.530	71.704	34.719	-2.296	74.000	36.985	PK
2		*	2424.840	100.320	63.161	N/A	N/A	37.159	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.262	13.275	-3.738	54.000	36.988	AV
2		*	2423.124	87.579	50.429	N/A	N/A	37.151	AV

Profile: 15C	Page No.: 29
Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2456.440	105.316	67.080	N/A	N/A	38.236	PK
2			2485.000	73.218	34.730	-0.782	74.000	38.488	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.776	93.453	55.241	N/A	N/A	38.213	AV
2			2483.500	53.457	14.982	-0.543	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.176	102.402	65.108	N/A	N/A	37.294	PK
2			2483.800	72.789	35.347	-1.211	74.000	37.443	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.464	91.378	54.082	N/A	N/A	37.295	AV
2			2483.500	51.212	13.771	-2.788	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH1 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	64.817	27.170	-9.183	74.000	37.648	PK
2		*	2412.032	108.445	70.600	N/A	N/A	37.845	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH1 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.739	16.092	-0.261	54.000	37.648	AV
2		*	2411.136	104.026	66.189	N/A	N/A	37.837	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH1 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	62.970	25.983	-11.030	74.000	36.988	PK
2		*	2411.864	106.684	69.588	N/A	N/A	37.096	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH1 by 802.11b ant1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.967	13.980	-3.033	54.000	36.988	AV
2		*	2411.192	102.537	65.444	N/A	N/A	37.093	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH11 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.984	106.545	68.260	N/A	N/A	38.285	PK
2			2483.500	63.176	24.701	-10.824	74.000	38.475	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH11 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.312	102.543	64.264	N/A	N/A	38.279	AV
2			2483.500	49.623	11.148	-4.377	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH11 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.912	107.198	69.861	N/A	N/A	37.337	PK
2			2483.500	61.844	24.403	-12.156	74.000	37.441	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 1: Transmit at CH11 by 802.11b ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.728	102.896	65.555	N/A	N/A	37.341	AV
2			2483.500	48.769	11.328	-5.231	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH1 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2386.664	72.325	34.707	-1.675	74.000	37.618	PK
2		*	2412.256	108.701	70.854	N/A	N/A	37.848	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH1 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.060	15.413	-0.940	54.000	37.648	AV
2		*	2412.816	97.517	59.665	N/A	N/A	37.852	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH1 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2386.944	70.255	33.282	-3.745	74.000	36.973	PK
2		*	2411.696	108.129	71.034	N/A	N/A	37.095	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH1 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	50.763	13.776	-3.237	54.000	36.988	AV
2		*	2412.872	94.458	57.357	N/A	N/A	37.101	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH11 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.192	109.326	71.048	N/A	N/A	38.278	PK
2			2483.500	73.267	34.792	-0.733	74.000	38.475	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH11 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.168	97.370	59.092	N/A	N/A	38.278	AV
2			2483.500	53.889	15.414	-0.111	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH11 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.912	110.575	73.238	N/A	N/A	37.337	PK
2			2483.824	72.238	34.795	-1.762	74.000	37.443	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 2: Transmit at CH11 by 802.11g ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.288	98.110	60.776	N/A	N/A	37.333	AV
2			2483.500	53.785	16.344	-0.215	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.072	72.724	35.085	-1.276	74.000	37.640	PK
2		*	2412.872	110.393	72.540	N/A	N/A	37.852	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.939	16.292	-0.061	54.000	37.648	AV
2		*	2412.984	96.248	58.394	N/A	N/A	37.853	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2388.624	72.659	35.678	-1.341	74.000	36.981	PK
2		*	2412.648	108.395	71.295	N/A	N/A	37.100	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.483	16.496	-0.517	54.000	36.988	AV
2		*	2412.704	96.300	59.200	N/A	N/A	37.100	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.984	108.087	69.802	N/A	N/A	38.285	PK
2			2483.704	73.557	35.080	-0.443	74.000	38.477	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.240	96.696	58.418	N/A	N/A	38.278	AV
2			2483.500	52.605	14.130	-1.395	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.008	107.300	69.963	N/A	N/A	37.337	PK
2			2483.824	72.501	35.058	-1.499	74.000	37.443	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.312	96.055	58.721	N/A	N/A	37.334	AV
2			2483.500	51.053	13.612	-2.947	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.794	73.796	36.150	-0.204	74.000	37.646	PK
2		*	2423.586	103.338	65.391	N/A	N/A	37.948	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.934	15.287	-1.066	54.000	37.648	AV
2		*	2420.550	89.804	51.884	N/A	N/A	37.920	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.926	73.669	36.682	-0.331	74.000	36.987	PK
2		*	2419.428	102.865	65.732	N/A	N/A	37.132	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.764	16.777	-0.236	54.000	36.988	AV
2		*	2423.586	89.436	52.283	N/A	N/A	37.153	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 18:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.872	102.480	64.267	N/A	N/A	38.213	PK
2			2484.640	73.803	35.318	-0.197	74.000	38.485	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.680	90.359	52.147	N/A	N/A	38.212	AV
2			2483.500	53.646	15.171	-0.354	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.776	101.869	64.572	N/A	N/A	37.297	PK
2			2484.448	72.482	35.036	-1.518	74.000	37.446	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH9 by 802.11n(40MHz) ant1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2453.776	89.640	52.343	N/A	N/A	37.297	AV
2			2483.500	50.637	13.196	-3.363	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.856	73.641	35.995	-0.359	74.000	37.647	PK
2		*	2412.536	110.232	72.382	N/A	N/A	37.850	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.912	53.422	15.775	-0.578	54.000	37.647	AV
2		*	2412.256	98.153	60.306	N/A	N/A	37.848	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.184	69.078	32.095	-4.922	74.000	36.984	PK
2		*	2412.760	106.195	69.095	N/A	N/A	37.100	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH1 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.748	12.761	-4.252	54.000	36.988	AV
2		*	2412.704	94.953	57.853	N/A	N/A	37.100	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.432	111.303	73.023	N/A	N/A	38.280	PK
2			2484.832	73.943	35.456	-0.057	74.000	38.487	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.416	99.368	61.079	N/A	N/A	38.289	AV
2			2483.500	53.613	15.138	-0.387	54.000	38.475	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.520	109.343	71.999	N/A	N/A	37.344	PK
2			2485.984	73.296	35.843	-0.704	74.000	37.453	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 3: Transmit at CH11 by 802.11n(20MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.232	98.134	60.791	N/A	N/A	37.343	AV
2			2483.500	53.785	16.344	-0.215	54.000	37.441	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2387.022	71.957	34.336	-2.043	74.000	37.621	PK
2		*	2419.758	104.009	66.096	N/A	N/A	37.913	PK

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0+1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.464	53.712	16.069	-0.288	54.000	37.643	AV
2		*	2419.560	91.591	53.679	N/A	N/A	37.912	AV

Engineer: Cloud	
Site: AC5	Time: 2014/01/25 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: IP-STB	Power: 120V/60Hz
Note: Mode 4: Transmit at CH3 by 802.11n(40MHz) ant0+1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2389.860	70.286	33.299	-3.714	74.000	36.987	PK
2		*	2420.088	101.407	64.271	N/A	N/A	37.136	PK