

1



2

3

4

ITEM NO	PART NUMBER	QTY	DESCRIPTION	NOTES
1	10108067P1	1	MTL, RF Shield Cover, DirectKey Module 3.0	
2	10108117P1	1	ART, SHIELD, BLE BROKER, DirectKey Module 3.0	

REV	DATE	SC ECO	ACTION SUMMARY	ENG
A	06/29/21	-	-	S.Gopavaram




Laser Assembly Notes:

1. MD-X1500 Laser
2. Must load Profile: BROKER\_X
  - a. Broker\_4 = Etch 4 Shields in tray
  - b. Broker\_3 = Etch 3 Shields in tray
  - c. Broker\_2 = Etch 2 Shields in tray
  - d. Broker\_1 = Etch 1 Shield in tray

- I-1 3. Bar code must be legible to scanner
- I-2 4. Letter has to be legible to human eyes

This document contains technical data subject to EAR.  
 U.S. Export Control Classification Number: EAR99

STANDARD TOLERANCE dual dim: mm [in]		<b>Unity</b> <i>A Carrier Company</i>							
.XX	± .254 .010								
.XXX	± .127 .005	TITLE: ASSY, SHIELD, DIRECTKEY MODULE 3.0							
FRACTION	± .762 .03	<small>This document is the property of Onity Inc., a subsidiary of Carrier Global Corporation, and contains proprietary information of Onity Inc. This document is loaned on the express condition that neither it nor the information contained therein shall be disclosed to others without the express written consent of Onity Inc., and that the information shall be used by the recipient only as approved expressly by Onity Inc. This document shall be returned to Onity Inc. upon its request. This document may be subject to certain restrictions under U.S. export control laws and regulations.</small>							
ANGLES	± 1 DEG								
SURFACE FINISH	1.6m 63								
UNLESS OTHERWISE NOTED									
 THIRD ANGLE PROJECTION		DRAWN BY: S.Gopavaram		DATE: 12/18/20	MATERIAL:	FINISH:	SHT: 1/1	SIZE: C	SCALE: 6:1
MODEL NAME: 10105580G1		DRAWING NUMBER: 10105580G1		REVISION: -	RELEASE LEVEL: Design				
All parts and assemblies must use ROHS, REACH and PROP 65 compliant materials and processes.									



1

2

3

4