




Mode: 802.11n_HT20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 56

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 071.74	43.76	Peak	H	-7.83	-	35.93	74.00	38.07
1 073.24	44.11	Peak	V	-7.82	-	36.29	74.00	37.71



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 64


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 200.73	43.05	Peak	V	-7.17	-	35.88	74.00	38.12
1 210.73	43.48	Peak	H	-7.12	-	36.36	74.00	37.64

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 351.80	48.36	Peak	V	6.23	-	54.59	74.00	19.41
5 351.80	30.05	Average	V	6.23	-	36.28	54.00	17.72
5 352.36	47.47	Peak	H	6.23	-	53.70	74.00	20.30
5 352.97	48.48	Peak	V	6.23	-	54.71	74.00	19.29
5 352.97	29.92	Average	V	6.23	-	36.15	54.00	17.85
5 353.72	47.03	Peak	H	6.23	-	53.26	74.00	20.74





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 52

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 156.23	44.17	Peak	V	-7.40	-	36.77	74.00	37.23
1 168.73	44.69	Peak	H	-7.33	-	37.36	74.00	36.64



Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 56

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 048.25	44.36	Peak	H	-7.95	-	36.41	74.00	37.59
1 103.24	44.08	Peak	V	-7.67	-	36.41	74.00	37.59



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 64


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 087.74	44.91	Peak	V	-7.75	-	37.16	74.00	36.84
1 089.74	44.82	Peak	H	-7.74	-	37.08	74.00	36.92

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 351.54	49.29	Peak	V	6.23	-	55.52	74.00	18.48
5 351.54	29.85	Average	V	6.23	-	36.08	54.00	17.92
5 351.72	47.04	Peak	H	6.23	-	53.27	74.00	20.73
5 351.94	50.14	Peak	H	6.23	-	56.37	74.00	17.63
5 351.94	29.34	Average	H	6.23	-	35.57	54.00	18.43
5 352.19	48.51	Peak	V	6.23	-	54.74	74.00	19.26
5 352.19	30.86	Average	V	6.23	-	37.09	54.00	16.91





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 52

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 047.75	43.90	Peak	H	-7.95	-	35.95	74.00	38.05
1 200.73	45.65	Peak	V	-7.17	-	38.48	74.00	35.52



Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 56

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 060.74	43.90	Peak	H	-7.89	-	36.01	74.00	37.99
1 199.73	44.41	Peak	V	-7.17	-	37.24	74.00	36.76



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 64


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 018.75	43.76	Peak	V	-8.10	-	35.66	74.00	38.34
1 283.72	43.01	Peak	H	-6.75	-	36.26	68.20	31.94

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 350.14	46.39	Peak	H	6.23	-	52.62	74.00	21.38
5 350.84	48.93	Peak	V	6.23	-	55.16	74.00	18.84
5 350.84	28.30	Average	V	6.23	2.15	36.68	54.00	17.32
5 353.14	48.98	Peak	V	6.23	-	55.21	74.00	18.79
5 353.14	29.61	Average	V	6.23	2.15	37.99	54.00	16.01
5 354.38	46.77	Peak	H	6.23	-	53.00	74.00	21.00





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 54

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 101.74	43.16	Peak	V	-7.68	-	35.48	74.00	38.52
1 294.22	44.06	Peak	H	-6.70	-	37.36	68.20	30.84



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 62


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 093.24	43.64	Peak	H	-7.72	-	35.92	74.00	38.08
1 160.73	43.56	Peak	V	-7.37	-	36.19	74.00	37.81

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 350.21	53.11	Peak	H	6.23	-	59.34	74.00	14.66
5 350.21	34.06	Average	H	6.23	-	40.29	54.00	13.71
5 350.98	57.74	Peak	V	6.23	-	63.97	74.00	10.03
5 350.98	36.55	Average	V	6.23	-	42.78	54.00	11.22
5 352.03	54.22	Peak	H	6.23	-	60.45	74.00	13.55
5 352.03	33.82	Average	H	6.23	-	40.05	54.00	13.95
5 354.00	58.54	Peak	V	6.23	-	64.77	74.00	9.23
5 354.00	35.37	Average	V	6.23	-	41.60	54.00	12.40





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 54

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 043.75	43.30	Peak	V	-7.98	-	35.32	74.00	38.68
1 172.73	44.24	Peak	H	-7.31	-	36.93	74.00	37.07



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ac_VHT40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 62


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 022.75	43.35	Peak	V	-8.08	-	35.27	74.00	38.73
1 061.24	43.06	Peak	H	-7.89	-	35.17	74.00	38.83

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 353.33	47.87	Peak	V	6.23	-	54.10	74.00	19.90
5 353.33	32.34	Average	V	6.23	0.13	38.70	54.00	15.30
5 353.36	50.04	Peak	H	6.23	-	56.27	74.00	17.73
5 353.36	30.72	Average	H	6.23	0.13	37.08	54.00	16.92
5 354.47	47.93	Peak	V	6.23	-	54.16	74.00	19.84
5 354.47	31.76	Average	V	6.23	0.13	38.12	54.00	15.88
5 354.95	47.39	Peak	H	6.23	-	53.62	74.00	20.38
5 354.95	30.38	Average	H	6.23	0.13	36.74	54.00	17.26





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 54

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 060.24	43.18	Peak	H	-7.89	-	35.29	74.00	38.71
1 229.73	43.40	Peak	V	-7.02	-	36.38	74.00	37.62



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE40 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 62


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 089.24	44.26	Peak	H	-7.74	-	36.52	74.00	37.48
1 160.73	43.67	Peak	V	-7.37	-	36.30	74.00	37.70

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 350.46	50.16	Peak	V	6.23	-	56.39	74.00	17.61
5 350.46	32.43	Average	V	6.23	0.18	38.84	54.00	15.16
5 352.70	47.40	Peak	H	6.23	-	53.63	74.00	20.37
5 353.44	47.55	Peak	H	6.23	-	53.78	74.00	20.22
5 353.49	48.79	Peak	V	6.23	-	55.02	74.00	18.98
5 353.49	32.40	Average	V	6.23	0.18	38.81	54.00	15.19





Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT80 (MCS0)

Band: UNII-2A

Distance of measurement: 3 meter


Channel: 58


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 033.75	43.52	Peak	H	-8.03	-	35.49	74.00	38.51
1 198.23	43.19	Peak	V	-7.18	-	36.01	74.00	37.99

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 354.03	40.42	Peak	V	6.23	-	46.65	74.00	27.35
5 354.77	39.90	Peak	H	6.23	-	46.13	74.00	27.87





Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE80 (MCS0)
Band: UNII-2A
Distance of measurement: 3 meter
Channel: 58


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 047.25	43.76	Peak	H	-7.96	-	35.80	74.00	38.20
1 200.73	44.56	Peak	V	-7.17	-	37.39	74.00	36.61

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 353.90	40.40	Peak	H	6.23	-	46.63	74.00	27.37
5 357.38	41.91	Peak	V	6.23	-	48.14	74.00	25.86
5 377.41	41.35	Peak	V	6.23	-	47.58	74.00	26.42





Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11a (6 Mbps)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 058.74	43.58	Peak	V	-7.90	-	35.68	74.00	38.32
1 333.22	43.68	Peak	H	-6.50	-	37.18	74.00	36.82

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 451.10	44.52	Peak	H	6.27	-	50.79	74.00	23.21
5 457.32	44.28	Peak	H	6.27	-	50.55	74.00	23.45
5 458.16	45.18	Peak	V	6.27	-	51.45	74.00	22.55
5 459.29	46.19	Peak	V	6.27	-	52.46	74.00	21.54





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11a (6 Mbps)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 120

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 198.73	43.63	Peak	V	-7.18	-	36.45	74.00	37.55
1 200.73	44.32	Peak	H	-7.17	-	37.15	74.00	36.85



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11a (6 Mbps)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 140


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 047.75	44.67	Peak	H	-7.95	-	36.72	74.00	37.28
1 283.72	44.22	Peak	V	-6.75	-	37.47	68.20	30.73

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 725.04	56.75	Peak	H	6.98	-	63.73	68.20	4.47
5 725.04	36.36	Average	H	6.98	-	43.34	48.20	4.86
5 725.08	54.39	Peak	V	6.98	-	61.37	68.20	6.83
5 725.08	34.79	Average	V	6.98	-	41.77	48.20	6.43
5 725.43	56.05	Peak	H	6.98	-	63.03	68.20	5.17
5 725.43	36.37	Average	H	6.98	-	43.35	48.20	4.85
5 725.83	53.24	Peak	V	6.98	-	60.22	68.20	7.98
5 725.83	33.68	Average	V	6.98	-	40.66	48.20	7.54





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11a (6 Mbps)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 144

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 117.74	43.68	Peak	H	-7.59	-	36.09	74.00	37.91
1 157.73	44.42	Peak	V	-7.39	-	37.03	74.00	36.97



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 100.24	42.94	Peak	H	-7.68	-	35.26	74.00	38.74
1 184.73	43.59	Peak	V	-7.25	-	36.34	74.00	37.66

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 452.78	42.68	Peak	H	6.27	-	48.95	74.00	25.05
5 455.98	42.57	Peak	H	6.27	-	48.84	74.00	25.16
5 455.98	46.14	Peak	V	6.27	-	52.41	74.00	21.59
5 459.71	45.91	Peak	V	6.27	-	52.18	74.00	21.82





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 120

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 215.23	44.49	Peak	H	-7.09	-	37.40	74.00	36.60
1 241.23	43.57	Peak	V	-6.96	-	36.61	68.20	31.59



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 140


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 082.74	42.75	Peak	H	-7.77	-	34.98	74.00	39.02
1 130.74	43.20	Peak	V	-7.53	-	35.67	74.00	38.33

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5 726.58	54.04	Peak	V	6.99	-	61.03	68.20	7.17
5 726.58	33.40	Average	V	6.99	-	40.39	48.20	7.81
5 726.68	56.20	Peak	H	6.99	-	63.19	68.20	5.01
5 726.68	35.06	Average	H	6.99	-	42.05	48.20	6.15
5 727.13	52.71	Peak	V	6.99	-	59.70	68.20	8.50
5 727.13	33.22	Average	V	6.99	-	40.21	48.20	7.99
5 727.14	56.85	Peak	H	6.99	-	63.84	68.20	4.36
5 727.14	34.06	Average	H	6.99	-	41.05	48.20	7.15





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 144

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 046.25	44.74	Peak	V	-7.96	-	36.78	74.00	37.22
1 267.22	43.66	Peak	H	-6.83	-	36.83	68.20	31.37



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 002.75	43.77	Peak	V	-8.19	-	35.58	74.00	38.42
1 243.73	43.61	Peak	H	-6.95	-	36.66	68.20	31.54

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 452.75	45.88	Peak	V	6.27	-	52.15	74.00	21.85
5 443.69	43.10	Peak	H	6.26	-	49.36	74.00	24.64
5 449.82	43.13	Peak	H	6.26	-	49.39	74.00	24.61
5 455.96	45.52	Peak	V	6.27	-	51.79	74.00	22.21





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 120

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 072.74	44.28	Peak	V	-7.83	-	36.45	74.00	37.55
1 082.24	44.10	Peak	H	-7.78	-	36.32	74.00	37.68



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 140


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 015.75	43.49	Peak	H	-8.12	-	35.37	74.00	38.63
1 030.25	44.15	Peak	V	-8.05	-	36.10	74.00	37.90

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 726.31	55.10	Peak	V	6.99	-	62.09	68.20	6.11
5 726.31	32.60	Average	V	6.99	-	39.59	48.20	8.61
5 726.41	55.10	Peak	H	6.99	-	62.09	68.20	6.11
5 726.41	34.63	Average	H	6.99	-	41.62	48.20	6.58
5 726.99	52.75	Peak	V	6.99	-	59.74	68.20	8.46
5 726.99	32.29	Average	V	6.99	-	39.28	48.20	8.92
5 727.16	55.84	Peak	H	6.99	-	62.83	68.20	5.37
5 727.16	34.29	Average	H	6.99	-	41.28	48.20	6.92





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ac_VHT20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 144

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 032.25	43.21	Peak	V	-8.03	-	35.18	74.00	38.82
1 117.74	43.04	Peak	H	-7.59	-	35.45	74.00	38.55



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 100


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 076.24	43.52	Peak	H	-7.81	-	35.71	74.00	38.29
1 104.24	43.46	Peak	V	-7.66	-	35.80	74.00	38.20

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 427.04	43.41	Peak	H	6.25	-	49.66	74.00	24.34
5 453.60	43.07	Peak	H	6.27	-	49.34	74.00	24.66
5 455.42	45.60	Peak	V	6.27	-	51.87	74.00	22.13
5 456.30	46.60	Peak	V	6.27	-	52.87	74.00	21.13





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 120

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 045.25	43.61	Peak	V	-7.97	-	35.64	74.00	38.36
1 198.23	44.32	Peak	H	-7.18	-	37.14	74.00	36.86



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 140


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 048.25	43.23	Peak	H	-7.95	-	35.28	74.00	38.72
1 270.72	43.95	Peak	V	-6.82	-	37.13	68.20	31.07

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 725.30	50.95	Peak	V	6.98	-	57.93	68.20	10.27
5 725.30	32.41	Average	V	6.98	2.15	41.54	48.20	6.66
5 725.40	53.40	Peak	H	6.98	-	60.38	68.20	7.82
5 725.40	33.19	Average	H	6.98	2.15	42.32	48.20	5.88
5 726.46	52.69	Peak	H	6.99	-	59.68	68.20	8.52
5 726.46	32.59	Average	H	6.99	2.15	41.73	48.20	6.47
5 726.48	50.61	Peak	V	6.99	-	57.60	68.20	10.60
5 726.48	31.31	Average	V	6.99	2.15	40.45	48.20	7.75





Note.


1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE20 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 144

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 044.75	44.17	Peak	H	-7.97	-	36.20	74.00	37.80
1 116.24	43.19	Peak	V	-7.60	-	35.59	74.00	38.41



Note.

1. No spurious emission were detected above 6 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11n_HT40 (MCS0)
Band: UNII-2C
Distance of measurement: 3 meter
Channel: 102

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 119.24	43.69	Peak	H	-7.59	-	36.10	74.00	37.90
1 241.73	43.58	Peak	V	-6.96	-	36.62	68.20	31.58

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5 454.01	50.35	Peak	H	6.27	-	56.62	74.00	17.38
5 454.01	30.04	Average	H	6.27	-	36.31	54.00	17.69
5 454.57	56.18	Peak	V	6.27	-	62.45	74.00	11.55
5 454.57	34.43	Average	V	6.27	-	40.70	54.00	13.30
5 455.96	55.92	Peak	V	6.27	-	62.19	74.00	11.81
5 455.96	35.07	Average	V	6.27	-	41.34	54.00	12.66
5 459.69	51.33	Peak	H	6.27	-	57.60	74.00	16.40
5 459.69	32.26	Average	H	6.27	-	56.62	74.00	17.38