




Note.


1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: LE 2 Mbps
Distance of measurement: 3 meter
Channel: 20

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 000.70	45.88	Peak	H	-8.20	-	37.68	74.00	36.32
1 087.69	45.02	Peak	V	-7.75	-	37.27	74.00	36.73
1 448.46	43.52	Peak	V	-5.94	-	37.58	74.00	36.42

**Note.**

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: LE 2 Mbps
Distance of measurement: 3 meter
Channel: 39


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 199.88	44.78	Peak	H	-7.17	-	37.61	74.00	36.39
1 130.29	43.99	Peak	V	-7.53	-	36.46	74.00	37.54

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.56	52.21	Peak	H	-2.29	-	49.92	74.00	24.08
2 483.56	46.39	Peak	V	-2.29	-	44.10	74.00	29.90
2 483.74	51.74	Peak	H	-2.29	-	49.45	74.00	24.55
2 483.82	46.06	Peak	V	-2.28	-	43.78	74.00	30.22





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 013.70	44.99	Peak	H	-8.13	-	36.86	74.00	37.14
1 258.07	44.56	Peak	V	-6.88	-	37.68	74.00	36.32

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 364.57	46.66	Peak	V	-2.59	-	44.07	74.00	29.93
2 375.12	48.45	Peak	V	-2.56	-	45.89	74.00	28.11
2 374.88	53.52	Peak	H	-2.56	-	50.96	74.00	23.04
2 386.04	56.52	Peak	H	-2.53	-	53.99	74.00	20.01





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : RF-230795

Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 093.09	43.83	Peak	H	-7.72	-	36.11	74.00	37.89
1 251.27	43.53	Peak	V	-6.91	-	36.62	74.00	37.38



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 028.90	44.00	Peak	V	-8.05	-	35.95	74.00	38.05
1 081.49	43.84	Peak	H	-7.78	-	36.06	74.00	37.94

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 487.71	50.84	Peak	V	-2.28	-	48.56	74.00	25.44
2 488.05	50.94	Peak	V	-2.27	-	48.67	74.00	25.33
2 488.71	51.78	Peak	H	-2.27	-	49.51	74.00	24.49
2 498.84	53.28	Peak	H	-2.25	-	51.03	74.00	22.97





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 006.30	44.23	Peak	V	-8.17	-	36.06	74.00	37.94
1 149.89	44.10	Peak	H	-7.43	-	36.67	74.00	37.33

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 382.97	51.35	Peak	V	-2.53	-	48.82	74.00	25.18
2 385.17	60.21	Peak	H	-2.53	-	57.68	74.00	16.32
2 385.17	45.52	Average	H	-2.53	-	42.99	54.00	11.01
2 389.29	60.78	Peak	H	-2.52	-	58.26	74.00	15.74
2 389.29	47.58	Average	H	-2.52	-	45.06	54.00	8.94
2 389.59	52.86	Peak	V	-2.52	-	50.34	74.00	23.66





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : RF-230795

Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 030.30	43.79	Peak	H	-8.04	-	35.75	74.00	38.25
1 284.67	44.26	Peak	V	-6.75	-	37.51	74.00	36.49



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 044.30	44.35	Peak	H	-7.97	-	36.38	74.00	37.62
1 070.49	43.37	Peak	V	-7.84	-	35.53	74.00	38.47

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.56	62.41	Peak	H	-2.29	-	60.12	74.00	13.88
2 483.56	46.30	Average	V	-2.29	-	44.01	54.00	9.99
2 484.16	55.73	Peak	V	-2.28	-	53.45	74.00	20.55
2 484.39	62.58	Peak	H	-2.28	-	60.30	74.00	13.70
2 484.39	45.89	Average	H	-2.28	-	43.61	54.00	10.39
2 484.77	55.95	Peak	V	-2.28	-	53.67	74.00	20.33





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 047.90	44.24	Peak	H	-7.95	-	36.29	74.00	37.71
1 122.89	43.44	Peak	V	-7.57	-	35.87	74.00	38.13

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 386.81	60.92	Peak	H	-2.52	-	58.40	74.00	15.60
2 386.81	46.67	Average	H	-2.52	-	44.15	54.00	9.85
2 388.86	55.88	Peak	V	-2.52	-	53.36	74.00	20.64
2 389.21	61.24	Peak	H	-2.52	-	58.72	74.00	15.28
2 389.21	48.78	Average	H	-2.52	-	46.26	54.00	7.74
2 389.35	57.03	Peak	V	-2.52	-	54.51	74.00	19.49
2 389.35	42.04	Average	V	-2.52	-	39.52	54.00	14.48





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : RF-230795

Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 014.70	43.88	Peak	V	-8.13	-	35.75	74.00	38.25
1 026.50	44.62	Peak	H	-8.06	-	36.56	74.00	37.44



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 083.09	43.76	Peak	V	-7.77	-	35.99	74.00	38.01
1 123.29	44.26	Peak	H	-7.57	-	36.69	74.00	37.31

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.55	62.50	Peak	H	-2.29	-	60.21	74.00	13.79
2 483.55	47.98	Average	H	-2.29	-	45.69	54.00	8.31
2 483.62	57.90	Peak	V	-2.29	-	55.61	74.00	18.39
2 483.62	43.79	Average	V	-2.29	-	41.50	54.00	12.50
2 483.85	64.99	Peak	H	-2.28	-	62.71	74.00	11.29
2 483.85	47.59	Average	H	-2.28	-	45.31	54.00	8.69
2 484.02	58.93	Peak	V	-2.28	-	56.65	74.00	17.35
2 484.02	44.01	Average	V	-2.28	-	41.73	54.00	12.27





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE20 (MCS0)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 008.50	43.43	Peak	H	-8.16	-	35.27	74.00	38.73
1 029.90	44.05	Peak	V	-8.05	-	36.00	74.00	38.00

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 388.25	52.14	Peak	V	-2.52	-	49.62	74.00	24.38
2 388.40	58.36	Peak	H	-2.52	-	55.84	74.00	18.16
2 388.40	44.25	Average	H	-2.52	2.15	43.88	54.00	10.12
2 389.70	53.37	Peak	V	-2.51	-	50.86	74.00	23.14
2 389.78	58.07	Peak	H	-2.51	-	55.56	74.00	18.44
2 389.78	47.61	Average	H	-2.51	2.15	47.25	54.00	6.75





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : RF-230795

Mode: 802.11ax_HE20 (MCS0)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 076.29	43.57	Peak	H	-7.81	-	35.76	74.00	38.24
1 091.69	43.71	Peak	V	-7.73	-	35.98	74.00	38.02



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11ax_HE20 (MCS0)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 004.10	43.31	Peak	V	-8.18	-	35.13	74.00	38.87
1 352.26	44.02	Peak	H	-6.41	-	37.61	74.00	36.39

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.62	60.05	Peak	H	-2.29	-	57.76	74.00	16.24
2 483.62	45.06	Average	H	-2.29	2.15	44.92	54.00	9.08
2 483.71	55.71	Peak	V	-2.29	-	53.42	74.00	20.58
2 484.32	59.61	Peak	H	-2.28	-	57.33	74.00	16.67
2 484.32	44.60	Average	H	-2.28	2.15	44.47	54.00	9.53
2 484.50	55.25	Peak	V	-2.28	-	52.97	74.00	21.03





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 3


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 023.70	43.83	Peak	V	-8.08	-	35.75	74.00	38.25
1 025.90	44.29	Peak	H	-8.07	-	36.22	74.00	37.78

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 385.72	59.22	Peak	V	-2.53	-	56.69	74.00	17.31
2 385.72	42.62	Average	V	-2.53	-	40.09	54.00	13.91
2 387.28	63.30	Peak	H	-2.52	-	60.78	74.00	13.22
2 387.28	49.61	Average	H	-2.52	-	47.09	54.00	6.91
2 387.33	59.81	Peak	V	-2.52	-	57.29	74.00	16.71
2 387.33	43.50	Average	V	-2.52	-	40.98	54.00	13.02
2 389.71	61.84	Peak	H	-2.51	-	59.33	74.00	14.67
2 389.71	48.90	Average	H	-2.51	-	46.39	54.00	7.61





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : RF-230795

Mode: 802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 6


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 055.09	44.69	Peak	H	-7.92	-	36.77	74.00	37.23
1 072.49	43.56	Peak	V	-7.83	-	35.73	74.00	38.27



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: 802.11ax_HE40 (MCS0)
Distance of measurement: 3 meter
Channel: 3

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 328.47	43.87	Peak	H	-6.53	-	37.34	74.00	36.66
1 369.06	44.23	Peak	V	-6.32	-	37.91	74.00	36.09

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 383.40	62.04	Peak	H	-2.53	-	59.51	74.00	14.49
2 383.40	47.76	Average	H	-2.53	0.18	45.41	54.00	8.59
2 386.00	60.45	Peak	H	-2.53	-	57.92	74.00	16.08
2 386.00	48.53	Average	H	-2.53	0.18	46.18	54.00	7.82
2 389.02	53.69	Peak	V	-2.52	-	51.17	74.00	22.83
2 389.88	53.52	Peak	V	-2.51	-	51.01	74.00	22.99

