



Test Mode UNII-3\_TX AX (HE20) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.11	0.09	12.20	30.00	Complies
157	5785	12.56	0.09	12.65	30.00	Complies
165	5825	12.29	0.09	12.38	30.00	Complies



Test Mode UNII-3\_TX AX (HE20) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.35	0.09	12.44	30.00	Complies
157	5785	12.49	0.09	12.58	30.00	Complies
165	5825	12.38	0.09	12.47	30.00	Complies




Test Mode UNII-3\_TX AX (HE20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.33	30.00	Complies
157	5785	15.63	30.00	Complies
165	5825	15.44	30.00	Complies


Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.29	0.16	9.45	30.00	Complies
159	5795	9.16	0.16	9.32	30.00	Complies



Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.46	0.16	9.62	30.00	Complies
159	5795	10.00	0.16	10.16	30.00	Complies




Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	12.55	30.00	Complies
159	5795	12.78	30.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.57	0.31	5.88	30.00	Complies


CH155



Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.77	0.31	6.08	30.00	Complies

CH155



Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.99	30.00	Complies

## APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

**Voltage vs. Frequency Stability**

Voltage (V)	Measurement Frequency (MHz)
138	5180.0000
120	5179.9551
102	5179.9600
Maximum Deviation (MHz)	0.0449
Maximum Deviation (ppm)	8.6631

**Temperature vs. Frequency Stability**

Temperature (°C)	Measurement Frequency (MHz)
0	5180.0000
10	5179.9600
20	5179.9399
30	5179.9399
40	5179.9551
Maximum Deviation (MHz)	5179.9400
Maximum Deviation (ppm)	0.0601
	11.6047

Test Mode	UNII-3
-----------	--------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9400
120	5744.9600
108	5744.9199
Maximum Deviation (MHz)	0.0801
Maximum Deviation (ppm)	13.9469

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9400
10	5744.9350
20	5744.9400
30	5744.9400
40	5744.9400
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3142

**End of Test Report**