



CH38



Date: 1.NOV.2018 10:43:11

CH46



Date: 1.NOV.2018 10:44:14


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	11.63	15.00
CH46	5230	11.45	15.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.75	0.20	8.95	28.00
CH157	5785	8.51	0.20	8.71	28.00
CH165	5825	8.98	0.20	9.18	28.00

TX CH149




Date: 31.OCT.2018 17:52:12

TX CH157



Date: 31.OCT.2018 17:54:00

TX CH165




Date: 31.OCT.2018 17:55:13

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.76	0.20	9.96	28.00
CH157	5785	9.63	0.20	9.83	28.00
CH165	5825	9.95	0.20	10.15	28.00

TX CH149




Date: 1.NOV.2018 08:58:56

TX CH157



Date: 1.NOV.2018 09:00:09

TX CH165




Date: 1.NOV.2018 09:00:33

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.62	0.20	8.82	28.00
CH157	5785	8.25	0.20	8.45	28.00
CH165	5825	8.00	0.20	8.20	28.00

TX CH149




Date: 1.NOV.2018 09:04:30

TX CH157



Date: 1.NOV.2018 09:05:52

TX CH165




Date: 1.NOV.2018 09:07:01

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.71	0.20	8.91	28.00
CH157	5785	8.26	0.20	8.46	28.00
CH165	5825	7.92	0.20	8.12	28.00

TX CH149




Date: 1.NOV.2018 09:19:28

TX CH157



Date: 1.NOV.2018 09:20:47

TX CH165



Date: 1.NOV.2018 09:21:57


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.20	28.00
CH157	5785	14.92	28.00
CH165	5825	15.01	28.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.97	0.42	6.39	28.00
CH159	5795	5.63	0.42	6.05	28.00

TX CH151



Date: 1.NOV.2018 11:37:35

TX CH159




Date: 1.NOV.2018 11:39:06

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.32	0.42	5.74	28.00
CH159	5795	5.95	0.42	6.37	28.00

TX CH151



Date: 1.NOV.2018 11:31:41

TX CH159




Date: 1.NOV.2018 11:33:10

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.97	0.42	6.39	28.00
CH159	5795	5.96	0.42	6.38	28.00

TX CH151



Date: 1.NOV.2018 10:51:50

TX CH159




Date: 1.NOV.2018 10:53:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.46	0.42	1.88	28.00
CH159	5795	1.35	0.42	1.77	28.00

TX CH151



Date: 1.NOV.2018 10:45:56

TX CH159




Date: 1.NOV.2018 10:47:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.46	28.00
CH159	5795	11.53	28.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.29	0.19	8.48	15.00
CH40	5200	8.14	0.19	8.33	15.00
CH48	5240	8.51	0.19	8.70	15.00




Date: 1.NOV.2018 10:05:27

CH40



Date: 1.NOV.2018 10:06:32


CH48



Date: 1.NOV.2018 10:07:45


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.43	0.19	8.62	15.00
CH40	5200	8.48	0.19	8.67	15.00
CH48	5240	8.85	0.19	9.04	15.00




Date: 1.NOV.2018 09:50:52

CH40



Date: 1.NOV.2018 09:51:59


CH48



Date: 1.NOV.2018 09:59:45


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.17	0.19	8.36	15.00
CH40	5200	8.41	0.19	8.60	15.00
CH48	5240	8.81	0.19	9.00	15.00




Date: 1.NOV.2018 09:42:55

CH40



Date: 1.NOV.2018 09:44:00


CH48



Date: 1.NOV.2018 09:45:02


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.91	0.19	8.10	15.00
CH40	5200	8.30	0.19	8.49	15.00
CH48	5240	8.24	0.19	8.43	15.00




Date: 1.NOV.2018 09:25:16

CH40



Date: 1.NOV.2018 09:26:32

CH48



Date: 1.NOV.2018 09:35:09


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.42	15.00
CH40	5200	14.55	15.00
CH48	5240	14.82	15.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.10	0.55	6.65	15.00
CH46	5230	5.73	0.55	6.28	15.00

CH38



Date: 1.NOV.2018 10:16:35

CH46




Date: 1.NOV.2018 10:17:43

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.45	0.55	6.00	15.00
CH46	5230	5.44	0.55	5.99	15.00

CH38



Date: 1.NOV.2018 10:22:48

CH46




Date: 1.NOV.2018 10:23:48

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.15	0.55	5.70	15.00
CH46	5230	4.97	0.55	5.52	15.00

CH38



Date: 1.NOV.2018 10:29:00

CH46




Date: 1.NOV.2018 10:30:05

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.20	0.55	4.75	15.00
CH46	5230	4.03	0.55	4.58	15.00

CH38



Date: 1.NOV.2018 10:34:56

CH46




Date: 1.NOV.2018 10:36:04

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	11.85	15.00
CH46	5230	11.66	15.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.96	1.10	3.06	15.00



Date: 1.NOV.2018 11:41:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.47	1.10	2.57	15.00



Date: 1.NOV.2018 11:45:47

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.55	1.10	2.65	15.00



Date: 1.NOV.2018 11:48:50

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.88	1.10	2.98	15.00



Date: 1.NOV.2018 11:52:01


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	8.84	15.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.66	0.19	8.85	28.00
CH157	5785	8.42	0.19	8.61	28.00
CH165	5825	8.87	0.19	9.06	28.00

TX CH149




Date: 1.NOV.2018 10:09:10

TX CH157



Date: 1.NOV.2018 10:10:18

TX CH165




Date: 1.NOV.2018 10:11:26

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.71	0.19	8.90	28.00
CH157	5785	8.13	0.19	8.32	28.00
CH165	5825	8.56	0.19	8.75	28.00

TX CH149




Date: 1.NOV.2018 10:01:15

TX CH157



Date: 1.NOV.2018 10:02:25

TX CH165




Date: 1.NOV.2018 10:03:31

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.89	0.19	9.08	28.00
CH157	5785	8.25	0.19	8.44	28.00
CH165	5825	9.01	0.19	9.20	28.00

TX CH149




Date: 1.NOV.2018 09:46:17

TX CH157



Date: 1.NOV.2018 09:47:27

TX CH165




Date: 1.NOV.2018 09:48:46

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.51	0.19	8.70	28.00
CH157	5785	8.10	0.19	8.29	28.00
CH165	5825	7.86	0.19	8.05	28.00

TX CH149




Date: 1.NOV.2018 09:37:04

TX CH157



Date: 1.NOV.2018 09:38:16

TX CH165



Date: 1.NOV.2018 09:39:49


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.91	28.00
CH157	5785	14.44	28.00
CH165	5825	14.81	28.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.97	0.55	6.52	28.00
CH159	5795	6.20	0.55	6.75	28.00

TX CH151



Date: 1.NOV.2018 10:19:08

TX CH159




Date: 1.NOV.2018 10:20:41

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.39	0.55	5.94	28.00
CH159	5795	5.60	0.55	6.15	28.00

TX CH151



Date: 1.NOV.2018 10:25:28

TX CH159




Date: 1.NOV.2018 10:26:49

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.12	0.55	6.67	28.00
CH159	5795	5.88	0.55	6.43	28.00

TX CH151



Date: 1.NOV.2018 10:31:26

TX CH159




Date: 1.NOV.2018 10:32:52

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.39	0.55	1.94	28.00
CH159	5795	1.29	0.55	1.84	28.00

TX CH151



Date: 1.NOV.2018 10:37:29

TX CH159



Date: 1.NOV.2018 10:39:06


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.65	28.00
CH159	5795	11.70	28.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.87	1.10	2.97	28.00

TX CH155




Date: 1.NOV.2018 11:43:10

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.51	1.10	2.61	28.00

TX CH155




Date: 1.NOV.2018 11:46:59

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.09	1.10	3.19	28.00

TX CH155




Date: 1.NOV.2018 11:50:05

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	0.95	1.10	2.05	28.00

TX CH155



Date: 1.NOV.2018 11:53:52

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	8.75	28.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5180.0200
120	5180.0150
102	5180.0200
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8586

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0200
10	5180.0199
20	5180.0200
30	5180.0199
40	5180.0150
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.8586

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5745.0348
120	5745.0350
102	5745.0350
Max. Deviation (MHz)	0.0350
Max. Deviation (ppm)	6.0944

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0350
10	5745.0399
20	5745.0400
30	5745.0400
40	5745.0399
Max. Deviation (MHz)	0.0400
Max. Deviation (ppm)	6.9604

End of Test Report