



Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.980	7.446	-7.020	54.000	39.534	AV
2	*	5176.890	96.879	57.286	42.879	54.000	39.594	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.777	14.243	-0.223	54.000	39.534	AV
2	*	5178.270	103.592	64.009	49.592	54.000	39.582	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.680	24.146	-10.320	74.000	39.534	PK
2	*	5176.890	106.241	66.648	32.241	74.000	39.594	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	67.116	27.582	-6.884	74.000	39.534	PK
2	*	5178.615	109.379	69.799	35.379	74.000	39.580	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.635	97.489	57.573	43.489	54.000	39.917	AV
2		5350.000	49.288	9.417	-4.712	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	53.282	13.411	-0.718	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.210	107.198	67.276	33.198	74.000	39.922	PK
2		5350.000	65.485	25.614	-8.515	74.000	39.871	PK
3		5351.610	68.130	28.259	-5.870	74.000	39.872	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.020	109.932	70.009	35.932	74.000	39.923	PK
2		5350.000	67.979	28.108	-6.021	74.000	39.871	PK
3		5353.700	70.828	30.954	-3.172	74.000	39.874	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	49.583	9.549	-4.417	54.000	40.034	AV
2	*	5498.975	103.091	62.963	49.091	54.000	40.128	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 08:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5458.760	53.088	13.053	-0.912	54.000	40.035	AV
2		5460.000	53.504	13.470	-0.496	54.000	40.034	AV
3	*	5497.400	103.732	63.599	49.732	54.000	40.133	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		1.000	1.000	-29.960	-66.621	67.621	30.960	PK
2	*	5460.000	65.296	25.262	-8.704	74.000	40.034	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	66.380	26.346	-7.620	74.000	40.034	PK
2	*	5495.300	113.415	73.276	39.415	74.000	40.139	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 19:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5641.250	59.065	18.714	-9.135	68.200	40.351	PK
2		5654.500	62.761	22.300	-8.769	71.530	40.461	PK
3		5665.500	67.341	26.848	-12.329	79.670	40.493	PK
4	*	5748.000	114.292	73.699	-7.908	122.200	40.593	PK
5		5997.750	55.582	14.454	-12.618	68.200	41.128	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 19:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5636.750	57.295	16.893	-10.905	68.200	40.402	PK
2		5665.500	66.301	25.808	-13.369	79.670	40.493	PK
3	*	5743.500	113.014	72.431	-9.186	122.200	40.583	PK
4		5951.500	54.955	13.919	-13.245	68.200	41.036	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:02
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5555.500	57.093	16.931	-11.107	68.200	40.162	PK
2		5664.000	60.270	19.778	-18.290	78.560	40.492	PK
3	*	5783.500	114.241	73.545	-7.959	122.200	40.696	PK
4		5965.250	55.712	14.702	-12.488	68.200	41.010	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:03
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5606.250	56.920	16.629	-11.280	68.200	40.292	PK
2		5691.750	63.175	22.655	-35.920	99.095	40.521	PK
3	*	5786.250	112.994	72.280	-9.206	122.200	40.714	PK
4		5961.000	55.017	14.002	-13.183	68.200	41.015	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:12
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5924.500	61.460	20.517	-7.110	68.570	40.943	PK
2		5924.500	61.460	20.517	-7.110	68.570	40.943	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:13
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5826.000	113.320	72.599	-8.880	122.200	40.720	PK
2		5916.250	62.885	21.861	-11.790	74.675	41.024	PK
3	*	5931.500	61.113	20.210	-7.087	68.200	40.903	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.218	8.684	-5.782	54.000	39.534	AV
2	*	5184.795	93.641	54.062	39.641	54.000	39.579	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.481	13.947	-0.519	54.000	39.534	AV
2	*	5192.960	96.979	57.326	42.979	54.000	39.654	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	68.025	28.491	-5.975	74.000	39.534	PK
2	*	5186.215	101.536	61.944	27.536	74.000	39.592	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	70.841	31.307	-3.159	74.000	39.534	PK
2	*	5187.635	104.049	64.444	30.049	74.000	39.605	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5312.575	91.986	52.087	37.986	54.000	39.900	AV
2		5350.000	47.130	7.259	-6.870	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/09 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5310MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5308.270	95.147	55.276	41.147	54.000	39.871	AV
2		5350.000	53.289	13.418	-0.711	54.000	39.871	AV
3		5350.480	53.608	13.737	-0.392	54.000	39.870	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.835	101.537	61.629	27.537	74.000	39.908	PK
2		5350.000	66.407	26.536	-7.593	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.990	104.329	64.414	30.329	74.000	39.915	PK
2		5350.000	68.497	28.626	-5.503	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	51.312	11.278	-2.688	54.000	40.034	AV
2	*	5494.235	95.957	55.815	41.957	54.000	40.142	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.086	12.052	-1.914	54.000	40.034	AV
2	*	5495.040	96.648	56.509	42.648	54.000	40.140	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5651.750	68.943	28.504	-0.552	69.495	40.438	PK
2		5659.500	71.055	30.564	-4.175	75.230	40.491	PK
3		5739.000	110.664	70.100	-11.536	122.200	40.564	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 10:59
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5639.250	67.344	26.973	-0.856	68.200	40.372	PK
2		5650.000	67.913	27.489	-0.287	68.200	40.424	PK
3	*	5655.000	71.793	31.327	-0.107	71.900	40.466	PK
4		5748.500	110.224	69.630	-11.976	122.200	40.595	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:18
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5659.250	66.778	26.287	-8.267	75.045	40.491	PK
2		5788.000	110.703	69.977	-11.497	122.200	40.727	PK
3		5921.500	65.399	24.426	-5.391	70.790	40.973	PK
4	*	5929.000	63.576	22.677	-4.624	68.200	40.899	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5634.250	63.747	23.313	-4.453	68.200	40.434	PK
2		5793.500	110.533	69.770	-11.667	122.200	40.763	PK
3	*	5924.000	65.885	24.937	-3.055	68.940	40.948	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.693	8.159	-6.307	54.000	39.534	AV
2	*	5181.720	97.310	57.754	43.310	54.000	39.556	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.389	13.855	-0.611	54.000	39.534	AV
2	*	5181.030	103.444	63.883	49.444	54.000	39.561	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.397	23.863	-10.603	74.000	39.534	PK
2	*	5178.960	106.873	67.296	32.873	74.000	39.577	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/17 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	67.387	27.853	-6.613	74.000	39.534	PK
2	*	5178.960	109.355	69.778	35.355	74.000	39.577	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.780	97.797	57.877	43.797	54.000	39.920	AV
2		5350.000	49.135	9.264	-4.865	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	53.200	13.329	-0.800	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.540	107.536	67.619	33.536	74.000	39.917	PK
2		5350.000	65.177	25.306	-8.823	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.875	109.963	70.044	35.963	74.000	39.919	PK
2		5350.000	68.058	28.187	-5.942	74.000	39.871	PK
3		5352.180	70.050	30.178	-3.950	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	49.657	9.623	-4.343	54.000	40.034	AV
2	*	5499.080	102.826	62.698	48.826	54.000	40.128	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 08:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.570	13.536	-0.430	54.000	40.034	AV
2	*	5502.755	103.701	63.584	49.701	54.000	40.117	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	66.550	26.516	-7.450	74.000	40.034	PK
2	*	5495.195	112.831	72.692	38.831	74.000	40.139	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	66.864	26.830	-7.136	74.000	40.034	PK
2	*	5495.300	113.096	72.957	39.096	74.000	40.139	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 19:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5587.750	56.193	15.857	-12.007	68.200	40.336	PK
2		5665.000	66.621	26.128	-12.679	79.300	40.493	PK
3	*	5747.750	115.025	74.432	-7.175	122.200	40.593	PK
4		5928.250	54.835	13.929	-13.365	68.200	40.907	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 19:21
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5581.500	56.468	16.160	-11.732	68.200	40.308	PK
2		5665.000	65.600	25.107	-13.700	79.300	40.493	PK
3	*	5743.500	113.030	72.447	-9.170	122.200	40.583	PK
4		5947.000	55.662	14.616	-12.538	68.200	41.046	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5579.250	56.202	15.905	-11.998	68.200	40.298	PK
2		5681.750	62.365	21.859	-29.330	91.695	40.506	PK
3	*	5783.500	114.380	73.684	-7.820	122.200	40.696	PK
4		5946.500	56.148	15.106	-12.052	68.200	41.041	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5623.750	56.871	16.313	-11.329	68.200	40.558	PK
2	*	5786.250	113.039	72.325	-9.161	122.200	40.714	PK
3		5962.250	55.506	14.494	-12.694	68.200	41.012	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:15
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5827.000	114.638	73.921	-7.562	122.200	40.717	PK
2		5912.500	65.112	24.063	-12.338	77.450	41.049	PK
3	*	5924.000	62.626	21.678	-6.314	68.940	40.948	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5828.000	113.050	72.337	-9.150	122.200	40.713	PK
2	*	5924.500	62.543	21.600	-6.027	68.570	40.943	PK
3		5934.750	58.841	17.908	-9.359	68.200	40.933	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.686	10.152	-4.314	54.000	39.534	AV
2	*	5191.540	94.373	54.732	40.373	54.000	39.641	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.601	14.067	-0.399	54.000	39.534	AV
2	*	5194.025	97.243	57.580	43.243	54.000	39.663	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	68.468	28.934	-5.532	74.000	39.534	PK
2	*	5184.440	103.077	63.501	29.077	74.000	39.576	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	71.992	32.458	-2.008	74.000	39.534	PK
2	*	5184.440	104.697	65.121	30.697	74.000	39.576	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5311.315	92.240	52.349	38.240	54.000	39.891	AV
2		5350.000	47.415	7.544	-6.585	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5308.690	96.377	56.503	42.377	54.000	39.874	AV
2		5350.000	53.731	13.860	-0.269	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5312.995	102.229	62.327	28.229	74.000	39.902	PK
2		5350.000	66.483	26.612	-7.517	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.990	104.340	64.425	30.340	74.000	39.915	PK
2		5350.000	68.688	28.817	-5.312	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	51.540	11.506	-2.460	54.000	40.034	AV
2	*	5494.005	96.311	56.169	42.311	54.000	40.143	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 08:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.713	13.679	-0.287	54.000	40.034	AV
2	*	5511.140	97.956	57.838	43.956	54.000	40.118	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	65.176	25.142	-8.824	74.000	40.034	PK
2	*	5493.200	105.703	65.558	31.703	74.000	40.145	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	66.476	26.442	-7.524	74.000	40.034	PK
2	*	5508.265	106.321	66.206	32.321	74.000	40.115	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:25
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5649.500	67.832	27.412	-0.368	68.200	40.420	PK
2		5653.750	68.736	28.281	-2.239	70.975	40.455	PK
3		5738.000	111.038	70.478	-11.162	122.200	40.560	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:21
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5650.250	68.022	27.596	-0.363	68.385	40.426	PK
2		5659.500	70.326	29.835	-4.904	75.230	40.491	PK
3		5738.250	109.334	68.773	-12.866	122.200	40.560	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5639.000	64.691	24.317	-3.509	68.200	40.374	PK
2		5659.000	67.254	26.763	-7.606	74.860	40.490	PK
3		5793.500	111.997	71.234	-10.203	122.200	40.763	PK
4		5937.500	62.568	21.610	-5.632	68.200	40.959	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5659.250	66.867	26.376	-8.178	75.045	40.491	PK
2		5793.750	110.845	70.080	-11.355	122.200	40.765	PK
3		5918.000	65.886	24.879	-7.494	73.380	41.007	PK
4	*	5940.750	62.864	21.875	-5.336	68.200	40.988	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.539	10.005	-4.461	54.000	39.534	AV
2	*	5188.500	87.390	47.777	33.390	54.000	39.612	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.123	13.589	-0.877	54.000	39.534	AV
2	*	5215.500	90.129	50.419	36.129	54.000	39.710	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.898	24.364	-10.102	74.000	39.534	PK
2	*	5183.250	96.900	57.335	22.900	74.000	39.565	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	65.902	26.368	-8.098	74.000	39.534	PK
2	*	5203.500	99.661	59.952	25.661	74.000	39.708	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.625	86.352	46.448	32.352	54.000	39.905	AV
2		5350.000	47.857	7.986	-6.143	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/21 - 21:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5265.750	90.769	51.032	36.769	54.000	39.737	AV
2		5350.000	52.444	12.573	-0.556	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.250	97.085	57.171	23.085	74.000	39.914	PK
2		5350.000	66.938	27.067	-7.062	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5263.250	100.736	60.976	26.736	74.000	39.760	PK
2		5350.000	68.616	28.745	-5.384	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5457.950	51.799	11.763	-2.201	54.000	40.036	AV
2		5460.000	50.578	10.544	-3.422	54.000	40.034	AV
3	*	5542.595	89.809	49.527	35.809	54.000	40.282	AV

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 08:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.478	13.444	-0.522	54.000	40.034	AV
2	*	5494.670	90.759	50.619	36.759	54.000	40.140	AV

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5439.455	63.456	23.448	-10.544	74.000	40.008	PK
2		5460.000	61.268	21.234	-12.732	74.000	40.034	PK
3	*	5503.175	99.386	59.270	25.386	74.000	40.116	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/18 - 11:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5441.075	63.986	23.974	-10.014	74.000	40.012	PK
2		5460.000	63.198	23.164	-10.802	74.000	40.034	PK
3	*	5523.290	99.801	59.657	25.801	74.000	40.144	PK

Engineer: Eric	
Site: AC5	Time: 2017/03/22 - 11:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5639.000	67.543	27.169	-0.657	68.200	40.374	PK
2		5652.750	68.642	28.195	-1.593	70.235	40.447	PK
3		5808.250	104.751	63.978	-17.449	122.200	40.773	PK

Engineer: Eric	
Site: AC5	Time: 2017/04/23 - 20:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5643.750	66.569	26.197	-1.631	68.200	40.372	PK
2	*	5652.750	69.130	28.683	-1.105	70.235	40.447	PK
3		5748.250	104.264	63.670	-17.936	122.200	40.593	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 18:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5200MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.277	9.743	-4.723	54.000	39.534	AV
2	*	5198.640	103.877	64.172	49.877	54.000	39.705	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 18:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5200MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.568	14.034	-0.432	54.000	39.534	AV
2	*	5198.640	107.068	67.363	53.068	54.000	39.705	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5200MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.185	22.651	-11.815	74.000	39.534	PK
2	*	5202.900	112.682	72.973	38.682	74.000	39.709	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5200MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	65.580	26.046	-8.420	74.000	39.534	PK
2	*	5202.900	115.469	75.760	41.469	74.000	39.709	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 09:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.828	13.294	-1.172	54.000	39.534	AV
2	*	5220.875	107.163	67.479	53.163	54.000	39.684	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	50.325	10.791	-3.675	54.000	39.534	AV
2	*	5220.875	104.959	65.275	50.959	54.000	39.684	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.275	22.741	-11.725	74.000	39.534	PK
2	*	5220.875	112.904	73.220	38.904	74.000	39.684	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.686	25.152	-9.314	74.000	39.534	PK
2	*	5220.510	115.319	75.633	41.319	74.000	39.686	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.056	7.522	-6.944	54.000	39.534	AV
2	*	5241.375	107.433	67.686	53.433	54.000	39.747	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.713	6.179	-8.287	54.000	39.534	AV
2	*	5241.375	104.980	65.233	50.980	54.000	39.747	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.440	18.906	-15.560	74.000	39.534	PK
2	*	5242.875	113.064	73.294	39.064	74.000	39.770	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.189	20.655	-13.811	74.000	39.534	PK
2	*	5242.875	114.992	75.222	40.992	74.000	39.770	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5258.875	104.966	65.167	50.966	54.000	39.800	AV
2		5350.000	45.095	5.224	-8.905	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5260.875	102.458	62.677	48.458	54.000	39.781	AV
2		5350.000	43.771	3.900	-10.229	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5267.500	112.254	72.525	38.254	74.000	39.730	PK
2		5350.000	56.881	17.010	-17.119	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5262.625	113.970	74.205	39.970	74.000	39.766	PK
2		5350.000	56.158	16.287	-17.842	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5299.030	105.279	65.453	51.279	54.000	39.826	AV
2		5350.000	53.100	13.229	-0.900	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5301.130	103.191	63.367	49.191	54.000	39.824	AV
2		5350.000	51.763	11.892	-2.237	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5307.325	112.407	72.542	38.407	74.000	39.865	PK
2		5350.000	67.003	27.132	-6.997	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5306.275	114.629	74.771	40.629	74.000	39.858	PK
2		5350.000	68.889	29.018	-5.111	74.000	39.871	PK