



Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.273	13.239	-0.727	54.000	40.034	AV
2	*	5519.075	105.319	65.192	51.319	54.000	40.127	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.954	12.920	-1.046	54.000	40.034	AV
2	*	5518.845	105.588	65.462	51.588	54.000	40.127	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	67.157	27.123	-6.843	74.000	40.034	PK
2	*	5514.590	115.468	75.346	41.468	74.000	40.122	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5520MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	67.460	27.426	-6.540	74.000	40.034	PK
2	*	5514.590	115.228	75.106	41.228	74.000	40.122	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.870	2.836	-11.130	54.000	40.034	AV
2	*	5578.690	104.392	64.097	50.392	54.000	40.295	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.876	2.842	-11.124	54.000	40.034	AV
2	*	5580.865	104.955	64.650	50.955	54.000	40.305	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	54.153	14.119	-19.847	74.000	40.034	PK
2	*	5587.535	114.488	74.153	40.488	74.000	40.335	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 10:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5580MHz by 11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	54.691	14.657	-19.309	74.000	40.034	PK
2	*	5587.535	114.423	74.088	40.423	74.000	40.335	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	43.432	3.398	-10.568	54.000	40.034	AV
2	*	5698.930	105.037	64.484	51.037	54.000	40.553	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.522	2.488	-11.478	54.000	40.034	AV
2	*	5702.825	105.010	64.439	51.010	54.000	40.570	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.347	13.313	-20.653	74.000	40.034	PK
2	*	5697.085	114.197	73.653	40.197	74.000	40.544	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5700MHz by 11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.169	13.135	-20.831	74.000	40.034	PK
2	*	5697.085	114.335	73.791	40.335	74.000	40.544	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.592	14.058	-0.408	54.000	39.534	AV
2	*	5202.190	106.814	67.105	52.814	54.000	39.709	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	50.775	11.241	-3.225	54.000	39.534	AV
2	*	5197.930	103.856	64.157	49.856	54.000	39.699	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.508	24.974	-9.492	74.000	39.534	PK
2	*	5196.865	111.977	72.288	37.977	74.000	39.689	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5200MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	68.062	28.528	-5.938	74.000	39.534	PK
2	*	5200.415	114.578	74.869	40.578	74.000	39.708	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	50.717	11.183	-3.283	54.000	39.534	AV
2	*	5216.495	105.917	66.209	51.917	54.000	39.707	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	48.486	8.952	-5.514	54.000	39.534	AV
2	*	5216.860	103.411	63.705	49.411	54.000	39.706	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.056	22.522	-11.944	74.000	39.534	PK
2	*	5218.320	111.878	72.180	37.878	74.000	39.698	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	64.811	25.277	-9.189	74.000	39.534	PK
2	*	5216.495	114.559	74.851	40.559	74.000	39.707	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.357	6.823	-7.643	54.000	39.534	AV
2	*	5242.125	105.642	65.883	51.642	54.000	39.758	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	44.257	4.723	-9.743	54.000	39.534	AV
2	*	5242.500	102.583	62.819	48.583	54.000	39.764	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	56.411	16.877	-17.589	74.000	39.534	PK
2	*	5246.250	109.008	69.186	35.008	74.000	39.822	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	57.799	18.265	-16.201	74.000	39.534	PK
2	*	5241.375	112.109	72.362	38.109	74.000	39.747	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5263.125	104.332	64.571	50.332	54.000	39.761	AV
2		5350.000	46.192	6.321	-7.808	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5263.125	103.441	63.680	49.441	54.000	39.761	AV
2		5350.000	44.636	4.765	-9.364	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5261.500	113.375	73.599	39.375	74.000	39.776	PK
2		5350.000	60.439	20.568	-13.561	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5256.875	114.874	75.056	40.874	74.000	39.818	PK
2		5350.000	61.011	21.140	-12.989	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5297.140	104.890	65.062	50.890	54.000	39.828	AV
2		5350.000	53.431	13.560	-0.569	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5297.455	103.054	63.226	49.054	54.000	39.827	AV
2		5350.000	52.246	12.375	-1.754	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5297.035	112.816	72.988	38.816	74.000	39.828	PK
2		5350.000	68.068	28.197	-5.932	74.000	39.871	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5300.290	114.276	74.452	40.276	74.000	39.824	PK
2		5350.000	69.330	29.459	-4.670	74.000	39.871	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.447	13.413	-0.553	54.000	40.034	AV
2	*	5516.890	104.982	64.858	50.982	54.000	40.125	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.409	12.375	-1.591	54.000	40.034	AV
2	*	5523.215	104.634	64.491	50.634	54.000	40.144	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	71.422	31.388	-2.578	74.000	40.034	PK
2	*	5521.375	115.080	74.951	41.080	74.000	40.129	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5520MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	71.315	31.281	-2.685	74.000	40.034	PK
2	*	5516.775	114.900	74.776	40.900	74.000	40.125	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 18:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.896	2.862	-11.104	54.000	40.034	AV
2	*	5577.820	102.779	62.488	48.779	54.000	40.291	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.952	2.918	-11.048	54.000	40.034	AV
2	*	5577.095	104.056	63.768	50.056	54.000	40.288	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.736	13.702	-20.264	74.000	40.034	PK
2	*	5576.950	114.138	73.851	40.138	74.000	40.287	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	55.448	15.414	-18.552	74.000	40.034	PK
2	*	5576.805	114.411	74.125	40.411	74.000	40.286	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.725	2.691	-11.275	54.000	40.034	AV
2	*	5697.085	104.968	64.424	50.968	54.000	40.544	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.286	2.252	-11.714	54.000	40.034	AV
2	*	5703.030	104.699	64.127	50.699	54.000	40.572	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.353	12.319	-21.647	74.000	40.034	PK
2	*	5696.880	114.052	73.509	40.052	74.000	40.543	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.531	12.497	-21.469	74.000	40.034	PK
2	*	5698.110	113.422	72.873	39.422	74.000	40.549	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.712	13.178	-1.288	54.000	39.534	AV
2	*	5234.250	102.035	62.398	48.035	54.000	39.637	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	50.114	10.580	-3.886	54.000	39.534	AV
2	*	5226.000	99.773	60.117	45.773	54.000	39.656	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.019	21.485	-12.981	74.000	39.534	PK
2	*	5233.125	107.871	68.251	33.871	74.000	39.620	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.136	23.602	-10.864	74.000	39.534	PK
2	*	5232.000	109.942	70.318	35.942	74.000	39.624	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 09:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5274.500	100.699	60.920	46.699	54.000	39.779	AV
2		5350.000	53.003	13.132	-0.997	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 09:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5266.250	98.113	58.380	44.113	54.000	39.732	AV
2		5350.000	50.116	10.245	-3.884	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 09:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5273.000	108.465	68.697	34.465	74.000	39.768	PK
2		5350.000	64.078	24.207	-9.922	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 09:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5278.875	109.798	69.989	35.798	74.000	39.809	PK
2		5350.000	64.139	24.268	-9.861	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.915	12.881	-1.085	54.000	40.034	AV
2	*	5545.835	100.243	59.991	46.243	54.000	40.252	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.152	13.118	-0.848	54.000	40.034	AV
2	*	5553.800	100.637	60.459	46.637	54.000	40.178	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	64.780	24.746	-9.220	74.000	40.034	PK
2	*	5555.150	111.142	70.976	37.142	74.000	40.166	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	64.809	24.775	-9.191	74.000	40.034	PK
2	*	5546.780	110.241	69.998	36.241	74.000	40.244	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	43.861	3.827	-10.139	54.000	40.034	AV
2	*	5665.625	101.591	61.098	47.591	54.000	40.493	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.961	2.927	-11.039	54.000	40.034	AV
2	*	5666.795	100.930	60.437	46.930	54.000	40.493	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	57.208	17.174	-16.792	74.000	40.034	PK
2	*	5668.550	111.774	71.280	37.774	74.000	40.494	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	57.613	17.579	-16.387	74.000	40.034	PK
2	*	5674.985	112.276	71.780	38.276	74.000	40.496	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5200MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	53.664	14.130	-0.336	54.000	39.534	AV
2	*	5202.545	106.932	67.223	52.932	54.000	39.709	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5200MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	50.853	11.319	-3.147	54.000	39.534	AV
2	*	5202.900	104.191	64.482	50.191	54.000	39.709	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5200MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	65.583	26.049	-8.417	74.000	39.534	PK
2	*	5201.480	112.353	72.644	38.353	74.000	39.708	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5200MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	68.981	29.447	-5.019	74.000	39.534	PK
2	*	5201.480	114.896	75.187	40.896	74.000	39.708	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	51.398	11.864	-2.602	54.000	39.534	AV
2	*	5217.225	106.561	66.857	52.561	54.000	39.704	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.337	9.803	-4.663	54.000	39.534	AV
2	*	5216.860	104.736	65.030	50.736	54.000	39.706	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.370	23.836	-10.630	74.000	39.534	PK
2	*	5221.605	113.673	73.993	39.673	74.000	39.680	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	65.317	25.783	-8.683	74.000	39.534	PK
2	*	5221.605	115.098	75.418	41.098	74.000	39.680	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.995	7.461	-7.005	54.000	39.534	AV
2	*	5238.000	105.976	66.281	51.976	54.000	39.695	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.382	5.848	-8.618	54.000	39.534	AV
2	*	5241.375	104.407	64.660	50.407	54.000	39.747	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.212	20.678	-13.788	74.000	39.534	PK
2	*	5241.375	113.095	73.348	39.095	74.000	39.747	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.806	22.272	-12.194	74.000	39.534	PK
2	*	5241.375	114.585	74.838	40.585	74.000	39.747	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5263.000	103.725	63.963	49.725	54.000	39.762	AV
2		5350.000	44.869	4.998	-9.131	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5263.125	101.991	62.230	47.991	54.000	39.761	AV
2		5350.000	43.260	3.389	-10.740	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5261.375	113.997	74.220	39.997	74.000	39.776	PK
2		5350.000	58.815	18.944	-15.185	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5261.250	114.292	74.514	40.292	74.000	39.778	PK
2		5350.000	58.679	18.808	-15.321	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5302.705	104.018	64.183	50.018	54.000	39.835	AV
2		5350.000	53.072	13.201	-0.928	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5302.705	103.086	63.251	49.086	54.000	39.835	AV
2		5350.000	51.595	11.724	-2.405	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5296.930	114.322	74.494	40.322	74.000	39.828	PK
2		5350.000	68.898	29.027	-5.102	74.000	39.871	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 19:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5296.825	114.018	74.190	40.018	74.000	39.829	PK
2		5350.000	67.812	27.941	-6.188	74.000	39.871	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.889	13.855	-0.111	54.000	40.034	AV
2	*	5516.890	105.747	65.623	51.747	54.000	40.125	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5459.620	53.950	13.916	-0.050	54.000	40.035	AV
2		5460.000	53.702	13.668	-0.298	54.000	40.034	AV
3	*	5516.660	106.049	65.925	52.049	54.000	40.124	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	72.972	32.938	-1.028	74.000	40.034	PK
2	*	5516.660	116.560	76.436	42.560	74.000	40.124	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5520MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	70.129	30.095	-3.871	74.000	40.034	PK
2	*	5521.375	116.145	76.016	42.145	74.000	40.129	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.971	2.937	-11.029	54.000	40.034	AV
2	*	5578.545	104.185	63.891	50.185	54.000	40.294	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.891	2.857	-11.109	54.000	40.034	AV
2	*	5578.545	104.989	64.695	50.989	54.000	40.294	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	56.327	16.293	-17.673	74.000	40.034	PK
2	*	5576.950	115.248	74.961	41.248	74.000	40.287	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	56.748	16.714	-17.252	74.000	40.034	PK
2	*	5576.805	115.155	74.869	41.155	74.000	40.286	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	43.157	3.123	-10.843	54.000	40.034	AV
2	*	5701.800	105.046	64.480	51.046	54.000	40.566	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.659	2.625	-11.341	54.000	40.034	AV
2	*	5700.980	104.996	64.434	50.996	54.000	40.562	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.863	12.829	-21.137	74.000	40.034	PK
2	*	5696.880	113.188	72.645	39.188	74.000	40.543	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.633	13.599	-20.367	74.000	40.034	PK
2	*	5696.675	113.356	72.814	39.356	74.000	40.543	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	52.719	13.185	-1.281	54.000	39.534	AV
2	*	5233.125	101.860	62.240	47.860	54.000	39.620	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.842	10.308	-4.158	54.000	39.534	AV
2	*	5226.000	99.671	60.015	45.671	54.000	39.656	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.556	22.022	-12.444	74.000	39.534	PK
2	*	5233.500	107.789	68.163	33.789	74.000	39.625	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/04 - 20:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.734	24.200	-10.266	74.000	39.534	PK
2	*	5235.375	110.331	70.676	36.331	74.000	39.654	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5273.375	101.417	61.647	47.417	54.000	39.770	AV
2		5350.000	53.295	13.424	-0.705	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5273.625	96.625	56.853	42.625	54.000	39.772	AV
2		5350.000	47.334	7.463	-6.666	54.000	39.871	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5271.750	107.340	67.581	33.340	74.000	39.759	PK
2		5350.000	59.849	19.978	-14.151	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5279.125	110.242	70.432	36.242	74.000	39.810	PK
2		5350.000	65.921	26.050	-8.079	74.000	39.871	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	53.162	13.128	-0.838	54.000	40.034	AV
2	*	5546.240	100.026	59.778	46.026	54.000	40.248	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	52.867	12.833	-1.133	54.000	40.034	AV
2	*	5551.640	100.778	60.580	46.778	54.000	40.198	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	64.364	24.330	-9.636	74.000	40.034	PK
2	*	5555.015	111.259	71.092	37.259	74.000	40.167	PK


Engineer: Eric	
Site: AC5	Time: 2017/09/05 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	65.758	25.724	-8.242	74.000	40.034	PK
2	*	5543.000	110.235	69.957	36.235	74.000	40.278	PK




Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	43.544	3.510	-10.456	54.000	40.034	AV
2	*	5674.595	101.267	60.772	47.267	54.000	40.495	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	42.912	2.878	-11.088	54.000	40.034	AV
2	*	5666.015	101.219	60.726	47.219	54.000	40.493	AV

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	55.771	15.737	-18.229	74.000	40.034	PK
2	*	5653.145	112.444	71.994	38.444	74.000	40.450	PK

Engineer: Eric	
Site: AC5	Time: 2017/09/12 - 19:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Kasa Cam	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	54.448	14.414	-19.552	74.000	40.034	PK
2	*	5675.180	111.217	70.721	37.217	74.000	40.496	PK


## 10. Frequency Stability

### 10.1. Test Equipment

Frequency Stability / TR-7					
Instrument	Manufacturer	Type No.	Serial No.	Cal. Date	Cal. Due Date
Spectrum Analyzer	Agilent	N9010A	MY48030494	2017.02.04	2018.02.03
EXA Spectrum Analyzer	Keysight	N9010A	MY55370495	2017.04.09	2018.04.08
MXA Signal Analyzer	Keysight	N9020A	MY56060147	2017.04.09	2018.04.08
AC Power Supply	IDRC	CF-500TP	979422	2016.09.16	2017.09.15
DC Power Supply	IDRC	CD-035-020PR	977272	2016.09.16	2017.09.15
Programmable Temperature & Humidity Chamber	Gaoyu	TH-1P-B	WIT-05121302	2017.01.04	2018.01.03
Temperature/Humidity Meter	zhichen	ZC1-2	TR7-TH	2017.04.10	2018.04.09

Note: All equipments are calibrated with traceable calibrations. Each calibration is traceable to the national or international standards.

### 10.2. Test Setup









### 10.3. Limit

Frequency Stability Limit	
UNII Devices	
<input checked="" type="checkbox"/>	In-band emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.
IEEE Std. 802.11n-2009	
<input checked="" type="checkbox"/>	The transmitter center frequency tolerance shall be $\pm 20$ ppm maximum for the 5 GHz band and $\pm 25$ ppm maximum for the 2.4 GHz band.

## 10.4. Test Procedure

Frequency Stability Test Method			
	References Rule	Chapter	Description
<input checked="" type="checkbox"/>	ANSI C63.10	6.8	Frequency stability tests
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.1	Frequency stability with respect to ambient temperature
	<input checked="" type="checkbox"/> ANSI C63.10	6.8.2	Frequency stability when varying supply voltage

**10.5. EUT test Axis definition**

Item	Frequency Stability			
Device Category	<input type="checkbox"/>	Indoor use		
	<input type="checkbox"/>	Outdoor use		
	<input type="checkbox"/>	Fix position use		
	<input checked="" type="checkbox"/>	Client use		
Test mode	Mode 1-6			
Test method	<input type="checkbox"/>	Radiated		
		X Axis	Y Axis	Z Axis
				
		Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>	Worst Axis <input type="checkbox"/>
	<input checked="" type="checkbox"/>	Conducted		
	<input checked="" type="checkbox"/>	Chain 1		
				
	<input type="checkbox"/>	Chain 1	Chain 2	
				
	<input type="checkbox"/>	Chain 1	Chain 2	Chain 3
				



**10.6. Test Result**

Product Name	: Kasa Cam	Power	: AC 120V/60Hz
Test Mode	: Carrier Wave	Test Site	: TR8
Test Date	: 2017.03.24		

Frequency Stability under Temperature

Temperature Interval ( )	Test Frequency (MHz)	Deviation (Hz)
-30	5220.000	173
-20	5220.000	-189
-10	5220.000	-152
0	5220.000	229
10	5220.000	-128
20	5220.000	-99
30	5220.000	117
40	5220.000	109
50	5220.000	-131

Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)
102	5220.000	164
120	5220.000	117
138	5220.000	120

Frequency Stability under Temperature

Temperature Interval ( )	Test Frequency (MHz)	Deviation (Hz)
-30	5300.000	161
-20	5300.000	196
-10	5300.000	183
0	5300.000	227
10	5300.000	-122
20	5300.000	-194
30	5300.000	130
40	5300.000	115
50	5300.000	-125

Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)
102	5300.000	-161
120	5300.000	137
138	5300.000	184

Frequency Stability under Temperature

Temperature Interval ( )	Test Frequency (MHz)	Deviation (Hz)
-30	5580.000	-112
-20	5580.000	137
-10	5580.000	-171
0	5580.000	133
10	5580.000	-114
20	5580.000	-127
30	5580.000	175
40	5580.000	105
50	5580.000	-162

Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)
102	5580.000	-167
120	5580.000	191
138	5580.000	238

Frequency Stability under Temperature

Temperature Interval ( )	Test Frequency (MHz)	Deviation (Hz)
-30	5785.000	122
-20	5785.000	177
-10	5785.000	-174
0	5785.000	-113
10	5785.000	-149
20	5785.000	115
30	5785.000	111
40	5785.000	120
50	5785.000	-166

Frequency Stability under Voltage

AC Voltage (V)	Test Frequency (MHz)	Deviation (Hz)
102	5785.000	185
120	5785.000	-116
138	5785.000	187

— The End —