


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.4500	24.52	15.88	40.40	54.00	-13.60	AVG	
2	11044.3500	34.91	15.93	50.84	74.00	-23.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

### Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.92	17.85	55.77	74.00	-18.23	Peak	
2	5460.0000	29.24	17.85	47.09	54.00	-6.91	AVG	
3	5470.0000	42.44	17.89	60.33	68.30	-7.97	Peak	
4 *	5499.0000	82.00	17.99	99.99	68.30	31.69	Peak	No Limit
5	5505.4000	74.91	18.02	92.93	999.00	-906.07	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.9000	23.33	15.88	39.21	54.00	-14.79	AVG	
2	11031.8500	33.73	15.91	49.64	74.00	-24.36	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5551.2000	87.70	18.22	105.92	68.30	37.62	Peak	No Limit
2	5551.8000	80.39	18.22	98.61	999.00	-900.39	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.6800	26.30	16.07	42.37	54.00	-11.63	AVG	
2	11100.5100	37.10	16.07	53.17	74.00	-20.83	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5565.0000	85.64	18.28	103.92	68.30	35.62	Peak	No Limit
2	5566.2000	78.14	18.29	96.43	999.00	-902.57	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.5000	19.00	16.06	35.06	54.00	-18.94	AVG	
2	11104.7500	30.00	16.08	46.08	74.00	-27.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5668.2000	76.48	18.74	95.22	999.00	-903.78	AVG	No Limit
2 *	5672.0000	84.43	18.76	103.19	68.30	34.89	Peak	No Limit
3	5725.0000	41.59	18.99	60.58	68.30	-7.72	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11339.9000	27.17	16.63	43.80	54.00	-10.20	AVG	
2	11340.1500	36.38	16.63	53.01	74.00	-20.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5665.2000	84.52	18.73	103.25	68.30	34.95	Peak	No Limit
2	5668.2000	77.13	18.74	95.87	999.00	-903.13	AVG	No Limit
3	5725.0000	39.48	18.99	58.47	68.30	-9.83	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11340.0000	20.62	16.63	37.25	54.00	-16.75	AVG	
2	11345.0000	31.05	16.64	47.69	74.00	-26.31	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	42.95	18.95	61.90	109.40	-47.50	Peak	
2	5725.0000	54.89	18.99	73.88	122.20	-48.32	Peak	
3 *	5746.5000	91.71	19.09	110.80	122.20	-11.40	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	31.95	16.99	48.94	54.00	-5.06	AVG	
2	11491.3500	42.87	16.99	59.86	74.00	-14.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.91	18.95	63.86	109.40	-45.54	Peak	
2	5725.0000	51.09	18.99	70.08	122.20	-52.12	Peak	
3 *	5747.5000	89.86	19.09	108.95	122.20	-13.25	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.8000	27.60	16.99	44.59	54.00	-9.41	AVG	
2	11490.5000	37.57	16.99	54.56	74.00	-19.44	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5787.4000	90.47	19.27	109.74	122.20	-12.46	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.9000	40.27	17.12	57.39	74.00	-16.61	Peak	
2 *	11569.9000	30.00	17.12	47.12	54.00	-6.88	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5780.6000	89.22	19.24	108.46	122.20	-13.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11567.3099	33.05	17.12	50.17	74.00	-23.83	Peak	
2 *	11567.5599	20.95	17.12	38.07	54.00	-15.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.7000	88.95	19.42	108.37	122.20	-13.83	Peak	
2	5850.0000	48.31	19.55	67.86	122.20	-54.34	Peak	
3	5860.0000	43.39	19.59	62.98	109.40	-46.42	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.1500	28.77	17.25	46.02	54.00	-7.98	AVG	
2	11650.7000	39.08	17.25	56.33	74.00	-17.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.7000	89.30	19.44	108.74	122.20	-13.46	Peak	
2	5850.0000	45.13	19.55	64.68	122.20	-57.52	Peak	
3	5860.0000	39.45	19.59	59.04	109.40	-50.36	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11647.9300	36.40	17.25	53.65	74.00	-20.35	Peak	
2 *	11648.1200	24.31	17.25	41.56	54.00	-12.44	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.79	18.95	65.74	109.40	-43.66	Peak	
2	5725.0000	56.84	18.99	75.83	122.20	-46.37	Peak	
3 *	5743.7000	91.60	19.07	110.67	122.20	-11.53	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11486.0500	44.50	16.98	61.48	74.00	-12.52	Peak	
2 *	11489.7000	31.73	16.99	48.72	54.00	-5.28	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.23	18.95	65.18	109.40	-44.22	Peak	
2	5725.0000	55.22	18.99	74.21	122.20	-47.99	Peak	
3 *	5743.8000	89.70	19.07	108.77	122.20	-13.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.8200	24.96	16.99	41.95	54.00	-12.05	AVG	
2	11494.9700	38.74	17.00	55.74	74.00	-18.26	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5781.1000	89.99	19.24	109.23	122.20	-12.97	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11565.8500	40.81	17.12	57.93	74.00	-16.07	Peak	
2 *	11569.6000	29.57	17.12	46.69	54.00	-7.31	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5782.4000	88.58	19.25	107.83	122.20	-14.37	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11566.6000	20.78	17.12	37.90	54.00	-16.10	AVG	
2	11567.7400	34.09	17.12	51.21	74.00	-22.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.3000	89.86	19.44	109.30	122.20	-12.90	Peak	
2	5850.0000	47.86	19.55	67.41	122.20	-54.79	Peak	
3	5860.0000	42.08	19.59	61.67	109.40	-47.73	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.3500	28.63	17.25	45.88	54.00	-8.12	AVG	
2	11650.0500	39.80	17.25	57.05	74.00	-16.95	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5829.1000	88.47	19.45	107.92	122.20	-14.28	Peak	
2	5850.0000	47.51	19.55	67.06	122.20	-55.14	Peak	
3	5860.0000	42.43	19.59	62.02	109.40	-47.38	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.3500	23.98	17.25	41.23	54.00	-12.77	AVG	
2	11649.0199	36.49	17.25	53.74	74.00	-20.26	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Vertical**



No.	Freq. (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Measurement (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Comment
1	5715.0000	53.59	18.95	72.54	109.40	-36.86	Peak	
2	5725.0000	62.44	18.99	81.43	122.20	-40.77	Peak	
3 *	5751.0000	85.69	19.11	104.80	122.20	-17.40	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11509.9000	32.65	17.03	49.68	74.00	-24.32	Peak	
2 *	11509.9500	23.60	17.03	40.63	54.00	-13.37	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	47.38	18.95	66.33	109.40	-43.07	Peak	
2	5725.0000	52.98	18.99	71.97	122.20	-50.23	Peak	
3 *	5753.0000	82.69	19.12	101.81	122.20	-20.39	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11508.1400	32.74	17.02	49.76	74.00	-24.24	Peak	
2 *	11509.9000	20.19	17.03	37.22	54.00	-16.78	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5784.4000	85.73	19.25	104.98	122.20	-17.22	Peak	
2	5850.0000	38.06	19.55	57.61	122.20	-64.59	Peak	
3	5860.0000	34.10	19.59	53.69	109.40	-55.71	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11585.5700	36.17	17.15	53.32	74.00	-20.68	Peak	
2 *	11589.8500	23.94	17.16	41.10	54.00	-12.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5778.6000	81.57	19.23	100.80	122.20	-21.40	Peak	
2	5850.0000	40.89	19.55	60.44	122.20	-61.76	Peak	
3	5860.0000	37.18	19.59	56.77	109.40	-52.63	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11589.3700	18.94	17.15	36.09	54.00	-17.91	AVG	
2	11593.1300	31.25	17.16	48.41	74.00	-25.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	42.09	16.76	58.85	74.00	-15.15	Peak	
2	5150.0000	31.20	16.76	47.96	54.00	-6.04	AVG	
3 *	5181.7000	92.93	16.87	109.80	68.30	41.50	Peak	No Limit
4	5183.0000	82.05	16.88	98.93	999.00	-900.07	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10360.2000	44.01	14.58	58.59	68.30	-9.71	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	42.00	16.76	58.76	74.00	-15.24	Peak	
2	5150.0000	30.38	16.76	47.14	54.00	-6.86	AVG	
3 *	5175.9000	89.40	16.85	106.25	68.30	37.95	Peak	No Limit
4	5177.0000	78.62	16.85	95.47	999.00	-903.53	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10361.0500	40.93	14.58	55.51	68.30	-12.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5198.4000	80.92	16.93	97.85	999.00	-901.15	AVG	No Limit
2 *	5201.3000	92.44	16.94	109.38	68.30	41.08	Peak	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10401.4000	43.60	14.64	58.24	68.30	-10.06	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5198.5000	90.59	16.93	107.52	68.30	39.22	Peak	No Limit
2	5201.7000	79.59	16.94	96.53	999.00	-902.47	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10398.1700	35.60	14.64	50.24	68.30	-18.06	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5235.4000	92.02	17.06	109.08	68.30	40.78	Peak	No Limit
2	5236.9000	81.69	17.07	98.76	999.00	-900.24	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10480.1500	39.40	14.75	54.15	68.30	-14.15	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5238.5000	78.63	17.07	95.70	999.00	-903.30	AVG	No Limit
2 *	5241.4000	89.06	17.08	106.14	68.30	37.84	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10483.2100	36.10	14.76	50.86	68.30	-17.44	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	47.51	16.76	64.27	74.00	-9.73	Peak	
2	5150.0000	36.01	16.76	52.77	54.00	-1.23	AVG	
3 *	5174.2000	84.59	16.84	101.43	68.30	33.13	Peak	No Limit
4	5191.8000	77.96	16.91	94.87	999.00	-904.13	AVG	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10373.8500	39.37	14.60	53.97	68.30	-14.33	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	39.79	16.76	56.55	74.00	-17.45	Peak	
2	5150.0000	33.87	16.76	50.63	54.00	-3.37	AVG	
3 *	5182.8000	80.78	16.88	97.66	68.30	29.36	Peak	No Limit
4	5185.6000	73.51	16.88	90.39	999.00	-908.61	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10384.5500	33.59	14.62	48.21	68.30	-20.09	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5223.0000	86.17	17.02	103.19	68.30	34.89	Peak	No Limit
2	5235.4000	78.94	17.06	96.00	999.00	-903.00	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10464.6500	38.25	14.73	52.98	68.30	-15.32	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5246.4000	75.03	17.10	92.13	999.00	-906.87	AVG	No Limit
2 *	5246.6000	81.32	17.10	98.42	68.30	30.12	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10457.4800	32.22	14.72	46.94	68.30	-21.36	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	41.50	16.76	58.26	74.00	-15.74	Peak	
2	5150.0000	35.49	16.76	52.25	54.00	-1.75	AVG	
3	5175.6000	71.93	16.85	88.78	999.00	-910.22	AVG	No Limit
4 *	5176.0000	79.01	16.85	95.86	68.30	27.56	Peak	No Limit



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10429.6500	35.54	14.68	50.22	68.30	-18.08	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	37.64	16.76	54.40	74.00	-19.60	Peak	
2	5150.0000	31.33	16.76	48.09	54.00	-5.91	AVG	
3	5175.2000	64.48	16.85	81.33	999.00	-917.67	AVG	No Limit
4 *	5196.0000	72.86	16.92	89.78	68.30	21.48	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10421.1000	33.50	14.67	48.17	68.30	-20.13	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5258.4000	91.34	17.14	108.48	68.30	40.18	Peak	No Limit
2	5261.9000	81.19	17.15	98.34	999.00	-900.66	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10527.1000	39.06	14.84	53.90	68.30	-14.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5263.0000	89.27	17.16	106.43	68.30	38.13	Peak	No Limit
2	5263.1000	78.75	17.16	95.91	999.00	-903.09	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10522.2000	38.10	14.83	52.93	68.30	-15.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5298.9000	78.92	17.28	96.20	999.00	-902.80	AVG	No Limit
2 *	5304.4000	88.44	17.30	105.74	68.30	37.44	Peak	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10600.2500	25.62	14.99	40.61	54.00	-13.39	AVG	
2	10605.7000	43.71	15.00	58.71	74.00	-15.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5296.8000	78.58	17.28	95.86	999.00	-903.14	AVG	No Limit
2 *	5297.9000	88.80	17.28	106.08	68.30	37.78	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10603.2200	20.98	15.00	35.98	54.00	-18.02	AVG	
2	10603.9500	35.52	15.00	50.52	74.00	-23.48	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5318.1000	86.68	17.35	104.03	68.30	35.73	Peak	No Limit
2	5318.6000	76.91	17.35	94.26	999.00	-904.74	AVG	No Limit
3	5350.0000	39.83	17.47	57.30	68.30	-11.00	Peak	
4	5350.0000	28.53	17.47	46.00	999.00	-953.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10640.0500	23.20	15.07	38.27	54.00	-15.73	AVG	
2	10646.4000	40.15	15.09	55.24	74.00	-18.76	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5318.1000	86.64	17.35	103.99	68.30	35.69	Peak	No Limit
2	5322.0000	76.87	17.37	94.24	999.00	-904.76	AVG	No Limit
3	5350.0000	40.47	17.47	57.94	68.30	-10.36	Peak	
4	5350.0000	28.19	17.47	45.66	999.00	-953.34	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10639.6800	35.84	15.07	50.91	74.00	-23.09	Peak	
2 *	10641.7000	20.96	15.08	36.04	54.00	-17.96	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5265.2000	85.60	17.17	102.77	68.30	34.47	Peak	No Limit
2	5265.4000	78.63	17.17	95.80	999.00	-903.20	AVG	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10540.2500	35.49	14.86	50.35	68.30	-17.95	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5274.2000	83.41	17.20	100.61	68.30	32.31	Peak	No Limit
2	5286.6000	76.67	17.24	93.91	999.00	-905.09	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10539.3099	32.45	14.86	47.31	68.30	-20.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5315.8000	83.23	17.34	100.57	68.30	32.27	Peak	No Limit
2	5320.6000	76.45	17.36	93.81	999.00	-905.19	AVG	No Limit
3	5350.0000	43.68	17.47	61.15	68.30	-7.15	Peak	
4	5350.0000	34.98	17.47	52.45	999.00	-946.55	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10614.5800	33.81	15.02	48.83	74.00	-25.17	Peak	
2 *	10625.5599	20.43	15.04	35.47	54.00	-18.53	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5305.4000	75.30	17.31	92.61	999.00	-906.39	AVG	No Limit
2 *	5308.8000	81.73	17.32	99.05	68.30	30.75	Peak	No Limit
3	5350.0000	45.11	17.47	62.58	68.30	-5.72	Peak	
4	5350.0000	31.99	17.47	49.46	999.00	-949.54	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10618.8099	32.11	15.03	47.14	74.00	-26.86	Peak	
2 *	10623.0700	19.22	15.04	34.26	54.00	-19.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5324.4000	77.63	17.37	95.00	68.30	26.70	Peak	No Limit
2	5325.2000	70.74	17.38	88.12	999.00	-910.88	AVG	No Limit
3	5350.0000	47.39	17.47	64.86	68.30	-3.44	Peak	
4	5350.0000	35.92	17.47	53.39	999.00	-945.61	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10556.6000	33.55	14.90	48.45	68.30	-19.85	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5284.4000	68.12	17.23	85.35	68.30	17.05	Peak	No Limit
2	5307.6000	61.27	17.32	78.59	999.00	-920.41	AVG	No Limit
3	5350.0000	34.39	17.47	51.86	68.30	-16.44	Peak	
4	5350.0000	28.22	17.47	45.69	999.00	-953.31	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.3099	31.61	14.95	46.56	68.30	-21.74	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.08	17.85	54.93	74.00	-19.07	Peak	
2	5460.0000	29.17	17.85	47.02	54.00	-6.98	AVG	
3	5469.3000	49.72	17.89	67.61	68.30	-0.69	Peak	
4	5470.0000	46.53	17.89	64.42	68.30	-3.88	Peak	
5	5498.3000	81.59	17.99	99.58	999.00	-899.42	AVG	No Limit
6 *	5498.5000	90.37	17.99	108.36	68.30	40.06	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11001.1500	31.10	5.20	36.30	54.00	-17.70	AVG	
2	11006.0500	47.30	5.21	52.51	74.00	-21.49	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	44.62	17.85	62.47	74.00	-11.53	Peak	
2	5460.0000	28.39	17.85	46.24	54.00	-7.76	AVG	
3	5470.0000	46.22	17.89	64.11	68.30	-4.19	Peak	
4 *	5498.9000	89.33	17.99	107.32	68.30	39.02	Peak	No Limit
5	5503.1000	79.75	18.01	97.76	999.00	-901.24	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10991.0000	34.95	15.81	50.76	74.00	-23.24	Peak	
2 *	11003.5000	24.38	15.84	40.22	54.00	-13.78	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5578.4000	83.38	18.34	101.72	999.00	-897.28	AVG	No Limit
2 *	5581.9000	93.33	18.36	111.69	68.30	43.39	Peak	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11158.0500	44.89	5.52	50.41	74.00	-23.59	Peak	
2 *	11158.2000	35.29	5.52	40.81	54.00	-13.19	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5581.3000	91.23	18.35	109.58	68.30	41.28	Peak	No Limit
2	5581.5000	81.22	18.36	99.58	999.00	-899.42	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11155.1500	32.68	16.20	48.88	74.00	-25.12	Peak	
2 *	11157.8500	21.94	16.20	38.14	54.00	-15.86	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5697.9000	90.36	18.87	109.23	68.30	40.93	Peak	No Limit
2	5701.5000	79.57	18.89	98.46	999.00	-900.54	AVG	No Limit
3	5726.2000	42.58	19.00	61.58	68.30	-6.72	Peak	
4	5726.7000	48.00	19.00	67.00	68.30	-1.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11400.0500	31.40	6.00	37.40	54.00	-16.60	AVG	
2	11410.4000	42.60	6.02	48.62	74.00	-25.38	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5698.4000	77.78	18.87	96.65	999.00	-902.35	AVG	No Limit
2 *	5698.5000	88.72	18.87	107.59	68.30	39.29	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11400.1000	20.36	16.77	37.13	54.00	-16.87	AVG	
2	11403.2500	30.69	16.78	47.47	74.00	-26.53	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	40.24	17.85	58.09	74.00	-15.91	Peak	
2	5460.0000	32.39	17.85	50.24	54.00	-3.76	AVG	
3	5466.4000	49.35	17.88	67.23	68.30	-1.07	Peak	
4	5470.0000	46.62	17.89	64.51	68.30	-3.79	Peak	
5	5493.6000	77.46	17.97	95.43	999.00	-903.57	AVG	No Limit
6 *	5494.2000	84.27	17.97	102.24	68.30	33.94	Peak	No Limit



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11030.1000	24.63	15.90	40.53	54.00	-13.47	AVG	
2	11031.1000	34.45	15.90	50.35	74.00	-23.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.37	17.85	54.22	74.00	-19.78	Peak	
2	5460.0000	29.20	17.85	47.05	54.00	-6.95	AVG	
3	5470.0000	40.21	17.89	58.10	68.30	-10.20	Peak	
4	5505.4000	74.93	18.02	92.95	999.00	-906.05	AVG	No Limit
5 *	5505.8000	81.86	18.02	99.88	68.30	31.58	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11001.9000	24.82	15.83	40.65	54.00	-13.35	AVG	
2	11008.2500	34.31	15.85	50.16	74.00	-23.84	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5561.2000	85.69	18.27	103.96	68.30	35.66	Peak	No Limit
2	5566.2000	78.12	18.29	96.41	999.00	-902.59	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11095.7300	36.79	16.06	52.85	74.00	-21.15	Peak	
2 *	11099.3200	25.61	16.06	41.67	54.00	-12.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5551.8000	80.35	18.22	98.57	999.00	-900.43	AVG	No Limit
2 *	5556.2000	87.69	18.24	105.93	68.30	37.63	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.3500	18.43	16.06	34.49	54.00	-19.51	AVG	
2	11101.7000	30.29	16.07	46.36	74.00	-27.64	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Vertical**

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5663.6000	84.12	18.72	102.84	68.30	34.54	Peak	No Limit
2	5674.8000	76.46	18.77	95.23	999.00	-903.77	AVG	No Limit
3	5725.0000	43.97	18.99	62.96	68.30	-5.34	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11340.3500	26.50	16.63	43.13	54.00	-10.87	AVG	
2	11340.6000	36.36	16.63	52.99	74.00	-21.01	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5654.0000	85.14	18.68	103.82	68.30	35.52	Peak	No Limit
2	5668.2000	77.18	18.74	95.92	999.00	-903.08	AVG	No Limit
3	5725.0000	40.64	18.99	59.63	68.30	-8.67	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11339.7000	20.26	16.63	36.89	54.00	-17.11	AVG	
2	11350.5000	30.09	16.66	46.75	74.00	-27.25	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.71	17.85	59.56	74.00	-14.44	Peak	
2	5460.0000	34.81	17.85	52.66	54.00	-1.34	AVG	
3	5470.0000	49.45	17.89	67.34	68.30	-0.96	Peak	
4 *	5536.0000	82.11	18.15	100.26	68.30	31.96	Peak	No Limit
5	5559.2000	75.12	18.26	93.38	999.00	-905.62	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11059.7500	25.05	15.97	41.02	54.00	-12.98	AVG	
2	11067.6500	34.54	15.99	50.53	74.00	-23.47	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.82	17.85	54.67	74.00	-19.33	Peak	
2	5460.0000	26.84	17.85	44.69	54.00	-9.31	AVG	
3	5470.0000	33.57	17.89	51.46	68.30	-16.84	Peak	
4 *	5494.8000	66.73	17.98	84.71	68.30	16.41	Peak	No Limit
5	5494.8000	60.01	17.98	77.99	999.00	-921.01	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11062.0599	33.28	15.98	49.26	74.00	-24.74	Peak	
2 *	11063.3400	20.05	15.98	36.03	54.00	-17.97	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5574.4000	80.49	18.32	98.81	999.00	-900.19	AVG	No Limit
2 *	5587.6000	87.39	18.38	105.77	68.30	37.47	Peak	No Limit
3	5725.0000	46.75	18.99	65.74	68.30	-2.56	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11219.5000	35.14	16.35	51.49	74.00	-22.51	Peak	
2 *	11219.7000	25.18	16.35	41.53	54.00	-12.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5574.4000	66.96	18.32	85.28	999.00	-913.72	AVG	No Limit
2 *	5586.0000	74.35	18.38	92.73	68.30	24.43	Peak	No Limit
3	5725.0000	33.98	18.99	52.97	68.30	-15.33	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11215.0000	21.75	16.34	38.09	54.00	-15.91	AVG	
2	11223.2100	33.77	16.36	50.13	74.00	-23.87	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.46	18.95	63.41	109.40	-45.99	Peak	
2	5725.0000	59.29	18.99	78.28	122.20	-43.92	Peak	
3 *	5746.0000	90.84	19.08	109.92	122.20	-12.28	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11487.4000	43.68	16.98	60.66	74.00	-13.34	Peak	
2 *	11489.4500	31.69	16.99	48.68	54.00	-5.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


### Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	42.11	18.95	61.06	109.40	-48.34	Peak	
2	5725.0000	57.61	18.99	76.60	122.20	-45.60	Peak	
3 *	5742.1000	89.96	19.07	109.03	122.20	-13.17	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11488.8300	39.29	16.98	56.27	74.00	-17.73	Peak	
2 *	11489.9800	25.01	16.99	42.00	54.00	-12.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5780.7000	90.44	19.24	109.68	122.20	-12.52	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11562.1500	40.38	17.11	57.49	74.00	-16.51	Peak	
2 *	11567.9000	29.48	17.12	46.60	54.00	-7.40	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5779.1000	88.73	19.23	107.96	122.20	-14.24	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11566.4900	20.73	17.12	37.85	54.00	-16.15	AVG	
2	11569.3700	33.21	17.12	50.33	74.00	-23.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5823.8000	89.91	19.43	109.34	122.20	-12.86	Peak	
2	5850.0000	47.28	19.55	66.83	122.20	-55.37	Peak	
3	5860.0000	44.38	19.59	63.97	109.40	-45.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11648.1500	40.08	17.25	57.33	74.00	-16.67	Peak	
2 *	11649.5000	28.77	17.25	46.02	54.00	-7.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.8000	88.95	19.44	108.39	122.20	-13.81	Peak	
2	5850.0000	44.48	19.55	64.03	122.20	-58.17	Peak	
3	5860.0000	40.95	19.59	60.54	109.40	-48.86	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11645.5300	36.58	17.25	53.83	74.00	-20.17	Peak	
2 *	11648.1600	24.08	17.25	41.33	54.00	-12.67	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	53.39	18.95	72.34	109.40	-37.06	Peak	
2	5725.0000	55.92	18.99	74.91	122.20	-47.29	Peak	
3 *	5750.2000	85.57	19.10	104.67	122.20	-17.53	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.1500	23.56	17.03	40.59	54.00	-13.41	AVG	
2	11522.3000	32.96	17.05	50.01	74.00	-23.99	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	50.31	18.95	69.26	109.40	-40.14	Peak	
2	5725.0000	56.54	18.99	75.53	122.20	-46.67	Peak	
3 *	5748.8000	81.55	19.10	100.65	122.20	-21.55	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11507.2000	32.58	17.02	49.60	74.00	-24.40	Peak	
2 *	11509.9300	20.29	17.03	37.32	54.00	-16.68	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5850.0000	36.68	19.55	56.23	122.20	-65.97	Peak	
2	5860.0000	38.58	19.59	58.17	109.40	-51.23	Peak	
3 *	5785.2000	85.65	19.26	104.91	122.20	-17.29	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11588.9800	36.09	17.15	53.24	74.00	-20.76	Peak	
2 *	11589.8900	24.01	17.16	41.17	54.00	-12.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5785.0000	81.98	19.26	101.24	122.20	-20.96	Peak	
2	5850.0000	37.13	19.55	56.68	122.20	-65.52	Peak	
3	5860.0000	36.51	19.59	56.10	109.40	-53.30	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.1300	30.86	17.15	48.01	74.00	-25.99	Peak	
2 *	11590.0199	19.02	17.16	36.18	54.00	-17.82	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.28	18.95	75.23	109.40	-34.17	Peak	
2	5725.0000	57.81	18.99	76.80	122.20	-45.40	Peak	
3 *	5760.6000	82.98	19.15	102.13	122.20	-20.07	Peak	
4	5850.0000	48.74	19.55	68.29	122.20	-53.91	Peak	
5	5860.0000	48.80	19.59	68.39	109.40	-41.01	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11525.6000	32.32	17.05	49.37	74.00	-24.63	Peak	
2 *	11549.7500	21.44	17.09	38.53	54.00	-15.47	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	55.25	18.95	74.20	109.40	-35.20	Peak	
2	5725.0000	54.29	18.99	73.28	122.20	-48.92	Peak	
3 *	5740.6000	77.75	19.06	96.81	122.20	-25.39	Peak	
4	5850.0000	48.89	19.55	68.44	122.20	-53.76	Peak	
5	5860.0000	46.38	19.59	65.97	109.40	-43.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.6800	22.12	17.09	39.21	54.00	-14.79	AVG	
2	11550.5000	34.42	17.09	51.51	74.00	-22.49	Peak	

**TX A Mode\_DUTY CYCLE**

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 13:38:06

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

**TX N20 Mode\_DUTY CYCLE**

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 13:38:15

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor  
 Power Spectral Density = Measured density + Duty factor

### TX N40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


$T_{\text{ON}}$ : 100000.00 msec

$T_{\text{Total}}$ : 100000.00 msec

Duty cycle: 100.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00



Date: 6.FEB.2018 13:39:24

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

### TX AC20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


$T_{\text{ON}}$ : 100000.00 msec

$T_{\text{Total}}$ : 100000.00 msec

Duty cycle: 100.00%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00



Date: 6.FEB.2018 13:38:20

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor

**TX AC40 Mode\_DUTY CYCLE**

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 13:39:29

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
 Power Spectral Density = Measured density + Duty factor



**TX AC80 Mode\_DUTY CYCLE**

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/Duty \text{ cycle})$

Duty Factor = 0.00



Date: 6.FEB.2018 13:40:13

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor  
 Power Spectral Density = Measured density + Duty factor


## APPENDIX E - BANDWIDTH

### ANT 1

**Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.59	17.20
CH40	5200	26.01	17.10
CH48	5240	23.99	17.10

### TX CH36




Date: 6.FEB.2018 16:40:49

**TX CH40**



Date: 6.FEB.2018 16:41:59

**TX CH48**




Date: 6.FEB.2018 16:42:57

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	31.15	17.90
CH40	5200	28.95	17.80
CH48	5240	24.10	17.80

**TX CH36**




Date: 7.FEB.2018 08:27:02

**TX CH40**



Date: 7.FEB.2018 08:28:49

**TX CH48**




Date: 7.FEB.2018 08:33:27

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	56.60	37.20
CH46	5230	51.40	37.20

### 99% Occupied Bandwidth TX CH38



Date: 7.FEB.2018 09:23:11


### 26dB Bandwidth



Date: 8.FEB.2018 15:30:59




### 99% Occupied Bandwidth TX CH46



Date: 7.FEB.2018 09:24:24

### 26dB Bandwidth




Date: 8.FEB.2018 15:32:51

**Test Mode: UNII-2A/TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.49	17.00
CH60	5300	25.19	17.00
CH64	5320	24.85	17.00


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

### TX CH52




Date: 6.FEB.2018 16:55:35

**TX CH60**



Date: 6.FEB.2018 16:56:52

**TX CH64**




Date: 6.FEB.2018 16:57:45

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.49	17.80
CH60	5300	22.79	17.70
CH64	5320	22.59	17.70


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

### TX CH52




Date: 7.FEB.2018 08:34:53

**TX CH60**



Date: 7.FEB.2018 08:35:40

**TX CH64**




Date: 7.FEB.2018 08:37:18

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	51.40	37.20
CH62	5310	41.00	36.80


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

99% Occupied Bandwidth  
**TX CH54**




Date: 7.FEB.2018 09:25:26

26dB Bandwidth




Date: 8.FEB.2018 15:59:58

### 99% Occupied Bandwidth TX CH62



Date: 7.FEB.2018 09:27:08

### 26dB Bandwidth



Date: 8.FEB.2018 16:01:18




**Test Mode: UNII-2C/TX A Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	25.75	17.00
CH116	5580	25.19	17.10
CH140	5700	25.29	17.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

### TX CH100




Date: 6.FEB.2018 17:01:10

**TX CH116**



Date: 6.FEB.2018 17:03:14

**TX CH140**




Date: 6.FEB.2018 17:04:16

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	30.75	17.80
CH116	5580	22.69	17.70
CH140	5700	22.65	17.70


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

**TX CH100**




Date: 7.FEB.2018 08:40:24

**TX CH116**



Date: 7.FEB.2018 08:41:32

**TX CH140**




Date: 7.FEB.2018 08:42:23

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	56.40	37.40
CH110	5550	57.20	37.40
CH134	5670	60.20	37.60


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or  $11 \text{ dBm} + 10\log B$ , where B is the 26dB Bandwidth in megahertz.

### 99% Occupied Bandwidth TX CH102



Date: 7.FEB.2018 09:28:38

### 26dB Bandwidth



Date: 8.FEB.2018 16:05:21