



**99% Occupied Bandwidth
TX CH110**




Date: 7.FEB.2018 09:29:28

26dB Bandwidth




Date: 8.FEB.2018 16:06:58

99% Occupied Bandwidth TX CH134



Date: 7.FEB.2018 09:30:14


26dB Bandwidth



Date: 8.FEB.2018 16:08:19


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.55	16.70	>=500
CH157	5785	16.60	16.70	>=500
CH165	5825	16.55	16.70	>=500

TX CH 149



Date: 7.FEB.2018 08:20:10

TX CH 157



Date: 7.FEB.2018 08:22:34


TX CH 165



Date: 7.FEB.2018 08:24:00


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.71	17.70	>=500
CH165	5825	17.75	17.70	>=500

TX CH 149



Date: 7.FEB.2018 08:43:52

TX CH 157



Date: 7.FEB.2018 08:44:59

TX CH 165




Date: 7.FEB.2018 08:45:56

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.80	36.60	≥ 500
CH159	5795	36.50	36.60	≥ 500

TX CH 151



Date: 7.FEB.2018 09:31:15

TX CH 159




Date: 7.FEB.2018 09:32:42

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	30.09	17.80
CH40	5200	31.30	17.90
CH48	5240	29.00	17.80

TX CH36




Date: 7.FEB.2018 08:47:48

TX CH40



Date: 7.FEB.2018 08:48:31

TX CH48




Date: 7.FEB.2018 08:49:47

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.60	37.00
CH46	5230	56.20	37.20

99% Occupied Bandwidth TX CH38




Date: 7.FEB.2018 09:34:22

26dB Bandwidth




Date: 8.FEB.2018 16:11:52

99% Occupied Bandwidth TX CH46



Date: 7.FEB.2018 09:35:49

26dB Bandwidth




Date: 8.FEB.2018 16:13:22

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	97.99	76.00

TX CH42




Date: 7.FEB.2018 09:00:03

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	27.80	17.90
CH60	5300	30.85	17.90
CH64	5320	30.69	17.90

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH52



Date: 7.FEB.2018 08:50:33

TX CH60



Date: 7.FEB.2018 08:51:22

TX CH64




Date: 7.FEB.2018 08:52:06

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	53.60	37.40
CH62	5310	40.60	37.00


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

99% Occupied Bandwidth TX CH54




Date: 7.FEB.2018 09:36:50

26dB Bandwidth




Date: 8.FEB.2018 16:14:37

99% Occupied Bandwidth TX CH62



Date: 7.FEB.2018 09:37:53

26dB Bandwidth




Date: 8.FEB.2018 16:25:31

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	99.40	76.40

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH58




Date: 7.FEB.2018 09:01:10

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	24.51	17.80
CH116	5580	24.49	17.80
CH140	5700	22.90	17.70


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH100




Date: 7.FEB.2018 08:53:04

TX CH116



Date: 7.FEB.2018 08:54:10

TX CH140




Date: 7.FEB.2018 08:55:16

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	56.80	37.40
CH110	5550	56.20	37.40
CH134	5670	56.80	37.60


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

99% Occupied Bandwidth
TX CH102




Date: 7.FEB.2018 09:38:51

26dB Bandwidth




Date: 8.FEB.2018 16:18:09

99% Occupied Bandwidth TX CH110




Date: 7.FEB.2018 09:39:34

26dB Bandwidth




Date: 8.FEB.2018 16:27:42

99% Occupied Bandwidth TX CH134



Date: 7.FEB.2018 09:40:18

26dB Bandwidth




Date: 8.FEB.2018 16:32:14

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	94.60	76.00
CH122	5610	141.99	76.80


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

TX CH106



Date: 7.FEB.2018 09:02:28


TX CH122



Date: 7.FEB.2018 09:03:30


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.80	17.70	>=500
CH165	5825	17.75	17.90	>=500

TX CH 149



Date: 7.FEB.2018 08:56:10

TX CH 157



Date: 7.FEB.2018 08:57:08

TX CH 165




Date: 7.FEB.2018 08:58:02

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.61	36.40	>=500
CH159	5795	36.80	36.80	>=500

TX CH 151



Date: 7.FEB.2018 09:41:17


TX CH 159



Date: 7.FEB.2018 09:42:12

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	77.00	76.40	>=500




Date: 7.FEB.2018 09:04:32

ANT 2

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.29	17.20
CH40	5200	25.60	17.00
CH48	5240	26.00	17.20

TX CH36




Date: 6.FEB.2018 13:50:38

TX CH40



Date: 6.FEB.2018 13:51:47

TX CH48




Date: 6.FEB.2018 13:53:22

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.89	17.80
CH40	5200	22.65	17.80
CH48	5240	22.99	17.80

TX CH36




Date: 6.FEB.2018 14:05:30

TX CH40



Date: 6.FEB.2018 14:06:34

TX CH48




Date: 6.FEB.2018 14:07:44

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	52.80	37.20
CH46	5230	56.40	37.20

99% Occupied Bandwidth
TX CH38




Date: 7.FEB.2018 10:02:11

26dB Bandwidth




Date: 8.FEB.2018 14:44:18

99% Occupied Bandwidth TX CH46



Date: 7.FEB.2018 10:03:12

26dB Bandwidth




Date: 8.FEB.2018 14:45:33

Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	25.99	17.20
CH60	5300	25.75	17.20
CH64	5320	27.89	17.20

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH52



Date: 6.FEB.2018 13:54:21

TX CH60



Date: 6.FEB.2018 13:56:15

TX CH64




Date: 6.FEB.2018 13:57:03

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.79	17.70
CH60	5300	22.50	17.80
CH64	5320	24.55	17.80


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH52




Date: 6.FEB.2018 14:09:38

TX CH60



Date: 6.FEB.2018 14:21:36

TX CH64




Date: 6.FEB.2018 14:22:38

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	53.20	37.20
CH62	5310	53.20	37.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

99% Occupied Bandwidth TX CH54




Date: 7.FEB.2018 10:04:15

26dB Bandwidth




Date: 8.FEB.2018 14:46:42

99% Occupied Bandwidth TX CH62



Date: 7.FEB.2018 10:05:17

26dB Bandwidth




Date: 8.FEB.2018 14:48:03

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	26.19	17.00
CH116	5580	24.99	17.00
CH140	5700	24.79	17.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH100




Date: 6.FEB.2018 13:57:59

TX CH116



Date: 6.FEB.2018 13:59:30

TX CH140




Date: 6.FEB.2018 14:00:45

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	23.45	17.80
CH116	5580	24.89	17.80
CH140	5700	22.79	17.70


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH100




Date: 6.FEB.2018 14:23:38

TX CH116



Date: 6.FEB.2018 14:24:39

TX CH140




Date: 6.FEB.2018 14:25:45

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	53.20	37.20
CH110	5550	53.20	37.20
CH134	5670	57.00	37.20


Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

99% Occupied Bandwidth
TX CH102




Date: 7.FEB.2018 10:06:24

26dB Bandwidth




Date: 8.FEB.2018 14:49:44

99% Occupied Bandwidth TX CH110




Date: 7.FEB.2018 10:07:25

26dB Bandwidth




Date: 8.FEB.2018 14:51:32

99% Occupied Bandwidth TX CH134



Date: 7.FEB.2018 10:08:29


26dB Bandwidth



Date: 8.FEB.2018 14:53:43


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.55	16.60	>=500
CH157	5785	16.55	16.70	>=500
CH165	5825	16.55	16.70	>=500

TX CH 149



Date: 6.FEB.2018 14:01:45

TX CH 157



Date: 6.FEB.2018 14:02:45

TX CH 165




Date: 6.FEB.2018 14:03:42

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.80	17.70	>=500
CH165	5825	17.75	17.80	>=500

TX CH 149




Date: 6.FEB.2018 14:26:56

TX CH 157



Date: 6.FEB.2018 14:28:03

TX CH 165




Date: 6.FEB.2018 14:29:02

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.80	36.40	>=500
CH159	5795	36.80	36.60	>=500

TX CH 151



Date: 6.FEB.2018 14:43:20

TX CH 159




Date: 6.FEB.2018 14:44:18

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	23.25	17.80
CH40	5200	23.35	17.80
CH48	5240	23.29	17.70

TX CH36




Date: 6.FEB.2018 14:30:26

TX CH40



Date: 6.FEB.2018 14:31:24

TX CH48




Date: 6.FEB.2018 14:32:27

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	53.60	37.20
CH46	5230	56.40	37.20

99% Occupied Bandwidth
TX CH38




Date: 7.FEB.2018 09:45:55

26dB Bandwidth




Date: 8.FEB.2018 14:56:34

99% Occupied Bandwidth TX CH46



Date: 7.FEB.2018 09:47:04

26dB Bandwidth




Date: 8.FEB.2018 14:59:09

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	132.00	76.40

TX CH42




Date: 6.FEB.2018 14:49:00

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	23.39	17.80
CH60	5300	24.39	17.80
CH64	5320	24.69	17.80

Note: The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH52


Date: 6.FEB.2018 14:33:31