


Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	39.48	14.35	53.83	74.00	-20.17	Peak	
2	5150.0000	31.98	14.35	46.33	54.00	-7.67	AVG	
3 *	5185.3000	86.17	14.44	100.61	68.30	32.31	Peak	No Limit
4	5186.0500	80.61	14.44	95.05	999.00	-903.95	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10363.3400	47.30	11.70	59.00	68.30	-9.30	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	35.53	14.35	49.88	74.00	-24.12	Peak	
2	5150.0000	27.15	14.35	41.50	54.00	-12.50	AVG	
3 *	5186.6500	69.78	14.44	84.22	68.30	15.92	Peak	No Limit
4	5187.4000	63.31	14.44	77.75	999.00	-921.25	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10359.2000	44.55	11.70	56.25	68.30	-12.05	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5193.3500	81.36	14.46	95.82	999.00	-903.18	AVG	No Limit
2 *	5195.9000	87.56	14.46	102.02	68.30	33.72	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10403.3500	51.08	11.77	62.85	68.30	-5.45	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5194.8500	64.97	14.46	79.43	999.00	-919.57	AVG	No Limit
2 *	5203.8000	71.06	14.48	85.54	68.30	17.24	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10400.4600	43.78	11.77	55.55	68.30	-12.75	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5234.9000	80.36	14.56	94.92	999.00	-904.08	AVG	No Limit
2 *	5236.8000	86.86	14.57	101.43	68.30	33.13	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10479.5199	55.01	11.90	66.91	68.30	-1.39	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5246.6500	72.89	14.59	87.48	68.30	19.18	Peak	No Limit
2	5247.2000	66.60	14.60	81.20	999.00	-917.80	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10478.9500	48.19	11.90	60.09	68.30	-8.21	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	47.07	14.35	61.42	74.00	-12.58	Peak	
2	5150.0000	38.87	14.35	53.22	54.00	-0.78	AVG	
3 *	5188.2000	83.52	14.44	97.96	68.30	29.66	Peak	No Limit
4	5192.2000	77.13	14.45	91.58	999.00	-907.42	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10380.7699	46.75	11.73	58.48	68.30	-9.82	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	36.13	14.35	50.48	74.00	-23.52	Peak	
2	5150.0000	28.05	14.35	42.40	54.00	-11.60	AVG	
3	5192.1000	64.55	14.45	79.00	999.00	-920.00	AVG	No Limit
4 *	5206.9000	71.19	14.49	85.68	68.30	17.38	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10381.0800	45.37	11.73	57.10	68.30	-11.20	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5232.0000	77.25	14.56	91.81	999.00	-907.19	AVG	No Limit
2 *	5232.4000	83.58	14.56	98.14	68.30	29.84	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10460.9600	47.46	11.87	59.33	68.30	-8.97	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5232.3000	66.67	14.56	81.23	999.00	-917.77	AVG	No Limit
2 *	5237.4000	72.56	14.57	87.13	68.30	18.83	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10460.8099	47.65	11.87	59.52	68.30	-8.78	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	43.84	14.35	58.19	74.00	-15.81	Peak	
2	5150.0000	39.18	14.35	53.53	54.00	-0.47	AVG	
3	5192.4000	74.23	14.45	88.68	999.00	-910.32	AVG	No Limit
4 *	5193.8000	79.80	14.46	94.26	68.30	25.96	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10420.7300	42.02	11.80	53.82	68.30	-14.48	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	34.37	14.35	48.72	74.00	-25.28	Peak	
2	5150.0000	27.16	14.35	41.51	54.00	-12.49	AVG	
3	5219.0000	62.43	14.52	76.95	999.00	-922.05	AVG	No Limit
4 *	5228.2000	68.40	14.55	82.95	68.30	14.65	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10420.8300	40.25	11.80	52.05	68.30	-16.25	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.9500	80.69	14.62	95.31	999.00	-903.69	AVG	No Limit
2 *	5255.5000	86.55	14.62	101.17	68.30	32.87	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10519.9600	54.37	11.94	66.31	68.30	-1.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.8000	67.69	14.61	82.30	999.00	-916.70	AVG	No Limit
2 *	5255.1500	73.88	14.62	88.50	68.30	20.20	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10519.8700	51.21	11.94	63.15	68.30	-5.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.0000	85.61	14.71	100.32	68.30	32.02	Peak	No Limit
2	5294.8500	79.30	14.72	94.02	999.00	-904.98	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10600.4600	51.11	11.97	63.08	74.00	-10.92	Peak	
2 *	10601.2000	39.41	11.97	51.38	54.00	-2.62	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5293.0000	75.31	14.71	90.02	68.30	21.72	Peak	No Limit
2	5294.7500	69.17	14.72	83.89	999.00	-915.11	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10600.5300	37.85	11.97	49.82	54.00	-4.18	AVG	
2	10602.3200	48.52	11.97	60.49	74.00	-13.51	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5314.850	77.21	14.77	91.98	68.30	23.68	AVG	No Limit
2	*	5315.800	83.96	14.77	98.73	68.30	30.43	peak	No Limit
3		5350.000	46.14	14.86	61.00	74.00	-13.00	peak	
4		5350.000	35.72	14.86	50.58	54.00	-3.42	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz


**Vertical**



No.	Freq. (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Measurement (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Comment
1 *	10641.0400	41.41	11.99	53.40	54.00	-0.60	AVG	
2	10642.4500	51.52	11.99	63.51	74.00	-10.49	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5325.350	74.36	14.79	89.15	68.30	20.85	peak	No Limit
2	X	5325.800	68.43	14.79	83.22	68.30	14.92	AVG	No Limit
3		5350.000	39.97	14.86	54.83	74.00	-19.17	peak	
4		5350.000	33.12	14.86	47.98	54.00	-6.02	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10639.1200	49.46	11.99	61.45	74.00	-12.55	Peak	
2 *	10640.9800	38.02	11.99	50.01	54.00	-3.99	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5254.9000	83.33	14.62	97.95	68.30	29.65	Peak	No Limit
2	5271.8000	77.74	14.66	92.40	999.00	-906.60	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10540.8500	49.48	11.95	61.43	68.30	-6.87	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5267.9000	67.11	14.65	81.76	999.00	-917.24	AVG	No Limit
2 *	5280.8000	73.09	14.68	87.77	68.30	19.47	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10540.7100	45.39	11.95	57.34	68.30	-10.96	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Vertical**



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5323.100	78.66	14.79	93.45	68.30	25.15	peak	No Limit
2 X	5323.500	72.29	14.79	87.08	68.30	18.78	AVG	No Limit
3	5350.000	45.05	14.86	59.91	74.00	-14.09	peak	
4	5350.000	37.56	14.86	52.42	54.00	-1.58	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10621.1700	40.02	11.98	52.00	54.00	-2.00	AVG	
2	10621.2300	49.13	11.98	61.11	74.00	-12.89	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5325.800	63.38	14.79	78.17	68.30	9.87	AVG	No Limit
2	*	5326.100	69.97	14.79	84.76	68.30	16.46	peak	No Limit
3		5350.000	43.38	14.86	58.24	74.00	-15.76	peak	
4		5350.000	34.90	14.86	49.76	54.00	-4.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10620.9800	37.33	11.98	49.31	54.00	-4.69	AVG	
2	10621.1300	46.38	11.98	58.36	74.00	-15.64	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Vertical**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5282.000	76.50	14.68	91.18	68.30	22.88	peak	No Limit
2	X	5289.200	72.55	14.71	87.26	68.30	18.96	AVG	No Limit
3		5350.000	42.18	14.86	57.04	74.00	-16.96	peak	
4		5350.000	38.73	14.86	53.59	54.00	-0.41	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.7000	42.64	11.96	54.60	68.30	-13.70	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz


**Horizontal**



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5298.800	59.09	14.74	73.83	68.30	5.53	AVG	No Limit
2	*	5318.000	65.46	14.78	80.24	68.30	11.94	peak	No Limit
3		5350.000	39.06	14.86	53.92	74.00	-20.08	peak	
4		5350.000	31.48	14.86	46.34	54.00	-7.66	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10579.8500	40.70	11.96	52.66	68.30	-15.64	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	37.94	15.14	53.08	74.00	-20.92	Peak	
2	5460.0000	30.92	15.14	46.06	54.00	-7.94	AVG	
3	5470.0000	43.49	15.17	58.66	68.30	-9.64	Peak	
4	5494.7000	77.41	15.23	92.64	999.00	-906.36	AVG	No Limit
5 *	5506.8500	83.89	15.27	99.16	68.30	30.86	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11000.6600	36.18	12.12	48.30	54.00	-5.70	AVG	
2	11003.6600	45.51	12.12	57.63	74.00	-16.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.04	15.14	51.18	74.00	-22.82	Peak	
2	5460.0000	26.99	15.14	42.13	54.00	-11.87	AVG	
3	5470.0000	37.13	15.17	52.30	68.30	-16.00	Peak	
4 *	5505.1500	75.81	15.26	91.07	68.30	22.77	Peak	No Limit
5	5505.6000	69.61	15.26	84.87	999.00	-914.13	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11000.4900	40.32	12.12	52.44	74.00	-21.56	Peak	
2 *	11000.5400	33.14	12.12	45.26	54.00	-8.74	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5574.7000	77.02	15.48	92.50	999.00	-906.50	AVG	No Limit
2 *	5575.3500	83.81	15.48	99.29	68.30	30.99	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11154.6600	46.90	12.23	59.13	74.00	-14.87	Peak	
2 *	11160.6600	37.77	12.23	50.00	54.00	-4.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5574.7000	70.22	15.48	85.70	999.00	-913.30	AVG	No Limit
2 *	5574.9000	76.31	15.48	91.79	68.30	23.49	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11160.6400	33.27	12.23	45.50	54.00	-8.50	AVG	
2	11160.7100	40.45	12.23	52.68	74.00	-21.32	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5694.9000	71.52	15.86	87.38	999.00	-911.62	AVG	No Limit
2 *	5704.4500	77.62	15.89	93.51	68.30	25.21	Peak	No Limit
3	5725.0000	40.09	15.96	56.05	68.30	-12.25	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.0700	46.98	12.40	59.38	74.00	-14.62	Peak	
2 *	11400.7400	37.72	12.40	50.12	54.00	-3.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5693.3500	69.34	15.86	85.20	999.00	-913.80	AVG	No Limit
2 *	5697.2500	75.02	15.87	90.89	68.30	22.59	Peak	No Limit
3	5725.0000	37.45	15.96	53.41	68.30	-14.89	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11400.7900	33.08	12.40	45.48	54.00	-8.52	AVG	
2	11400.8900	38.14	12.40	50.54	74.00	-23.46	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	45.40	15.14	60.54	74.00	-13.46	Peak	
2	5460.0000	37.40	15.14	52.54	54.00	-1.46	AVG	
3	5470.0000	52.90	15.17	68.07	68.30	-0.23	Peak	
4 *	5500.0000	81.14	15.24	96.38	68.30	28.08	Peak	No Limit
5	5508.8000	74.85	15.27	90.12	999.00	-908.88	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11019.8500	43.23	12.13	55.36	74.00	-18.64	Peak	
2 *	11020.6900	35.99	12.13	48.12	54.00	-5.88	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	41.87	15.14	57.01	74.00	-16.99	Peak	
2	5460.0000	32.59	15.14	47.73	54.00	-6.27	AVG	
3	5470.0000	46.26	15.17	61.43	68.30	-6.87	Peak	
4	5495.5000	65.94	15.23	81.17	999.00	-917.83	AVG	No Limit
5 *	5499.9000	72.42	15.24	87.66	68.30	19.36	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.6800	32.56	12.13	44.69	54.00	-9.31	AVG	
2	11020.8000	39.65	12.13	51.78	74.00	-22.22	Peak	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5535.5000	75.69	15.36	91.05	999.00	-907.95	AVG	No Limit
2 *	5548.3000	83.06	15.40	98.46	68.30	30.16	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11100.5700	35.57	12.19	47.76	54.00	-6.24	AVG	
2	11101.0000	44.20	12.19	56.39	74.00	-17.61	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5565.4000	72.00	15.45	87.45	68.30	19.15	Peak	No Limit
2	5566.0000	65.06	15.45	80.51	999.00	-918.49	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11100.7300	37.83	12.19	50.02	74.00	-23.98	Peak	
2 *	11100.8099	31.58	12.19	43.77	54.00	-10.23	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5668.9000	79.19	15.78	94.97	68.30	26.67	Peak	No Limit
2	5672.1000	72.59	15.79	88.38	999.00	-910.62	AVG	No Limit
3	5725.0000	35.94	15.96	51.90	68.30	-16.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11340.4900	36.37	12.36	48.73	54.00	-5.27	AVG	
2	11340.6900	43.55	12.36	55.91	74.00	-18.09	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5683.8000	74.41	15.83	90.24	68.30	21.94	Peak	No Limit
2	5685.3000	67.86	15.83	83.69	999.00	-915.31	AVG	No Limit
3	5725.0000	35.24	15.96	51.20	68.30	-17.10	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.7500	37.65	12.36	50.01	74.00	-23.99	Peak	
2 *	11340.7800	30.78	12.36	43.14	54.00	-10.86	AVG	



Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	43.74	15.14	58.88	74.00	-15.12	Peak	
2	5460.0000	37.58	15.14	52.72	54.00	-1.28	AVG	
3	5470.0000	44.35	15.17	59.52	68.30	-8.78	Peak	
4 *	5538.2000	77.52	15.37	92.89	68.30	24.59	Peak	No Limit
5	5538.8000	71.10	15.37	86.47	999.00	-912.53	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.8900	37.23	12.16	49.39	74.00	-24.61	Peak	
2 *	11061.1200	30.46	12.16	42.62	54.00	-11.38	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

### Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.24	15.14	53.38	74.00	-20.62	Peak	
2	5460.0000	32.68	15.14	47.82	54.00	-6.18	AVG	
3	5470.0000	40.77	15.17	55.94	68.30	-12.36	Peak	
4 *	5511.6000	68.90	15.28	84.18	68.30	15.88	Peak	No Limit
5	5512.4000	62.66	15.28	77.94	999.00	-921.06	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11060.5500	31.39	12.16	43.55	54.00	-10.45	AVG	
2	11060.6300	37.72	12.16	49.88	74.00	-24.12	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5592.4000	70.83	15.54	86.37	999.00	-912.63	AVG	No Limit
2 *	5602.0000	76.58	15.57	92.15	68.30	23.85	Peak	No Limit
3	5725.0000	34.97	15.96	50.93	68.30	-17.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.5400	41.51	12.28	53.79	74.00	-20.21	Peak	
2 *	11220.6300	35.28	12.28	47.56	54.00	-6.44	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5628.2000	65.48	15.65	81.13	999.00	-917.87	AVG	No Limit
2 *	5638.4000	71.98	15.68	87.66	68.30	19.36	Peak	No Limit
3	5725.0000	34.15	15.96	50.11	68.30	-18.19	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.7600	38.95	12.28	51.23	74.00	-22.77	Peak	
2 *	11220.8099	32.92	12.28	45.20	54.00	-8.80	AVG	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	34.80	15.93	50.73	109.40	-58.67	Peak	
2	5725.0000	50.10	15.96	66.06	122.20	-56.14	Peak	
3 *	5740.7000	80.14	16.01	96.15	122.20	-26.05	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

**Vertical**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.7300	36.77	12.47	49.24	54.00	-4.76	AVG	
2	11490.8400	42.06	12.47	54.53	74.00	-19.47	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

**Horizontal**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	34.97	15.93	50.90	109.40	-58.50	Peak	
2	5725.0000	43.07	15.96	59.03	122.20	-63.17	Peak	
3 *	5739.5500	73.91	16.00	89.91	122.20	-32.29	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.8000	34.23	12.47	46.70	54.00	-7.30	AVG	
2	11491.0900	39.50	12.47	51.97	74.00	-22.03	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5790.6500	78.76	16.17	94.93	122.20	-27.27	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.7100	42.97	12.52	55.49	74.00	-18.51	Peak	
2 *	11570.8000	36.55	12.52	49.07	54.00	-4.93	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5778.0500	74.41	16.13	90.54	122.20	-31.66	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11570.7000	34.68	12.52	47.20	54.00	-6.80	AVG	
2	11570.9100	39.58	12.52	52.10	74.00	-21.90	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5832.4500	86.21	16.30	102.51	122.20	-19.69	Peak	No Limit
2	5850.0000	42.49	16.35	58.84	122.20	-63.36	Peak	
3	5860.0000	35.91	16.39	52.30	109.40	-57.10	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.0900	43.84	12.57	56.41	74.00	-17.59	Peak	
2 *	11650.4600	35.58	12.57	48.15	54.00	-5.85	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5833.0000	73.83	16.30	90.13	122.20	-32.07	Peak	No Limit
2	5850.0000	35.44	16.35	51.79	122.20	-70.41	Peak	
3	5860.0000	36.59	16.39	52.98	109.40	-56.42	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825 MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.7699	34.08	12.57	46.65	54.00	-7.35	AVG	
2	11650.7900	39.39	12.57	51.96	74.00	-22.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.41	15.93	59.34	109.40	-50.06	Peak	
2	5725.0000	48.86	15.96	64.82	122.20	-57.38	Peak	
3 *	5740.8000	76.36	16.01	92.37	122.20	-29.83	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.7300	35.77	12.48	48.25	54.00	-5.75	AVG	
2	11510.9100	42.24	12.48	54.72	74.00	-19.28	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	39.54	15.93	55.47	109.40	-53.93	Peak	
2	5725.0000	45.73	15.96	61.69	122.20	-60.51	Peak	
3 *	5744.4000	72.95	16.02	88.97	122.20	-33.23	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.8500	33.63	12.48	46.11	54.00	-7.89	AVG	
2	11510.8600	40.37	12.48	52.85	74.00	-21.15	Peak	



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.4000	74.59	16.18	90.77	122.20	-31.43	Peak	No Limit
2	5850.0000	34.77	16.35	51.12	122.20	-71.08	Peak	
3	5860.0000	34.68	16.39	51.07	109.40	-58.33	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.7300	35.06	12.53	47.59	54.00	-6.41	AVG	
2	11590.9300	41.76	12.53	54.29	74.00	-19.71	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5792.9000	76.94	16.17	93.11	122.20	-29.09	Peak	No Limit
2	5850.0000	34.46	16.35	50.81	122.20	-71.39	Peak	
3	5860.0000	34.91	16.39	51.30	109.40	-58.10	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

**Horizontal**




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.5500	33.54	12.53	46.07	54.00	-7.93	AVG	
2	11590.7800	39.85	12.53	52.38	74.00	-21.62	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Vertical**


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	47.78	15.93	63.71	109.40	-45.69	Peak	
2	5725.0000	50.60	15.96	66.56	122.20	-55.64	Peak	
3 *	5802.0000	79.18	16.20	95.38	122.20	-26.82	Peak	No Limit
4	5850.0000	47.88	16.35	64.23	122.20	-57.97	Peak	
5	5860.0000	44.87	16.39	61.26	109.40	-48.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Vertical**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.5800	35.64	12.51	48.15	54.00	-5.85	AVG	
2	11550.8200	41.14	12.51	53.65	74.00	-20.35	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.85	15.93	59.78	109.40	-49.62	Peak	
2	5725.0000	45.47	15.96	61.43	122.20	-60.77	Peak	
3 *	5784.4000	71.25	16.15	87.40	122.20	-34.80	Peak	No Limit
4	5850.0000	40.05	16.35	56.40	122.20	-65.80	Peak	
5	5860.0000	37.48	16.39	53.87	109.40	-55.53	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

**Horizontal**



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.8000	38.28	12.51	50.79	74.00	-23.21	Peak	
2 *	11550.8900	33.46	12.51	45.97	54.00	-8.03	AVG	



**TX A Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.500 msec

$T_{Total}$ : 2.500 msec

Duty cycle: 100%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 12.SEP.2018 09:18:59

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

**TX N20 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.500 msec

$T_{Total}$ : 2.500 msec

Duty cycle: 100%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 12.SEP.2018 09:19:35

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

### TX N40 Mode\_DUTY CYCLE

$$\text{Duty cycle} = T_{\text{ON}} / T_{\text{Total}}$$


$T_{\text{ON}}$ : 2.500 msec

$T_{\text{Total}}$ : 2.500 msec

Duty cycle: 100%

$$\text{Duty Factor} = 10 \log(1/\text{Duty cycle})$$

Duty Factor = 0.00



Date: 12.SEP.2018 09:20:35

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

**TX AC20 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.500 msec

$T_{Total}$ : 2.500 msec

Duty cycle: 100%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 12.SEP.2018 09:20:20

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

**TX AC40 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.500 msec

$T_{Total}$ : 2.500 msec

Duty cycle: 100%

Duty Factor =  $10 \log(1/Duty\ cycle)$

Duty Factor = 0.00



Date: 12.SEP.2018 09:20:49

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

**TX AC80 Mode\_DUTY CYCLE**

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.500 msec

$T_{Total}$ : 2.500 msec

Duty cycle: 100%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00




Date: 12.SEP.2018 09:21:05

Note: The duty cycle is  $\geq 98\%$  no need to calculate as Duty Factor.

## APPENDIX E - BANDWIDTH

**Test Mode: UNII-1/TX A Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.39	16.90
CH40	5200	21.39	16.90
CH48	5240	21.39	17.00

**TX CH36**


Date: 12.SEP.2018 09:25:41




**TX CH40**



Date: 12.SEP.2018 09:26:36

**TX CH48**




Date: 12.SEP.2018 09:27:35

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.15	18.00
CH40	5200	22.20	17.90
CH48	5240	22.09	18.00

**TX CH36**




Date: 12.SEP.2018 09:47:36

**TX CH40**



Date: 12.SEP.2018 09:48:35

**TX CH48**




Date: 12.SEP.2018 09:49:32

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	45.19	37.40
CH46	5230	45.20	37.20

**TX CH38**



Date: 12.SEP.2018 10:13:55

**TX CH46**




Date: 12.SEP.2018 10:14:58

**Test Mode: UNII-2A/TX A Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.39	16.90
CH60	5300	21.49	16.90
CH64	5320	21.39	16.90


Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Date: 12.SEP.2018 09:28:55

### TX CH60



Date: 12.SEP.2018 09:30:12

### TX CH64




Date: 12.SEP.2018 09:33:07

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.05	18.00
CH60	5300	22.00	18.00
CH64	5320	22.09	18.00

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.



Date: 12.SEP.2018 09:50:45




**TX CH60**



Date: 12.SEP.2018 09:51:41

**TX CH64**



Date: 12.SEP.2018 09:52:38


**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	45.59	37.40
CH62	5310	45.19	37.40

**Note:**


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or  $11 \text{ dBm} + 10\log B$ , where B is the 26dB Bandwidth in megahertz.

TX CH54



Date: 12.SEP.2018 10:16:04

TX CH62




Date: 12.SEP.2018 10:17:02

**Test Mode: UNII-2C/TX A Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.29	16.90
CH116	5580	21.50	17.00
CH140	5700	21.39	16.90


Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Date: 12.SEP.2018 09:38:33

### TX CH116



Date: 12.SEP.2018 09:40:47

### TX CH140




Date: 12.SEP.2018 09:42:03

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.19	18.00
CH116	5580	22.19	18.00
CH140	5700	22.29	18.00


Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.




Date: 12.SEP.2018 09:53:42

**TX CH116**



Date: 12.SEP.2018 09:54:46

**TX CH140**



Date: 12.SEP.2018 09:55:46


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	45.30	37.20
CH110	5550	45.30	37.40
CH134	5670	45.50	37.40

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.


### TX CH102



Date: 12.SEP.2018 10:18:03




**TX CH110**



Date: 12.SEP.2018 10:19:42


**TX CH134**



Date: 12.SEP.2018 10:20:50


**Test Mode: UNII-3/ TX A Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.70	16.50	>=500
CH157	5785	16.59	16.50	>=500
CH165	5825	16.70	16.60	>=500

**TX CH 149**



Date: 12.SEP.2018 09:43:27

TX CH 157



Date: 12.SEP.2018 09:44:32


TX CH 165



Date: 12.SEP.2018 09:45:31


**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.85	17.70	>=500
CH157	5785	17.85	17.70	>=500
CH165	5825	17.85	17.70	>=500

**TX CH 149**



Date: 12.SEP.2018 09:56:44

**TX CH 157**



Date: 12.SEP.2018 09:57:43

**TX CH 165**




Date: 12.SEP.2018 09:59:15

**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.80	36.40	$\geq 500$
CH159	5795	36.70	36.20	$\geq 500$

**TX CH 151**



Date: 12.SEP.2018 10:22:03

**TX CH 159**




Date: 12.SEP.2018 10:23:16

**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.09	18.00
CH40	5200	22.15	18.00
CH48	5240	22.11	18.00


**TX CH36**



Date: 12.SEP.2018 10:00:56




**TX CH40**



Date: 12.SEP.2018 10:02:07

**TX CH48**




Date: 12.SEP.2018 10:02:58

**Test Mode: UNII-1/TX AC40 Mode\_CH38/CH46**


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	45.30	37.40
CH46	5230	45.19	37.20

**TX CH38**



Date: 12.SEP.2018 10:24:46

**TX CH46**




Date: 12.SEP.2018 10:27:02

**Test Mode: UNII-1/TX AC80 Mode\_CH42**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.41	75.20

**TX CH42**




Date: 12.SEP.2018 10:36:20

**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.05	18.00
CH60	5300	22.05	18.00
CH64	5320	22.15	18.00

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.



Date: 12.SEP.2018 10:04:01