


Test Mode: UNII-1/TX AC80 Mode_CH42


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	83.00	76.00

TX CH42


Date: 14.JAN.2018 17:55:52


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.20	17.90
CH60	5300	21.19	17.90
CH64	5320	21.19	17.90

TX CH52



Date: 14.JAN.2018 13:45:11

TX CH60



Date: 14.JAN.2018 13:47:01

TX CH64




Date: 14.JAN.2018 13:48:40

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.40	37.60
CH62	5310	41.40	37.20

99% Occupied Bandwidth
TX CH54




Date: 14.JAN.2018 17:04:35

26dB Bandwidth




Date: 5.FEB.2018 20:24:18

26dB Bandwidth
TX CH62



Date: 14.JAN.2018 16:35:35

26dB Bandwidth




Date: 5.FEB.2018 20:37:41

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.61	76.00

TX CH58




Date: 14.JAN.2018 16:48:55

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.19	17.90
CH116	5580	21.25	17.90
CH140	5700	21.25	17.90

TX CH100




Date: 14.JAN.2018 13:50:22

TX CH116



Date: 14.JAN.2018 13:52:53

TX CH140




Date: 14.JAN.2018 13:54:13

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.60	37.60
CH110	5550	41.40	37.60
CH134	5670	41.40	37.40

99% Occupied Bandwidth TX CH102




Date: 14.JAN.2018 16:36:58

26dB Bandwidth




Date: 5.FEB.2018 18:14:10

99% Occupied Bandwidth
TX CH110




Date: 14.JAN.2018 16:38:01

26dB Bandwidth




Date: 5.FEB.2018 18:18:12

99% Occupied Bandwidth
TX CH134



Date: 14.JAN.2018 16:40:24

26dB Bandwidth




Date: 5.FEB.2018 18:30:48

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.40	76.00
CH122	5610	83.40	76.40

TX CH106



Date: 14.JAN.2018 16:51:32


TX CH122



Date: 14.JAN.2018 16:52:38


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.80	17.60	>=500
CH157	5785	17.80	17.60	>=500
CH165	5825	17.80	17.70	>=500

TX CH 149



Date: 14.JAN.2018 13:55:43

TX CH 157



Date: 14.JAN.2018 13:59:11

TX CH 165




Date: 14.JAN.2018 14:00:36

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.70	36.40	>=500
CH159	5795	36.80	36.40	>=500

TX CH 151



Date: 14.JAN.2018 16:41:51


TX CH 159



Date: 14.JAN.2018 17:51:18

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	77.20	76.00	>=500



Date: 14.JAN.2018 16:53:57

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.10	0.00	11.10	30.00	1.00
CH40	5200	11.26	0.00	11.26	30.00	1.00
CH48	5240	11.52	0.00	11.52	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.42	0.00	10.42	30.00	1.00
CH40	5200	10.51	0.00	10.51	30.00	1.00
CH48	5240	10.82	0.00	10.82	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.33	0.00	10.33	30.00	1.00
CH40	5200	10.38	0.00	10.38	30.00	1.00
CH48	5240	10.72	0.00	10.72	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.39	30.00	1.00
CH40	5200	13.46	30.00	1.00
CH48	5240	13.78	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.70	0.00	10.70	30.00	1.00
CH46	5230	10.34	0.00	10.34	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.66	0.00	10.66	30.00	1.00
CH46	5230	10.37	0.00	10.37	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.69	30.00	1.00
CH46	5230	13.37	30.00	1.00

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.21	0.00	11.21	24.00	0.25
CH60	5300	11.49	0.00	11.49	24.00	0.25
CH64	5320	11.14	0.00	11.14	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.35	0.00	10.35	24.00	0.25
CH60	5300	10.86	0.00	10.86	24.00	0.25
CH64	5320	10.17	0.00	10.17	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.53	0.00	10.53	24.00	0.25
CH60	5300	10.78	0.00	10.78	24.00	0.25
CH64	5320	10.81	0.00	10.81	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.45	24.00	0.25
CH60	5300	13.83	24.00	0.25
CH64	5320	13.51	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.62	0.00	10.62	24.00	0.25
CH62	5310	10.75	0.00	10.75	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.32	0.00	10.32	24.00	0.25
CH62	5310	10.41	0.00	10.41	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.48	24.00	0.25
CH62	5310	13.59	24.00	0.25

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.26	0.00	14.26	24.00	0.25
CH116	5580	14.71	0.00	14.71	24.00	0.25
CH140	5700	14.71	0.00	14.71	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.38	0.00	13.38	24.00	0.25
CH116	5580	13.49	0.00	13.49	24.00	0.25
CH140	5700	13.70	0.00	13.70	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.23	0.00	13.23	24.00	0.25
CH116	5580	13.48	0.00	13.48	24.00	0.25
CH140	5700	13.42	0.00	13.42	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.32	24.00	0.25
CH116	5580	16.50	24.00	0.25
CH140	5700	16.57	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.45	0.00	13.45	24.00	0.25
CH110	5550	13.27	0.00	13.27	24.00	0.25
CH134	5670	13.31	0.00	13.31	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.26	0.00	13.26	24.00	0.25
CH110	5550	13.43	0.00	13.43	24.00	0.25
CH134	5670	13.67	0.00	13.67	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	16.37	24.00	0.25
CH110	5550	16.36	24.00	0.25
CH134	5670	16.50	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.24	0.00	13.24	30.00	1.00
CH157	5785	13.74	0.00	13.74	30.00	1.00
CH165	5825	13.69	0.00	13.69	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.78	0.00	11.78	30.00	1.00
CH157	5785	11.84	0.00	11.84	30.00	1.00
CH165	5825	11.67	0.00	11.67	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.40	0.00	11.40	30.00	1.00
CH157	5785	11.49	0.00	11.49	30.00	1.00
CH165	5825	11.76	0.00	11.76	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.60	30.00	1.00
CH157	5785	14.68	30.00	1.00
CH165	5825	14.73	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.41	0.00	11.41	30.00	1.00
CH159	5795	11.60	0.00	11.60	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.43	0.00	11.43	30.00	1.00
CH159	5795	11.69	0.00	11.69	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.43	30.00	1.00
CH159	5795	14.66	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.68	0.00	10.68	30.00	1.00
CH40	5200	10.53	0.00	10.53	30.00	1.00
CH48	5240	10.21	0.00	10.21	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.46	0.00	10.46	30.00	1.00
CH40	5200	10.53	0.00	10.53	30.00	1.00
CH48	5240	10.43	0.00	10.43	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.58	30.00	1.00
CH40	5200	13.54	30.00	1.00
CH48	5240	13.33	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.46	0.00	10.46	30.00	1.00
CH46	5230	10.62	0.00	10.62	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.56	0.00	10.56	30.00	1.00
CH46	5230	10.55	0.00	10.55	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.52	30.00	1.00
CH46	5230	13.60	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.52	0.00	10.52	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.86	0.00	10.86	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.70	30.00	1.00

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.86	0.00	10.86	24.00	0.25
CH60	5300	10.65	0.00	10.65	24.00	0.25
CH64	5320	10.72	0.00	10.72	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.72	0.00	10.72	24.00	0.25
CH60	5300	10.46	0.00	10.46	24.00	0.25
CH64	5320	10.81	0.00	10.81	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.80	24.00	0.25
CH60	5300	13.57	24.00	0.25
CH64	5320	13.78	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.50	0.00	10.50	24.00	0.25
CH62	5310	10.82	0.00	10.82	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	10.75	0.00	10.75	24.00	0.25
CH62	5310	10.51	0.00	10.51	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	13.64	24.00	0.25
CH62	5310	13.68	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	10.75	0.00	10.75	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	10.23	0.00	10.23	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	13.51	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.54	0.00	13.54	24.00	0.25
CH116	5580	13.40	0.00	13.40	24.00	0.25
CH140	5700	13.41	0.00	13.41	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.54	0.00	13.54	24.00	0.25
CH116	5580	13.64	0.00	13.64	24.00	0.25
CH140	5700	13.39	0.00	13.39	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.55	24.00	0.25
CH116	5580	16.53	24.00	0.25
CH140	5700	16.41	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.48	0.00	13.48	24.00	0.25
CH110	5550	13.60	0.00	13.60	24.00	0.25
CH134	5670	13.76	0.00	13.76	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.41	0.00	13.41	24.00	0.25
CH110	5550	13.44	0.00	13.44	24.00	0.25
CH134	5670	13.37	0.00	13.37	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	16.46	24.00	0.25
CH110	5550	16.53	24.00	0.25
CH134	5670	16.58	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.65	0.00	13.65	24.00	0.25
CH122	5610	13.56	0.00	13.56	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.23	0.00	13.23	24.00	0.25
CH122	5610	13.26	0.00	13.26	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.46	24.00	0.25
CH122	5610	16.42	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.45	0.00	11.45	30.00	1.00
CH157	5785	11.51	0.00	11.51	30.00	1.00
CH165	5825	11.62	0.00	11.62	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.60	0.00	11.60	30.00	1.00
CH157	5785	11.30	0.00	11.30	30.00	1.00
CH165	5825	11.38	0.00	11.38	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.54	30.00	1.00
CH157	5785	14.42	30.00	1.00
CH165	5825	14.51	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.31	0.00	11.31	30.00	1.00
CH159	5795	11.56	0.00	11.56	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.75	0.00	11.75	30.00	1.00
CH159	5795	11.53	0.00	11.53	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.55	30.00	1.00
CH159	5795	14.56	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.71	0.00	11.71	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2


Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.42	0.00	11.42	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	14.58	30.00	1.00


Worst case :

Test Mode: TX A Mode




Test Mode: TX N20 Mode

N20_5700 ANT1




N20_5700 ANT2




Test Mode: TX N40 Mode

N40_5670 ANT1




N40_5670 ANT2




Test Mode: TX AC20 Mode

AC20_5500 ANT1




AC20_5500 ANT2




Test Mode: TX AC40 Mode

AC40_5670 ANT1




AC40_5670 ANT2




Test Mode: TX AC80 Mode

AC80_5530 ANT1




AC80_5530 ANT2



APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.46	0.00	1.46	17.00
CH40	5200	2.34	0.00	2.34	17.00
CH48	5240	3.46	0.00	3.46	17.00




Date: 14.JAN.2018 12:41:35

CH40



Date: 14.JAN.2018 12:40:05


CH48



Date: 14.JAN.2018 12:42:55


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.97	0.00	1.97	11.00
CH60	5300	2.16	0.00	2.16	11.00
CH64	5320	2.39	0.00	2.39	11.00




Date: 14.JAN.2018 12:44:28

CH60



Date: 14.JAN.2018 12:45:36


CH64



Date: 14.JAN.2018 12:47:22


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.12	0.00	4.12	11.00
CH116	5580	5.83	0.00	5.83	11.00
CH140	5700	6.31	0.00	6.31	11.00




Date: 14.JAN.2018 12:49:41

CH116



Date: 14.JAN.2018 13:00:27

CH140




Date: 14.JAN.2018 12:53:50

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.64	0.00	2.64	30.00
CH157	5785	0.55	0.00	0.55	30.00
CH165	5825	2.00	0.00	2.00	30.00

TX CH149




Date: 14.JAN.2018 12:55:02

TX CH157



Date: 14.JAN.2018 12:56:16


TX CH165



Date: 14.JAN.2018 12:57:49


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.75	0.00	1.75	17.00
CH40	5200	1.85	0.00	1.85	17.00
CH48	5240	2.65	0.00	2.65	17.00




Date: 14.JAN.2018 13:04:05

CH40



Date: 14.JAN.2018 13:11:33


CH48



Date: 14.JAN.2018 13:15:52


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.13	0.00	1.13	17.00
CH40	5200	2.98	0.00	2.98	17.00
CH48	5240	3.94	0.00	3.94	17.00




Date: 14.JAN.2018 15:19:11

CH40



Date: 14.JAN.2018 15:20:10

CH48



Date: 14.JAN.2018 15:21:02


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.46	17.00
CH40	5200	5.46	17.00
CH48	5240	6.35	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.01	0.00	-0.01	17.00
CH46	5230	1.52	0.00	1.52	17.00

CH38



Date: 14.JAN.2018 14:04:15

CH46




Date: 14.JAN.2018 14:07:01

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.05	0.00	-1.05	17.00
CH46	5230	1.71	0.00	1.71	17.00

CH38



Date: 14.JAN.2018 15:33:44

CH46




Date: 14.JAN.2018 15:34:38

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.51	17.00
CH46	5230	4.63	17.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.04	0.00	3.04	11.00
CH60	5300	3.39	0.00	3.39	11.00
CH64	5320	4.07	0.00	4.07	11.00




Date: 14.JAN.2018 13:17:15

CH60



Date: 14.JAN.2018 13:20:32


CH64



Date: 14.JAN.2018 13:22:18


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.80	0.00	3.80	11.00
CH60	5300	3.95	0.00	3.95	11.00
CH64	5320	3.87	0.00	3.87	11.00




Date: 14.JAN.2018 15:22:03

CH60



Date: 14.JAN.2018 15:23:03

CH64



Date: 14.JAN.2018 15:24:02


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.45	11.00
CH60	5300	6.69	11.00
CH64	5320	6.98	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.26	0.00	1.26	11.00
CH62	5310	-0.81	0.00	-0.81	11.00

CH54



Date: 14.JAN.2018 16:58:50

CH62




Date: 14.JAN.2018 14:13:25

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.79	0.00	0.79	11.00
CH62	5310	0.75	0.00	0.75	11.00

CH54



Date: 14.JAN.2018 15:36:13

CH62




Date: 14.JAN.2018 15:37:41

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.04	11.00
CH62	5310	3.05	11.00


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.96	0.00	4.96	11.00
CH116	5580	5.42	0.00	5.42	11.00
CH140	5700	5.33	0.00	5.33	11.00




Date: 14.JAN.2018 13:23:46

CH116



Date: 14.JAN.2018 18:00:45


CH140



Date: 14.JAN.2018 18:02:25


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.65	0.00	4.65	11.00
CH116	5580	5.66	0.00	5.66	11.00
CH140	5700	5.99	0.00	5.99	11.00

CH100



Date: 14.JAN.2018 15:25:01

CH116



Date: 14.JAN.2018 15:25:58

CH140




Date: 14.JAN.2018 15:27:00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.82	11.00
CH116	5580	8.55	11.00
CH140	5700	8.68	11.00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.22	0.00	2.22	11.00
CH110	5550	3.99	0.00	3.99	11.00
CH134	5670	3.36	0.00	3.36	11.00




Date: 14.JAN.2018 14:15:00

CH110



Date: 14.JAN.2018 16:45:29


CH134



Date: 14.JAN.2018 14:18:00


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.33	0.00	2.33	11.00
CH110	5550	2.49	0.00	2.49	11.00
CH134	5670	3.35	0.00	3.35	11.00




Date: 14.JAN.2018 15:39:07

CH110



Date: 14.JAN.2018 18:14:58

CH134




Date: 14.JAN.2018 15:40:57

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.29	11.00
CH110	5550	6.31	11.00
CH134	5670	6.37	11.00


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.38	0.00	2.38	30.00
CH157	5785	1.86	0.00	1.86	30.00
CH165	5825	2.07	0.00	2.07	30.00




Date: 14.JAN.2018 13:30:20

TX CH157



Date: 14.JAN.2018 18:05:43

TX CH165




Date: 14.JAN.2018 13:34:09

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.20	0.00	2.20	30.00
CH157	5785	1.94	0.00	1.94	30.00
CH165	5825	1.44	0.00	1.44	30.00

TX CH149




Date: 14.JAN.2018 15:28:17

TX CH157



Date: 14.JAN.2018 15:29:17

TX CH165



Date: 14.JAN.2018 15:30:11


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.30	30.00
CH157	5785	4.91	30.00
CH165	5825	4.78	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.55	0.00	-0.55	30.00
CH159	5795	-1.76	0.00	-1.76	30.00

TX CH151



Date: 14.JAN.2018 14:25:58

TX CH159




Date: 14.JAN.2018 14:24:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.03	0.00	-1.03	30.00
CH159	5795	-1.10	0.00	-1.10	30.00

TX CH151



Date: 14.JAN.2018 15:42:27

TX CH159




Date: 14.JAN.2018 15:43:36

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.23	30.00
CH159	5795	1.59	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.87	0.00	1.87	17.00
CH40	5200	1.30	0.00	1.30	17.00
CH48	5240	2.10	0.00	2.10	17.00




Date: 14.JAN.2018 13:37:39

CH40



Date: 14.JAN.2018 18:09:15


CH48



Date: 14.JAN.2018 13:43:56


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.86	0.00	1.86	17.00
CH40	5200	2.65	0.00	2.65	17.00
CH48	5240	2.18	0.00	2.18	17.00




Date: 14.JAN.2018 15:46:01

CH40



Date: 14.JAN.2018 18:10:20

CH48



Date: 14.JAN.2018 18:12:08


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.88	17.00
CH40	5200	5.04	17.00
CH48	5240	5.15	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.21	0.00	-1.21	17.00
CH46	5230	-0.03	0.00	-0.03	17.00

CH38



Date: 14.JAN.2018 14:30:34

CH46




Date: 14.JAN.2018 14:31:51

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.19	0.00	-0.19	17.00
CH46	5230	-0.02	0.00	-0.02	17.00

CH38



Date: 14.JAN.2018 17:44:27

CH46




Date: 14.JAN.2018 17:46:03

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.34	17.00
CH46	5230	2.99	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.57	0.00	-2.57	17.00



Date: 14.JAN.2018 16:47:55

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.26	0.00	-2.26	17.00




Date: 14.JAN.2018 16:23:20

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.60	17.00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.40	0.00	2.40	11.00
CH60	5300	1.76	0.00	1.76	11.00
CH64	5320	1.71	0.00	1.71	11.00




Date: 14.JAN.2018 13:45:19

CH60



Date: 14.JAN.2018 13:47:10


CH64



Date: 14.JAN.2018 13:48:48


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.58	0.00	2.58	11.00
CH60	5300	2.37	0.00	2.37	11.00
CH64	5320	3.17	0.00	3.17	11.00




Date: 14.JAN.2018 15:49:52

CH60



Date: 14.JAN.2018 15:50:58

CH64



Date: 14.JAN.2018 15:56:34


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.50	11.00
CH60	5300	5.09	11.00
CH64	5320	5.51	11.00

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.41	0.00	-1.41	11.00
CH62	5310	0.80	0.00	0.80	11.00

CH54



Date: 14.JAN.2018 17:04:47

CH62




Date: 14.JAN.2018 16:35:47

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.02	0.00	0.02	11.00
CH62	5310	-0.18	0.00	-0.18	11.00

CH54



Date: 14.JAN.2018 16:08:57

CH62




Date: 14.JAN.2018 16:10:34

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.37	11.00
CH62	5310	3.35	11.00

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.85	0.00	-1.85	11.00



Date: 14.JAN.2018 16:49:42

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-2.80	0.00	-2.80	11.00



Date: 14.JAN.2018 16:24:22


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.71	11.00

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.08	0.00	5.08	11.00
CH116	5580	5.28	0.00	5.28	11.00
CH140	5700	6.51	0.00	6.51	11.00

CH100



Date: 14.JAN.2018 13:50:31