CH116



Date: 14.JAN.2018 13:53:01

CH140



Date: 14.JAN.2018 13:54:22

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	5.34	0.00	5.34	11.00
CH116	5580	6.89	0.00	6.89	11.00
CH140	5700	5.72	0.00	5.72	11.00

CH100



Date: 14.JAN.2018 15:57:45

CH116



Date: 14.JAN.2018 15:59:02

CH140



Date: 14.JAN.2018 16:00:04

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.22	11.00
CH116	5580	9.17	11.00
CH140	5700	9.14	11.00

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.46	0.00	2.46	11.00
CH110	5550	4.22	0.00	4.22	11.00
CH134	5670	1.84	0.00	1.84	11.00

CH102



CH110



Date: 14.JAN.2018 16:38:12

CH134



Date: 14.JAN.2018 16:40:36

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.32	0.00	2.32	11.00
CH110	5550	3.72	0.00	3.72	11.00
CH134	5670	1.46	0.00	1.46	11.00

CH102



Date: 14.JAN.2018 16:11:58

CH110



Date: 14.JAN.2018 16:16:05

CH134



Date: 14.JAN.2018 17:48:02

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	5.40	11.00
CH110	5550	6.99	11.00
CH134	5670	4.66	11.00

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.50	0.00	0.50	11.00
CH122	5610	2.01	0.00	2.01	11.00

CH106



Date: 14.JAN.2018 16:51:44

CH122



Date: 14.JAN.2018 16:52:50

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.36	0.00	0.36	11.00
CH122	5610	1.59	0.00	1.59	11.00

CH106



Date: 14.JAN.2018 16:25:38

CH122



Date: 14.JAN.2018 16:27:15

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	3.44	11.00
CH122	5610	4.82	11.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.57	0.00	1.57	30.00
CH157	5785	2.15	0.00	2.15	30.00
CH165	5825	1.01	0.00	1.01	30.00

TX CH149



Date: 14.JAN.2018 13:55:52

TX CH157



Date: 14.JAN.2018 13:59:19

TX CH165



Date: 14.JAN.2018 14:00:45

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.33	0.00	1.33	30.00
CH157	5785	0.13	0.00	0.13	30.00
CH165	5825	0.93	0.00	0.93	30.00

TX CH149



TX CH157



Date: 14.JAN.2018 16:02:42

TX CH165



Date: 14.JAN.2018 16:03:37

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.46	30.00
CH157	5785	4.27	30.00
CH165	5825	3.98	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.61	0.00	-1.61	30.00
CH159	5795	-0.94	0.00	-0.94	30.00

TX CH151



Date: 14.JAN.2018 16:42:02

TX CH159



Date: 14.JAN.2018 16:43:51

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.95	0.00	-0.95	30.00
CH159	5795	-1.00	0.00	-1.00	30.00

TX CH151



Date: 14.JAN.2018 16:18:37

TX CH159



Date: 14.JAN.2018 16:19:53

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.74	30.00
CH159	5795	2.04	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.32	0.00	-2.32	30.00

TX CH155



Date: 14.JAN.2018 16:54:09

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.98	0.00	-3.98	30.00

TX CH155



Date: 14.JAN.2018 16:28:33

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.06	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9644
120	5179.9640
108	5179.9640
Max. Deviation (MHz)	0.0360
Max. Deviation (ppm)	6.9498

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9640
5	5179.9640
15	5179.9640
25	5179.9640
35	5179.9640
45	5179.9640
50	5179.9644
Max. Deviation (MHz)	0.0360
Max. Deviation (ppm)	6.9498

Test Mode:	UNII-2A

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9636
120	5259.9636
108	5259.9640
Max. Deviation (MHz)	0.0364
Max. Deviation (ppm)	6.9202

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5260.0000
-5	5259.9640
5	5259.9640
15	5259.9636
25	5259.9640
35	5259.9640
45	5259.9640
50	5259.9636
Max. Deviation (MHz)	0.0364
Max. Deviation (ppm)	6.9202

Test Mode:	UNII-2C

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9624
120	5499.9624
108	5499.9624
Max. Deviation (MHz)	0.0376
Max. Deviation (ppm)	6.8364

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5500.0000
-5	5499.9628
5	5499.9628
15	5499.9632
25	5499.9632
35	5499.9636
45	5499.9636
50	5499.9636
Max. Deviation (MHz)	0.0372
Max. Deviation (ppm)	6.7636

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9608
120	5744.9632
108	5744.9636
Max. Deviation (MHz)	0.0392
Max. Deviation (ppm)	6.8233

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9640
5	5744.9640
15	5744.9640
25	5744.9644
35	5744.9648
45	5744.9652
50	5744.9652
Max. Deviation (MHz)	0.0360
Max. Deviation (ppm)	6.2663