



Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.53                             | 0.16        | 1.69                                           | 17.00                | Complies |
| 40      | 5200            | 1.05                             | 0.16        | 1.21                                           | 17.00                | Complies |
| 48      | 5240            | 1.61                             | 0.16        | 1.77                                           | 17.00                | Complies |



Test Mode UNII-1\_TX AC (VHT20) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.02                             | 0.16        | 1.18                                           | 17.00                | Complies |
| 40      | 5200            | 1.12                             | 0.16        | 1.28                                           | 17.00                | Complies |
| 48      | 5240            | 1.32                             | 0.16        | 1.48                                           | 17.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 4.45                             | 17.00                | Complies |
| 40      | 5200            | 4.26                             | 17.00                | Complies |
| 48      | 5240            | 4.64                             | 17.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -1.80                            | 0.36        | -1.44                                          | 17.00                | Complies |
| 46      | 5230            | 0.05                             | 0.36        | 0.41                                           | 17.00                | Complies |

CH38




CH46




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -1.87                            | 0.36        | -1.51                                          | 17.00                | Complies |
| 46      | 5230            | -1.02                            | 0.36        | -0.66                                          | 17.00                | Complies |

CH38



CH46




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 1.53                             | 17.00                | Complies |
| 46      | 5230            | 2.92                             | 17.00                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.56                            | 0.70        | -0.86                                          | 17.00                | Complies |


CH42



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.05                            | 0.70        | -0.35                                          | 17.00                | Complies |

CH42




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 2.41                             | 17.00                | Complies |


Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.68                             | 0.16        | 3.84                                           | 11.00                | Complies |
| 60      | 5300            | 4.92                             | 0.16        | 5.08                                           | 11.00                | Complies |
| 64      | 5320            | 5.95                             | 0.16        | 6.11                                           | 11.00                | Complies |



Test Mode UNII-2A\_TX AC (VHT20) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 3.94                             | 0.16        | 4.10                                           | 11.00                | Complies |
| 60      | 5300            | 5.16                             | 0.16        | 5.32                                           | 11.00                | Complies |
| 64      | 5320            | 5.15                             | 0.16        | 5.31                                           | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT20) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 6.98                             | 11.00                | Complies |
| 60      | 5300            | 8.21                             | 11.00                | Complies |
| 64      | 5320            | 8.74                             | 11.00                | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 3.36                             | 0.36        | 3.72                                           | 11.00                | Complies |
| 62      | 5310            | 2.71                             | 0.36        | 3.07                                           | 11.00                | Complies |

CH54




CH62




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 3.18                             | 0.36        | 3.54                                           | 11.00                | Complies |
| 62      | 5310            | 2.69                             | 0.36        | 3.05                                           | 11.00                | Complies |

CH54



CH62




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT40) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 6.64                             | 11.00                | Complies |
| 62      | 5310            | 6.07                             | 11.00                | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 1.25                             | 0.70        | 1.95                                           | 11.00                | Complies |


CH58



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 1.56                             | 0.70        | 2.26                                           | 11.00                | Complies |

CH58




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC (VHT80) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 5.12                             | 11.00                | Complies |


Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.58                             | 0.16        | 3.74                                           | 11.00                | Complies |
| 116     | 5580            | 4.83                             | 0.16        | 4.99                                           | 11.00                | Complies |
| 140     | 5700            | 5.63                             | 0.16        | 5.79                                           | 11.00                | Complies |



Test Mode UNII-2C\_TX AC (VHT20) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 4.75                             | 0.16        | 4.91                                           | 11.00                | Complies |
| 116     | 5580            | 4.71                             | 0.16        | 4.87                                           | 11.00                | Complies |
| 140     | 5700            | 6.27                             | 0.16        | 6.43                                           | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT20) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 7.37                             | 11.00                | Complies |
| 116     | 5580            | 7.94                             | 11.00                | Complies |
| 140     | 5700            | 9.13                             | 11.00                | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 1.17                             | 0.36        | 1.53                                           | 11.00                | Complies |
| 110     | 5550            | 2.79                             | 0.36        | 3.15                                           | 11.00                | Complies |
| 134     | 5670            | 2.43                             | 0.36        | 2.79                                           | 11.00                | Complies |



|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | 2.77                             | 0.36        | 3.13                                           | 11.00                | Complies |
| 110     | 5550            | 3.53                             | 0.36        | 3.89                                           | 11.00                | Complies |
| 134     | 5670            | 3.63                             | 0.36        | 3.99                                           | 11.00                | Complies |




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT40) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 5.41                             | 11.00                | Complies |
| 110     | 5550            | 6.54                             | 11.00                | Complies |
| 134     | 5670            | 6.44                             | 11.00                | Complies |


|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 1.17                             | 0.70        | 1.87                                           | 11.00                | Complies |
| 122     | 5610            | -0.29                            | 0.70        | 0.41                                           | 11.00                | Complies |

CH106




CH122




|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | 1.57                             | 0.70        | 2.27                                           | 11.00                | Complies |
| 122     | 5610            | 2.36                             | 0.70        | 3.06                                           | 11.00                | Complies |

CH106



CH122




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC (VHT80) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | 5.08                             | 11.00                | Complies |
| 122     | 5610            | 4.94                             | 11.00                | Complies |


Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 1

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 0.50                                 | 0.16        | 0.66                                               | 30.00                    | Complies |
| 157     | 5785            | 0.44                                 | 0.16        | 0.60                                               | 30.00                    | Complies |
| 165     | 5825            | -0.05                                | 0.16        | 0.11                                               | 30.00                    | Complies |


CH149



CH157




CH165




Test Mode UNII-3\_TX AC (VHT20) Mode\_Ant. 2

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | 0.52                                 | 0.16        | 0.68                                               | 30.00                    | Complies |
| 157     | 5785            | 1.88                                 | 0.16        | 2.04                                               | 30.00                    | Complies |
| 165     | 5825            | 0.97                                 | 0.16        | 1.13                                               | 30.00                    | Complies |


CH149



CH157



CH165




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 3.68                                 | 30.00                    | Complies |
| 157     | 5785            | 4.39                                 | 30.00                    | Complies |
| 165     | 5825            | 3.66                                 | 30.00                    | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -2.41                                | 0.36        | -2.05                                              | 30.00                    | Complies |
| 159     | 5795            | -2.84                                | 0.36        | -2.48                                              | 30.00                    | Complies |

CH151




CH159




|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -0.49                                | 0.36        | -0.13                                              | 30.00                    | Complies |
| 159     | 5795            | -1.19                                | 0.36        | -0.83                                              | 30.00                    | Complies |

CH151



CH159




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | 2.02                                 | 30.00                    | Complies |
| 159     | 5795            | 1.43                                 | 30.00                    | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -4.91                                | 0.70        | -4.21                                              | 30.00                    | Complies |


CH155



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -1.58                                | 0.70        | -0.88                                              | 30.00                    | Complies |

CH155



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | 0.78                                 | 30.00                    | Complies |

## **APPENDIX H - FREQUENCY STABILITY**

|           |        |
|-----------|--------|
| Test Mode | UNII-1 |
|-----------|--------|

#### Voltage vs. Frequency Stability

| Voltage                 | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (V)                     | 5180.0000                   |
| 5.75                    | 5180.0188                   |
| 5                       | 5180.0356                   |
| 4.25                    | 5180.0484                   |
| Maximum Deviation (MHz) | 0.0484                      |
| Maximum Deviation (ppm) | 9.3436                      |

#### Temperature vs. Frequency Stability

| Temperature             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (°C)                    | 5180.0000                   |
| 0                       | 5180.056300                 |
| 10                      | 5180.038200                 |
| 20                      | 5180.048100                 |
| 30                      | 5180.054700                 |
| 40                      | 5180.057800                 |
| Maximum Deviation (MHz) | 0.057800                    |
| Maximum Deviation (ppm) | 11.158301                   |

|           |         |
|-----------|---------|
| Test Mode | UNII-2A |
|-----------|---------|

#### Voltage vs. Frequency Stability

| Voltage                 | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (V)                     | 5260.0000                   |
| 5.75                    | 5259.9940                   |
| 5                       | 5260.0088                   |
| 4.25                    | 5260.0240                   |
| Maximum Deviation (MHz) | 0.0240                      |
| Maximum Deviation (ppm) | 4.5627                      |

#### Temperature vs. Frequency Stability

| Temperature             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (°C)                    | 5260.0000                   |
| 0                       | 5260.0368                   |
| 10                      | 5260.0514                   |
| 20                      | 5260.0611                   |
| 30                      | 5260.035                    |
| 40                      | 5260.056                    |
| Maximum Deviation (MHz) | 0.061100                    |
| Maximum Deviation (ppm) | 11.615970                   |

|           |         |
|-----------|---------|
| Test Mode | UNII-2C |
|-----------|---------|

#### Voltage vs. Frequency Stability

| Voltage                 | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (V)                     | 5500.0000                   |
| 5.75                    | 5500.0492                   |
| 5                       | 5500.0632                   |
| 4.25                    | 5500.0436                   |
| Maximum Deviation (MHz) | 0.0632                      |
| Maximum Deviation (ppm) | 11.4909                     |

#### Temperature vs. Frequency Stability

| Temperature             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (°C)                    | 5500.0000                   |
| 0                       | 5500.0425                   |
| 10                      | 5500.0514                   |
| 20                      | 5500.0646                   |
| 30                      | 5500.048                    |
| 40                      | 5500.0478                   |
| Maximum Deviation (MHz) | 0.067400                    |
| Maximum Deviation (ppm) | 12.254545                   |

|           |        |
|-----------|--------|
| Test Mode | UNII-3 |
|-----------|--------|

#### Voltage vs. Frequency Stability

| Voltage                 | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (V)                     | 5745.0000                   |
| 5.75                    | 5745.0460                   |
| 5                       | 5745.0528                   |
| 4.25                    | 5745.0492                   |
| Maximum Deviation (MHz) | 0.0528                      |
| Maximum Deviation (ppm) | 9.1906                      |

#### Temperature vs. Frequency Stability

| Temperature             | Measurement Frequency (MHz) |
|-------------------------|-----------------------------|
| (°C)                    | 5745.0000                   |
| 0                       | 5745.0055                   |
| 10                      | 5745.0245                   |
| 20                      | 5745.0387                   |
| 30                      | 5745.051                    |
| 40                      | 5745.0557                   |
| Maximum Deviation (MHz) | 0.074500                    |
| Maximum Deviation (ppm) | 12.967798                   |

End of Test Report