




No.6 Ke Feng Road,B1:ck 52,
ShenZhen Science & Industry Park
Noutou, ShenZhen, GuangDong, China
Tel:+86-755-26639495-7
Fax:+86-755-26632877
Postcode:518057

Data: 10 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 10
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11b TX in CH11 2462MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission		Limits (dBuV/m)	Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)			
1	4934.00	34.29	0.00	34.47	48.82	48.64	54.00	5.36	Average
2	7401.00	37.66	0.00	34.48	37.68	40.86	54.00	13.14	Average
3	9868.00	37.93	0.00	36.10	42.63	44.46	54.00	9.54	Average
4	12335.00	39.41	0.00	36.29	37.33	40.45	54.00	13.55	Average
5	14802.00	41.36	0.00	35.30	39.83	45.89	54.00	8.11	Average
6	17269.00	41.96	0.00	34.89	36.20	43.27	54.00	10.73	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
ShenZhen Science & Industry Park
Noutou, ShenZhen, GuangDong, China
Tel:+86-755-26639495-7
Fax:+86-755-26632877
Postcode:518057

Data: 13 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 13
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C PEAK
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


Peak	Freq. (MHz)	Ant. Cable Amp			Emission				Remark
		Factor (dB/m)	Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4824.00	34.02	9.05	34.49	39.31	47.89	74.00	26.11	Peak
2	7236.00	37.39	10.94	34.44	40.66	54.55	74.00	19.45	Peak
3	9648.00	38.11	11.86	35.92	41.14	55.19	74.00	18.81	Peak
4	12060.00	39.54	13.59	36.38	42.80	59.55	74.00	14.45	Peak
5	14472.00	42.27	13.85	35.46	39.91	60.57	74.00	13.43	Peak
6	16884.00	39.68	15.48	34.83	40.70	61.03	74.00	12.97	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 14 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 14
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4824.00	34.02	9.05	34.49	35.00	43.58	54.00	10.42	Average
2	7236.00	37.39	10.94	34.44	28.47	42.36	54.00	11.64	Average
3	9648.00	38.11	11.86	35.92	28.47	42.52	54.00	11.48	Average
4	12060.00	39.54	13.59	36.38	26.76	43.51	54.00	10.49	Average
5	14472.00	42.27	13.85	35.46	20.95	41.61	54.00	12.39	Average
6	16884.00	39.68	15.48	34.83	25.40	45.73	54.00	8.27	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
ShenZhen Science & Industry Park
Noutou, ShenZhen, GuangDong, China
Tel:+86-755-26639495-7
Fax:+86-755-26632877
Postcode:518057

Data: 15 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 15
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL
 Limit : FCC PART 15C PEAK
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4824.00	34.02	9.05	34.49	40.47	49.05	74.00	24.95	Peak
2	7236.00	37.39	10.94	34.44	39.84	53.73	74.00	20.27	Peak
3	9648.00	38.11	11.86	35.92	41.82	55.87	74.00	18.13	Peak
4	12060.00	39.54	13.59	36.38	42.56	59.31	74.00	14.69	Peak
5	14472.00	42.27	13.85	35.46	40.04	60.70	74.00	13.30	Peak
6	16884.00	39.68	15.48	34.83	40.50	60.83	74.00	13.17	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 16 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 16
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Reading (dBuV)	Emission			Remark
						Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4824.00	34.02	9.05	34.49	36.10	44.68	54.00	9.32	Average
2	7236.00	37.39	10.94	34.44	26.97	40.86	54.00	13.14	Average
3	9648.00	38.11	11.86	35.92	29.46	43.51	54.00	10.49	Average
4	12060.00	39.54	13.59	36.38	27.40	44.15	54.00	9.85	Average
5	14472.00	42.27	13.85	35.46	21.95	42.61	54.00	11.39	Average
6	16884.00	39.68	15.48	34.83	22.89	43.22	54.00	10.78	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 19 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 19
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C PEAK
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission		Limits (dBuV/m)	Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)			
1	4884.00	34.16	9.17	34.48	42.12	50.97	74.00	23.03	Peak
2	7326.00	37.52	11.05	34.47	40.95	55.05	74.00	18.95	Peak
3	9768.00	38.01	11.88	36.02	43.14	57.01	74.00	16.99	Peak
4	12210.00	39.47	13.75	36.33	41.24	58.13	74.00	15.87	Peak
5	14652.00	41.83	14.14	35.38	41.19	61.78	74.00	12.22	Peak
6	17094.00	40.55	15.58	34.87	40.54	61.80	74.00	12.20	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 20 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 20
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4884.00	34.16	9.17	34.48	33.31	42.16	54.00	11.84	Average
2	7326.00	37.52	11.05	34.47	29.83	43.93	54.00	10.07	Average
3	9768.00	38.01	11.88	36.02	29.50	43.37	54.00	10.63	Average
4	12210.00	39.47	13.75	36.33	25.92	42.81	54.00	11.19	Average
5	14652.00	41.83	14.14	35.38	21.75	42.34	54.00	11.66	Average
6	17094.00	40.55	15.58	34.87	22.58	43.84	54.00	10.16	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 17 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 17
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL
 Limit : FCC PART 15C PEAK
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4884.00	34.16	9.17	34.48	39.75	48.60	74.00	25.40	Peak
2	7326.00	37.52	11.05	34.47	39.72	53.82	74.00	20.18	Peak
3	9768.00	38.01	11.88	36.02	41.57	55.44	74.00	18.56	Peak
4	12210.00	39.47	13.75	36.33	40.81	57.70	74.00	16.30	Peak
5	14652.00	41.83	14.14	35.38	39.71	60.30	74.00	13.70	Peak
6	17094.00	40.55	15.58	34.87	40.03	61.29	74.00	12.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
ShenZhen Science & Industry Park
Noutou, ShenZhen, GuangDong, China
Tel:+86-755-26639495-7
Fax:+86-755-26632877
Postcode:518057

Data: 18 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 18
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4884.00	34.16	9.17	34.48	34.31	43.16	54.00	10.84	Average
2	7326.00	37.52	11.05	34.47	29.33	43.43	54.00	10.57	Average
3	9768.00	38.01	11.88	36.02	27.50	41.37	54.00	12.63	Average
4	12210.00	39.47	13.75	36.33	25.42	42.31	54.00	11.69	Average
5	14652.00	41.83	14.14	35.38	22.75	43.34	54.00	10.66	Average
6	17094.00	40.55	15.58	34.87	23.08	44.34	54.00	9.66	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 21 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 21
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C PEAK
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH11 2462MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4934.00	34.29	0.00	34.47	49.28	49.10	74.00	24.90	Peak
2	7401.00	37.66	0.00	34.48	51.58	54.76	74.00	19.24	Peak
3	9868.00	37.93	0.00	36.10	52.98	54.81	74.00	19.19	Peak
4	12335.00	39.41	0.00	36.29	53.11	56.23	74.00	17.77	Peak
5	14802.00	41.36	0.00	35.30	54.65	60.71	74.00	13.29	Peak
6	17269.00	41.96	0.00	34.89	58.03	65.10	74.00	8.90	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,
 ShenZhen Science & Industry Park
 Noutou, ShenZhen, GuangDong, China
 Tel:+86-755-26639495-7
 Fax:+86-755-26632877
 Postcode:518057

Data: 22 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 22
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL
 Limit : FCC PART 15C AV
 Env. / Ins. : 23°C/54% Engineer : Jamy
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G
 Power Rating : DC 12V From Adapter 120V/60Hz
 Test Mode : IEEE 802.11g TX in CH11 2462MHz

	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4934.00	34.29	0.00	34.47	44.15	43.97	54.00	10.03	Average
2	7401.00	37.66	0.00	34.48	38.71	41.89	54.00	12.11	Average
3	9868.00	37.93	0.00	36.10	39.63	41.46	54.00	12.54	Average
4	12335.00	39.41	0.00	36.29	39.33	42.45	54.00	11.55	Average
5	14802.00	41.36	0.00	35.30	38.83	44.89	54.00	9.11	Average
6	17269.00	41.96	0.00	34.89	37.71	44.78	54.00	9.22	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.
 2. The emission levels that are 20dB below the official limit are not reported.