




No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 7 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 7  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH7 2442MHz


No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4884.00	34.16	9.17	34.48	44.35	53.20	74.00	20.80	Peak
2	7326.00	37.52	11.05	34.47	40.30	54.40	74.00	19.60	Peak
3	9768.00	38.01	11.88	36.02	41.73	55.60	74.00	18.40	Peak
4	12210.00	39.47	13.75	36.33	40.60	57.49	74.00	16.51	Peak
5	14652.00	41.83	14.14	35.38	39.66	60.25	74.00	13.75	Peak
6	17094.00	40.55	15.58	34.87	40.16	61.42	74.00	12.58	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 8 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 8  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH7 2442MHz


No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission			Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)		
1	4884.00	34.16	9.17	34.48	34.31	43.16	54.00	10.84	Average
2	7326.00	37.52	11.05	34.47	27.33	41.43	54.00	12.57	Average
3	9768.00	38.01	11.88	36.02	26.50	40.37	54.00	13.63	Average
4	12210.00	39.47	13.75	36.33	26.92	43.81	54.00	10.19	Average
5	14652.00	41.83	14.14	35.38	20.75	41.34	54.00	12.66	Average
6	17094.00	40.55	15.58	34.87	23.58	44.84	54.00	9.16	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 11 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 11  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH11 2462MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4934.00	34.29	0.00	34.47	56.72	56.54	74.00	17.46	Peak
2	7401.00	37.66	0.00	34.48	51.74	54.92	74.00	19.08	Peak
3	9868.00	37.93	0.00	36.10	53.54	55.37	74.00	18.63	Peak
4	12335.00	39.41	0.00	36.29	54.89	58.01	74.00	15.99	Peak
5	14802.00	41.36	0.00	35.30	54.13	60.19	74.00	13.81	Peak
6	17269.00	41.96	0.00	34.89	55.56	62.63	74.00	11.37	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 12 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 12  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH11 2462MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4934.00	34.29	0.00	34.47	48.82	48.64	54.00	5.36	Average
2	7401.00	37.66	0.00	34.48	38.18	41.36	54.00	12.64	Average
3	9868.00	37.93	0.00	36.10	40.63	42.46	54.00	11.54	Average
4	12335.00	39.41	0.00	36.29	40.33	43.45	54.00	10.55	Average
5	14802.00	41.36	0.00	35.30	38.83	44.89	54.00	9.11	Average
6	17269.00	41.96	0.00	34.89	37.20	44.27	54.00	9.73	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 9 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 9  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH11 2462MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4934.00	34.29	0.00	34.47	56.98	56.80	74.00	17.20	Peak
2	7401.00	37.66	0.00	34.48	51.48	54.66	74.00	19.34	Peak
3	9868.00	37.93	0.00	36.10	53.86	55.69	74.00	18.31	Peak
4	12335.00	39.41	0.00	36.29	54.80	57.92	74.00	16.08	Peak
5	14802.00	41.36	0.00	35.30	54.09	60.15	74.00	13.85	Peak
6	17269.00	41.96	0.00	34.89	57.49	64.56	74.00	9.44	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 10 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 10  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11b TX in CH11 2462MHz

	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4934.00	34.29	0.00	34.47	48.82	48.64	54.00	5.36	Average
2	7401.00	37.66	0.00	34.48	37.68	40.86	54.00	13.14	Average
3	9868.00	37.93	0.00	36.10	42.63	44.46	54.00	9.54	Average
4	12335.00	39.41	0.00	36.29	37.33	40.45	54.00	13.55	Average
5	14802.00	41.36	0.00	35.30	39.83	45.89	54.00	8.11	Average
6	17269.00	41.96	0.00	34.89	36.20	43.27	54.00	10.73	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 13 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 13  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission		Limits (dBuV/m)	Margin (dB)	Remark
					Reading (dBuV)	Level (dBuV/m)			
1	4824.00	34.02	9.05	34.49	39.31	47.89	74.00	26.11	Peak
2	7236.00	37.39	10.94	34.44	40.66	54.55	74.00	19.45	Peak
3	9648.00	38.11	11.86	35.92	41.14	55.19	74.00	18.81	Peak
4	12060.00	39.54	13.59	36.38	42.80	59.55	74.00	14.45	Peak
5	14472.00	42.27	13.85	35.46	39.91	60.57	74.00	13.43	Peak
6	16884.00	39.68	15.48	34.83	40.70	61.03	74.00	12.97	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,B1:ck 52,  
 ShenZhen Science & Industry Park  
 Noutou, ShenZhen, GuangDong, China  
 Tel:+86-755-26639495-7  
 Fax:+86-755-26632877  
 Postcode:518057

Data: 14 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 14  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH1 2412MHz

	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission			Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)		
1	4824.00	34.02	9.05	34.49	35.00	43.58	54.00	10.42	Average
2	7236.00	37.39	10.94	34.44	28.47	42.36	54.00	11.64	Average
3	9648.00	38.11	11.86	35.92	28.47	42.52	54.00	11.48	Average
4	12060.00	39.54	13.59	36.38	26.76	43.51	54.00	10.49	Average
5	14472.00	42.27	13.85	35.46	20.95	41.61	54.00	12.39	Average
6	16884.00	39.68	15.48	34.83	25.40	45.73	54.00	8.27	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.6 Ke Feng Road,B1:ck 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 15 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 15  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission				Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4824.00	34.02	9.05	34.49	40.47	49.05	74.00	24.95	Peak
2	7236.00	37.39	10.94	34.44	39.84	53.73	74.00	20.27	Peak
3	9648.00	38.11	11.86	35.92	41.82	55.87	74.00	18.13	Peak
4	12060.00	39.54	13.59	36.38	42.56	59.31	74.00	14.69	Peak
5	14472.00	42.27	13.85	35.46	40.04	60.70	74.00	13.30	Peak
6	16884.00	39.68	15.48	34.83	40.50	60.83	74.00	13.17	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 16 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 16  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH1 2412MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission			Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)		
1	4824.00	34.02	9.05	34.49	36.10	44.68	54.00	9.32	Average
2	7236.00	37.39	10.94	34.44	26.97	40.86	54.00	13.14	Average
3	9648.00	38.11	11.86	35.92	29.46	43.51	54.00	10.49	Average
4	12060.00	39.54	13.59	36.38	27.40	44.15	54.00	9.85	Average
5	14472.00	42.27	13.85	35.46	21.95	42.61	54.00	11.39	Average
6	16884.00	39.68	15.48	34.83	22.89	43.22	54.00	10.78	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 19 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 19  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4884.00	34.16	9.17	34.48	42.12	50.97	74.00	23.03	Peak
2	7326.00	37.52	11.05	34.47	40.95	55.05	74.00	18.95	Peak
3	9768.00	38.01	11.88	36.02	43.14	57.01	74.00	16.99	Peak
4	12210.00	39.47	13.75	36.33	41.24	58.13	74.00	15.87	Peak
5	14652.00	41.83	14.14	35.38	41.19	61.78	74.00	12.22	Peak
6	17094.00	40.55	15.58	34.87	40.54	61.80	74.00	12.20	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 20 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 20  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission			Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)		
1	4884.00	34.16	9.17	34.48	33.31	42.16	54.00	11.84	Average
2	7326.00	37.52	11.05	34.47	29.83	43.93	54.00	10.07	Average
3	9768.00	38.01	11.88	36.02	29.50	43.37	54.00	10.63	Average
4	12210.00	39.47	13.75	36.33	25.92	42.81	54.00	11.19	Average
5	14652.00	41.83	14.14	35.38	21.75	42.34	54.00	11.66	Average
6	17094.00	40.55	15.58	34.87	22.58	43.84	54.00	10.16	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 17 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 17  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH7 2442MHz


No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission		Limits (dBuV/m)	Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)			
1	4884.00	34.16	9.17	34.48	39.75	48.60	74.00	25.40	Peak
2	7326.00	37.52	11.05	34.47	39.72	53.82	74.00	20.18	Peak
3	9768.00	38.01	11.88	36.02	41.57	55.44	74.00	18.56	Peak
4	12210.00	39.47	13.75	36.33	40.81	57.70	74.00	16.30	Peak
5	14652.00	41.83	14.14	35.38	39.71	60.30	74.00	13.70	Peak
6	17094.00	40.55	15.58	34.87	40.03	61.29	74.00	12.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.



No.6 Ke Feng Road,Block 52,  
ShenZhen Science & Industry Park  
Noutou, ShenZhen, GuangDong, China  
Tel:+86-755-26639495-7  
Fax:+86-755-26632877  
Postcode:518057

Data: 18 File: D:\2007 Report\T\TP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 18  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : VERTICAL  
 Limit : FCC PART 15C AV  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH7 2442MHz

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Amp		Emission			Margin (dB)	Remark
			Loss (dB)	Factor (dB)	Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)		
1	4884.00	34.16	9.17	34.48	34.31	43.16	54.00	10.84	Average
2	7326.00	37.52	11.05	34.47	29.33	43.43	54.00	10.57	Average
3	9768.00	38.01	11.88	36.02	27.50	41.37	54.00	12.63	Average
4	12210.00	39.47	13.75	36.33	25.42	42.31	54.00	11.69	Average
5	14652.00	41.83	14.14	35.38	22.75	43.34	54.00	10.66	Average
6	17094.00	40.55	15.58	34.87	23.08	44.34	54.00	9.66	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.





No.6 Ke Feng Road,B1:ck 52,  
 ShenZhen Science & Industry Park  
 Noutou, ShenZhen, GuangDong, China  
 Tel:+86-755-26639495-7  
 Fax:+86-755-26632877  
 Postcode:518057

Data: 21 File: D:\2007 Report\TTP-Link\W8920G\HRE\ACS7Q666.EMI (42)



Site no. : Audix No.1 Chamber Data no. : 21  
 Dis. / Ant. : 3m 3115 FACTOR Ant. pol. : HORIZONTAL  
 Limit : FCC PART 15C PEAK  
 Env. / Ins. : 23°C/54% Engineer : Jamy  
 EUT : 108M Wireless ADSL2+Router M/N:TD-W8920G  
 Power Rating : DC 12V From Adapter 120V/60Hz  
 Test Mode : IEEE 802.11g TX in CH11 2462MHz

	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Amp Factor (dB)	Emission				Remark
					Reading (dBuV)	Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	
1	4934.00	34.29	0.00	34.47	49.28	49.10	74.00	24.90	Peak
2	7401.00	37.66	0.00	34.48	51.58	54.76	74.00	19.24	Peak
3	9868.00	37.93	0.00	36.10	52.98	54.81	74.00	19.19	Peak
4	12335.00	39.41	0.00	36.29	53.11	56.23	74.00	17.77	Peak
5	14802.00	41.36	0.00	35.30	54.65	60.71	74.00	13.29	Peak
6	17269.00	41.96	0.00	34.89	58.03	65.10	74.00	8.90	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss - Amp Factor + Reading.  
 2. The emission levels that are 20dB below the official limit are not reported.