


A.3. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	969.497	-52.3	-27	Pass	9700
1000	5150	0.1	Peak	5132.696	-49.69	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	1.34	24	Pass	2000
5350	10300	0.1	Peak	6935.55	-49.17	-27	Pass	49499
10300	10700	0.1	Peak	10449.437	-50.77	-27	Pass	4000
10700	25000	0.1	Peak	15213.441	-49.72	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	803.98	-52.35	-27	Pass	9700
1000	5150	0.1	Peak	4790.524	-50.77	-27	Pass	41499
5150	5350	0.1	Peak	5218.734	1.27	24	Pass	2000
5350	10300	0.1	Peak	6123.424	-49.31	-27	Pass	49499
10300	10700	0.1	Peak	10588.972	-51.16	-27	Pass	4000
10700	25000	0.1	Peak	15260.643	-49.93	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	606.659	-50.89	-27	Pass	9700
1000	5150	0.1	Peak	4816.63	-50.29	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	1.13	24	Pass	2000
5350	10300	0.1	Peak	6913.149	-49.27	-27	Pass	49499
10300	10700	0.1	Peak	10668.092	-51.33	-27	Pass	4000
10700	25000	0.1	Peak	21720.744	-49.77	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	618.961	-52.19	-27	Pass	9700
1000	5650	1	Peak	5441.955	-39.67	-27	Pass	4650
5650	5700	1	Peak	5650	-40.09	-27	Pass	691
5700	5720	1	Peak	5718.725	-30.4	15.24	Pass	691
5720	5725	1	Peak	5720.413	-30	16.54	Pass	691
5725	5850	1	Peak	5743.116	8.65	30	Pass	691
5850	5855	1	Peak	5854.949	-39.03	15.72	Pass	691
5855	5875	1	Peak	5873.696	-39.47	10.37	Pass	691
5875	5925	1	Peak	5924.493	-39.76	-26.62	Pass	691
5925	25000	1	Peak	6941.053	-38.81	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	946.494	-52.32	-27	Pass	9700
1000	5650	1	Peak	5352.936	-39.65	-27	Pass	4650
5650	5700	1	Peak	5650.362	-39.87	-26.73	Pass	691
5700	5720	1	Peak	5700.609	-39.44	10.17	Pass	691
5720	5725	1	Peak	5720.072	-38.93	15.77	Pass	691
5725	5850	1	Peak	5786.232	8.21	30	Pass	691
5850	5855	1	Peak	5854.986	-38.51	15.63	Pass	691
5855	5875	1	Peak	5872.507	-37.77	10.7	Pass	691
5875	5925	1	Peak	5924.42	-38.79	-26.57	Pass	691
5925	25000	1	Peak	6946.054	-39.21	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	777.877	-51.82	-27	Pass	9700
1000	5650	1	Peak	5184.9	-39	-27	Pass	4650
5650	5700	1	Peak	5650	-41.15	-27	Pass	691
5700	5720	1	Peak	5701.275	-38.75	10.36	Pass	691
5720	5725	1	Peak	5720	-39.59	15.6	Pass	691
5725	5850	1	Peak	5823.732	8.38	30	Pass	691
5850	5855	1	Peak	5853.674	-29.14	18.62	Pass	691
5855	5875	1	Peak	5874.478	-36.95	10.15	Pass	691
5875	5925	1	Peak	5924.928	-39.07	-26.95	Pass	691
5925	25000	1	Peak	6958.054	-39.05	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	366.935	-52.27	-27	Pass	9700
1000	5150	0.1	Peak	5148.9	-49.49	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	1.82	24	Pass	2000
5350	10300	0.1	Peak	6965.55	-49.66	-27	Pass	49499
10300	10700	0.1	Peak	10672.893	-50.56	-27	Pass	4000
10700	25000	0.1	Peak	16875.793	-49.3	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	932.293	-51.98	-27	Pass	9700
1000	5150	0.1	Peak	4467.056	-50.3	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	0.98	24	Pass	2000
5350	10300	0.1	Peak	5864.316	-49.77	-27	Pass	49499
10300	10700	0.1	Peak	10622.781	-51.34	-27	Pass	4000
10700	25000	0.1	Peak	15188.64	-50.06	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	331.531	-51.67	-27	Pass	9700
1000	5150	0.1	Peak	5028.574	-49.51	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	1.42	24	Pass	2000
5350	10300	0.1	Peak	6923.049	-48.86	-27	Pass	49499
10300	10700	0.1	Peak	10325.506	-51.7	-27	Pass	4000
10700	25000	0.1	Peak	21887.15	-49.83	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	947.895	-51.46	-27	Pass	9700
1000	5650	1	Peak	5419.951	-39.49	-27	Pass	4650
5650	5700	1	Peak	5650.072	-40.87	-26.95	Pass	691
5700	5720	1	Peak	5719.333	-30.76	15.41	Pass	691
5720	5725	1	Peak	5723.543	-21.56	23.68	Pass	691
5725	5850	1	Peak	5743.478	8.31	30	Pass	691
5850	5855	1	Peak	5854.949	-38.6	15.72	Pass	691
5855	5875	1	Peak	5874.971	-38.93	10.01	Pass	691
5875	5925	1	Peak	5925	-40.31	-27	Pass	691
5925	25000	1	Peak	16555.557	-38.92	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	846.884	-52.63	-27	Pass	9700
1000	5650	1	Peak	5365.939	-40	-27	Pass	4650
5650	5700	1	Peak	5650.58	-40.03	-26.57	Pass	691
5700	5720	1	Peak	5700.899	-39.08	10.25	Pass	691
5720	5725	1	Peak	5720.232	-38.16	16.13	Pass	691
5725	5850	1	Peak	5784.239	8.41	30	Pass	691
5850	5855	1	Peak	5855	-38.62	15.6	Pass	691
5855	5875	1	Peak	5873.087	-38.25	10.54	Pass	691
5875	5925	1	Peak	5924.783	-39.67	-26.84	Pass	691
5925	25000	1	Peak	6934.053	-38.48	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	973.097	-51.89	-27	Pass	9700
1000	5650	1	Peak	5375.941	-39.45	-27	Pass	4650
5650	5700	1	Peak	5650	-39.77	-27	Pass	691
5700	5720	1	Peak	5701.043	-38.63	10.29	Pass	691
5720	5725	1	Peak	5720.203	-38.9	16.06	Pass	691
5725	5850	1	Peak	5826.449	8.51	30	Pass	691
5850	5855	1	Peak	5853.906	-32.84	18.09	Pass	691
5855	5875	1	Peak	5873.812	-37.46	10.33	Pass	691
5875	5925	1	Peak	5924.928	-39.93	-26.95	Pass	691
5925	25000	1	Peak	6957.054	-38.44	-27	Pass	19075



13. 802.11n_40M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	974.397	-51.55	-27	Pass	9700
1000	5150	0.1	Peak	5149.1	-45.49	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-2.39	24	Pass	2000
5350	10300	0.1	Peak	6903.149	-49.65	-27	Pass	49499
10300	10700	0.1	Peak	10439.835	-51.13	-27	Pass	4000
10700	25000	0.1	Peak	16880.893	-49.81	-27	Pass	142999



14. 802.11n_40M_Band1_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	916.891	-51.43	-27	Pass	9700
1000	5150	0.1	Peak	4812.429	-50.57	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-2.94	24	Pass	2000
5350	10300	0.1	Peak	6944.65	-49.29	-27	Pass	49499
10300	10700	0.1	Peak	10522.256	-50.96	-27	Pass	4000
10700	25000	0.1	Peak	16323.276	-49.02	-27	Pass	142999



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	839.583	-52.18	-27	Pass	9700
1000	5650	1	Peak	5342.934	-39.43	-27	Pass	4650
5650	5700	1	Peak	5650.87	-39.95	-26.36	Pass	691
5700	5720	1	Peak	5719.739	-22.68	15.53	Pass	691
5720	5725	1	Peak	5720.014	-22.53	15.63	Pass	691
5725	5850	1	Peak	5760.688	4.82	30	Pass	691
5850	5855	1	Peak	5854.732	-38.66	16.21	Pass	691
5855	5875	1	Peak	5874.681	-38.95	10.09	Pass	691
5875	5925	1	Peak	5925	-40.14	-27	Pass	691
5925	25000	1	Peak	6959.054	-38.26	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	772.977	-52.49	-27	Pass	9700
1000	5650	1	Peak	5293.923	-39.44	-27	Pass	4650
5650	5700	1	Peak	5650.217	-39.92	-26.84	Pass	691
5700	5720	1	Peak	5701.159	-38.89	10.32	Pass	691
5720	5725	1	Peak	5720.036	-38.97	15.68	Pass	691
5725	5850	1	Peak	5792.391	4.46	30	Pass	691
5850	5855	1	Peak	5855	-37.39	15.6	Pass	691
5855	5875	1	Peak	5872.623	-38.45	10.67	Pass	691
5875	5925	1	Peak	5924.638	-39.64	-26.73	Pass	691
5925	25000	1	Peak	6936.053	-38.55	-27	Pass	19075



END