


A.3. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	722.171	-51.88	-27	Pass	9700
1000	5150	0.1	Peak	5109.992	-49.4	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	1.41	24	Pass	2000
5350	10300	0.1	Peak	6924.949	-49.81	-27	Pass	49499
10300	10700	0.1	Peak	10697.599	-51.17	-27	Pass	4000
10700	25000	0.1	Peak	15541.251	-49.71	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	989.599	-51.79	-27	Pass	9700
1000	5150	0.1	Peak	5146.099	-50.28	-27	Pass	41499
5150	5350	0.1	Peak	5218.734	0.72	24	Pass	2000
5350	10300	0.1	Peak	6926.649	-49.99	-27	Pass	49499
10300	10700	0.1	Peak	10597.974	-51.72	-27	Pass	4000
10700	25000	0.1	Peak	16486.681	-49.7	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	802.18	-52.44	-27	Pass	9700
1000	5150	0.1	Peak	4896.647	-50.76	-27	Pass	41499
5150	5350	0.1	Peak	5241.246	0.83	24	Pass	2000
5350	10300	0.1	Peak	6958.75	-48.82	-27	Pass	49499
10300	10700	0.1	Peak	10607.077	-51.33	-27	Pass	4000
10700	25000	0.1	Peak	15724.957	-50.5	-27	Pass	142999



4. 802.11a_20M_Band4_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	661.565	-51.76	-27	Pass	9700
1000	5650	1	Peak	4740.804	-39.83	-27	Pass	4650
5650	5700	1	Peak	5650.072	-40.38	-26.95	Pass	691
5700	5720	1	Peak	5700.232	-37.89	10.06	Pass	691
5720	5725	1	Peak	5724.196	-21.74	25.17	Pass	691
5725	5850	1	Peak	5746.739	8.98	30	Pass	691
5850	5855	1	Peak	5855	-39.51	15.6	Pass	691
5855	5875	1	Peak	5874.536	-39.32	10.13	Pass	691
5875	5925	1	Peak	5924.13	-39.02	-26.36	Pass	691
5925	25000	1	Peak	6928.053	-38.41	-27	Pass	19075



5. 802.11a_20M_Band4_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	968.197	-52.26	-27	Pass	9700
1000	5650	1	Peak	4665.788	-40.09	-27	Pass	4650
5650	5700	1	Peak	5650.362	-40.37	-26.73	Pass	691
5700	5720	1	Peak	5703.681	-38.88	11.03	Pass	691
5720	5725	1	Peak	5720	-38.53	15.6	Pass	691
5725	5850	1	Peak	5782.065	8.84	30	Pass	691
5850	5855	1	Peak	5854.348	-37.12	17.09	Pass	691
5855	5875	1	Peak	5874.913	-39.34	10.02	Pass	691
5875	5925	1	Peak	5923.913	-39.4	-26.2	Pass	691
5925	25000	1	Peak	6990.056	-38.52	-27	Pass	19075



6. 802.11a_20M_Band4_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	866.186	-52.65	-27	Pass	9700
1000	5650	1	Peak	5095.881	-39.48	-27	Pass	4650
5650	5700	1	Peak	5650.435	-40.72	-26.68	Pass	691
5700	5720	1	Peak	5700.145	-39.54	10.04	Pass	691
5720	5725	1	Peak	5720.029	-39.38	15.67	Pass	691
5725	5850	1	Peak	5824.819	9.44	30	Pass	691
5850	5855	1	Peak	5854.304	-34.67	17.19	Pass	691
5855	5875	1	Peak	5873.609	-37.36	10.39	Pass	691
5875	5925	1	Peak	5925	-39.7	-27	Pass	691
5925	25000	1	Peak	24465.972	-39.11	-27	Pass	19075



7. 802.11n_20M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	673.966	-52.85	-27	Pass	9700
1000	5150	0.1	Peak	5124.395	-50.42	-27	Pass	41499
5150	5350	0.1	Peak	5178.714	0.64	24	Pass	2000
5350	10300	0.1	Peak	6905.849	-49.94	-27	Pass	49499
10300	10700	0.1	Peak	10627.082	-51.64	-27	Pass	4000
10700	25000	0.1	Peak	16331.276	-50.22	-27	Pass	142999



8. 802.11n_20M_Band1_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	551.554	-52.61	-27	Pass	9700
1000	5150	0.1	Peak	5053.08	-49.8	-27	Pass	41499
5150	5350	0.1	Peak	5221.236	0.82	24	Pass	2000
5350	10300	0.1	Peak	6940.65	-49.73	-27	Pass	49499
10300	10700	0.1	Peak	10593.073	-51.51	-27	Pass	4000
10700	25000	0.1	Peak	15872.262	-49.61	-27	Pass	142999



9. 802.11n_20M_Band1_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	884.488	-52.51	-27	Pass	9700
1000	5150	0.1	Peak	5063.882	-50.35	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	0.84	24	Pass	2000
5350	10300	0.1	Peak	5375.201	-49.8	-27	Pass	49499
10300	10700	0.1	Peak	10584.171	-51.28	-27	Pass	4000
10700	25000	0.1	Peak	24141.385	-50.3	-27	Pass	142999



10. 802.11n_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	924.492	-52.2	-27	Pass	9700
1000	5650	1	Peak	5357.937	-40.11	-27	Pass	4650
5650	5700	1	Peak	5651.304	-40.37	-26.03	Pass	691
5700	5720	1	Peak	5700.319	-38.63	10.09	Pass	691
5720	5725	1	Peak	5721.725	-26.84	19.53	Pass	691
5725	5850	1	Peak	5744.928	8.68	30	Pass	691
5850	5855	1	Peak	5854.493	-38.37	16.76	Pass	691
5855	5875	1	Peak	5874.42	-39.29	10.16	Pass	691
5875	5925	1	Peak	5924.638	-40.6	-26.73	Pass	691
5925	25000	1	Peak	16327.545	-38.5	-27	Pass	19075



11. 802.11n_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	959.896	-52.48	-27	Pass	9700
1000	5650	1	Peak	5442.955	-39.83	-27	Pass	4650
5650	5700	1	Peak	5650.217	-40.41	-26.84	Pass	691
5700	5720	1	Peak	5702.145	-39	10.6	Pass	691
5720	5725	1	Peak	5720	-38.38	15.6	Pass	691
5725	5850	1	Peak	5784.058	9.14	30	Pass	691
5850	5855	1	Peak	5854.841	-37.84	15.96	Pass	691
5855	5875	1	Peak	5871.435	-37.58	11	Pass	691
5875	5925	1	Peak	5924.638	-39.5	-26.73	Pass	691
5925	25000	1	Peak	6959.054	-38.31	-27	Pass	19075



12. 802.11n_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	651.164	-52.46	-27	Pass	9700
1000	5650	1	Peak	5430.953	-40.24	-27	Pass	4650
5650	5700	1	Peak	5650.072	-41.36	-26.95	Pass	691
5700	5720	1	Peak	5700.232	-38.74	10.06	Pass	691
5720	5725	1	Peak	5720.08	-39.34	15.78	Pass	691
5725	5850	1	Peak	5826.63	8.44	30	Pass	691
5850	5855	1	Peak	5854.688	-37.16	16.31	Pass	691
5855	5875	1	Peak	5875	-38.47	10	Pass	691
5875	5925	1	Peak	5924.783	-39.63	-26.84	Pass	691
5925	25000	1	Peak	15815.519	-38.79	-27	Pass	19075



13. 802.11n_40M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	177.015	-51.83	-27	Pass	9700
1000	5150	0.1	Peak	5148.7	-41.76	-27	Pass	41499
5150	5350	0.1	Peak	5187.419	-2.46	24	Pass	2000
5350	10300	0.1	Peak	6176.026	-49.26	-27	Pass	49499
10300	10700	0.1	Peak	10617.679	-51.94	-27	Pass	4000
10700	25000	0.1	Peak	24730.864	-50.14	-27	Pass	142999



14. 802.11n_40M_Band1_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	457.244	-52.3	-27	Pass	9700
1000	5150	0.1	Peak	5037.876	-50.68	-27	Pass	41499
5150	5350	0.1	Peak	5227.439	-3.11	24	Pass	2000
5350	10300	0.1	Peak	6958.65	-49.03	-27	Pass	49499
10300	10700	0.1	Peak	10359.715	-51.15	-27	Pass	4000
10700	25000	0.1	Peak	15837.261	-49.4	-27	Pass	142999



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	182.316	-51.75	-27	Pass	9700
1000	5650	1	Peak	5504.969	-39.28	-27	Pass	4650
5650	5700	1	Peak	5650.217	-40.34	-26.84	Pass	691
5700	5720	1	Peak	5718.145	-24.62	15.08	Pass	691
5720	5725	1	Peak	5720	-24.21	15.6	Pass	691
5725	5850	1	Peak	5757.971	4.8	30	Pass	691
5850	5855	1	Peak	5854.978	-39.16	15.65	Pass	691
5855	5875	1	Peak	5874.913	-39.62	10.02	Pass	691
5875	5925	1	Peak	5924.565	-39.92	-26.68	Pass	691
5925	25000	1	Peak	15878.522	-38.91	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	882.088	-52.99	-27	Pass	9700
1000	5650	1	Peak	4992.859	-39.72	-27	Pass	4650
5650	5700	1	Peak	5650	-40.81	-27	Pass	691
5700	5720	1	Peak	5701.101	-39.9	10.31	Pass	691
5720	5725	1	Peak	5720.043	-38.85	15.7	Pass	691
5725	5850	1	Peak	5801.268	4.98	30	Pass	691
5850	5855	1	Peak	5854.71	-38.05	16.26	Pass	691
5855	5875	1	Peak	5874.507	-38.8	10.14	Pass	691
5875	5925	1	Peak	5923.913	-39.19	-26.2	Pass	691
5925	25000	1	Peak	15884.522	-38.92	-27	Pass	19075



END