Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.11	0.24	10.35	30.00	Complies
157	5785	9.37	0.24	9.61	30.00	Complies
165	5825	8.17	0.24	8.41	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.38	0.24	9.62	30.00	Complies
157	5785	8.99	0.24	9.23	30.00	Complies
165	5825	8.65	0.24	8.89	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.01	30.00	Complies
157	5785	12.43	30.00	Complies
165	5825	11.66	30.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.06	0.16	7.22	30.00	Complies
159	5795	5.94	0.16	6.10	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.24	0.16	6.40	30.00	Complies
159	5795	6.42	0.16	6.58	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.84	30.00	Complies
159	5795	9.35	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.15	0.20	4.35	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.66	0.20	3.86	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.12	30.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.58	0.17	9.75	30.00	Complies
157	5785	9.38	0.17	9.55	30.00	Complies
165	5825	8.51	0.17	8.68	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.16	0.17	9.33	30.00	Complies
157	5785	9.53	0.17	9.70	30.00	Complies
165	5825	8.52	0.17	8.69	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX (HEW20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.56	30.00	Complies
157	5785	12.64	30.00	Complies
165	5825	11.70	30.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.32	0.21	6.53	30.00	Complies
159	5795	6.00	0.21	6.21	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.28	0.21	6.49	30.00	Complies
159	5795	6.15	0.21	6.36	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AX (HEW40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.52	30.00	Complies
159	5795	9.30	30.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.94	0.19	4.13	30.00	Complies

CH155



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.66	0.19	3.85	30.00	Complies

CH155



Test Mode	UNII-3_TX AX (HEW80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.00	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9350
120	5744.9400
102	5744.9350
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3120

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9400
10	5744.9400
20	5744.9550
30	5744.9350
40	5744.9400
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3120

End of Test Report