


廠內自印 PRODUCT LABEL

P/N 5412841000-R




NOTES:

1. **BLANK LABEL P/N : 5412840000-R** (BLANK,23*6mm,POLYESTER SILVER)
2. PRINT COLOR : BLACK
3. HARDWARE NUMBER TEXT BY JOB ORDER.
4. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
 - R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION,AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. TONY CHANG	DATE 2020.12.25	TOLERANCES UNLESS OTHERWISE SPECIFIED			SCALE	UNIT	PROJ.
						DSN. TONY CHANG	DATE 2020.12.25	.X ± 0.5 .XX ± 0.25 .XXX ± 0.15 .XXX ± 0.05	TITLE		MODEL NO.	2 : 1	mm
1	2020.12.25	N/A	NEW DRAWING	TONY CHANG	ARTHUR CHEN	CHKD. ARTHUR CHEN	DATE 2020.12.25	ANGLES ± 1/4°	UIC LABEL,RoHS PRODUCT,23*6mm,POLYESTER SILVER	UIC680VG			
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. ARTHUR CHEN	DATE 2020.12.25	<input type="checkbox"/> REMOVE ALL SHARP EDGE & BURS	MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG.NO 5412841000-R	SHEET 1/1	

廠內自印 S/N LABEL

P/N 5412842000-R



A 請依生產工單上產品型號規格，並依下列所定義的序號對應內容印製(共十二碼)。
 例：XXXYYMMXXXXX
 流水號 每個月產品流水號從00001開始
 月份
 西元
 產品代碼，如MFC243代碼為296


NOTES:

1. BLANK LABEL P/N : 5412840000-R (BLANK,23*6mm,POLYESTER SILVER)
2. PRINT COLOR : BLACK
3. SERIAL NUMBER WITH BARCODE 128 BELOW, INPUT PER TABELA.
4. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
 - R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION,AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. TONY CHANG	DATE 2020.12.07	TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE	UNIT	PROJ.
						DSN. TONY CHANG	DATE 2020.12.07	.X ± 0.5 .XX ± 0.25 .XXX ± 0.15 .XXXX ± 0.05 ANGLES ± 1/4°		2 : 1	mm	
A	2021.10.28		NEW DRAWING	CI WU	Dennis Liao	CHKD. ARTHUR CHEN	DATE 2020.12.07	<input type="checkbox"/> REMOVE ALL SHARP EDGE & BURS	TITLE UIC LABEL,RoHS S/N,23*6mm,POLYESTER SILVER	MODEL NO. UIC680VG		
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. ARTHUR CHEN	DATE 2020.12.07		MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG.NO 5412842000-R	SHEET 1/1

廠內自印 PRODUCT LABEL

P/N 5412851000-R



A 請依生產工單上產品型號規格，並依下列所定義的序號對應內容印製(共十二碼)。

例：XXXYYMMXXXXX

- 流水號(每個月產品流水號從00001開始)
- 月份(例01~12)
- 西元年後二碼(例2020即為20)
- 產品代碼(例UIC680VG代碼為295)

NOTES:

1. BLANK LABEL P/N : 5412492000-R (BLANK,44.5*19.5mm,POLYESTER SILVER)
2. PRINT COLOR : BLACK
3. HARDWARE NUMBER TEXT BY JOB ORDER.
4. P/N TEXT BY JOB ORDER.
5. SERIAL NUMBER WITH BARCODE 128 BELOW, INPUT PER TABLE A.
6. THE LAST CODE OF PART NUMBER (-R,-C,-H,-E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
 - R: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT & NO EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S RoHS LIMIT WITH RoHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	DRN. CI WU	DATE	TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE	UNIT	PROJ.
						DRN. CI WU	DATE			NONE	mm	
						DSN. CI WU	DATE	.X ± 0.5 .XX ± 0.25 .XXX ± 0.15 .XXXX ± 0.05 ANGLES ± 1/4°	TITLE	UIC LABEL, RoHS		
1	2021.09.27	N/A	NEW DRAWING	CI WU	DENNIS LIAO	CHKD. DENNIS LIAO	DATE	REMOVE ALL SHARP EDGE & BURS	PRODUCT, 44.5*19.5mm,POLYESTER SILVER	MODEL NO. UIC680VG		
						APPD. DENNIS LIAO	DATE		MATERIAL: SEE NOTES	FINISH: SEE NOTES	DWG NO. 5412851000-R	SHEET 1/1

