


A | B | C | D | E | F | G | H | I | J

P/N 5412526000-R



- NOTES:
1. SURFACE: 50u POLYESTER WHITE FILM, t=0.05±0.005mm.
 2. ADHESIVE: ACRYLIC, t=0.026±0.002mm, TEMP: 5~100°C, SOLVENT RESISTANCE GOOD.
 3. LINER: GLASSINE RELEASE PAPER, t=0.068±0.006mm.
 4. USE P/N: 6360005000 COLOR RIBBON, W=170mm.
- 4.THE LAST CODE OF PART NUMBER (-R, -C, -H, -E) DEFINES THE GRADE THAT THE PART MAT'L MUST MEET. PLEASE REFER UIC STANDARD UIC00039_B FOR THE DETAILED DEFINITION OF GRADES.
- R: ALL THE MATERIAL MUST MEET UIC'S ROHS LIMIT & NO EXEMPTION.
 - C: ALL THE MATERIAL MUST MEET UIC'S ROHS LIMIT WITH ROHS EXEMPTION.
 - H: ALL THE MATERIAL MUST MEET UIC'S ROHS LIMIT & NO EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.
 - E: ALL THE MATERIAL MUST MEET UIC'S ROHS LIMIT WITH ROHS EXEMPTION, AND CAN MEET UIC'S NON-HALIDE LIMIT.

						DRN. Jay Zhong	DATE 2012/10/09	TOLERANCES UNLESS OTHERWISE SPECIFIED	UNIFORM INDUSTRIAL CORP. TITLE LABEL,UIC680TG,ROHS FCC TFJ680CLB, 31*22mm,POLYESTER WHITE	SCALE	UNIT	PROJ.
						DSN. Jay Zhong	DATE 2012/10/09	X. ± 0.3 .X ± 0.2 .XX ± 0.1 .XXX ± 0.05 ANGLES ± 1/4°		mm		
						CHKD. Arthur Chen	DATE 2012/10/09	<input type="checkbox"/> REMOVE ALL SHARP EDGE & BURS		MODEL NO. UIC-680TG		
REV.	DATE	ECO NO.	DESCRIPTION	DRAW BY	APPR. BY	APPD. Arthur Chen	DATE 2012/10/09	MATERIAL:	FINISH:	DWGNO 5412526000-R	SHEET	