



**Federal Communications Commission
Equipment Authorization Division
7435 Oakland Mills Road
Columbia, MD 21048**

Date: September 16, 2021

Subject: Request for **Short Term Confidentiality**

FCC-ID: TH01141623

To Whom It May Concern:

In accordance with §0.457(d) and §0.459 of CFR 47, **Respironics, Inc.** hereby requests short term confidentiality for documents filed under the following exhibit types:

1. External Photographs
2. Internal Photographs
3. User / Instruction Manual
4. Test Set-up Photographs

until the product will be publicly announced.

Short term confidentiality release date / period: 180 days

These items contain detailed system and equipment description and related information about the product which **Respironics, Inc.** considers to be proprietary, confidential and a custom design which otherwise would not be released to the general public. Since this design is a basis from which future technological products will evolve, **Respironics, Inc.** also feels that this information would be of benefit to its competitors, and that the disclosure of the information in these exhibits would give our competitors an unfair advantage in the market.

We are informed and aware of our obligation that we have to inform the involved TCB in written and in due time if we intend to market the product prior to the above specified confidentiality release date so that the short-term confidentiality classification can be reset prior to product launch.

We are aware that exhibit types *cover letters, attestations, label document, test reports, RF exposure information (SAR and MPE reports)*, cannot be requested to be classified confidential and are thus subject to publication, as will be documents of all other exhibits types for which we have not requested a confidentiality classification.

Best Regards,

Signature

Name: Zachary Splain
Title: Sr. Electrical Engineer
Company Name: Philips Respironics
Address: 6501 Living Place, Pittsburgh PA 15206, USA



Philips Respironics
6501 Living Place, Pittsburgh PA 15206