


Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4804.010	45.41	6.39	51.80	54.00	-2.20	AVG	
2		4804.395	55.95	6.39	62.34	74.00	-11.66	peak	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz_CH39_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2440.850	65.83	33.51	99.34	74.00	25.34	peak	
2	*	2441.000	55.86	33.51	89.37	54.00	35.37	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4881.956	54.78	6.57	61.35	74.00	-12.65	peak	
2	*	4882.012	44.58	6.57	51.15	54.00	-2.85	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2440.850	65.80	33.51	99.31	74.00	25.31	peak	
2	*	2441.050	55.82	33.51	89.33	54.00	35.33	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4882.098	55.03	6.57	61.60	74.00	-12.40	peak	
2 *	4882.113	44.99	6.57	51.56	54.00	-2.44	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz_CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.900	63.20	33.61	96.81	74.00	22.81	peak	
2	*	2480.050	53.33	33.61	86.94	54.00	32.94	AVG	
3		2483.500	24.28	33.62	57.90	74.00	-16.10	peak	
4		2483.500	14.19	33.62	47.81	54.00	-6.19	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4959.867	42.81	6.74	49.55	54.00	-4.45	AVG	
2		4960.002	52.69	6.74	59.43	74.00	-14.57	peak	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz_CH78_1Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.850	63.32	33.61	96.93	74.00	22.93	peak	
2	*	2480.000	53.45	33.61	87.06	54.00	33.06	AVG	
3		2483.500	24.61	33.62	58.23	74.00	-15.77	peak	
4		2483.500	14.21	33.62	47.83	54.00	-6.17	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4959.876	52.39	6.74	59.13	74.00	-14.87	peak	
2 *	4960.127	43.85	6.74	50.59	54.00	-3.41	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	22.83	33.38	56.21	74.00	-17.79	peak	
2		2390.000	13.71	33.38	47.09	54.00	-6.91	AVG	
3	*	2402.050	53.32	33.41	86.73	54.00	32.73	AVG	
4	X	2402.200	64.46	33.41	97.87	74.00	23.87	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4804.140	43.56	6.39	49.95	54.00	-4.05	AVG	
2		4804.230	53.87	6.39	60.26	74.00	-13.74	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	23.51	33.38	56.89	74.00	-17.11	peak	
2		2390.000	13.70	33.38	47.08	54.00	-6.92	AVG	
3	*	2402.050	53.52	33.41	86.93	54.00	32.93	AVG	
4	X	2402.200	64.68	33.41	98.09	74.00	24.09	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4803.974	44.67	6.39	51.06	54.00	-2.94	AVG	
2		4804.275	55.13	6.39	61.52	74.00	-12.48	peak	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz_CH39_3Mbps


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2441.050	53.28	33.51	86.79	54.00	32.79	AVG	
2	X	2441.200	64.32	33.51	97.83	74.00	23.83	peak	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_3Mbps

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4881.863	43.94	6.57	50.51	54.00	-3.49	AVG	
2		4881.962	54.53	6.57	61.10	74.00	-12.90	peak	