


Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_1Mbps


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4803.982	55.24	6.39	61.63	74.00	-12.37	peak	
2 *	4804.235	45.32	6.39	51.71	54.00	-2.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2441.050	64.78	33.51	98.29	74.00	24.29	peak	
2	*	2441.050	54.84	33.51	88.35	54.00	34.35	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4881.764	44.14	6.57	50.71	54.00	-3.29	AVG	
2		4882.247	54.27	6.57	60.84	74.00	-13.16	peak	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2441.050	64.91	33.51	98.42	74.00	24.42	peak	
2	*	2441.050	54.95	33.51	88.46	54.00	34.46	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2441MHz _CH39_1Mbps


### Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4882.145	55.24	6.57	61.81	74.00	-12.19	peak	
2 *	4882.242	44.47	6.57	51.04	54.00	-2.96	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2479.900	62.61	33.61	96.22	74.00	22.22	peak	
2	*	2480.050	52.76	33.61	86.37	54.00	32.37	AVG	
3		2483.500	24.30	33.62	57.92	74.00	-16.08	peak	
4		2483.500	14.19	33.62	47.81	54.00	-6.19	AVG	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4959.952	43.05	6.74	49.79	54.00	-4.21	AVG	
2		4960.146	52.37	6.74	59.11	74.00	-14.89	peak	

Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps

### Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2480.000	62.21	33.61	95.82	74.00	21.82	peak	
2	*	2480.050	52.31	33.61	85.92	54.00	31.92	AVG	
3		2483.500	24.51	33.62	58.13	74.00	-15.87	peak	
4		2483.500	14.16	33.62	47.78	54.00	-6.22	AVG	



Orthogonal Axis :	X
Test Mode :	TX 2480MHz _CH78_1Mbps


### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4960.014	43.96	6.74	50.70	54.00	-3.30	AVG	
2		4960.208	52.78	6.74	59.52	74.00	-14.48	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz_CH00_3Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	23.94	33.38	57.32	74.00	-16.68	peak	
2		2390.000	13.70	33.38	47.08	54.00	-6.92	AVG	
3	*	2402.050	52.21	33.41	85.62	54.00	31.62	AVG	
4	X	2402.200	63.36	33.41	96.77	74.00	22.77	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps


### Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4803.862	43.85	6.39	50.24	54.00	-3.76	AVG	
2		4803.954	53.14	6.39	59.53	74.00	-14.47	peak	

Orthogonal Axis :	X
Test Mode :	TX 2402MHz _CH00_3Mbps

### Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	24.04	33.38	57.42	74.00	-16.58	peak	
2		2390.000	13.70	33.38	47.08	54.00	-6.92	AVG	
3	*	2402.050	52.46	33.41	85.87	54.00	31.87	AVG	
4	X	2402.200	63.58	33.41	96.99	74.00	22.99	peak	