

Site: AC2	Time: 2016/08/23 - 15:08
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2454.952	97.811	65.603	N/A	N/A	32.208	AV
2			2483.500	50.987	18.706	-3.013	54.000	32.282	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:34
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.968	66.181	33.903	-7.819	74.000	32.278	PK
2			2390.000	64.961	32.683	-9.039	74.000	32.278	PK
3		*	2406.880	103.549	71.291	N/A	N/A	32.257	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:37
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	47.198	14.920	-6.802	54.000	32.278	AV
2		*	2407.664	90.051	57.796	N/A	N/A	32.255	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:31
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.912	73.317	41.039	-0.683	74.000	32.278	PK
2			2390.000	70.381	38.103	-3.619	74.000	32.278	PK
3		*	2409.792	110.807	78.559	N/A	N/A	32.248	PK

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:33
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	50.130	17.852	-3.870	54.000	32.278	AV
2		*	2408.504	96.944	64.692	N/A	N/A	32.252	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:50
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.384	101.674	69.433	N/A	N/A	32.241	PK
2			2483.500	60.929	28.648	-13.071	74.000	32.282	PK
3			2484.016	65.337	33.054	-8.663	74.000	32.283	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:53
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2468.320	88.809	56.562	N/A	N/A	32.247	AV
2			2483.500	47.149	14.868	-6.851	54.000	32.282	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:46
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2467.768	110.219	77.973	N/A	N/A	32.246	PK
2			2483.500	70.814	38.533	-3.186	74.000	32.282	PK
3			2483.728	72.963	40.681	-1.037	74.000	32.282	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 15:50
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2469.448	96.294	64.045	N/A	N/A	32.249	AV
2			2483.500	51.445	19.164	-2.555	54.000	32.282	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:08
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.662	67.933	35.657	-6.067	74.000	32.277	PK
2			2390.000	66.545	34.267	-7.455	74.000	32.278	PK
3		*	2434.674	100.861	68.689	N/A	N/A	32.172	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:10
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	49.567	17.289	-4.433	54.000	32.278	AV
2		*	2434.938	87.346	55.175	N/A	N/A	32.171	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:02
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.992	72.740	40.462	-1.260	74.000	32.278	PK
2			2390.000	72.658	40.380	-1.342	74.000	32.278	PK
3		*	2412.960	107.184	74.948	N/A	N/A	32.236	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:05
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	53.867	21.589	-0.133	54.000	32.278	AV
2		*	2435.796	94.090	61.919	N/A	N/A	32.171	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:23
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2466.578	97.918	65.674	N/A	N/A	32.244	PK
2			2483.500	64.450	32.169	-9.550	74.000	32.282	PK
3			2483.748	65.471	33.189	-8.529	74.000	32.282	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:26
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2459.676	84.265	52.037	N/A	N/A	32.228	AV
2			2483.500	48.331	16.050	-5.669	54.000	32.282	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:18
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2443.186	105.881	73.712	N/A	N/A	32.169	PK
2			2483.500	71.234	38.953	-2.766	74.000	32.282	PK
3			2484.394	71.906	39.622	-2.094	74.000	32.284	PK

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: AC2	Time: 2016/08/23 - 16:19
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2455.324	91.591	59.381	N/A	N/A	32.209	AV
2			2483.500	53.469	21.188	-0.531	54.000	32.282	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m).


Panel Antenna

Site: AC2	Time: 2016/08/25 - 20:27
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2385.992	63.562	31.306	-10.438	74.000	32.256	PK
2			2390.000	62.397	30.119	-11.603	74.000	32.278	PK
3		*	2413.264	108.327	76.093	N/A	N/A	32.235	PK

Site: AC2	Time: 2016/08/26 - 09:38
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2385.712	51.522	19.268	-2.478	54.000	32.254	AV
2			2390.000	50.149	17.871	-3.851	54.000	32.278	AV
3		*	2409.232	104.435	72.185	N/A	N/A	32.250	AV

Site: AC2	Time: 2016/08/26 - 09:39
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2386.888	61.100	28.839	-12.900	74.000	32.261	PK
2			2390.000	59.738	27.460	-14.262	74.000	32.278	PK
3		*	2413.320	100.506	68.272	N/A	N/A	32.234	PK

Site: AC2	Time: 2016/08/26 - 09:42
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2386.104	47.819	15.563	-6.181	54.000	32.256	AV
2			2390.000	47.161	14.883	-6.839	54.000	32.278	AV
3		*	2411.248	96.296	64.053	N/A	N/A	32.243	AV

Site: AC2	Time: 2016/08/26 - 09:43
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2460.784	108.365	76.132	N/A	N/A	32.233	PK
2			2483.500	61.183	28.902	-12.817	74.000	32.282	PK
3			2487.544	64.282	31.987	-9.718	74.000	32.295	PK

Site: AC2	Time: 2016/08/26 - 09:45
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.696	104.796	72.555	N/A	N/A	32.242	AV
2			2483.500	49.261	16.980	-4.739	54.000	32.282	AV
3			2487.856	53.750	21.454	-0.250	54.000	32.296	AV

Site: AC2	Time: 2016/08/26 - 09:47
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2460.784	98.427	66.194	N/A	N/A	32.233	PK
2			2483.500	59.446	27.165	-14.554	74.000	32.282	PK
3			2497.648	63.686	31.367	-10.314	74.000	32.319	PK

Site: AC2	Time: 2016/08/26 - 09:51
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2461.312	94.854	62.619	N/A	N/A	32.235	AV
2			2483.500	46.675	14.394	-7.325	54.000	32.282	AV
3			2488.744	48.118	15.819	-5.882	54.000	32.299	AV

Site: AC2	Time: 2016/08/26 - 09:53
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.856	70.901	38.624	-3.099	74.000	32.277	PK
2			2390.000	69.514	37.236	-4.486	74.000	32.278	PK
3		*	2405.312	108.423	76.160	N/A	N/A	32.262	PK

Site: AC2	Time: 2016/08/26 - 10:00
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	51.192	18.914	-2.808	54.000	32.278	AV
2		*	2415.896	96.574	64.350	N/A	N/A	32.224	AV

Site: AC2	Time: 2016/08/26 - 10:01
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.800	64.638	32.361	-9.362	74.000	32.277	PK
2			2390.000	63.037	30.759	-10.963	74.000	32.278	PK
3		*	2407.440	100.461	68.205	N/A	N/A	32.256	PK

Site: AC2	Time: 2016/08/26 - 10:03
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	47.508	15.230	-6.492	54.000	32.278	AV
2		*	2404.584	88.797	56.532	N/A	N/A	32.265	AV

Site: AC2	Time: 2016/08/26 - 10:04
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.624	108.961	76.720	N/A	N/A	32.241	PK
2			2483.500	71.024	38.743	-2.976	74.000	32.282	PK
3			2483.944	73.569	41.286	-0.431	74.000	32.282	PK

Site: AC2	Time: 2016/08/26 - 10:12
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2469.472	96.597	64.348	N/A	N/A	32.249	AV
2			2483.500	51.323	19.042	-2.677	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 10:12
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.720	97.900	65.659	N/A	N/A	32.242	PK
2			2483.500	62.610	30.329	-11.390	74.000	32.282	PK
3			2484.400	64.073	31.789	-9.927	74.000	32.284	PK

Site: AC2	Time: 2016/08/26 - 10:16
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2459.344	86.361	54.134	N/A	N/A	32.227	AV
2			2483.500	47.327	15.046	-6.673	54.000	32.282	AV
3			2489.512	47.540	15.238	-6.460	54.000	32.301	AV

Site: AC2	Time: 2016/08/26 - 10:18
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2386.384	63.485	31.227	-10.515	74.000	32.258	PK
2			2390.000	62.148	29.870	-11.852	74.000	32.278	PK
3		*	2413.432	107.126	74.892	N/A	N/A	32.234	PK

Site: AC2	Time: 2016/08/26 - 10:24
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2386.048	52.561	20.305	-1.439	54.000	32.256	AV
2			2390.000	50.047	17.769	-3.953	54.000	32.278	AV
3		*	2411.248	103.353	71.110	N/A	N/A	32.243	AV

Site: AC2	Time: 2016/08/26 - 10:25
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2326.296	61.407	29.028	-12.593	74.000	32.379	PK
2			2390.000	59.870	27.592	-14.130	74.000	32.278	PK
3		*	2413.432	96.484	64.250	N/A	N/A	32.234	PK

Site: AC2	Time: 2016/08/26 - 10:28
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2386.384	47.341	15.083	-6.659	54.000	32.258	AV
2			2390.000	46.950	14.672	-7.050	54.000	32.278	AV
3		*	2414.664	92.855	60.626	N/A	N/A	32.229	AV

Site: AC2	Time: 2016/08/26 - 10:29
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2463.304	107.744	75.505	N/A	N/A	32.240	PK
2			2483.500	63.341	31.060	-10.659	74.000	32.282	PK
3			2487.952	64.876	32.579	-9.124	74.000	32.297	PK

Site: AC2	Time: 2016/08/26 - 10:36
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.120	104.350	72.110	N/A	N/A	32.241	AV
2			2483.500	51.223	18.942	-2.777	54.000	32.282	AV
3			2487.736	53.540	21.244	-0.460	54.000	32.296	AV

Site: AC2	Time: 2016/08/26 - 10:37
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2463.016	97.084	64.845	N/A	N/A	32.239	PK
2			2483.500	59.398	27.117	-14.602	74.000	32.282	PK
3			2492.392	64.066	31.754	-9.934	74.000	32.312	PK

Site: AC2	Time: 2016/08/26 - 10:40
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11b at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2461.288	93.635	61.400	N/A	N/A	32.235	AV
2			2483.500	46.905	14.624	-7.095	54.000	32.282	AV
3			2487.664	47.442	15.146	-6.558	54.000	32.295	AV

Site: AC2	Time: 2016/08/26 - 10:41
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.744	71.073	38.796	-2.927	74.000	32.276	PK
2			2390.000	68.989	36.711	-5.011	74.000	32.278	PK
3		*	2412.256	107.760	75.521	N/A	N/A	32.238	PK

Site: AC2	Time: 2016/08/26 - 10:46
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	50.234	17.956	-3.766	54.000	32.278	AV
2		*	2412.368	96.397	64.159	N/A	N/A	32.238	AV

Site: AC2	Time: 2016/08/26 - 10:47
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.520	63.073	30.798	-10.927	74.000	32.275	PK
2			2390.000	61.909	29.631	-12.091	74.000	32.278	PK
3		*	2405.200	96.842	64.579	N/A	N/A	32.263	PK

Site: AC2	Time: 2016/08/26 - 10:50
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2412MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	46.867	14.589	-7.133	54.000	32.278	AV
2		*	2404.472	85.753	53.487	N/A	N/A	32.265	AV

Site: AC2	Time: 2016/08/26 - 10:51
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2466.112	108.361	76.117	N/A	N/A	32.243	PK
2			2483.500	70.804	38.523	-3.196	74.000	32.282	PK
3			2483.824	72.876	40.594	-1.124	74.000	32.282	PK

Site: AC2	Time: 2016/08/26 - 10:56
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2469.232	96.244	63.995	N/A	N/A	32.249	AV
2			2483.500	50.552	18.271	-3.448	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 10:56
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2467.744	96.998	64.752	N/A	N/A	32.246	PK
2			2483.500	60.435	28.154	-13.565	74.000	32.282	PK
3			2483.680	62.796	30.514	-11.204	74.000	32.282	PK

Site: AC2	Time: 2016/08/26 - 10:59
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11g at Channel 2462MHz Ant 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2467.864	85.412	53.165	N/A	N/A	32.246	AV
2			2483.500	46.817	14.536	-7.183	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 11:01
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2388.848	72.072	39.800	-1.928	74.000	32.272	PK
2			2390.000	70.510	38.232	-3.490	74.000	32.278	PK
3		*	2406.544	110.547	78.288	N/A	N/A	32.258	PK

Site: AC2	Time: 2016/08/26 - 11:05
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	51.503	19.225	-2.497	54.000	32.278	AV
2		*	2408.896	96.940	64.689	N/A	N/A	32.250	AV

Site: AC2	Time: 2016/08/26 - 11:05
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.912	65.662	33.384	-8.338	74.000	32.278	PK
2			2390.000	64.891	32.613	-9.109	74.000	32.278	PK
3		*	2404.584	102.248	69.983	N/A	N/A	32.265	PK

Site: AC2	Time: 2016/08/26 - 11:08
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	48.018	15.740	-5.982	54.000	32.278	AV
2		*	2416.512	88.699	56.478	N/A	N/A	32.221	AV

Site: AC2	Time: 2016/08/26 - 11:09
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2468.248	109.368	77.121	N/A	N/A	32.247	PK
2			2483.500	68.392	36.111	-5.608	74.000	32.282	PK
3			2483.848	70.182	37.900	-3.818	74.000	32.282	PK

Site: AC2	Time: 2016/08/26 - 11:14
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2467.720	95.906	63.660	N/A	N/A	32.246	AV
2			2483.500	51.429	19.148	-2.571	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 11:15
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2463.064	99.621	67.382	N/A	N/A	32.239	PK
2			2483.500	61.671	29.390	-12.329	74.000	32.282	PK
3			2483.872	64.263	31.980	-9.737	74.000	32.282	PK

Site: AC2	Time: 2016/08/26 - 11:17
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2461.264	85.571	53.336	N/A	N/A	32.235	AV
2			2483.500	47.367	15.086	-6.633	54.000	32.282	AV
3			2483.560	47.386	15.105	-6.614	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 11:19
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2385.702	71.556	39.302	-2.444	74.000	32.254	PK
2			2390.000	70.069	37.791	-3.931	74.000	32.278	PK
3		*	2418.900	105.564	73.353	N/A	N/A	32.211	PK

Site: AC2	Time: 2016/08/26 - 11:28
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	53.014	20.736	-0.986	54.000	32.278	AV
2		*	2414.610	92.108	59.879	N/A	N/A	32.229	AV

Site: AC2	Time: 2016/08/26 - 11:29
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2389.530	66.451	34.176	-7.549	74.000	32.275	PK
2			2390.000	64.338	32.060	-9.662	74.000	32.278	PK
3		*	2416.722	97.575	65.355	N/A	N/A	32.220	PK

Site: AC2	Time: 2016/08/26 - 11:32
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1			2390.000	48.657	16.379	-5.343	54.000	32.278	AV
2		*	2419.032	83.670	51.460	N/A	N/A	32.210	AV

Site: AC2	Time: 2016/08/26 - 11:33
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2464.096	104.682	72.442	N/A	N/A	32.241	PK
2			2483.500	71.203	38.922	-2.797	74.000	32.282	PK
3			2484.666	72.632	40.347	-1.368	74.000	32.286	PK

Site: AC2	Time: 2016/08/26 - 11:40
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Vertical
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2462.940	90.993	58.754	N/A	N/A	32.239	AV
2			2483.500	53.517	21.236	-0.483	54.000	32.282	AV
3			2483.510	53.523	21.242	-0.477	54.000	32.282	AV

Site: AC2	Time: 2016/08/26 - 11:47
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2457.874	95.578	63.358	N/A	N/A	32.221	PK
2			2483.500	64.241	31.960	-9.759	74.000	32.282	PK
3			2489.528	65.393	33.091	-8.607	74.000	32.303	PK

Site: AC2	Time: 2016/08/26 - 11:50
Limit: FCC_Part15.209_RE(3m)	Engineer: Bruce Wang
Probe: BBHA9120D_1-18GHz	Polarity: Horizontal
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz Ant 0 + 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		*	2446.892	82.408	50.235	N/A	N/A	32.174	AV
2			2483.500	48.604	16.323	-5.396	54.000	32.282	AV

7.8. AC Conducted Emissions Measurement


7.8.1. Test Limit

FCC Part 15 Subpart C Paragraph 15.207 Limits		
Frequency (MHz)	QP (dBuV)	AV (dBuV)
0.15 - 0.50	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note 1: The lower limit shall apply at the transition frequencies.


Note 2: The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.5MHz.

7.8.2. Test Setup



7.8.3. Test Result

Site: SR2	Time: 2016/08/31 - 14:06
Limit: FCC_Part15.207_CE_AC Power	Engineer: Vince Yu
Probe: ENV216_101683_Filter On	Polarity: Line
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		*	0.154	57.097	46.357	-8.685	65.781	10.740	QP
2			0.154	37.529	26.789	-18.253	55.781	10.740	AV
3			0.166	51.928	41.841	-13.230	65.158	10.087	QP
4			0.166	32.487	22.399	-22.672	55.158	10.087	AV
5			0.182	49.704	39.656	-14.690	64.394	10.048	QP
6			0.182	30.830	20.782	-23.564	54.394	10.048	AV
7			0.198	48.037	38.032	-15.657	63.694	10.005	QP
8			0.198	29.517	19.512	-24.177	53.694	10.005	AV
9			0.570	36.101	25.971	-19.899	56.000	10.130	QP
10			0.570	30.306	20.175	-15.694	46.000	10.130	AV
11			16.974	36.056	25.985	-23.944	60.000	10.071	QP
12			16.974	29.523	19.453	-20.477	50.000	10.071	AV

Note: Measure Level (dBuV) = Reading Level (dBuV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

Site: SR2	Time: 2016/08/31 - 14:07
Limit: FCC_Part15.207_CE_AC Power	Engineer: Vince Yu
Probe: ENV216_101683_Filter On	Polarity: Neutral
EUT: WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER	Power: AC 120V/60Hz
Note: Mode 1	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		*	0.150	54.261	43.119	-11.739	66.000	11.142	QP
2			0.150	36.004	24.862	-19.996	56.000	11.142	AV
3			0.178	48.357	38.307	-16.222	64.578	10.049	QP
4			0.178	31.058	21.009	-23.520	54.578	10.049	AV
5			0.202	46.651	36.644	-16.876	63.528	10.008	QP
6			0.202	30.907	20.899	-22.621	53.528	10.008	AV
7			0.566	36.686	26.536	-19.314	56.000	10.150	QP
8			0.566	30.419	20.269	-15.581	46.000	10.150	AV
9			5.382	28.097	18.019	-31.903	60.000	10.078	QP
10			5.382	20.876	10.798	-29.124	50.000	10.078	AV
11			17.030	37.646	27.526	-22.354	60.000	10.120	QP
12			17.030	31.583	21.463	-18.417	50.000	10.120	AV

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

8. CONCLUSION

The data collected relate only the item(s) tested and show that the **WIRELESS-ABGN 2X2 NETWORK MINIPCIE ADAPTER FCC ID: TK4WLE200NX** is in compliance with Part 15C of the FCC Rules.

_____ The End _____