

# Test Report

|              |                                                |
|--------------|------------------------------------------------|
| Product Name | WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module |
| Model No.    | WLE3003HX                                      |
| FCC ID       | TK4WLE3003HX                                   |

|           |                                                                               |
|-----------|-------------------------------------------------------------------------------|
| Applicant | Compex Systems Pte Ltd                                                        |
| Address   | No 9 Harrison Road, Harrison Industrial Building,<br>#05-01, Singapore 369651 |

|                 |                       |
|-----------------|-----------------------|
| Date of Receipt | Nov. 09, 2022         |
| Issued Date     | Jul. 03, 2023         |
| Report No.      | 22B0364R-RFUSDFSV02-A |
| Report Version  | V1.0                  |



The test results relate only to the samples tested.

The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.

This report must not be used to claim product endorsement by TAF or any agency of the government.

The test report shall not be reproduced without the written approval of DEKRA Testing and Certification Co., Ltd.

Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.


# Test Report



|                     |                                                                               |
|---------------------|-------------------------------------------------------------------------------|
| Product Name        | WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module                                |
| Applicant           | Compex Systems Pte Ltd                                                        |
| Address             | No 9 Harrison Road, Harrison Industrial Building, #05-01, Singapore<br>369651 |
| Manufacturer        | Compex Systems Pte Ltd                                                        |
| Model No.           | WLE3003HX                                                                     |
| FCC ID              | TK4WLE3003HX                                                                  |
| EUT Rated Voltage   | AC 100-240V, 50-60Hz                                                          |
| EUT Test Voltage    | AC 120V / 60Hz                                                                |
| Trade Name          | Compex                                                                        |
| Applicable Standard | FCC CFR Title 47 Part 15 Subpart E 15.407 (h)<br>KDB 905462                   |
| Test Result         | Complied                                                                      |

Documented By


:



( Supervisor / Jinn Chen )

Tested By

:



( Senior Engineer / Benjamin Pan )

Approved By

:



( Senior Engineer / Alan Chen )

## TABLE OF CONTENTS

|                                                                                                                                |           |
|--------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>1. General Information.....</b>                                                                                             | <b>5</b>  |
| 1.1. Standard Requirement .....                                                                                                | 5         |
| 1.2. EUT Description .....                                                                                                     | 6         |
| 1.3. UNII Device Description .....                                                                                             | 8         |
| 1.4. Test Facility .....                                                                                                       | 9         |
| 1.5. Test Equipment .....                                                                                                      | 10        |
| 1.6. Uncertainty .....                                                                                                         | 11        |
| 1.7. Summary of Test Results .....                                                                                             | 12        |
| <b>2. Test Setup 13</b>                                                                                                        |           |
| 2.1. DFS Detection Thresholds .....                                                                                            | 13        |
| 2.2. Radar Test Waveforms .....                                                                                                | 15        |
| 2.3. Radar Waveform Calibration .....                                                                                          | 18        |
| 2.4. Radar Waveform Calibration Result .....                                                                                   | 19        |
| 2.5. Master Data Traffic Plot Result .....                                                                                     | 35        |
| <b>3. UNII Detection Bandwidth .....</b>                                                                                       | <b>39</b> |
| 3.1. Test Procedure .....                                                                                                      | 39        |
| 3.2. Test Requirement .....                                                                                                    | 39        |
| 3.3. Test Result of UNII Detection Bandwidth.....                                                                              | 42        |
| <b>4. Initial Channel Availability Check Time.....</b>                                                                         | <b>53</b> |
| 4.1. Test Procedure .....                                                                                                      | 53        |
| 4.2. Test Requirement .....                                                                                                    | 53        |
| 4.3. Test Result of Initial Channel Availability Check Time .....                                                              | 54        |
| <b>5. Radar Burst at the Beginning of the Channel Availability Check Time .....</b>                                            | <b>55</b> |
| 5.1. Test Procedure .....                                                                                                      | 55        |
| 5.2. Test Requirement .....                                                                                                    | 55        |
| 5.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time .....                                  | 56        |
| <b>6. Radar Burst at the End of the Channel Availability Check Time.....</b>                                                   | <b>57</b> |
| 6.1. Test Procedure .....                                                                                                      | 57        |
| 6.2. Test Requirement .....                                                                                                    | 57        |
| 6.3. Test Result of Radar Burst at the End of the Channel Availability Check Time .....                                        | 58        |
| <b>7. In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and<br/>Non-Occupancy Period .....</b> | <b>59</b> |
| 7.1. Test Procedure .....                                                                                                      | 59        |
| 7.2. Test Requirement .....                                                                                                    | 59        |
| 7.3. Test Result of Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period                           | 60        |
| <b>8. Statistical Performance Check .....</b>                                                                                  | <b>62</b> |
| 8.1. Test Procedure .....                                                                                                      | 62        |
| 8.2. Test Requirement .....                                                                                                    | 62        |
| 8.3. Test Result of Statistical Performance Check .....                                                                        | 64        |

Appendix 1: EUT Test Photographs

Appendix 2: Product Photos-Please refer to the file: 22B0364R-Product Photos

**Revision History**

| Report No.            | Version | Description              | Issued Date   |
|-----------------------|---------|--------------------------|---------------|
| 22B0364R-RFUSDFSV02-A | V1.0    | Initial issue of report. | Jul. 03, 2023 |

## 1. General Information

### 1.1. Standard Requirement

#### **FCC Part 15.407:**

U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30dBm. A TPC mechanism is not required for systems with an E.I.R.P. of less than 500mW.

U-NII devices operating in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems.

## 1.2. EUT Description

|                    |                                                                                                                                                                                                                                                   |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name       | WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module                                                                                                                                                                                                    |
| Trade Name         | Compex                                                                                                                                                                                                                                            |
| FCC ID             | TK4WLE3003HX                                                                                                                                                                                                                                      |
| Model No.          | WLE3003HX                                                                                                                                                                                                                                         |
| Frequency Range    | 802.11a/n/ac/ax-20 MHz: 5180-5320 MHz, 5500-5720 MHz, 5745-5825 MHz<br>802.11n/ac/ax-40 MHz: 5190-5310 MHz, 5510-5710 MHz, 5755-5795 MHz<br>802.11ac/ax-80 MHz: 5210-5290 MHz, 5530-5690 MHz, 5775 MHz<br>802.11ac/ax-160 MHz: 5250 MHz, 5570 MHz |
| Number of Channels | 802.11a/n/ac/ax-20 MHz: 25CH, 802.11n/ac/ax-40 MHz: 12CH<br>802.11ac/ax-80 MHz: 6CH, 802.11ac/ax-160 MHz: 2 CH                                                                                                                                    |
| Data Rate          | 802.11a: 6 – 54 Mbps, 802.11n: up to 450 Mbps<br>802.11ac: up to 2340 Mbps, 802.11ax: up to 3603 Mbps                                                                                                                                             |
| Type of Modulation | OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM<br>OFDMA, BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM                                                                                                                                                        |
| Channel Control    | Auto                                                                                                                                                                                                                                              |
| Channel Bandwidth  | 20/40/80/160 MHz                                                                                                                                                                                                                                  |
| DFS Function       | <input checked="" type="checkbox"/> Master <input type="checkbox"/> Slave                                                                                                                                                                         |
| TPC Function       | <input checked="" type="checkbox"/> <500mW not required <input type="checkbox"/> $\geq$ 500mW employ a TPC*                                                                                                                                       |
| Communication Mode | <input checked="" type="checkbox"/> IP Based Systems <input type="checkbox"/> Frame Based System <input type="checkbox"/> Other System                                                                                                            |
| USB Cable          | Shielded, 1m                                                                                                                                                                                                                                      |
| LAN Cable *2       | Shielded, 1.85m                                                                                                                                                                                                                                   |
| Power Adapter (1)  | MFR: FSP, M/N: FSP040-DHAN3<br>Input: AC 100-240V~, 1.5A 50-60Hz<br>Output: 12.0V $\overline{=}$ 3.33A 40.0W<br>Cable out: Non-shielded, 1.2m.                                                                                                    |
| Power Adapter (2)  | MFR: DELTA, M/N: DSP-40AB-11<br>Input: AC 100-240V~/1.2A 50Hz - 60Hz<br>Output: 12V $\overline{=}$ 3.33A Max.<br>Cable out: Non-shielded, 1.2m. 1 ferrite core bonded.                                                                            |
| Platform           | Product name: Security Appliance<br>Trade Name: Check Point<br>Model No.: V90W<br>FCC ID: TK4WLE3003HX                                                                                                                                            |

## 802.11a/n/ac/ax-20 MHz Center Working Frequency of Each Channel:

| Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| 36      |                 | 40      | 5200            | 44      | 5220            | 48      | 5240            |
| 52      | 5260            | 56      | 5280            | 60      | 5300            | 64      | 5320            |
| 100     | 5500            | 104     | 5520            | 108     | 5540            | 112     | 5560            |
| 116     | 5580            | 120     | 5600            | 124     | 5620            | 128     | 5640            |
| 132     | 5660            | 136     | 5680            | 140     | 5700            | 144     | 5720            |
| 149     | 5745            | 153     | 5765            | 157     | 5785            | 161     | 5805            |
| 165     | 5825            | --      | --              | --      | --              | --      | --              |

## 802.11n/ac/ax-40 MHz Center Working Frequency of Each Channel:

| Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| 38      | 5190            | 46      | 5230            | 54      | 5270            | 62      | 5310            |
| 102     | 5510            | 110     | 5550            | 118     | 5590            | 126     | 5630            |
| 134     | 5670            | 142     | 5710            | 151     | 5755            | 159     | 5795            |

## 802.11ac/ax-80MHz Center Working Frequency of Each Channel:

| Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| 42      | 5210            | 58      | 5290            | 106     | 5530            | 122     | 5610            |
| 138     | 5690            | 155     | 5775            | --      | --              | --      | --              |

## 802.11ac/ax-160 MHz Center Working Frequency of Each Channel:

| Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) | Channel | Frequency (MHz) |
|---------|-----------------|---------|-----------------|---------|-----------------|---------|-----------------|
| 50      | 5250            | 114     | 5570            | --      | --              | --      | --              |

|           |        |                                                                                                                       |
|-----------|--------|-----------------------------------------------------------------------------------------------------------------------|
| Test Mode | Mode 1 | Transmit (802.11ax-20 MHz)<br>Transmit (802.11ax-40 MHz)<br>Transmit (802.11ax-80 MHz)<br>Transmit (802.11ax-160 MHz) |
|-----------|--------|-----------------------------------------------------------------------------------------------------------------------|

### 1.3. UNII Device Description

(1) The EUT operates in the following DFS band:

1. 5250-5350 MHz
2. 5470-5725 MHz

(2) The U-NII device maximum power is 24.90 dBm(E.I.R.P).

Master mode:

Below are the available 50 ohm antenna assemblies and their corresponding gains. 0 dBi gain was used to set the -61 dBm threshold level (-62dBm +1 dB) during calibration of the test setup.

Slave mode:

Below are the available 50 ohm antenna assemblies and their corresponding gains. 0dBi gain was used to set the -63 dBm threshold level (-64dBm +1 dB) during calibration of the test setup.

| No. | Manufacturer | Part No.           | Antenna Type | Peak Gain                                                |
|-----|--------------|--------------------|--------------|----------------------------------------------------------|
| 1   | INPAQ        | RFDPA171300SBLB801 | Dipole       | 3.00 dBi for 5250-5350 MHz<br>4.29 dBi for 5470-5725 MHz |

(3) WLAN traffic is generated by the test software “Iperf.exe” from the Master device to the Slave device in the transfer data rate >17%.

(4) For the 5250-5350 MHz and 5470-5725MHz bands, the Master device provides, on aggregate, uniform loading of the spectrum across all devices by selecting an operating channel among the available channels using a random algorithm.

(5) Master mode:

The client device is a Notebook pc contains Intel WLAN radio Module card (Model: AX200NGW). The Intel WLAN Module card FCC ID: PD9AX200NG.

(6) This device does not support partial RU function.

## 1.4. Test Facility

Ambient conditions in the laboratory:

| Performed Item    | Items            | Required | Actual  |
|-------------------|------------------|----------|---------|
| Radiated Emission | Temperature (°C) | 10~40 °C | 23.1 °C |
|                   | Humidity (%RH)   | 10~90 %  | 69.1 %  |

USA : FCC Registration Number: TW0033

Canada : CAB Identifier Number: TW3023 / Company Number: 26930

Site Description : Accredited by TAF  
Accredited Number: 3023

Test Laboratory : DEKRA Testing and Certification Co., Ltd

Address : No. 5-22, Ruishukeng Linkou District, New Taipei City, 24451, Taiwan

Performed Location : No. 26, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan, R.O.C.

Phone Number : +886-3-275-7255

Fax Number : +886-3-327-8031

Email Address : [info.tw@dekra.com](mailto:info.tw@dekra.com)Website : <http://www.dekra.com.tw>

## 1.5. Test Equipment

## Dynamic Frequency Selection (DFS) / HY-SR06

| Instrument              | Manufacturer | Type No. | Serial No | Cal. Date  |
|-------------------------|--------------|----------|-----------|------------|
| Spectrum Analyzer       | R&S          | FSV3044  | 101115    | 2023.01.06 |
| Vector Signal Generator | R&S          | SMBV100A | 261757    | 2022.12.20 |
| Horn Antenna            | ETS-Lindgren | 3117     | 00201259  | 2022.11.09 |
| Horn Antenna            | ETS-Lindgren | 3117     | 00227709  | 2022.11.09 |

| Instrument   | Manufacturer | Type No.         | Serial No      |
|--------------|--------------|------------------|----------------|
| Notebook Pc  | Dell         | Inspiron 14 5459 | 1599Q72        |
| RF Cable     | WOKEN        | L1406-031C       | S02-130729-305 |
| RF Cable     | SUHNER       | SUCOFLEX 106     | 3474516        |
| Access Point | ASUS         | RT-AX88U         | JCITHP000040   |

| Software                                                           | Manufacturer | Function                         |
|--------------------------------------------------------------------|--------------|----------------------------------|
| R&S Pulse Sequencer DFS<br>V 2.3,7.3.2022 Build: 8101<br>Rev: 6527 | R&S          | Radar Signal Generation Software |
| Iperf v2.0.8                                                       | iperf.fr     | Streaming data                   |

## 1.6. Uncertainty

Uncertainties have been calculated according to the DEKRA internal document.

The reported expanded uncertainties are based on a standard uncertainty multiplied by a coverage factor of  $k=2$ , providing a level of confidence of approximately 95%.


Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.

| Test item                                                                                                  | Uncertainty         |
|------------------------------------------------------------------------------------------------------------|---------------------|
| UNII Detection Bandwidth                                                                                   | $\pm 2.31\text{ms}$ |
| Initial Channel Availability Check Time                                                                    | $\pm 2.31\text{ms}$ |
| Radar Burst at the Beginning of the Channel Availability Check Time                                        | $\pm 2.31\text{ms}$ |
| Radar Burst at the End of the Channel Availability Check Time                                              | $\pm 2.31\text{ms}$ |
| In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period | $\pm 2.31\text{ms}$ |
| Statistical Performance Check                                                                              | $\pm 2.31\text{ms}$ |

## 1.7. Summary of Test Results

| Test item                                                                                                  | Result |
|------------------------------------------------------------------------------------------------------------|--------|
| UNII Detection Bandwidth                                                                                   | Pass   |
| Initial Channel Availability Check Time                                                                    | Pass   |
| Radar Burst at the Beginning of the Channel Availability Check Time                                        | Pass   |
| Radar Burst at the End of the Channel Availability Check Time                                              | Pass   |
| In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period | Pass   |
| Statistical Performance Check                                                                              | Pass   |
| UNII Detection Bandwidth                                                                                   | Pass   |

## 2. Test Setup



### 2.1. DFS Detection Thresholds

#### (1) Interference Threshold value, Master or Client incorporating In-Service Monitoring

| Maximum Transmit Power                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Value (see note) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| $\geq 200$ milliwatt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | -64dBm           |
| EIRP < 200 milliwatt and<br>power spectral density < 10 dBm/MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | -62dBm           |
| EIRP < 200 milliwatt that do not meet the power spectral density requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -64dBm           |
| <p><b>Note 1:</b> This is the level at the input of the receiver assuming a 0 dBi receive antenna.</p> <p><b>Note 2:</b> Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.</p> <p><b>Note 3:</b> EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.</p> |                  |

**(2) DFS Response requirement values**

| Parameter                         | Value                                                                                                 |
|-----------------------------------|-------------------------------------------------------------------------------------------------------|
| Non-Occupancy Period              | Minimum 30 Minutes                                                                                    |
| Channel Availability Check Time   | 60 Seconds                                                                                            |
| Channel Move Time                 | 10 Seconds<br>See Note 1.                                                                             |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over<br>remaining 10 seconds period<br>(See Notes 1 and 2) |
| U-NII Detection Bandwidth         | Minimum 100% of the 99% power bandwidth See<br>Note 3.                                                |

**Note 1:** *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

**Note 2:** The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

**Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

## 2.2. Radar Test Waveforms

This section provides the parameters for required test waveforms, minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

### (1) Short Pulse Radar Test Waveforms

| Radar Type                                                                                                                                  | Pulse Width (μsec) | PRI (μsec)                                                                                                                                                    | Number of Pulses                                                                                                              | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------|
| 0                                                                                                                                           | 1                  | 1428                                                                                                                                                          | 18                                                                                                                            | See Note 1                                 | See Note 1               |
| 1                                                                                                                                           | 1                  | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a                                                                     | Roundup $\left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{sec}}} \right) \right\}$ | 60%                                        | 30                       |
|                                                                                                                                             |                    | Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A |                                                                                                                               |                                            |                          |
| 2                                                                                                                                           | 1-5                | 150-230                                                                                                                                                       | 23-29                                                                                                                         | 60%                                        | 30                       |
| 3                                                                                                                                           | 6-10               | 200-500                                                                                                                                                       | 16-18                                                                                                                         | 60%                                        | 30                       |
| 4                                                                                                                                           | 11-20              | 200-500                                                                                                                                                       | 12-16                                                                                                                         | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4)                                                                                                                 |                    |                                                                                                                                                               |                                                                                                                               | 80%                                        | 120                      |
| <b>Note 1:</b> Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests. |                    |                                                                                                                                                               |                                                                                                                               |                                            |                          |

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

**(2) Long Pulse Radar Test Signal**

| Radar Waveform | Bursts | Number of Pulses Per Burst | Pulse Width (usec) | Chirp Width (MHz) | PRI (usec) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|--------|----------------------------|--------------------|-------------------|------------|--------------------------------------------|----------------|
| 5              | 8-20   | 1-3                        | 50-100             | 5-20              | 1000-2000  | 80%                                        | 30             |

The parameters for this waveform are randomly chosen. Thirty unique waveforms are required for the long pulse radar test signal. If more than 30 waveforms are used for the long pulse radar test signal, then each additional waveform must also be unique and not repeated from the previous waveforms.


Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst\_Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the time between the first and second pulses is chosen independently of the time between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst\_Count. Each interval is of length  $(12,000,000 / \text{Burst\_Count})$  microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and  $[(12,000,000 / \text{Burst\_Count}) - (\text{Total Burst Length}) + (\text{One Random PRI Interval})]$  microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen independently.

**A representative example of a Long Pulse radar test waveform:**

- 1) The total test signal length is 12 seconds.
- 2) 8 Bursts are randomly generated for the Burst\_Count.
- 3) Burst 1 has 2 randomly generated pulses.
- 4) The pulse width (for both pulses) is randomly selected to be 75 microseconds.
- 5) The PRI is randomly selected to be at 1213 microseconds.
- 6) Bursts 2 through 8 are generated using steps 3 – 5.
- 7) Each Burst is contained in even intervals of 1,500,000 microseconds. The starting location for Pulse 1, Burst 1 is randomly generated (1 to 1,500,000 minus the total Burst 1 length + 1 random PRI interval) at the 325,001 microsecond step. Bursts 2 through 8 randomly fall in successive 1,500,000 microsecond intervals (i.e. Burst 2 falls in the 1,500,001 – 3,000,000 microsecond range).

### Graphical Representation of a Long Pulse radar Test Waveform



### (3) Frequency Hopping Radar Test Signal

| Radar Waveform | Pulse Width ( $\mu\text{Sec}$ ) | PRI ( $\mu\text{Sec}$ ) | Hopping Sequence Length (msec) | Pulses Per Hop | Hopping Rate (kHz) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|---------------------------------|-------------------------|--------------------------------|----------------|--------------------|--------------------------------------------|----------------|
| 6              | 1                               | 333                     | 300                            | 9              | 0.333              | 70%                                        | 30             |

For the Frequency Hopping Radar Type, the same *Burst* parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm:


The first frequency in a hopping sequence is selected randomly from the group of 475 integer frequencies from 5250 – 5724 MHz. Next, the frequency that was just chosen is removed from the group and a frequency is randomly selected from the remaining 474 frequencies in the group. This process continues until all 475 frequencies are chosen for the set. For selection of a random frequency, the frequencies remaining within the group are always treated as equally likely.

### 2.3. Radar Waveform Calibration

The following equipment setup was used to calibrate the conducted radar waveform. A spectrum analyzer was used to establish the test signal level for each radar type. During this process there were replace 50ohm terminal from master and client device and no transmissions by either the master or client device. The spectrum analyzer was switched to the zero span (time domain) at the frequency of the radar waveform generator. Peak detection was utilized. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (VBW) were set to 3MHz and 3 MHz.


The signal generator amplitude was set so that the power level measured at the spectrum analyzer was -61dBm due to the interference threshold level is not required.

#### Radiated Calibration Setup




2.4. Radar Waveform Calibration Result

Radar Type 0  
Calibration Plot (5500 MHz)




Date: 24.APR.2023 02:48:26

Calibration Plot (5510 MHz)




Date: 24.APR.2023 02:49:05

## Calibration Plot (5530 MHz)



Date: 24.APR.2023 02:50:42


## Calibration Plot (5570 MHz)



Date: 24.APR.2023 02:51:42


## Radar Type 1-A

## Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:19:10

## Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:16:59

## Calibration Plot (5530 MHz)



Date: 24.APR.2023 02:55:26


## Calibration Plot (5570 MHz)



Date: 24.APR.2023 02:54:23


## Radar Type 1-B

## Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:22:32

## Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:16:07

Calibration Plot (5530 MHz)




Date: 24.APR.2023 02:55:51

Calibration Plot (5570 MHz)




Date: 24.APR.2023 02:53:57

Radar Type 2  
Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:31:36

Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:29:54

Calibration Plot (5530 MHz)




Date: 24.APR.2023 04:28:38

Calibration Plot (5570 MHz)




Date: 24.APR.2023 04:27:48

Radar Type 3  
Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:24:07

Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:24:43

## Calibration Plot (5530 MHz)




Date: 24.APR.2023 04:25:21

## Calibration Plot (5570 MHz)




Date: 24.APR.2023 04:26:36

Radar Type 4  
Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:33:08

Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:34:20

Calibration Plot (5530 MHz)



Date: 24.APR.2023 04:36:05


Calibration Plot (5570 MHz)



Date: 24.APR.2023 04:41:58


### Radar Type 5

#### Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:51:52

#### Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:52:43

Calibration Plot (5530 MHz)




Date: 24.APR.2023 04:54:25

Calibration Plot (5570 MHz)




Date: 24.APR.2023 04:58:57

Radar Type 6  
Calibration Plot (5500 MHz)




Date: 24.APR.2023 04:47:44

Calibration Plot (5510 MHz)




Date: 24.APR.2023 04:45:51

Calibration Plot (5530 MHz)



Date: 24.APR.2023 04:44:42


Calibration Plot (5570 MHz)



Date: 24.APR.2023 04:43:49

2.5. Master Data Traffic Plot Result


Plot of WLAN Traffic at 5500 MHz



Date: 20 APR 2023 07:37:57

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 17.39 %         | >17%                |



### Plot of WLAN Traffic at 5510 MHz



Date: 20 APR 2023 07:39:42

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 17.23 %         | >17%                |



### Plot of WLAN Traffic at 5530 MHz



Date: 20/04/2023 07:51:23

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 17.42 %         | >17%                |

Plot of WLAN Traffic at 5570 MHz



Date: 20/04/2023 07:53:23

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 17.41 %         | >17%                |

### 3. UNII Detection Bandwidth

#### 3.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR15.407 requirements.

The generating equipment is configured as shown in the radiated Test Setup above. A single *Burst* of the short pulse radar type 0 is produced at 5300MHz and 5510 at a -63dBm level. The EUT is set up as a standalone device (no associated Client and no traffic).

A single radar Burst is generated for a minimum of 10 trials, and the response of the EUT is noted.

The EUT must detect the Radar Waveform 90% or more of the time. The radar frequency is increased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The highest frequency at which detection is greater than or equal to 90% is denoted as  $F_H$ .

The radar frequency is decreased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The lowest frequency at which detection is greater than or equal to 90% is denoted as  $F_L$ .

The U-NII Detection Bandwidth is calculated as follows:


$$\text{U-NII Detection Bandwidth} = F_H - F_L$$

The U-NII Detection Bandwidth must be at least 100% of the EUT transmitter 99% power, otherwise, the EUT does not comply with DFS requirements.

#### 3.2. Test Requirement


All UNII 20/40MHz and 80MHz channels for this device have identical Channel bandwidths. All UNII 20/40/80MHz channels for this device also have identical Channel bandwidths. Therefore, all DFS testing was done at 5300MHz, 5500MHz, 5510MHz and 5530MHz. The 99% channel bandwidth for 20MHz signals is 17.43 MHz, and the 99% channel bandwidth for 40MHz signals is 35.96 MHz and 80MHz signals is 75.12MHz. Uncertainty

802.11ax-20 MHz




Date: 29.MAR.2023 02:50:02

802.11ax-40 MHz




Date: 29.MAR.2023 02:47:35

802.11ax80 MHz



Date: 29.MAR.2023 02:55:56

802.11ax160 MHz



Date: 29.MAR.2023 04:41:37

## 3.3. Test Result of UNII Detection Bandwidth

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| <b>Test Channel: 5500 MHz</b>                                                 |                                                             |          |          |          |          |          |          |          |          |           |                               |
|-------------------------------------------------------------------------------|-------------------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-------------------------------|
| <b>Radar Frequency<br/>(MHz)</b>                                              | <b>DFS Detection Trials (1= Detection, 0= No Detection)</b> |          |          |          |          |          |          |          |          |           | <b>Detection Rate<br/>(%)</b> |
|                                                                               | <b>1</b>                                                    | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> |                               |
| <b>5490</b>                                                                   | 1                                                           | 0        | 0        | 1        | 1        | 1        | 0        | 1        | 1        | 0         | 60.00                         |
| <b>5491 (FL)</b>                                                              | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5492</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5493</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5494</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5495</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5496</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5497</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5498</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5499</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5500</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5501</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5502</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5503</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5504</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5505</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5506</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5507</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5508</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5509</b>                                                                   | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5510 (FH)</b>                                                              | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>Detection Bandwidth = FH - FL = 5510 MHz – 5491 MHz = 19 MHz</b>           |                                                             |          |          |          |          |          |          |          |          |           |                               |
| <b>EUT 99% Bandwidth = 18.9351 MHz</b>                                        |                                                             |          |          |          |          |          |          |          |          |           |                               |
| <b>UNII Detection Bandwidth Min. Limit = 18.9351 MHz X 100% = 18.9351 MHz</b> |                                                             |          |          |          |          |          |          |          |          |           |                               |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Test Channel: 5510 MHz   |                                                      |   |   |   |   |   |   |   |   |    |                       |
|--------------------------|------------------------------------------------------|---|---|---|---|---|---|---|---|----|-----------------------|
| Radar Frequency<br>(MHz) | DFS Detection Trials (1= Detection, 0= No Detection) |   |   |   |   |   |   |   |   |    | Detection Rate<br>(%) |
|                          | 1                                                    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |                       |
| 5490                     | 0                                                    | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0.00                  |
| 5491 (FL)                | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5492                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5493                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5494                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5495                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5496                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5497                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5498                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5499                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5500                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5501                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5502                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5503                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5504                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5505                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5506                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5507                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5508                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5509                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5510                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5511                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5512                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5513                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5514                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5515                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5516                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |

|                                                                               |   |   |   |   |   |   |   |   |   |   |        |
|-------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| 5517                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5518                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5519                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5520                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5521                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5522                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5523                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5524                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5525                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5526                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5527                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5528                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5529 (FH)                                                                     | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5530                                                                          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 10.00  |
| <b>Detection Bandwidth = FH - FL = 5529 MHz – 5491 MHz = 38 MHz</b>           |   |   |   |   |   |   |   |   |   |   |        |
| <b>EUT 99% Bandwidth = 37.5703 MHz</b>                                        |   |   |   |   |   |   |   |   |   |   |        |
| <b>UNII Detection Bandwidth Min. Limit = 37.5703 MHz X 100% = 37.5703 MHz</b> |   |   |   |   |   |   |   |   |   |   |        |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Test Channel: 5530 MHz   |                                                      |   |   |   |   |   |   |   |   |    |                       |
|--------------------------|------------------------------------------------------|---|---|---|---|---|---|---|---|----|-----------------------|
| Radar Frequency<br>(MHz) | DFS Detection Trials (1= Detection, 0= No Detection) |   |   |   |   |   |   |   |   |    | Detection Rate<br>(%) |
|                          | 1                                                    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |                       |
| 5490                     | 0                                                    | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0.00                  |
| 5491                     | 0                                                    | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0  | 50.00                 |
| 5492 (FL)                | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5493                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5494                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5495                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5496                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5497                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5498                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5499                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5500                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5501                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5502                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5503                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5504                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5505                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5506                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5507                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5508                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5509                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5510                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5511                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5512                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5513                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5514                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5515                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5516                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |

|      |   |   |   |   |   |   |   |   |   |   |        |
|------|---|---|---|---|---|---|---|---|---|---|--------|
| 5517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5519 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5521 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5522 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5523 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5524 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5526 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5527 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5528 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5529 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5532 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5533 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5534 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5536 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5537 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5538 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5539 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5541 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5542 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5543 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5544 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5546 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5547 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5548 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5549 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5551 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5552 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5553 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |

|                                                                               |   |   |   |   |   |   |   |   |   |   |        |
|-------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| 5554                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5555                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5556                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5557                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5558                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5559                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5560                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5561                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5562                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5563                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5564                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5565                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5566                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5567                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5568                                                                          | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5569 (FH)                                                                     | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5570                                                                          | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 1 | 60.00  |
| <b>Detection Bandwidth = FH - FL = 5569 MHz – 5492 MHz = 77 MHz</b>           |   |   |   |   |   |   |   |   |   |   |        |
| <b>EUT 99% Bandwidth = 76.6904 MHz</b>                                        |   |   |   |   |   |   |   |   |   |   |        |
| <b>UNII Detection Bandwidth Min. Limit = 76.6904 MHz X 100% = 76.6904 MHz</b> |   |   |   |   |   |   |   |   |   |   |        |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Test Channel: 5570 MHz   |                                                      |   |   |   |   |   |   |   |   |    |                       |
|--------------------------|------------------------------------------------------|---|---|---|---|---|---|---|---|----|-----------------------|
| Radar Frequency<br>(MHz) | DFS Detection Trials (1= Detection, 0= No Detection) |   |   |   |   |   |   |   |   |    | Detection Rate<br>(%) |
|                          | 1                                                    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |                       |
| 5490                     | 0                                                    | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0.00                  |
| 5491                     | 1                                                    | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 1  | 80.00                 |
| 5492 (FL)                | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5493                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5494                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5495                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5496                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5497                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5498                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5499                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5500                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5501                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5502                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5503                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5504                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5505                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5506                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5507                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5508                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5509                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5510                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5511                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5512                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5513                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5514                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5515                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5516                     | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |

|      |   |   |   |   |   |   |   |   |   |   |        |
|------|---|---|---|---|---|---|---|---|---|---|--------|
| 5517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5519 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5521 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5522 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5523 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5524 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5526 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5527 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5528 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5529 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5532 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5533 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5534 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5536 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5537 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5538 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5539 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5541 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5542 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5543 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5544 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5546 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5547 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5548 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5549 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5551 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5552 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5553 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |

|      |   |   |   |   |   |   |   |   |   |   |        |
|------|---|---|---|---|---|---|---|---|---|---|--------|
| 5554 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5555 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5556 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5557 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5558 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5559 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5560 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5561 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5562 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5563 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5564 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5565 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5566 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5567 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5568 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5569 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5570 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5571 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5572 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5573 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5574 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5575 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5576 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5577 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5578 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5579 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5580 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5581 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5582 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5583 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5584 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5585 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5586 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5587 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5588 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5589 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5590 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |

|      |   |   |   |   |   |   |   |   |   |   |        |
|------|---|---|---|---|---|---|---|---|---|---|--------|
| 5591 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5592 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5593 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5594 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5595 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5596 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5597 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5598 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5599 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5601 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5602 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5603 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5604 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5605 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5606 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5607 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5608 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5609 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5610 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5611 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5612 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5613 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5614 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5615 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5616 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5617 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5618 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5619 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5620 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5621 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5622 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5623 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5624 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5625 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5626 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5627 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |

|                                                                                 |   |   |   |   |   |   |   |   |   |   |        |
|---------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| 5628                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5629                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5630                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5631                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5632                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5633                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5634                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5635                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5636                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5637                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5638                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5639                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5640                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5641                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5642                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5643                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5644                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5645                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5646                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5647                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5648                                                                            | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5649 (FH)                                                                       | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5650                                                                            | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 80.00  |
| <b>Detection Bandwidth = FH - FL = 5649 MHz – 5492 MHz = 157 MHz</b>            |   |   |   |   |   |   |   |   |   |   |        |
| <b>EUT 99% Bandwidth = 155.7305 MHz</b>                                         |   |   |   |   |   |   |   |   |   |   |        |
| <b>UNII Detection Bandwidth Min. Limit = 155.7305 MHz X 100% = 155.7305 MHz</b> |   |   |   |   |   |   |   |   |   |   |        |

## **4. Initial Channel Availability Check Time**

### **4.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The U-NII device is powered on and instructed to operate at 5530MHz. At the same time the UUT is powered on, the spectrum analyzer is set to zero span mode with a 3 MHz resolution bandwidth at 5530MHz with a 2.5minute sweep time. The analyzer's sweep will be started the same time power is applied to the U-NII device.

The EUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

The initial power up time of the EUT is indicated by marker1 in the plot, Initial beacons/data transmissions are indicated by marker 1R.


### **4.2. Test Requirement**

The EUT shall perform a channel availability check to ensure that there is no radar operation on the channel, after power-up sequence, receiver at least 1 minute on the intended operation frequency.

#### 4.3. Test Result of Initial Channel Availability Check Time

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
Test Item : Initial Channel Availability Check Time  
Radar Type : Type 0  
Test Mode : Transmit (802.11ax-160 MHz)

The EUT does not transmit any beacon or data transmission until at least 1 minute after the completion of the power-on cycle (129.27sec). The initial power up time of the EUT is indicated by Marker 1 (189.27 sec) – CAC (60 sec). Initial beacons/data transmission is indicated by Marker 1 (189.27 sec)



Date: 20/04/2023 03:05:26

## 5. Radar Burst at the Beginning of the Channel Availability Check Time

### 5.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-62dBm) occurs at the beginning of the Channel Availability Check Time.

The EUT is powered on at T0. T1 denotes the instant when the EUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds.

A single Burst of short pulse of radar type 1 at -63dBm will commence within a 6 second window starting at T1.


Visual indication on the EUT of successful detection of the radar Burst will be recorded and reported. Observation of emissions at 5530MHz will continue for 2.5 minutes after the radar Burst, Verify that during the 2.5 minute measurement window no EUT transmissions occurred at 5530MHz.

### 5.2. Test Requirement

In beginning of the Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

## 5.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Radar Burst at the Beginning of the Channel Availability Check Time  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-160 MHz)



Date: 20.APR.2023 03:11:56

## 6. Radar Burst at the End of the Channel Availability Check Time

### 6.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-62dBm) occurs at the end of the Channel Availability Check Time.

The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds. A single Burst of short pulse of radar type 1 at -61 dBm will commence within a 6 second window starting at T1+ 54 seconds.

Visual indication on the UUT of successful detection of the radar Burst will be recorded and reported. Observation of emissions at 5530MHz will continue for 2.5 minutes after the radar Burst has been generated.


Verify that during the 2.5 minute measurement window no UUT transmissions occurred at 5530Hz.

### 6.2. Test Requirement

In the end of Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

## 6.3. Test Result of Radar Burst at the End of the Channel Availability Check Time

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Radar Burst at the End of the Channel Availability Check Time  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-160 MHz)



## 7. In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period

### 7.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

These tests define how the following DFS parameters are verified during In-Service Monitoring;

Channel Closing Transmission Time, Channel Move Time, and Non-Occupancy Period.. The steps below define the procedure to determine the above mentioned parameters when a radar Burst with a level equal to the DFS Detection Threshold + 1dB (-63dBm) is generated on the Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at 5530MHz..

Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

At time T0 the Radar Waveform generator sends a Burst of pulses for each of the radar types at -61dBm.

Observe the transmissions of the UUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). Compare the Channel Move Time and Channel Closing

Transmission Time results to the limits defined in the DFS Response requirement values table.

Measure the UUT for more than 30 minutes following the channel close/move time to verify that the UUT does not resume any transmissions on this Channel.


### 7.2. Test Requirement

| Parameter                         | Value                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------|
| Channel Move Time                 | 10 Seconds                                                                  |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period |
| Non-Occupancy Period              | Minimum 30 minutes                                                          |

### 7.3. Test Result of Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Channel Move Time and Channel Closing Transmission Time  
 Radar Type : Type 0  
 Test Mode : Transmit (802.11ax-160 MHz)


#### Channel Closing Transmission Time and Channel Move Time for Radar Test Type 0 at 5570 MHz



Note:

1. The results showed that after radar signal injected the channel transmission closing time less than 200 milliseconds and an aggregate of no more than 60 milliseconds.
2. The results showed that after radar signal injected the channel move time was less than 10 seconds.

|            |   |                                                |
|------------|---|------------------------------------------------|
| Product    | : | WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module |
| Test Item  | : | Non-Occupancy Period                           |
| Radar Type | : | Type 0                                         |
| Test Mode  | : | Transmit (802.11ax-160 MHz)                    |



| Test Item            | Test Result<br>(Minutes) | Limit<br>(Minutes) |
|----------------------|--------------------------|--------------------|
| Non-Occupancy Period | >30                      | >30                |

\*No EUT transmissions were observed on the test channel during 30 minutes observation time.

## 8. Statistical Performance Check

### 8.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to determine the minimum percentage of detection when a radar burst with a level equal to the DFS Detection Threshold + 1dB (-63dBm) is generated on the

Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at 5500MHz, 5510MHz and 5530MHz.

Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

The Radar Waveform generator sends the individual waveform for each of the radar types 1-6 at

-62dbm. Statistical data will be gathered to determine the ability of the device to detect the radar test waveforms. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs.

### 8.2. Test Requirement

The minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

#### Minimum percentage of successful detections

| Radar Type                  | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|-----------------------------|--------------------------------------------|--------------------------|
| 1                           | 60%                                        | 30                       |
| 2                           | 60%                                        | 30                       |
| 3                           | 60%                                        | 30                       |
| 4                           | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4) | 80%                                        | 120                      |
| 5                           | 80%                                        | 30                       |
| 6                           | 70%                                        | 30                       |

The percentage of successful detection is calculated by:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100 = \text{Probability of Detection Radar Waveform}$$

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$\frac{P_d 1 + P_d 2 + P_d 3 + P_d 4}{4}$$

## 8.3. Test Result of Statistical Performance Check

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 98          | 1                | 538      | 1                               |
| 2                        | 5500            | 81          | 1                | 658      | 1                               |
| 3                        | 5500            | 95          | 1                | 558      | 1                               |
| 4                        | 5500            | 61          | 1                | 878      | 1                               |
| 5                        | 5500            | 67          | 1                | 798      | 1                               |
| 6                        | 5500            | 76          | 1                | 698      | 1                               |
| 7                        | 5500            | 57          | 1                | 938      | 1                               |
| 8                        | 5500            | 78          | 1                | 678      | 1                               |
| 9                        | 5500            | 92          | 1                | 578      | 1                               |
| 10                       | 5500            | 74          | 1                | 718      | 0                               |
| 11                       | 5500            | 72          | 1                | 738      | 1                               |
| 12                       | 5500            | 62          | 1                | 858      | 1                               |
| 13                       | 5500            | 68          | 1                | 778      | 1                               |
| 14                       | 5500            | 63          | 1                | 838      | 0                               |
| 15                       | 5500            | 59          | 1                | 898      | 1                               |
| 16                       | 5500            | 21          | 1                | 2522     | 1                               |
| 17                       | 5500            | 29          | 1                | 1871     | 1                               |
| 18                       | 5500            | 26          | 1                | 2093     | 1                               |
| 19                       | 5500            | 32          | 1                | 1698     | 1                               |
| 20                       | 5500            | 19          | 1                | 2913     | 1                               |
| 21                       | 5500            | 18          | 1                | 2977     | 1                               |
| 22                       | 5500            | 25          | 1                | 2127     | 1                               |
| 23                       | 5500            | 36          | 1                | 1481     | 0                               |
| 24                       | 5500            | 35          | 1                | 1531     | 1                               |
| 25                       | 5500            | 33          | 1                | 1628     | 1                               |
| 26                       | 5500            | 22          | 1                | 2443     | 0                               |
| 27                       | 5500            | 18          | 1                | 2929     | 1                               |
| 28                       | 5500            | 26          | 1                | 2077     | 1                               |
| 29                       | 5500            | 25          | 1                | 2113     | 1                               |
| 30                       | 5500            | 23          | 1                | 2349     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 86.67%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 27          | 4.1              | 184      | 1                               |
| 2                        | 5500            | 27          | 2.5              | 184      | 1                               |
| 3                        | 5500            | 23          | 1.9              | 188      | 1                               |
| 4                        | 5500            | 26          | 1.1              | 219      | 1                               |
| 5                        | 5500            | 26          | 3.9              | 184      | 1                               |
| 6                        | 5500            | 27          | 3.6              | 195      | 1                               |
| 7                        | 5500            | 27          | 4.3              | 152      | 1                               |
| 8                        | 5500            | 28          | 3                | 192      | 1                               |
| 9                        | 5500            | 27          | 4                | 189      | 0                               |
| 10                       | 5500            | 28          | 2.9              | 158      | 1                               |
| 11                       | 5500            | 27          | 1.6              | 151      | 1                               |
| 12                       | 5500            | 24          | 4.3              | 224      | 1                               |
| 13                       | 5500            | 27          | 3.7              | 160      | 1                               |
| 14                       | 5500            | 24          | 2.8              | 186      | 1                               |
| 15                       | 5500            | 24          | 1.4              | 210      | 1                               |
| 16                       | 5500            | 26          | 3.8              | 202      | 1                               |
| 17                       | 5500            | 28          | 3.8              | 225      | 1                               |
| 18                       | 5500            | 28          | 2.1              | 220      | 1                               |
| 19                       | 5500            | 25          | 3.1              | 220      | 1                               |
| 20                       | 5500            | 27          | 1.2              | 205      | 1                               |
| 21                       | 5500            | 29          | 4.3              | 195      | 1                               |
| 22                       | 5500            | 28          | 3.2              | 168      | 1                               |
| 23                       | 5500            | 24          | 2.2              | 190      | 1                               |
| 24                       | 5500            | 24          | 2.3              | 213      | 1                               |
| 25                       | 5500            | 25          | 2.2              | 218      | 0                               |
| 26                       | 5500            | 25          | 3.3              | 214      | 1                               |
| 27                       | 5500            | 24          | 1.2              | 184      | 1                               |
| 28                       | 5500            | 29          | 4.1              | 183      | 1                               |
| 29                       | 5500            | 25          | 1.3              | 150      | 1                               |
| 30                       | 5500            | 25          | 2                | 194      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 93.33 %                         |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 18          | 6.4              | 320      | 1                               |
| 2                        | 5500            | 16          | 9                | 339      | 1                               |
| 3                        | 5500            | 18          | 8                | 255      | 1                               |
| 4                        | 5500            | 18          | 8                | 227      | 0                               |
| 5                        | 5500            | 17          | 7.6              | 448      | 1                               |
| 6                        | 5500            | 17          | 7.5              | 441      | 1                               |
| 7                        | 5500            | 16          | 6.2              | 211      | 1                               |
| 8                        | 5500            | 16          | 7.7              | 351      | 1                               |
| 9                        | 5500            | 17          | 6.4              | 321      | 1                               |
| 10                       | 5500            | 17          | 6.2              | 337      | 0                               |
| 11                       | 5500            | 16          | 6                | 353      | 1                               |
| 12                       | 5500            | 16          | 7.1              | 341      | 1                               |
| 13                       | 5500            | 18          | 7.8              | 471      | 1                               |
| 14                       | 5500            | 17          | 6                | 360      | 1                               |
| 15                       | 5500            | 17          | 6.6              | 358      | 1                               |
| 16                       | 5500            | 16          | 7.3              | 333      | 1                               |
| 17                       | 5500            | 17          | 8.8              | 258      | 0                               |
| 18                       | 5500            | 16          | 7.6              | 247      | 1                               |
| 19                       | 5500            | 17          | 8.1              | 433      | 1                               |
| 20                       | 5500            | 16          | 7.5              | 302      | 1                               |
| 21                       | 5500            | 17          | 8.7              | 434      | 1                               |
| 22                       | 5500            | 17          | 8.8              | 257      | 0                               |
| 23                       | 5500            | 17          | 6.1              | 448      | 1                               |
| 24                       | 5500            | 17          | 6.6              | 402      | 1                               |
| 25                       | 5500            | 16          | 6.1              | 448      | 1                               |
| 26                       | 5500            | 18          | 9.5              | 467      | 1                               |
| 27                       | 5500            | 17          | 7.2              | 400      | 1                               |
| 28                       | 5500            | 18          | 9.8              | 417      | 1                               |
| 29                       | 5500            | 16          | 9.1              | 218      | 1                               |
| 30                       | 5500            | 17          | 9.9              | 406      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 86.67%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 13          | 18.9             | 357      | 0                               |
| 2                        | 5500            | 14          | 18.5             | 480      | 1                               |
| 3                        | 5500            | 13          | 19.2             | 319      | 1                               |
| 4                        | 5500            | 16          | 16.1             | 326      | 1                               |
| 5                        | 5500            | 14          | 12.3             | 347      | 0                               |
| 6                        | 5500            | 16          | 13.8             | 308      | 1                               |
| 7                        | 5500            | 15          | 17.1             | 494      | 1                               |
| 8                        | 5500            | 12          | 12.3             | 323      | 1                               |
| 9                        | 5500            | 15          | 13.3             | 308      | 1                               |
| 10                       | 5500            | 16          | 16.6             | 399      | 0                               |
| 11                       | 5500            | 16          | 18.3             | 325      | 1                               |
| 12                       | 5500            | 13          | 19.4             | 465      | 1                               |
| 13                       | 5500            | 15          | 18.3             | 401      | 1                               |
| 14                       | 5500            | 15          | 17.7             | 219      | 1                               |
| 15                       | 5500            | 15          | 14.7             | 239      | 1                               |
| 16                       | 5500            | 16          | 14.4             | 300      | 0                               |
| 17                       | 5500            | 15          | 18.5             | 350      | 1                               |
| 18                       | 5500            | 15          | 17.3             | 273      | 1                               |
| 19                       | 5500            | 14          | 12.4             | 256      | 1                               |
| 20                       | 5500            | 13          | 15.5             | 454      | 1                               |
| 21                       | 5500            | 15          | 17.9             | 359      | 1                               |
| 22                       | 5500            | 12          | 15               | 345      | 1                               |
| 23                       | 5500            | 14          | 15.1             | 485      | 1                               |
| 24                       | 5500            | 15          | 17.4             | 360      | 0                               |
| 25                       | 5500            | 13          | 13.8             | 466      | 1                               |
| 26                       | 5500            | 13          | 14.4             | 411      | 1                               |
| 27                       | 5500            | 12          | 18.5             | 223      | 0                               |
| 28                       | 5500            | 15          | 17.9             | 433      | 1                               |
| 29                       | 5500            | 14          | 11.7             | 351      | 1                               |
| 30                       | 5500            | 13          | 15.3             | 216      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 80.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 37          | 1                | 1450     | 1                               |
| 2                        | 5510            | 36          | 1                | 1492     | 1                               |
| 3                        | 5510            | 39          | 1                | 1381     | 1                               |
| 4                        | 5510            | 27          | 1                | 2009     | 1                               |
| 5                        | 5510            | 23          | 1                | 2384     | 1                               |
| 6                        | 5510            | 22          | 1                | 2461     | 1                               |
| 7                        | 5510            | 34          | 1                | 1550     | 1                               |
| 8                        | 5510            | 19          | 1                | 2781     | 0                               |
| 9                        | 5510            | 27          | 1                | 2017     | 1                               |
| 10                       | 5510            | 21          | 1                | 2560     | 1                               |
| 11                       | 5510            | 22          | 1                | 2467     | 1                               |
| 12                       | 5510            | 21          | 1                | 2579     | 1                               |
| 13                       | 5510            | 49          | 1                | 1088     | 1                               |
| 14                       | 5510            | 19          | 1                | 2822     | 1                               |
| 15                       | 5510            | 42          | 1                | 1274     | 1                               |
| 16                       | 5510            | 25          | 1                | 2163     | 1                               |
| 17                       | 5510            | 18          | 1                | 2945     | 0                               |
| 18                       | 5510            | 32          | 1                | 1657     | 1                               |
| 19                       | 5510            | 23          | 1                | 2341     | 1                               |
| 20                       | 5510            | 26          | 1                | 2028     | 1                               |
| 21                       | 5510            | 22          | 1                | 2404     | 0                               |
| 22                       | 5510            | 21          | 1                | 2563     | 1                               |
| 23                       | 5510            | 25          | 1                | 2172     | 1                               |
| 24                       | 5510            | 19          | 1                | 2881     | 1                               |
| 25                       | 5510            | 41          | 1                | 1300     | 1                               |
| 26                       | 5510            | 27          | 1                | 1973     | 1                               |
| 27                       | 5510            | 19          | 1                | 2888     | 1                               |
| 28                       | 5510            | 79          | 1                | 671      | 1                               |
| 29                       | 5510            | 22          | 1                | 2424     | 1                               |
| 30                       | 5510            | 19          | 1                | 2807     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 24          | 2.3              | 217      | 0                               |
| 2                        | 5510            | 23          | 4.9              | 179      | 1                               |
| 3                        | 5510            | 28          | 3.3              | 193      | 1                               |
| 4                        | 5510            | 24          | 4.8              | 160      | 1                               |
| 5                        | 5510            | 26          | 1.6              | 221      | 1                               |
| 6                        | 5510            | 24          | 1.1              | 163      | 1                               |
| 7                        | 5510            | 25          | 3.1              | 193      | 1                               |
| 8                        | 5510            | 29          | 2.5              | 213      | 1                               |
| 9                        | 5510            | 26          | 1.4              | 150      | 1                               |
| 10                       | 5510            | 26          | 1.7              | 193      | 1                               |
| 11                       | 5510            | 24          | 4.7              | 207      | 1                               |
| 12                       | 5510            | 26          | 4.8              | 191      | 1                               |
| 13                       | 5510            | 28          | 2                | 195      | 1                               |
| 14                       | 5510            | 27          | 3.4              | 201      | 1                               |
| 15                       | 5510            | 26          | 2.6              | 207      | 1                               |
| 16                       | 5510            | 27          | 1.3              | 194      | 1                               |
| 17                       | 5510            | 24          | 3.5              | 184      | 0                               |
| 18                       | 5510            | 27          | 2.1              | 171      | 1                               |
| 19                       | 5510            | 23          | 2.2              | 159      | 1                               |
| 20                       | 5510            | 25          | 3.9              | 191      | 1                               |
| 21                       | 5510            | 24          | 1.9              | 195      | 1                               |
| 22                       | 5510            | 26          | 1.9              | 218      | 1                               |
| 23                       | 5510            | 24          | 1.6              | 210      | 1                               |
| 24                       | 5510            | 29          | 4.5              | 223      | 1                               |
| 25                       | 5510            | 28          | 1.4              | 174      | 1                               |
| 26                       | 5510            | 27          | 4.5              | 169      | 1                               |
| 27                       | 5510            | 25          | 4.4              | 174      | 1                               |
| 28                       | 5510            | 25          | 1.4              | 222      | 0                               |
| 29                       | 5510            | 28          | 4.6              | 183      | 1                               |
| 30                       | 5510            | 27          | 2.5              | 215      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 18          | 6.5              | 252      | 1                               |
| 2                        | 5510            | 17          | 9.9              | 437      | 0                               |
| 3                        | 5510            | 16          | 9                | 326      | 1                               |
| 4                        | 5510            | 17          | 6.4              | 268      | 0                               |
| 5                        | 5510            | 17          | 8.7              | 348      | 1                               |
| 6                        | 5510            | 16          | 6.7              | 404      | 1                               |
| 7                        | 5510            | 18          | 8.9              | 433      | 1                               |
| 8                        | 5510            | 18          | 7.4              | 424      | 1                               |
| 9                        | 5510            | 17          | 8.8              | 377      | 1                               |
| 10                       | 5510            | 16          | 6.1              | 290      | 0                               |
| 11                       | 5510            | 17          | 8.5              | 345      | 1                               |
| 12                       | 5510            | 17          | 8.6              | 247      | 0                               |
| 13                       | 5510            | 17          | 8.3              | 413      | 1                               |
| 14                       | 5510            | 18          | 8.6              | 311      | 0                               |
| 15                       | 5510            | 17          | 8.7              | 234      | 1                               |
| 16                       | 5510            | 17          | 6.6              | 304      | 1                               |
| 17                       | 5510            | 17          | 7.6              | 465      | 0                               |
| 18                       | 5510            | 17          | 8.7              | 342      | 1                               |
| 19                       | 5510            | 16          | 6.9              | 248      | 0                               |
| 20                       | 5510            | 18          | 8.4              | 398      | 1                               |
| 21                       | 5510            | 17          | 6.3              | 226      | 1                               |
| 22                       | 5510            | 16          | 9.1              | 484      | 1                               |
| 23                       | 5510            | 17          | 9.7              | 484      | 1                               |
| 24                       | 5510            | 17          | 6.8              | 404      | 1                               |
| 25                       | 5510            | 18          | 8.1              | 433      | 1                               |
| 26                       | 5510            | 17          | 7                | 344      | 1                               |
| 27                       | 5510            | 17          | 7.9              | 475      | 1                               |
| 28                       | 5510            | 16          | 6.4              | 393      | 1                               |
| 29                       | 5510            | 17          | 6.3              | 245      | 0                               |
| 30                       | 5510            | 16          | 6.3              | 404      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 73.33%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 13          | 16.6             | 324      | 1                               |
| 2                        | 5510            | 14          | 12.4             | 396      | 1                               |
| 3                        | 5510            | 13          | 12.9             | 440      | 1                               |
| 4                        | 5510            | 15          | 15               | 396      | 1                               |
| 5                        | 5510            | 14          | 11.3             | 357      | 0                               |
| 6                        | 5510            | 15          | 19.9             | 410      | 1                               |
| 7                        | 5510            | 12          | 19.1             | 489      | 1                               |
| 8                        | 5510            | 16          | 12               | 352      | 1                               |
| 9                        | 5510            | 12          | 17.7             | 449      | 0                               |
| 10                       | 5510            | 16          | 16.4             | 495      | 0                               |
| 11                       | 5510            | 15          | 18.8             | 273      | 0                               |
| 12                       | 5510            | 14          | 12.3             | 428      | 1                               |
| 13                       | 5510            | 13          | 18.4             | 482      | 0                               |
| 14                       | 5510            | 12          | 14               | 350      | 0                               |
| 15                       | 5510            | 14          | 14.8             | 273      | 1                               |
| 16                       | 5510            | 12          | 13.5             | 306      | 1                               |
| 17                       | 5510            | 15          | 17.8             | 438      | 1                               |
| 18                       | 5510            | 14          | 11.1             | 417      | 1                               |
| 19                       | 5510            | 14          | 14.7             | 327      | 0                               |
| 20                       | 5510            | 14          | 12.7             | 212      | 1                               |
| 21                       | 5510            | 16          | 17.6             | 246      | 1                               |
| 22                       | 5510            | 13          | 11.7             | 380      | 1                               |
| 23                       | 5510            | 13          | 15               | 358      | 1                               |
| 24                       | 5510            | 12          | 16.4             | 385      | 1                               |
| 25                       | 5510            | 13          | 11.4             | 373      | 1                               |
| 26                       | 5510            | 13          | 14.6             | 209      | 0                               |
| 27                       | 5510            | 14          | 14.3             | 390      | 1                               |
| 28                       | 5510            | 16          | 16.5             | 447      | 1                               |
| 29                       | 5510            | 16          | 16.2             | 358      | 1                               |
| 30                       | 5510            | 14          | 14.4             | 394      | 0                               |
| Detection Percentage (%) |                 |             |                  |          | 70.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 100         | 1                | 530      | 1                               |
| 2                        | 5530            | 26          | 1                | 2092     | 1                               |
| 3                        | 5530            | 27          | 1                | 1993     | 1                               |
| 4                        | 5530            | 19          | 1                | 2842     | 1                               |
| 5                        | 5530            | 34          | 1                | 1580     | 1                               |
| 6                        | 5530            | 48          | 1                | 1114     | 1                               |
| 7                        | 5530            | 22          | 1                | 2497     | 1                               |
| 8                        | 5530            | 51          | 1                | 1046     | 1                               |
| 9                        | 5530            | 18          | 1                | 3021     | 0                               |
| 10                       | 5530            | 25          | 1                | 2154     | 1                               |
| 11                       | 5530            | 55          | 1                | 975      | 1                               |
| 12                       | 5530            | 22          | 1                | 2465     | 1                               |
| 13                       | 5530            | 21          | 1                | 2569     | 0                               |
| 14                       | 5530            | 22          | 1                | 2407     | 1                               |
| 15                       | 5530            | 36          | 1                | 1494     | 1                               |
| 16                       | 5530            | 41          | 1                | 1314     | 1                               |
| 17                       | 5530            | 30          | 1                | 1792     | 1                               |
| 18                       | 5530            | 52          | 1                | 1030     | 1                               |
| 19                       | 5530            | 33          | 1                | 1610     | 1                               |
| 20                       | 5530            | 32          | 1                | 1653     | 1                               |
| 21                       | 5530            | 20          | 1                | 2768     | 1                               |
| 22                       | 5530            | 29          | 1                | 1836     | 1                               |
| 23                       | 5530            | 88          | 1                | 602      | 1                               |
| 24                       | 5530            | 23          | 1                | 2363     | 1                               |
| 25                       | 5530            | 21          | 1                | 2511     | 0                               |
| 26                       | 5530            | 52          | 1                | 1029     | 1                               |
| 27                       | 5530            | 61          | 1                | 873      | 0                               |
| 28                       | 5530            | 34          | 1                | 1559     | 1                               |
| 29                       | 5530            | 50          | 1                | 1055     | 1                               |
| 30                       | 5530            | 41          | 1                | 1294     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 86.67%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 24          | 1.1              | 185      | 1                               |
| 2                        | 5530            | 23          | 2.9              | 198      | 1                               |
| 3                        | 5530            | 28          | 1.7              | 185      | 1                               |
| 4                        | 5530            | 24          | 1                | 229      | 0                               |
| 5                        | 5530            | 24          | 2.4              | 150      | 1                               |
| 6                        | 5530            | 25          | 3.3              | 195      | 1                               |
| 7                        | 5530            | 28          | 1                | 181      | 1                               |
| 8                        | 5530            | 24          | 4.2              | 179      | 1                               |
| 9                        | 5530            | 25          | 4.4              | 222      | 1                               |
| 10                       | 5530            | 26          | 3.1              | 150      | 1                               |
| 11                       | 5530            | 25          | 3.1              | 158      | 1                               |
| 12                       | 5530            | 25          | 1.9              | 202      | 1                               |
| 13                       | 5530            | 25          | 2.5              | 198      | 1                               |
| 14                       | 5530            | 25          | 3.2              | 195      | 1                               |
| 15                       | 5530            | 26          | 2.4              | 205      | 1                               |
| 16                       | 5530            | 28          | 2.6              | 155      | 1                               |
| 17                       | 5530            | 26          | 1.1              | 225      | 1                               |
| 18                       | 5530            | 25          | 1.3              | 225      | 1                               |
| 19                       | 5530            | 28          | 1.5              | 172      | 1                               |
| 20                       | 5530            | 26          | 4                | 197      | 1                               |
| 21                       | 5530            | 27          | 4.8              | 226      | 1                               |
| 22                       | 5530            | 24          | 3.1              | 166      | 1                               |
| 23                       | 5530            | 24          | 1.2              | 166      | 1                               |
| 24                       | 5530            | 27          | 1.8              | 159      | 0                               |
| 25                       | 5530            | 24          | 3.9              | 217      | 1                               |
| 26                       | 5530            | 24          | 3.3              | 229      | 1                               |
| 27                       | 5530            | 25          | 2.8              | 222      | 1                               |
| 28                       | 5530            | 28          | 1.1              | 229      | 1                               |
| 29                       | 5530            | 26          | 2                | 197      | 1                               |
| 30                       | 5530            | 24          | 1.9              | 174      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 93.33%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 17          | 6.8              | 418      | 1                               |
| 2                        | 5530            | 16          | 9                | 206      | 1                               |
| 3                        | 5530            | 18          | 9                | 382      | 1                               |
| 4                        | 5530            | 16          | 6.5              | 309      | 0                               |
| 5                        | 5530            | 16          | 6.2              | 309      | 0                               |
| 6                        | 5530            | 17          | 6.5              | 310      | 1                               |
| 7                        | 5530            | 17          | 8.4              | 276      | 1                               |
| 8                        | 5530            | 16          | 8.9              | 387      | 1                               |
| 9                        | 5530            | 17          | 6.2              | 398      | 0                               |
| 10                       | 5530            | 17          | 9.6              | 396      | 1                               |
| 11                       | 5530            | 17          | 6                | 432      | 1                               |
| 12                       | 5530            | 17          | 6.1              | 307      | 0                               |
| 13                       | 5530            | 17          | 9.4              | 242      | 1                               |
| 14                       | 5530            | 17          | 9.4              | 255      | 0                               |
| 15                       | 5530            | 17          | 9.5              | 363      | 1                               |
| 16                       | 5530            | 17          | 6.8              | 344      | 1                               |
| 17                       | 5530            | 17          | 6.3              | 291      | 1                               |
| 18                       | 5530            | 16          | 8.9              | 378      | 1                               |
| 19                       | 5530            | 16          | 6                | 431      | 1                               |
| 20                       | 5530            | 17          | 7.3              | 429      | 0                               |
| 21                       | 5530            | 18          | 8.5              | 289      | 1                               |
| 22                       | 5530            | 17          | 9.1              | 235      | 0                               |
| 23                       | 5530            | 16          | 7.5              | 213      | 1                               |
| 24                       | 5530            | 17          | 6.9              | 270      | 1                               |
| 25                       | 5530            | 16          | 9.4              | 248      | 0                               |
| 26                       | 5530            | 16          | 9.9              | 236      | 1                               |
| 27                       | 5530            | 17          | 9.6              | 293      | 1                               |
| 28                       | 5530            | 17          | 9.5              | 331      | 1                               |
| 29                       | 5530            | 17          | 8.4              | 350      | 1                               |
| 30                       | 5530            | 16          | 6.2              | 289      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 73.33%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 13          | 17.6             | 287      | 1                               |
| 2                        | 5530            | 14          | 18.3             | 275      | 1                               |
| 3                        | 5530            | 13          | 15.3             | 277      | 0                               |
| 4                        | 5530            | 15          | 11.3             | 391      | 1                               |
| 5                        | 5530            | 12          | 11.4             | 293      | 0                               |
| 6                        | 5530            | 12          | 18.3             | 302      | 0                               |
| 7                        | 5530            | 16          | 16.4             | 468      | 1                               |
| 8                        | 5530            | 13          | 15.7             | 465      | 0                               |
| 9                        | 5530            | 14          | 14.4             | 391      | 0                               |
| 10                       | 5530            | 15          | 11.8             | 245      | 1                               |
| 11                       | 5530            | 13          | 13.1             | 264      | 0                               |
| 12                       | 5530            | 15          | 18.2             | 277      | 1                               |
| 13                       | 5530            | 15          | 19.6             | 245      | 1                               |
| 14                       | 5530            | 16          | 14.6             | 327      | 0                               |
| 15                       | 5530            | 15          | 12.9             | 419      | 1                               |
| 16                       | 5530            | 15          | 17.2             | 498      | 1                               |
| 17                       | 5530            | 15          | 13.2             | 322      | 1                               |
| 18                       | 5530            | 16          | 18.2             | 320      | 1                               |
| 19                       | 5530            | 16          | 15.6             | 430      | 1                               |
| 20                       | 5530            | 14          | 14.6             | 406      | 1                               |
| 21                       | 5530            | 14          | 17               | 272      | 1                               |
| 22                       | 5530            | 14          | 11.6             | 458      | 1                               |
| 23                       | 5530            | 12          | 19.9             | 471      | 1                               |
| 24                       | 5530            | 14          | 12.8             | 354      | 0                               |
| 25                       | 5530            | 15          | 14               | 318      | 1                               |
| 26                       | 5530            | 15          | 11.4             | 444      | 1                               |
| 27                       | 5530            | 15          | 12.8             | 222      | 0                               |
| 28                       | 5530            | 15          | 15.6             | 344      | 1                               |
| 29                       | 5530            | 12          | 14               | 364      | 1                               |
| 30                       | 5530            | 13          | 15.4             | 306      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 70.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5570            | 34          | 1                | 1567     | 1                               |
| 2                        | 5570            | 27          | 1                | 2006     | 1                               |
| 3                        | 5570            | 93          | 1                | 569      | 1                               |
| 4                        | 5570            | 18          | 1                | 2974     | 0                               |
| 5                        | 5570            | 43          | 1                | 1229     | 1                               |
| 6                        | 5570            | 77          | 1                | 689      | 1                               |
| 7                        | 5570            | 85          | 1                | 620      | 1                               |
| 8                        | 5570            | 69          | 1                | 765      | 1                               |
| 9                        | 5570            | 26          | 1                | 2048     | 1                               |
| 10                       | 5570            | 28          | 1                | 1909     | 1                               |
| 11                       | 5570            | 51          | 1                | 1049     | 1                               |
| 12                       | 5570            | 18          | 1                | 3050     | 1                               |
| 13                       | 5570            | 67          | 1                | 788      | 1                               |
| 14                       | 5570            | 66          | 1                | 801      | 1                               |
| 15                       | 5570            | 26          | 1                | 2069     | 1                               |
| 16                       | 5570            | 18          | 1                | 2942     | 0                               |
| 17                       | 5570            | 21          | 1                | 2554     | 1                               |
| 18                       | 5570            | 19          | 1                | 2882     | 1                               |
| 19                       | 5570            | 27          | 1                | 2016     | 1                               |
| 20                       | 5570            | 32          | 1                | 1675     | 1                               |
| 21                       | 5570            | 100         | 1                | 528      | 1                               |
| 22                       | 5570            | 37          | 1                | 1433     | 1                               |
| 23                       | 5570            | 49          | 1                | 1080     | 1                               |
| 24                       | 5570            | 73          | 1                | 725      | 1                               |
| 25                       | 5570            | 18          | 1                | 2936     | 1                               |
| 26                       | 5570            | 25          | 1                | 2158     | 1                               |
| 27                       | 5570            | 26          | 1                | 2054     | 1                               |
| 28                       | 5570            | 28          | 1                | 1897     | 1                               |
| 29                       | 5570            | 20          | 1                | 2697     | 0                               |
| 30                       | 5570            | 36          | 1                | 1467     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5570            | 27          | 2.7              | 170      | 0                               |
| 2                        | 5570            | 25          | 2.4              | 163      | 1                               |
| 3                        | 5570            | 25          | 2.2              | 213      | 1                               |
| 4                        | 5570            | 28          | 1                | 215      | 1                               |
| 5                        | 5570            | 26          | 2.3              | 196      | 1                               |
| 6                        | 5570            | 26          | 2.8              | 226      | 1                               |
| 7                        | 5570            | 26          | 1.6              | 213      | 1                               |
| 8                        | 5570            | 29          | 4.4              | 167      | 1                               |
| 9                        | 5570            | 26          | 4.2              | 197      | 1                               |
| 10                       | 5570            | 29          | 4.6              | 166      | 1                               |
| 11                       | 5570            | 26          | 4.6              | 167      | 1                               |
| 12                       | 5570            | 26          | 2.9              | 161      | 1                               |
| 13                       | 5570            | 25          | 1.5              | 180      | 1                               |
| 14                       | 5570            | 28          | 3.4              | 214      | 1                               |
| 15                       | 5570            | 24          | 2                | 154      | 1                               |
| 16                       | 5570            | 28          | 4.1              | 188      | 1                               |
| 17                       | 5570            | 26          | 1.2              | 158      | 0                               |
| 18                       | 5570            | 23          | 4.9              | 200      | 1                               |
| 19                       | 5570            | 26          | 3.3              | 152      | 1                               |
| 20                       | 5570            | 27          | 3.5              | 166      | 1                               |
| 21                       | 5570            | 28          | 1.1              | 179      | 1                               |
| 22                       | 5570            | 23          | 1.9              | 166      | 1                               |
| 23                       | 5570            | 25          | 3.8              | 215      | 1                               |
| 24                       | 5570            | 25          | 1.7              | 189      | 1                               |
| 25                       | 5570            | 27          | 1.7              | 214      | 1                               |
| 26                       | 5570            | 26          | 4.1              | 219      | 0                               |
| 27                       | 5570            | 26          | 4.9              | 217      | 1                               |
| 28                       | 5570            | 27          | 4.9              | 168      | 1                               |
| 29                       | 5570            | 25          | 1.8              | 150      | 1                               |
| 30                       | 5570            | 25          | 2.5              | 150      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5570            | 18          | 7.9              | 452      | 0                               |
| 2                        | 5570            | 16          | 7.2              | 348      | 1                               |
| 3                        | 5570            | 16          | 9.9              | 249      | 1                               |
| 4                        | 5570            | 16          | 6                | 217      | 1                               |
| 5                        | 5570            | 16          | 7.3              | 364      | 1                               |
| 6                        | 5570            | 17          | 9.6              | 314      | 1                               |
| 7                        | 5570            | 16          | 7.2              | 334      | 1                               |
| 8                        | 5570            | 17          | 9.9              | 483      | 1                               |
| 9                        | 5570            | 17          | 7.4              | 338      | 1                               |
| 10                       | 5570            | 18          | 8.8              | 437      | 1                               |
| 11                       | 5570            | 16          | 8.1              | 380      | 1                               |
| 12                       | 5570            | 18          | 9.2              | 261      | 1                               |
| 13                       | 5570            | 18          | 9.9              | 228      | 1                               |
| 14                       | 5570            | 16          | 6.8              | 248      | 1                               |
| 15                       | 5570            | 18          | 6.2              | 308      | 1                               |
| 16                       | 5570            | 17          | 8.9              | 472      | 0                               |
| 17                       | 5570            | 17          | 7.8              | 324      | 1                               |
| 18                       | 5570            | 17          | 6.2              | 404      | 0                               |
| 19                       | 5570            | 16          | 9.9              | 440      | 1                               |
| 20                       | 5570            | 17          | 8.1              | 240      | 0                               |
| 21                       | 5570            | 18          | 7.8              | 326      | 1                               |
| 22                       | 5570            | 17          | 7                | 250      | 1                               |
| 23                       | 5570            | 17          | 6.9              | 491      | 1                               |
| 24                       | 5570            | 17          | 8.9              | 424      | 1                               |
| 25                       | 5570            | 18          | 8.7              | 345      | 0                               |
| 26                       | 5570            | 18          | 7.3              | 425      | 0                               |
| 27                       | 5570            | 16          | 7.1              | 432      | 1                               |
| 28                       | 5570            | 18          | 9.9              | 354      | 1                               |
| 29                       | 5570            | 16          | 7.1              | 346      | 1                               |
| 30                       | 5570            | 17          | 7.8              | 336      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 80.00%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5570            | 13          | 11.2             | 208      | 1                               |
| 2                        | 5570            | 14          | 15.8             | 483      | 1                               |
| 3                        | 5570            | 15          | 15.1             | 450      | 0                               |
| 4                        | 5570            | 13          | 18.7             | 224      | 1                               |
| 5                        | 5570            | 15          | 16.6             | 352      | 1                               |
| 6                        | 5570            | 16          | 12.2             | 251      | 0                               |
| 7                        | 5570            | 15          | 19.1             | 472      | 1                               |
| 8                        | 5570            | 12          | 16.5             | 234      | 1                               |
| 9                        | 5570            | 15          | 16.6             | 227      | 1                               |
| 10                       | 5570            | 15          | 13.7             | 337      | 0                               |
| 11                       | 5570            | 15          | 11.4             | 368      | 0                               |
| 12                       | 5570            | 15          | 12.1             | 221      | 1                               |
| 13                       | 5570            | 15          | 14               | 278      | 1                               |
| 14                       | 5570            | 16          | 19.6             | 453      | 1                               |
| 15                       | 5570            | 16          | 16.1             | 273      | 1                               |
| 16                       | 5570            | 15          | 18.2             | 329      | 1                               |
| 17                       | 5570            | 13          | 13.5             | 401      | 0                               |
| 18                       | 5570            | 14          | 12               | 248      | 1                               |
| 19                       | 5570            | 13          | 11.1             | 265      | 0                               |
| 20                       | 5570            | 14          | 17.9             | 488      | 1                               |
| 21                       | 5570            | 12          | 14.6             | 493      | 1                               |
| 22                       | 5570            | 15          | 17.1             | 318      | 1                               |
| 23                       | 5570            | 13          | 17.2             | 240      | 0                               |
| 24                       | 5570            | 13          | 13.5             | 355      | 0                               |
| 25                       | 5570            | 16          | 17.3             | 405      | 1                               |
| 26                       | 5570            | 12          | 11.5             | 367      | 0                               |
| 27                       | 5570            | 13          | 11.2             | 268      | 0                               |
| 28                       | 5570            | 12          | 13               | 457      | 1                               |
| 29                       | 5570            | 15          | 14.3             | 228      | 1                               |
| 30                       | 5570            | 12          | 16.1             | 215      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 66.67%                          |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Center Freq: 5500MHz     |       |        |                     | Low Edge: 5491MHz                                    | High Edge: 5510MHz              |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                        | 18    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                        | 8     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                        | 12    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                        | 17    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                        | 5     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                        | 19    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                        | 7     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                        | 15    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                        | 8     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                       | 10    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |
| 11                       | 17    | 6.8    | 5497.8              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 1                               |
| 12                       | 14    | 5.6    | 5496.6              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 0                               |
| 13                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 1                               |
| 14                       | 11    | 4.4    | 5495.4              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |
| 15                       | 13    | 5.2    | 5496.2              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 0                               |
| 16                       | 5     | 2      | 5493                | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 1                               |
| 17                       | 5     | 2      | 5493                | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |
| 18                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 1                               |
| 19                       | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |
| 21                       | 13    | 5.2    | 5504.8              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                       | 7     | 2.8    | 5507.2              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                       | 9     | 3.6    | 5506.4              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                       | 8     | 3.2    | 5506.8              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                       | 14    | 5.6    | 5504.4              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                       | 18    | 7.2    | 5502.8              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                       | 14    | 5.6    | 5504.4              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                       | 5     | 2      | 5508                | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |
| 29                       | 11    | 4.4    | 5505.6              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |
| 30                       | 12    | 4.8    | 5505.2              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%) |       |        |                     |                                                      | 90.00                           |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 83.7               | 18                | 1305                    | 1341                    | 274.352                               |
| 2     | 1                | 91.1               | 18                |                         |                         | 457.753                               |
| 3     | 1                | 82.3               | 18                |                         |                         | 325.707                               |
| 4     | 2                | 70.5               | 18                | 1412                    |                         | 63.51                                 |
| 5     | 3                | 70.1               | 18                | 1657                    | 1375                    | 344.633                               |
| 6     | 3                | 81.6               | 18                | 1650                    | 1706                    | 111.847                               |
| 7     | 3                | 74.3               | 18                | 1200                    | 1315                    | 579.85                                |
| 8     | 2                | 51.7               | 18                | 1781                    |                         | 415.623                               |
| 9     | 2                | 67.5               | 18                | 1426                    |                         | 419.117                               |
| 10    | 1                | 93.9               | 18                |                         |                         | 548.82                                |
| 11    | 1                | 52.9               | 18                |                         |                         | 529.053                               |
| 12    | 2                | 99.9               | 18                | 1370                    |                         | 8.767                                 |
| 13    | 1                | 77.5               | 18                |                         |                         | 2.31                                  |
| 14    | 1                | 53.2               | 18                |                         |                         | 135.443                               |
| 15    | 1                | 70.6               | 18                |                         |                         | 4.327                                 |
| 16    | 1                | 56.1               | 18                |                         |                         | 659                                   |
| 17    | 2                | 80.3               | 18                | 1312                    |                         | 56.033                                |
| 18    | 2                | 95.9               | 18                | 1478                    |                         | 55.067                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 67.4               | 8                 |                         |                         | 614.844                               |
| 2     | 3                | 78.8               | 8                 | 1498                    | 1622                    | 105.776                               |
| 3     | 3                | 56.2               | 8                 | 1287                    | 1300                    | 608.49                                |
| 4     | 2                | 52.2               | 8                 | 1270                    |                         | 601.68                                |
| 5     | 1                | 52.7               | 8                 |                         |                         | 160.42                                |
| 6     | 3                | 72.8               | 8                 | 1489                    | 1620                    | 371.98                                |
| 7     | 3                | 62.7               | 8                 | 1810                    | 1575                    | 649.58                                |
| 8     | 1                | 88.9               | 8                 |                         |                         | 219.52                                |
| 9     | 2                | 62.1               | 8                 | 1642                    |                         | 299.31                                |
| 10    | 1                | 52.8               | 8                 |                         |                         | 353.4                                 |
| 11    | 2                | 63.6               | 8                 | 1029                    |                         | 512.61                                |
| 12    | 1                | 67.8               | 8                 |                         |                         | 187                                   |
| 13    | 3                | 75.8               | 8                 | 1727                    | 1225                    | 239.37                                |
| 14    | 2                | 51.1               | 8                 | 1473                    |                         | 186.22                                |
| 15    | 1                | 57.6               | 8                 |                         |                         | 286.3                                 |
| 16    | 2                | 82                 | 8                 | 1296                    |                         | 297                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 3</b> |
|-------------------------|

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 94.4               | 17                | 1565                    |                         | 731.38                                |
| 2     | 3                | 72.8               | 17                | 1242                    | 1339                    | 165.801                               |
| 3     | 1                | 52.5               | 17                |                         |                         | 649.54                                |
| 4     | 2                | 66.1               | 17                | 1938                    |                         | 245.6                                 |
| 5     | 2                | 85.6               | 17                | 1141                    |                         | 525.85                                |
| 6     | 2                | 59.7               | 17                | 1264                    |                         | 119.58                                |
| 7     | 2                | 88.9               | 17                | 1490                    |                         | 465.38                                |
| 8     | 3                | 50.1               | 17                | 1782                    | 1065                    | 571.14                                |
| 9     | 3                | 86.8               | 17                | 1145                    | 1067                    | 127.21                                |
| 10    | 2                | 87.9               | 17                | 1349                    |                         | 240.01                                |
| 11    | 2                | 52.4               | 17                | 1691                    |                         | 425.77                                |
| 12    | 3                | 77.9               | 17                | 1588                    | 1652                    | 659.26                                |
| 13    | 2                | 69.3               | 17                | 1550                    |                         | 560.53                                |
| 14    | 3                | 58.9               | 17                | 1033                    | 1996                    | 677.4                                 |
| 15    | 1                | 53.2               | 17                |                         |                         | 263.5                                 |
| 16    | 2                | 52                 | 17                | 1158                    |                         | 293.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 87.4               | 5                 |                         |                         | 471.693                               |
| 2     | 2                | 52.4               | 5                 | 1326                    |                         | 133.189                               |
| 3     | 2                | 66                 | 5                 | 1980                    |                         | 577.697                               |
| 4     | 2                | 56.1               | 5                 | 1763                    |                         | 80.87                                 |
| 5     | 2                | 85.3               | 5                 | 1422                    |                         | 435.443                               |
| 6     | 2                | 68.5               | 5                 | 1909                    |                         | 562.867                               |
| 7     | 3                | 98.5               | 5                 | 1380                    | 1597                    | 145.7                                 |
| 8     | 3                | 74                 | 5                 | 1929                    | 1824                    | 46.493                                |
| 9     | 3                | 83.3               | 5                 | 1401                    | 1173                    | 470.177                               |
| 10    | 2                | 60.9               | 5                 | 1601                    |                         | 480.11                                |
| 11    | 1                | 67.7               | 5                 |                         |                         | 168.473                               |
| 12    | 2                | 64.5               | 5                 | 1371                    |                         | 442.647                               |
| 13    | 3                | 70.8               | 5                 | 1722                    | 1888                    | 107.4                                 |
| 14    | 1                | 88                 | 5                 |                         |                         | 386.163                               |
| 15    | 2                | 93.1               | 5                 | 1271                    |                         | 641.307                               |
| 16    | 1                | 67.5               | 5                 |                         |                         | 367.3                                 |
| 17    | 2                | 86.5               | 5                 | 1990                    |                         | 571.033                               |
| 18    | 1                | 59.5               | 5                 |                         |                         | 644.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 6</b> |
|-------------------------|

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 87.4               | 7                 | 1950                    |                         | 220.216                               |
| 2     | 2                | 74.8               | 7                 | 1099                    |                         | 373.02                                |
| 3     | 2                | 89.3               | 7                 | 1521                    |                         | 51.43                                 |
| 4     | 1                | 67.3               | 7                 |                         |                         | 693.17                                |
| 5     | 1                | 96.9               | 7                 |                         |                         | 412.47                                |
| 6     | 2                | 58.5               | 7                 | 1898                    |                         | 505.25                                |
| 7     | 2                | 69.4               | 7                 | 1793                    |                         | 119.53                                |
| 8     | 3                | 61                 | 7                 | 1980                    | 1479                    | 445.94                                |
| 9     | 1                | 55.1               | 7                 |                         |                         | 296.39                                |
| 10    | 1                | 93.3               | 7                 |                         |                         | 634.43                                |
| 11    | 2                | 63.6               | 7                 | 1514                    |                         | 459.77                                |
| 12    | 2                | 88.8               | 7                 | 1637                    |                         | 468.85                                |
| 13    | 2                | 76.9               | 7                 | 1531                    |                         | 93.15                                 |
| 14    | 2                | 76.8               | 7                 | 1575                    |                         | 298.1                                 |
| 15    | 1                | 71.1               | 7                 |                         |                         | 340.7                                 |
| 16    | 3                | 54.6               | 7                 | 1794                    | 1025                    | 734.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 8</b> |
|-------------------------|

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 91.6               | 8                 | 1300                    | 1109                    | 543.172                               |
| 2     | 1                | 77.6               | 8                 |                         |                         | 675.76                                |
| 3     | 3                | 90.4               | 8                 | 1107                    | 1344                    | 673.65                                |
| 4     | 2                | 94.8               | 8                 | 1662                    |                         | 672.66                                |
| 5     | 3                | 93.3               | 8                 | 1238                    | 1679                    | 464.71                                |
| 6     | 2                | 51.6               | 8                 | 1766                    |                         | 519.29                                |
| 7     | 2                | 78.6               | 8                 | 1656                    |                         | 111.77                                |
| 8     | 2                | 67.5               | 8                 | 1825                    |                         | 689.62                                |
| 9     | 1                | 73                 | 8                 |                         |                         | 162.98                                |
| 10    | 3                | 68.6               | 8                 | 1207                    | 1225                    | 648.09                                |
| 11    | 2                | 88                 | 8                 | 1641                    |                         | 133.86                                |
| 12    | 1                | 63.2               | 8                 |                         |                         | 25.35                                 |
| 13    | 2                | 88                 | 8                 | 1071                    |                         | 189.37                                |
| 14    | 1                | 90.3               | 8                 |                         |                         | 644.2                                 |
| 15    | 3                | 61.9               | 8                 | 1391                    | 1292                    | 499.7                                 |
| 16    | 2                | 52.7               | 8                 | 1045                    |                         | 311.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 10**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 70                 | 17                | 1117                    |                         | 316.459                               |
| 2     | 1                | 70.6               | 17                |                         |                         | 192.21                                |
| 3     | 3                | 62.7               | 17                | 1812                    | 1795                    | 943.44                                |
| 4     | 3                | 81                 | 17                | 1230                    | 1170                    | 366.39                                |
| 5     | 2                | 53.8               | 17                | 1293                    |                         | 589.02                                |
| 6     | 3                | 91                 | 17                | 1710                    | 1892                    | 145.34                                |
| 7     | 2                | 76.9               | 17                | 1660                    |                         | 171.76                                |
| 8     | 2                | 71.9               | 17                | 1642                    |                         | 456.27                                |
| 9     | 2                | 85                 | 17                | 1568                    |                         | 237.8                                 |
| 10    | 2                | 53.4               | 17                | 1728                    |                         | 887.27                                |
| 11    | 2                | 61.2               | 17                | 1026                    |                         | 513.6                                 |
| 12    | 3                | 70.3               | 17                | 1596                    | 1287                    | 123.1                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 69.7               | 14                | 1246                    |                         | 140.003                               |
| 2     | 3                | 96.8               | 14                | 1973                    | 1637                    | 155.359                               |
| 3     | 2                | 62.3               | 14                | 1460                    |                         | 441.287                               |
| 4     | 2                | 59.5               | 14                | 1836                    |                         | 640.48                                |
| 5     | 3                | 63.5               | 14                | 1242                    | 1729                    | 489.063                               |
| 6     | 3                | 93.7               | 14                | 1593                    | 1584                    | 45.817                                |
| 7     | 2                | 93.8               | 14                | 1928                    |                         | 230.52                                |
| 8     | 2                | 76.7               | 14                | 1155                    |                         | 464.303                               |
| 9     | 2                | 68.7               | 14                | 1664                    |                         | 462.647                               |
| 10    | 2                | 80                 | 14                | 1429                    |                         | 535.01                                |
| 11    | 2                | 92.2               | 14                | 1068                    |                         | 94.353                                |
| 12    | 2                | 74.6               | 14                | 1308                    |                         | 601.017                               |
| 13    | 2                | 95.3               | 14                | 1646                    |                         | 80.11                                 |
| 14    | 1                | 98.8               | 14                |                         |                         | 208.843                               |
| 15    | 2                | 74.2               | 14                | 1023                    |                         | 659.997                               |
| 16    | 1                | 84.4               | 14                |                         |                         | 452.3                                 |
| 17    | 1                | 65.6               | 14                |                         |                         | 386.833                               |
| 18    | 1                | 55.1               | 14                |                         |                         | 495.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 87.5               | 19                |                         |                         | 50.232                                |
| 2     | 3                | 98.9               | 19                | 1848                    | 1360                    | 663.24                                |
| 3     | 3                | 86.4               | 19                | 1273                    | 1810                    | 742.32                                |
| 4     | 3                | 69.2               | 19                | 1232                    | 1662                    | 190.02                                |
| 5     | 1                | 56.3               | 19                |                         |                         | 204.63                                |
| 6     | 2                | 99.3               | 19                | 1054                    |                         | 768.9                                 |
| 7     | 2                | 82.4               | 19                | 1041                    |                         | 434.5                                 |
| 8     | 2                | 82                 | 19                | 1839                    |                         | 190.19                                |
| 9     | 2                | 67.9               | 19                | 1701                    |                         | 500.8                                 |
| 10    | 3                | 65                 | 19                | 1253                    | 1185                    | 718.76                                |
| 11    | 2                | 82.5               | 19                | 1925                    |                         | 576.25                                |
| 12    | 3                | 63.3               | 19                | 1896                    | 1366                    | 209.76                                |
| 13    | 2                | 99.5               | 19                | 1160                    |                         | 713.6                                 |
| 14    | 2                | 69.7               | 19                | 1760                    |                         | 713.1                                 |
| 15    | 1                | 55.6               | 19                |                         |                         | 48.2                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 58.4               | 11                | 1120                    | 1076                    | 281.153                               |
| 2     | 2                | 91.4               | 11                | 1865                    |                         | 219.464                               |
| 3     | 3                | 77.7               | 11                | 1824                    | 1367                    | 51.257                                |
| 4     | 3                | 74.5               | 11                | 1183                    | 1248                    | 152.17                                |
| 5     | 1                | 59.5               | 11                |                         |                         | 549.233                               |
| 6     | 1                | 72                 | 11                |                         |                         | 264.987                               |
| 7     | 3                | 84.1               | 11                | 1016                    | 1804                    | 145.61                                |
| 8     | 2                | 78                 | 11                | 1153                    |                         | 320.173                               |
| 9     | 2                | 65.7               | 11                | 1164                    |                         | 580.097                               |
| 10    | 2                | 60.5               | 11                | 1398                    |                         | 175.22                                |
| 11    | 2                | 56.2               | 11                | 1953                    |                         | 597.093                               |
| 12    | 3                | 78                 | 11                | 1904                    | 1707                    | 48.967                                |
| 13    | 2                | 90.3               | 11                | 1258                    |                         | 304.04                                |
| 14    | 2                | 64.7               | 11                | 1714                    |                         | 38.563                                |
| 15    | 2                | 77.8               | 11                | 1822                    |                         | 339.237                               |
| 16    | 1                | 95.4               | 11                |                         |                         | 70.7                                  |
| 17    | 2                | 68                 | 11                | 1265                    |                         | 164.833                               |
| 18    | 3                | 83                 | 11                | 1916                    | 1743                    | 66.967                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 92.5               | 13                | 1285                    |                         | 593.478                               |
| 2     | 1                | 91                 | 13                |                         |                         | 101.978                               |
| 3     | 1                | 97.4               | 13                |                         |                         | 491.317                               |
| 4     | 3                | 76.6               | 13                | 1837                    | 1318                    | 657.78                                |
| 5     | 1                | 78.4               | 13                |                         |                         | 618.513                               |
| 6     | 3                | 99.4               | 13                | 1209                    | 1197                    | 77.627                                |
| 7     | 2                | 71.8               | 13                | 1632                    |                         | 28.34                                 |
| 8     | 2                | 99.7               | 13                | 1660                    |                         | 565.513                               |
| 9     | 2                | 79.2               | 13                | 1260                    |                         | 517.587                               |
| 10    | 3                | 76.2               | 13                | 1117                    | 1585                    | 420.8                                 |
| 11    | 1                | 76.5               | 13                |                         |                         | 491.263                               |
| 12    | 1                | 60.3               | 13                |                         |                         | 3.957                                 |
| 13    | 2                | 68.6               | 13                | 1261                    |                         | 298.94                                |
| 14    | 2                | 62                 | 13                | 1771                    |                         | 243.053                               |
| 15    | 2                | 67.6               | 13                | 1047                    |                         | 87.197                                |
| 16    | 1                | 70                 | 13                |                         |                         | 358.5                                 |
| 17    | 2                | 72                 | 13                | 1220                    |                         | 309.933                               |
| 18    | 2                | 94.6               | 13                | 1131                    |                         | 531.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 99.1               | 5                 | 1315                    |                         | 35.034                                |
| 2     | 1                | 99                 | 5                 |                         |                         | 164.562                               |
| 3     | 1                | 76.8               | 5                 |                         |                         | 299.777                               |
| 4     | 3                | 89.8               | 5                 | 1228                    | 1280                    | 398.55                                |
| 5     | 1                | 91.3               | 5                 |                         |                         | 586.523                               |
| 6     | 2                | 66.5               | 5                 | 1505                    |                         | 605.687                               |
| 7     | 3                | 54.8               | 5                 | 1069                    | 1239                    | 309.67                                |
| 8     | 3                | 87.8               | 5                 | 1404                    | 1724                    | 538.993                               |
| 9     | 3                | 94.5               | 5                 | 1327                    | 1712                    | 113.007                               |
| 10    | 3                | 87.8               | 5                 | 1628                    | 1514                    | 391.59                                |
| 11    | 2                | 73                 | 5                 | 1290                    |                         | 595.223                               |
| 12    | 2                | 77.1               | 5                 | 1939                    |                         | 161.587                               |
| 13    | 3                | 94.4               | 5                 | 1281                    | 1803                    | 115.13                                |
| 14    | 2                | 52.7               | 5                 | 1221                    |                         | 366.993                               |
| 15    | 3                | 71.3               | 5                 | 1814                    | 1556                    | 415.977                               |
| 16    | 1                | 73.4               | 5                 |                         |                         | 142                                   |
| 17    | 1                | 70                 | 5                 |                         |                         | 143.233                               |
| 18    | 2                | 91                 | 5                 | 1391                    |                         | 248.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 55.4               | 5                 | 1430                    | 1322                    | 391.166                               |
| 2     | 2                | 82.4               | 5                 | 1698                    |                         | 85.823                                |
| 3     | 2                | 64.5               | 5                 | 1751                    |                         | 334.785                               |
| 4     | 2                | 69.1               | 5                 | 1643                    |                         | 506.983                               |
| 5     | 3                | 79.8               | 5                 | 1998                    | 1131                    | 313.351                               |
| 6     | 3                | 71.2               | 5                 | 1121                    | 1606                    | 669.198                               |
| 7     | 3                | 85.1               | 5                 | 1290                    | 1947                    | 496.576                               |
| 8     | 2                | 63.4               | 5                 | 1630                    |                         | 671.854                               |
| 9     | 3                | 75                 | 5                 | 1611                    | 1205                    | 286.381                               |
| 10    | 2                | 51.2               | 5                 | 1930                    |                         | 104.379                               |
| 11    | 2                | 83.9               | 5                 | 1599                    |                         | 110.896                               |
| 12    | 2                | 51.3               | 5                 | 1308                    |                         | 388.064                               |
| 13    | 3                | 57.8               | 5                 | 1305                    | 1517                    | 73.592                                |
| 14    | 3                | 53.5               | 5                 | 1182                    | 1885                    | 234.829                               |
| 15    | 3                | 74.2               | 5                 | 1488                    | 1035                    | 520.747                               |
| 16    | 2                | 59.4               | 5                 | 1926                    |                         | 355.165                               |
| 17    | 2                | 76.5               | 5                 | 1322                    |                         | 68.382                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 95.1               | 19                |                         |                         | 430.396                               |
| 2     | 3                | 74.7               | 19                | 1726                    | 1427                    | 411.7                                 |
| 3     | 2                | 66.7               | 19                | 1888                    |                         | 575.11                                |
| 4     | 1                | 52.9               | 19                |                         |                         | 417.48                                |
| 5     | 3                | 87                 | 19                | 1390                    | 1451                    | 549.39                                |
| 6     | 3                | 64.9               | 19                | 1987                    | 1087                    | 791.55                                |
| 7     | 2                | 72.6               | 19                | 1857                    |                         | 571.3                                 |
| 8     | 2                | 66.2               | 19                | 1039                    |                         | 477.43                                |
| 9     | 3                | 96.1               | 19                | 1682                    | 1011                    | 24.6                                  |
| 10    | 2                | 73.9               | 19                | 1678                    |                         | 453.24                                |
| 11    | 2                | 60.2               | 19                | 1063                    |                         | 57.05                                 |
| 12    | 3                | 98.4               | 19                | 1218                    | 1365                    | 176.36                                |
| 13    | 2                | 70                 | 19                | 1876                    |                         | 431.9                                 |
| 14    | 2                | 87.9               | 19                | 1999                    |                         | 221.4                                 |
| 15    | 2                | 76.2               | 19                | 1178                    |                         | 209.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 86.1               | 6                 |                         |                         | 330.313                               |
| 2     | 1                | 86                 | 6                 |                         |                         | 322.178                               |
| 3     | 3                | 61.2               | 6                 | 1898                    | 1991                    | 384.155                               |
| 4     | 1                | 65.5               | 6                 |                         |                         | 264.173                               |
| 5     | 2                | 99.8               | 6                 | 1703                    |                         | 526.391                               |
| 6     | 2                | 63.3               | 6                 | 1426                    |                         | 125.448                               |
| 7     | 1                | 72.5               | 6                 |                         |                         | 166.616                               |
| 8     | 2                | 75.9               | 6                 | 1467                    |                         | 202.954                               |
| 9     | 2                | 94.2               | 6                 | 1047                    |                         | 375.861                               |
| 10    | 2                | 51.8               | 6                 | 1677                    |                         | 200.289                               |
| 11    | 3                | 96.9               | 6                 | 1525                    | 1521                    | 603.556                               |
| 12    | 1                | 57.2               | 6                 |                         |                         | 254.654                               |
| 13    | 2                | 55.8               | 6                 | 1689                    |                         | 110.212                               |
| 14    | 1                | 92.3               | 6                 |                         |                         | 148.759                               |
| 15    | 3                | 82.9               | 6                 | 1344                    | 1748                    | 163.647                               |
| 16    | 2                | 88.8               | 6                 | 1978                    |                         | 246.065                               |
| 17    | 1                | 86.8               | 6                 |                         |                         | 128.782                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 73.2               | 19                | 1429                    |                         | 185.933                               |
| 2     | 3                | 95.3               | 19                | 1893                    | 1673                    | 252.631                               |
| 3     | 2                | 81.3               | 19                | 1258                    |                         | 209.105                               |
| 4     | 3                | 70.4               | 19                | 1101                    | 1260                    | 208.183                               |
| 5     | 2                | 55.2               | 19                | 1944                    |                         | 513.761                               |
| 6     | 1                | 68.7               | 19                |                         |                         | 542.508                               |
| 7     | 2                | 87.9               | 19                | 1171                    |                         | 494.276                               |
| 8     | 3                | 77.9               | 19                | 1328                    | 1920                    | 648.484                               |
| 9     | 1                | 88.6               | 19                |                         |                         | 541.781                               |
| 10    | 2                | 76.3               | 19                | 1568                    |                         | 151.739                               |
| 11    | 2                | 83.1               | 19                | 1533                    |                         | 57.756                                |
| 12    | 1                | 57.3               | 19                |                         |                         | 292.384                               |
| 13    | 3                | 81.1               | 19                | 1349                    | 1776                    | 264.422                               |
| 14    | 1                | 53.2               | 19                |                         |                         | 587.519                               |
| 15    | 2                | 58                 | 19                | 1095                    |                         | 446.247                               |
| 16    | 1                | 96.6               | 19                |                         |                         | 647.565                               |
| 17    | 3                | 82.2               | 19                | 1472                    | 1439                    | 342.882                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 93.5               | 13                | 1613                    |                         | 139.579                               |
| 2     | 2                | 54.1               | 13                | 1854                    |                         | 35.242                                |
| 3     | 3                | 89.2               | 13                | 1707                    | 1966                    | 429.147                               |
| 4     | 2                | 88.2               | 13                | 1331                    |                         | 191.23                                |
| 5     | 2                | 62.5               | 13                | 1316                    |                         | 634.873                               |
| 6     | 1                | 50.9               | 13                |                         |                         | 265.757                               |
| 7     | 2                | 76.8               | 13                | 1480                    |                         | 214.09                                |
| 8     | 2                | 86.2               | 13                | 1390                    |                         | 145.153                               |
| 9     | 2                | 71.3               | 13                | 1761                    |                         | 650.867                               |
| 10    | 2                | 54.9               | 13                | 1611                    |                         | 408.62                                |
| 11    | 3                | 56.1               | 13                | 1441                    | 1050                    | 112.963                               |
| 12    | 1                | 64                 | 13                |                         |                         | 563.677                               |
| 13    | 2                | 88.6               | 13                | 1051                    |                         | 620.76                                |
| 14    | 2                | 74.9               | 13                | 1171                    |                         | 30.433                                |
| 15    | 3                | 87.6               | 13                | 1549                    | 1776                    | 489.427                               |
| 16    | 1                | 51.1               | 13                |                         |                         | 76.5                                  |
| 17    | 1                | 99.9               | 13                |                         |                         | 302.533                               |
| 18    | 2                | 83.3               | 13                | 1462                    |                         | 13.567                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 80.1               | 7                 | 1999                    |                         | 444.777                               |
| 2     | 1                | 84.7               | 7                 |                         |                         | 417.531                               |
| 3     | 2                | 92.8               | 7                 | 1748                    |                         | 702.082                               |
| 4     | 1                | 93.2               | 7                 |                         |                         | 648.413                               |
| 5     | 2                | 55.8               | 7                 | 1652                    |                         | 1081.284                              |
| 6     | 2                | 62.5               | 7                 | 1705                    |                         | 274.475                               |
| 7     | 2                | 64.6               | 7                 | 1167                    |                         | 648.005                               |
| 8     | 2                | 73.4               | 7                 | 1208                    |                         | 1.016                                 |
| 9     | 1                | 64.3               | 7                 |                         |                         | 255.727                               |
| 10    | 2                | 87.3               | 7                 | 1918                    |                         | 959.718                               |
| 11    | 3                | 86.4               | 7                 | 1287                    | 1733                    | 554.609                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 90.9               | 9                 |                         |                         | 485.632                               |
| 2     | 3                | 94.6               | 9                 | 1670                    | 1050                    | 404.631                               |
| 3     | 2                | 50.5               | 9                 | 1291                    |                         | 276.202                               |
| 4     | 3                | 93.3               | 9                 | 1456                    | 1944                    | 431.163                               |
| 5     | 2                | 87.9               | 9                 | 1671                    |                         | 210.334                               |
| 6     | 2                | 69.5               | 9                 | 1437                    |                         | 448.645                               |
| 7     | 2                | 76.9               | 9                 | 1025                    |                         | 163.476                               |
| 8     | 3                | 65.3               | 9                 | 1084                    | 1477                    | 281.627                               |
| 9     | 1                | 96                 | 9                 |                         |                         | 362.828                               |
| 10    | 2                | 70.2               | 9                 | 1398                    |                         | 58.509                                |
| 11    | 2                | 95.8               | 9                 | 1393                    |                         | 212.101                               |
| 12    | 2                | 99.1               | 9                 | 1912                    |                         | 255.002                               |
| 13    | 2                | 55.6               | 9                 | 1649                    |                         | 550.553                               |
| 14    | 3                | 69.1               | 9                 | 1469                    | 1272                    | 493.224                               |
| 15    | 2                | 95.5               | 9                 | 1421                    |                         | 198.235                               |
| 16    | 2                | 60.8               | 9                 | 1573                    |                         | 414.826                               |
| 17    | 2                | 80.2               | 9                 | 1972                    |                         | 367.737                               |
| 18    | 1                | 90.3               | 9                 |                         |                         | 343.258                               |
| 19    | 2                | 75.5               | 9                 | 1661                    |                         | 52.679                                |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 79.9               | 8                 | 1503                    |                         | 117.5                                 |
| 2     | 3                | 94.6               | 8                 | 1435                    | 1751                    | 158.783                               |
| 3     | 2                | 92.9               | 8                 | 1104                    |                         | 558.675                               |
| 4     | 1                | 61.1               | 8                 |                         |                         | 472.303                               |
| 5     | 2                | 62.4               | 8                 | 1999                    |                         | 478.991                               |
| 6     | 3                | 65.6               | 8                 | 1295                    | 1056                    | 508.198                               |
| 7     | 2                | 73.6               | 8                 | 1226                    |                         | 280.776                               |
| 8     | 1                | 79.3               | 8                 |                         |                         | 231.024                               |
| 9     | 1                | 65.2               | 8                 |                         |                         | 87.311                                |
| 10    | 3                | 66.6               | 8                 | 1666                    | 1323                    | 288.899                               |
| 11    | 1                | 65.4               | 8                 |                         |                         | 597.496                               |
| 12    | 3                | 70.2               | 8                 | 1545                    | 1365                    | 161.694                               |
| 13    | 3                | 59.6               | 8                 | 1907                    | 1835                    | 223.752                               |
| 14    | 2                | 79.3               | 8                 | 1925                    |                         | 516.169                               |
| 15    | 2                | 51.9               | 8                 | 1180                    |                         | 285.447                               |
| 16    | 2                | 97.1               | 8                 | 1729                    |                         | 533.165                               |
| 17    | 2                | 73.8               | 8                 | 1915                    |                         | 646.882                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 80.6               | 14                | 1768                    |                         | 462.286                               |
| 2     | 1                | 55.2               | 14                |                         |                         | 62.938                                |
| 3     | 3                | 58.5               | 14                | 1991                    | 1582                    | 73.447                                |
| 4     | 3                | 54.7               | 14                | 1736                    | 1564                    | 344.85                                |
| 5     | 3                | 78.1               | 14                | 1447                    | 1130                    | 333.183                               |
| 6     | 1                | 64.4               | 14                |                         |                         | 64.767                                |
| 7     | 3                | 71                 | 14                | 1677                    | 1630                    | 237.81                                |
| 8     | 3                | 94.8               | 14                | 1078                    | 1825                    | 114.693                               |
| 9     | 1                | 55.6               | 14                |                         |                         | 30.447                                |
| 10    | 2                | 95.8               | 14                | 1082                    |                         | 383.74                                |
| 11    | 3                | 67.9               | 14                | 1177                    | 1049                    | 231.213                               |
| 12    | 2                | 77                 | 14                | 1630                    |                         | 521.417                               |
| 13    | 3                | 52.2               | 14                | 1481                    | 1409                    | 486.58                                |
| 14    | 3                | 58                 | 14                | 1462                    | 1249                    | 589.553                               |
| 15    | 3                | 71.8               | 14                | 1283                    | 1415                    | 158.947                               |
| 16    | 3                | 84.5               | 14                | 1377                    | 1223                    | 252.1                                 |
| 17    | 2                | 89                 | 14                | 1850                    |                         | 645.433                               |
| 18    | 2                | 60.3               | 14                | 1886                    |                         | 379.467                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 53.7               | 18                | 1330                    |                         | 460.622                               |
| 2     | 3                | 72.3               | 18                | 1038                    | 1841                    | 850.677                               |
| 3     | 1                | 87.8               | 18                |                         |                         | 312.204                               |
| 4     | 2                | 89.1               | 18                | 1675                    |                         | 383.381                               |
| 5     | 1                | 51.6               | 18                |                         |                         | 229.879                               |
| 6     | 3                | 65.9               | 18                | 1975                    | 1865                    | 255.206                               |
| 7     | 2                | 81.6               | 18                | 1427                    |                         | 61.333                                |
| 8     | 3                | 99                 | 18                | 1973                    | 1075                    | 498.55                                |
| 9     | 3                | 85.6               | 18                | 1904                    | 1425                    | 844.807                               |
| 10    | 1                | 72.4               | 18                |                         |                         | 71.364                                |
| 11    | 1                | 68.9               | 18                |                         |                         | 227.171                               |
| 12    | 2                | 50.9               | 18                | 1087                    |                         | 461.879                               |
| 13    | 2                | 87                 | 18                | 1503                    |                         | 254.686                               |
| 14    | 3                | 54.5               | 18                | 1462                    | 1356                    | 205.343                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 66.6               | 14                |                         |                         | 217.557                               |
| 2     | 1                | 52                 | 14                |                         |                         | 585.107                               |
| 3     | 2                | 95.7               | 14                | 1954                    |                         | 60.874                                |
| 4     | 1                | 73.1               | 14                |                         |                         | 241.711                               |
| 5     | 3                | 83.7               | 14                | 1576                    | 1650                    | 53.389                                |
| 6     | 2                | 60.1               | 14                | 1668                    |                         | 305.826                               |
| 7     | 1                | 82.8               | 14                |                         |                         | 651.123                               |
| 8     | 2                | 88.6               | 14                | 1329                    |                         | 176.99                                |
| 9     | 3                | 77.8               | 14                | 1943                    | 1659                    | 748.267                               |
| 10    | 3                | 75.8               | 14                | 1867                    | 1226                    | 72.134                                |
| 11    | 2                | 77.9               | 14                | 1197                    |                         | 68.331                                |
| 12    | 2                | 99.3               | 14                | 1587                    |                         | 48.789                                |
| 13    | 1                | 87.6               | 14                |                         |                         | 358.186                               |
| 14    | 1                | 68.9               | 14                |                         |                         | 819.643                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 83.3               | 5                 | 1848                    |                         | 742.857                               |
| 2     | 2                | 73.9               | 5                 | 1041                    |                         | 275.76                                |
| 3     | 3                | 61.9               | 5                 | 1624                    | 1091                    | 701.76                                |
| 4     | 2                | 53.5               | 5                 | 1290                    |                         | 73.46                                 |
| 5     | 1                | 87                 | 5                 |                         |                         | 526.23                                |
| 6     | 3                | 94.6               | 5                 | 1773                    | 1552                    | 580.29                                |
| 7     | 1                | 83.2               | 5                 |                         |                         | 431.75                                |
| 8     | 2                | 56.4               | 5                 | 1745                    |                         | 749.65                                |
| 9     | 3                | 57.4               | 5                 | 1880                    | 1665                    | 417.52                                |
| 10    | 2                | 60.1               | 5                 | 1127                    |                         | 98.07                                 |
| 11    | 3                | 99.4               | 5                 | 1811                    | 1266                    | 207.56                                |
| 12    | 1                | 79.9               | 5                 |                         |                         | 45.93                                 |
| 13    | 2                | 82.2               | 5                 | 1846                    |                         | 0.61                                  |
| 14    | 3                | 64.9               | 5                 | 1538                    | 1270                    | 167.6                                 |
| 15    | 2                | 53.9               | 5                 | 1245                    |                         | 662                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 59.9               | 11                | 1194                    | 1397                    | 299.599                               |
| 2     | 3                | 83.6               | 11                | 1177                    | 1138                    | 436.011                               |
| 3     | 3                | 96.1               | 11                | 1175                    | 1293                    | 408.482                               |
| 4     | 1                | 83                 | 11                |                         |                         | 369.603                               |
| 5     | 2                | 89.1               | 11                | 1900                    |                         | 137.334                               |
| 6     | 1                | 69.5               | 11                |                         |                         | 191.695                               |
| 7     | 2                | 74                 | 11                | 1335                    |                         | 44.596                                |
| 8     | 1                | 94.6               | 11                |                         |                         | 413.967                               |
| 9     | 2                | 63.3               | 11                | 1789                    |                         | 454.918                               |
| 10    | 2                | 91.1               | 11                | 1060                    |                         | 622.039                               |
| 11    | 3                | 70.1               | 11                | 1019                    | 1785                    | 523.441                               |
| 12    | 3                | 99.9               | 11                | 1196                    | 1762                    | 527.722                               |
| 13    | 2                | 61.9               | 11                | 1987                    |                         | 250.393                               |
| 14    | 1                | 65.7               | 11                |                         |                         | 339.744                               |
| 15    | 2                | 58                 | 11                | 1549                    |                         | 317.305                               |
| 16    | 2                | 86.6               | 11                | 1243                    |                         | 21.396                                |
| 17    | 2                | 82.5               | 11                | 1851                    |                         | 426.437                               |
| 18    | 2                | 62.5               | 11                | 1910                    |                         | 603.858                               |
| 19    | 1                | 50.7               | 11                |                         |                         | 486.379                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 63.6               | 12                | 1421                    |                         | 91.198                                |
| 2     | 1                | 93.3               | 12                |                         |                         | 71.037                                |
| 3     | 2                | 51.6               | 12                | 1377                    |                         | 198.545                               |
| 4     | 2                | 75                 | 12                | 1959                    |                         | 77.893                                |
| 5     | 3                | 96.8               | 12                | 1893                    | 1889                    | 136.311                               |
| 6     | 2                | 74.3               | 12                | 1984                    |                         | 321.068                               |
| 7     | 3                | 88.7               | 12                | 1035                    | 1586                    | 337.166                               |
| 8     | 3                | 57                 | 12                | 1959                    | 1990                    | 310.524                               |
| 9     | 3                | 74.7               | 12                | 1110                    | 1742                    | 601.011                               |
| 10    | 1                | 67.1               | 12                |                         |                         | 343.589                               |
| 11    | 2                | 85.8               | 12                | 1431                    |                         | 36.886                                |
| 12    | 3                | 63.5               | 12                | 1712                    | 1621                    | 474.944                               |
| 13    | 2                | 98.4               | 12                | 1227                    |                         | 558.792                               |
| 14    | 2                | 73.3               | 12                | 1880                    |                         | 544.329                               |
| 15    | 2                | 52.9               | 12                | 1813                    |                         | 695.447                               |
| 16    | 2                | 86.5               | 12                | 1139                    |                         | 614.665                               |
| 17    | 3                | 69.4               | 12                | 1551                    | 1494                    | 53.782                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Center Freq: 5510MHz     |       |        |                     | Low Edge: 5491MHz                                    | High Edge: 5529MHz              |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                        | 8     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                        | 15    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                        | 9     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                        | 12    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                        | 16    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                        | 15    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                        | 11    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                        | 19    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                        | 6     |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                       | 18    |        | 5510                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |
| 11                       | 8     | 3.2    | 5494.2              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 1                               |
| 12                       | 15    | 6      | 5497                | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 0                               |
| 13                       | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 1                               |
| 14                       | 19    | 7.6    | 5498.6              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |
| 15                       | 10    | 4      | 5495                | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 0                               |
| 16                       | 18    | 7.2    | 5498.2              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 1                               |
| 17                       | 15    | 6      | 5497                | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |
| 18                       | 18    | 7.2    | 5498.2              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 0                               |
| 19                       | 15    | 6      | 5497                | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                       | 5     | 2      | 5493                | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |
| 21                       | 16    | 6.4    | 5522.6              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                       | 17    | 6.8    | 5522.2              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                       | 15    | 6      | 5523                | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                       | 19    | 7.6    | 5521.4              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                       | 8     | 3.2    | 5525.8              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                       | 13    | 5.2    | 5523.8              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                       | 9     | 3.6    | 5525.4              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                       | 11    | 4.4    | 5524.6              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |
| 29                       | 19    | 7.6    | 5521.4              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |
| 30                       | 9     | 3.6    | 5525.4              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%) |       |        |                     |                                                      | 86.67                           |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 1</b> |
|-------------------------|

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 65                 | 15                | 1279                    | 1551                    | 546.403                               |
| 2     | 1                | 90.3               | 15                |                         |                         | 627.7                                 |
| 3     | 3                | 54.4               | 15                | 1298                    | 1479                    | 708.05                                |
| 4     | 1                | 53                 | 15                |                         |                         | 374.47                                |
| 5     | 1                | 80.5               | 15                |                         |                         | 147.21                                |
| 6     | 3                | 90.7               | 15                | 1408                    | 1677                    | 335.81                                |
| 7     | 1                | 75.2               | 15                |                         |                         | 142.67                                |
| 8     | 2                | 53.3               | 15                | 1014                    |                         | 17.53                                 |
| 9     | 2                | 94.7               | 15                | 1121                    |                         | 27.47                                 |
| 10    | 1                | 66.2               | 15                |                         |                         | 532.29                                |
| 11    | 1                | 63.4               | 15                |                         |                         | 638.65                                |
| 12    | 1                | 87.5               | 15                |                         |                         | 178.22                                |
| 13    | 3                | 67.4               | 15                | 1783                    | 1413                    | 707.39                                |
| 14    | 2                | 86.2               | 15                | 1559                    |                         | 441.3                                 |
| 15    | 2                | 67.1               | 15                | 1788                    |                         | 669.9                                 |
| 16    | 2                | 91.5               | 15                | 1074                    |                         | 130.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 3</b> |
|-------------------------|

|                    |
|--------------------|
| Bursts in Trial: 8 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 4</b> |
|-------------------------|

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 58.2               | 16                | 1649                    |                         | 137.949                               |
| 2     | 2                | 93.5               | 16                | 1777                    |                         | 561.141                               |
| 3     | 3                | 68.2               | 16                | 1831                    | 1397                    | 146.522                               |
| 4     | 3                | 77.8               | 16                | 1208                    | 1280                    | 486.783                               |
| 5     | 2                | 53.2               | 16                | 1831                    |                         | 91.834                                |
| 6     | 1                | 81.6               | 16                |                         |                         | 239.195                               |
| 7     | 2                | 78.5               | 16                | 1729                    |                         | 431.336                               |
| 8     | 1                | 56.2               | 16                |                         |                         | 211.367                               |
| 9     | 3                | 64.6               | 16                | 1506                    | 1441                    | 206.198                               |
| 10    | 3                | 59.3               | 16                | 1963                    | 1875                    | 307.049                               |
| 11    | 2                | 62.6               | 16                | 1956                    |                         | 234.201                               |
| 12    | 2                | 57.1               | 16                | 1878                    |                         | 474.892                               |
| 13    | 2                | 89.3               | 16                | 1476                    |                         | 444.793                               |
| 14    | 1                | 62.9               | 16                |                         |                         | 612.444                               |
| 15    | 1                | 91.1               | 16                |                         |                         | 451.165                               |
| 16    | 2                | 60.9               | 16                | 1228                    |                         | 600.116                               |
| 17    | 2                | 99.1               | 16                | 1014                    |                         | 485.937                               |
| 18    | 2                | 78.1               | 16                | 1035                    |                         | 207.158                               |
| 19    | 1                | 72.7               | 16                |                         |                         | 169.179                               |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 85.9               | 15                | 1139                    |                         | 479.674                               |
| 2     | 1                | 62.4               | 15                |                         |                         | 435.731                               |
| 3     | 3                | 78                 | 15                | 1226                    | 1273                    | 391.952                               |
| 4     | 2                | 50.9               | 15                | 1655                    |                         | 45.563                                |
| 5     | 3                | 52.6               | 15                | 1604                    | 1103                    | 458.624                               |
| 6     | 2                | 54.2               | 15                | 1313                    |                         | 70.085                                |
| 7     | 2                | 95.3               | 15                | 1839                    |                         | 245.746                               |
| 8     | 3                | 57.3               | 15                | 1511                    | 1590                    | 24.557                                |
| 9     | 2                | 72.9               | 15                | 1062                    |                         | 185.128                               |
| 10    | 1                | 65.7               | 15                |                         |                         | 573.189                               |
| 11    | 3                | 66.9               | 15                | 1414                    | 1937                    | 430.791                               |
| 12    | 2                | 79.8               | 15                | 1278                    |                         | 216.262                               |
| 13    | 1                | 57.1               | 15                |                         |                         | 206.763                               |
| 14    | 2                | 55.9               | 15                | 1998                    |                         | 223.364                               |
| 15    | 1                | 56.8               | 15                |                         |                         | 263.315                               |
| 16    | 2                | 63.9               | 15                | 1342                    |                         | 319.926                               |
| 17    | 1                | 75.1               | 15                |                         |                         | 591.337                               |
| 18    | 2                | 72.7               | 15                | 1359                    |                         | 365.258                               |
| 19    | 1                | 66.1               | 15                |                         |                         | 251.479                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 62                 | 11                | 1070                    | 1426                    | 153.305                               |
| 2     | 2                | 70.4               | 11                | 1058                    |                         | 1077.631                              |
| 3     | 3                | 56.9               | 11                | 1548                    | 1445                    | 706.552                               |
| 4     | 3                | 81.6               | 11                | 1213                    | 1564                    | 255.303                               |
| 5     | 2                | 97.3               | 11                | 1110                    |                         | 309.584                               |
| 6     | 2                | 53.1               | 11                | 1578                    |                         | 806.975                               |
| 7     | 2                | 90.3               | 11                | 1715                    |                         | 672.095                               |
| 8     | 1                | 93.4               | 11                |                         |                         | 156.726                               |
| 9     | 1                | 73.6               | 11                |                         |                         | 701.117                               |
| 10    | 1                | 83.6               | 11                |                         |                         | 738.518                               |
| 11    | 3                | 52.5               | 11                | 1538                    | 1520                    | 32.809                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 54.7               | 19                | 1551                        |                         | 276.831                               |
| 2     | 1                | 64.4               | 19                |                             |                         | 215.089                               |
| 3     | 2                | 61.2               | 19                | 1436                        |                         | 680.935                               |
| 4     | 3                | 60.9               | 19                | 1342                        | 1984                    | 665.913                               |
| 5     | 1                | 56.8               | 19                |                             |                         | 149.381                               |
| 6     | 2                | 54.5               | 19                | 1835                        |                         | 297.278                               |
| 7     | 2                | 73.1               | 19                | 1819                        |                         | 529.806                               |
| 8     | 2                | 86.4               | 19                | 1376                        |                         | 485.434                               |
| 9     | 3                | 91.2               | 19                | 1462                        | 1994                    | 4.701                                 |
| 10    | 2                | 51.2               | 19                | 1325                        |                         | 355.349                               |
| 11    | 2                | 71.2               | 19                | 1215                        |                         | 584.796                               |
| 12    | 2                | 62.6               | 19                | 1060                        |                         | 493.984                               |
| 13    | 2                | 84.1               | 19                | 1188                        |                         | 308.782                               |
| 14    | 2                | 77.2               | 19                | 1082                        |                         | 260.669                               |
| 15    | 2                | 90                 | 19                | 1711                        |                         | 624.947                               |
| 16    | 1                | 52.7               | 19                |                             |                         | 80.865                                |
| 17    | 2                | 66.9               | 19                | 1605                        |                         | 418.382                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 84.4               | 6                 | 1688                    | 1591                    | 605.618                               |
| 2     | 2                | 90.4               | 6                 | 1529                    |                         | 274.748                               |
| 3     | 3                | 84.2               | 6                 | 1302                    | 1492                    | 573.702                               |
| 4     | 2                | 97.8               | 6                 | 1916                    |                         | 151.943                               |
| 5     | 1                | 62                 | 6                 |                         |                         | 88.474                                |
| 6     | 3                | 82.2               | 6                 | 1782                    | 1756                    | 102.095                               |
| 7     | 1                | 55.8               | 6                 |                         |                         | 395.526                               |
| 8     | 2                | 92.4               | 6                 | 1284                    |                         | 236.007                               |
| 9     | 1                | 53.1               | 6                 |                         |                         | 92.498                                |
| 10    | 2                | 63.3               | 6                 | 1488                    |                         | 490.689                               |
| 11    | 2                | 74.3               | 6                 | 1039                    |                         | 623.521                               |
| 12    | 2                | 53.7               | 6                 | 1586                    |                         | 152.592                               |
| 13    | 2                | 83.2               | 6                 | 1309                    |                         | 4.053                                 |
| 14    | 3                | 96.6               | 6                 | 1759                    | 1365                    | 456.914                               |
| 15    | 2                | 52.7               | 6                 | 1684                    |                         | 539.145                               |
| 16    | 2                | 70.8               | 6                 | 1699                    |                         | 451.426                               |
| 17    | 3                | 58.4               | 6                 | 1468                    | 1296                    | 452.737                               |
| 18    | 3                | 73.4               | 6                 | 1761                    | 1801                    | 502.858                               |
| 19    | 2                | 52.4               | 6                 | 1968                    |                         | 128.679                               |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 10**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 11**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 57.1               | 15                | 1115                    | 1173                    | 234.681                               |
| 2     | 2                | 83.5               | 15                | 1146                    |                         | 110.334                               |
| 3     | 3                | 98.1               | 15                | 1615                    | 1920                    | 351.24                                |
| 4     | 2                | 74.2               | 15                | 1185                    |                         | 444.77                                |
| 5     | 3                | 68.9               | 15                | 1487                    | 1967                    | 1.48                                  |
| 6     | 2                | 74.4               | 15                | 1307                    |                         | 570.73                                |
| 7     | 1                | 58.8               | 15                |                         |                         | 460.5                                 |
| 8     | 2                | 94.2               | 15                | 1820                    |                         | 123.6                                 |
| 9     | 1                | 74.1               | 15                |                         |                         | 59.51                                 |
| 10    | 2                | 62.2               | 15                | 1452                    |                         | 334.34                                |
| 11    | 1                | 77.5               | 15                |                         |                         | 323.27                                |
| 12    | 1                | 81.8               | 15                |                         |                         | 576.1                                 |
| 13    | 2                | 74                 | 15                | 1566                    |                         | 286.18                                |
| 14    | 3                | 90.1               | 15                | 1520                    | 1794                    | 154.38                                |
| 15    | 2                | 99.2               | 15                | 1420                    |                         | 557.99                                |
| 16    | 3                | 68.6               | 15                | 1069                    | 1908                    | 11.28                                 |
| 17    | 3                | 55.7               | 15                | 1473                    | 1932                    | 275.6                                 |
| 18    | 2                | 94.5               | 15                | 1312                    |                         | 115.8                                 |
| 19    | 3                | 87.9               | 15                | 1917                    | 1431                    | 488.1                                 |
| 20    | 3                | 50.9               | 15                | 1152                    | 1085                    | 393.8                                 |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 68.1               | 6                 |                         |                         | 1297.45                               |
| 2     | 1                | 95.7               | 6                 |                         |                         | 401.517                               |
| 3     | 2                | 80.2               | 6                 | 1378                    |                         | 363.673                               |
| 4     | 3                | 56.6               | 6                 | 1878                    | 1201                    | 49.94                                 |
| 5     | 1                | 76.4               | 6                 |                         |                         | 1027.317                              |
| 6     | 2                | 71.8               | 6                 | 1282                    |                         | 398.843                               |
| 7     | 1                | 76.1               | 6                 |                         |                         | 1027.62                               |
| 8     | 3                | 85.8               | 6                 | 1820                    | 1059                    | 412.927                               |
| 9     | 3                | 51.7               | 6                 | 1093                    | 1127                    | 459.433                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 79.1               | 19                | 1082                    | 1643                    | 223.442                               |
| 2     | 1                | 50.8               | 19                |                         |                         | 412.71                                |
| 3     | 1                | 75.3               | 19                |                         |                         | 564.45                                |
| 4     | 3                | 78.1               | 19                | 1253                    | 1347                    | 305.36                                |
| 5     | 2                | 57.3               | 19                | 1243                    |                         | 107.76                                |
| 6     | 2                | 90.7               | 19                | 1262                    |                         | 444.03                                |
| 7     | 2                | 87.8               | 19                | 1439                    |                         | 381.32                                |
| 8     | 1                | 57.5               | 19                |                         |                         | 379.27                                |
| 9     | 2                | 56.4               | 19                | 1972                    |                         | 188.97                                |
| 10    | 2                | 77                 | 19                | 1280                    |                         | 216.74                                |
| 11    | 2                | 81.2               | 19                | 1278                    |                         | 402.03                                |
| 12    | 2                | 62.1               | 19                | 1604                    |                         | 299.92                                |
| 13    | 2                | 60.8               | 19                | 1407                    |                         | 43.51                                 |
| 14    | 3                | 98.7               | 19                | 1172                    | 1238                    | 262.39                                |
| 15    | 2                | 61.9               | 19                | 1031                    |                         | 522.48                                |
| 16    | 2                | 98.5               | 19                | 1015                    |                         | 84.07                                 |
| 17    | 1                | 51.2               | 19                |                         |                         | 222.64                                |
| 18    | 1                | 99.3               | 19                |                         |                         | 58.3                                  |
| 19    | 2                | 70.1               | 19                | 1589                    |                         | 376.7                                 |
| 20    | 3                | 98.1               | 19                | 1372                    | 1460                    | 331.7                                 |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 96                 | 10                |                         |                         | 632.043                               |
| 2     | 2                | 76.1               | 10                | 1007                    |                         | 38.299                                |
| 3     | 1                | 61.2               | 10                |                         |                         | 1.134                                 |
| 4     | 2                | 53.2               | 10                | 1995                    |                         | 817.591                               |
| 5     | 2                | 64.9               | 10                | 1506                    |                         | 375.629                               |
| 6     | 2                | 64.6               | 10                | 1097                    |                         | 246.226                               |
| 7     | 2                | 91.1               | 10                | 1328                    |                         | 220.733                               |
| 8     | 3                | 88.6               | 10                | 1167                    | 1646                    | 772.66                                |
| 9     | 1                | 76.9               | 10                |                         |                         | 35.987                                |
| 10    | 3                | 96.2               | 10                | 1878                    | 1872                    | 714.074                               |
| 11    | 2                | 74                 | 10                | 1107                    |                         | 228.011                               |
| 12    | 2                | 97.3               | 10                | 1290                    |                         | 743.629                               |
| 13    | 3                | 69.2               | 10                | 1557                    | 1650                    | 695.286                               |
| 14    | 3                | 90.9               | 10                | 1194                    | 1344                    | 611.543                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 75.7               | 18                | 1745                    | 1780                    | 46.557                                |
| 2     | 2                | 54.4               | 18                | 1771                    |                         | 40.083                                |
| 3     | 2                | 76.4               | 18                | 1378                    |                         | 246.45                                |
| 4     | 3                | 79.1               | 18                | 1903                    | 1208                    | 171.46                                |
| 5     | 3                | 69.3               | 18                | 1564                    | 1829                    | 522.4                                 |
| 6     | 2                | 68.5               | 18                | 1893                    |                         | 271.31                                |
| 7     | 1                | 93.8               | 18                |                         |                         | 556.28                                |
| 8     | 2                | 78                 | 18                | 1759                    |                         | 457.61                                |
| 9     | 2                | 75.7               | 18                | 1950                    |                         | 219.96                                |
| 10    | 1                | 62.3               | 18                |                         |                         | 482.6                                 |
| 11    | 1                | 64.7               | 18                |                         |                         | 360.16                                |
| 12    | 2                | 91.1               | 18                | 1341                    |                         | 512.55                                |
| 13    | 2                | 55.8               | 18                | 1275                    |                         | 338.49                                |
| 14    | 1                | 68.7               | 18                |                         |                         | 349.72                                |
| 15    | 2                | 52.7               | 18                | 1788                    |                         | 49.94                                 |
| 16    | 1                | 99.2               | 18                |                         |                         | 200.66                                |
| 17    | 1                | 56.9               | 18                |                         |                         | 135.8                                 |
| 18    | 3                | 53.8               | 18                | 1083                    | 1374                    | 167.3                                 |
| 19    | 1                | 60.1               | 18                |                         |                         | 108.7                                 |
| 20    | 1                | 80.7               | 18                |                         |                         | 144                                   |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 8

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 57.3               | 18                |                         |                         | 385.852                               |
| 2     | 2                | 98.4               | 18                | 1564                    |                         | 82.36                                 |
| 3     | 1                | 81.4               | 18                |                         |                         | 577.48                                |
| 4     | 1                | 63.4               | 18                |                         |                         | 743.17                                |
| 5     | 3                | 91.4               | 18                | 1863                    | 1075                    | 1297.43                               |
| 6     | 1                | 86.1               | 18                |                         |                         | 338.17                                |
| 7     | 2                | 61.9               | 18                | 1509                    |                         | 891.92                                |
| 8     | 3                | 92.5               | 18                | 1322                    | 1450                    | 1434.3                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 66.6               | 15                | 1736                    |                         | 203.03                                |
| 2     | 3                | 98.7               | 15                | 1050                    | 1738                    | 898.403                               |
| 3     | 3                | 63.3               | 15                | 1558                    | 1452                    | 720.446                               |
| 4     | 2                | 62.5               | 15                | 1401                    |                         | 851.599                               |
| 5     | 2                | 89.4               | 15                | 1072                    |                         | 755.232                               |
| 6     | 3                | 83.7               | 15                | 1121                    | 1666                    | 473.515                               |
| 7     | 2                | 99.1               | 15                | 1194                    |                         | 692.958                               |
| 8     | 1                | 80.2               | 15                |                         |                         | 57.672                                |
| 9     | 3                | 54.9               | 15                | 1812                    | 1166                    | 566.665                               |
| 10    | 3                | 59.6               | 15                | 1789                    | 1669                    | 545.448                               |
| 11    | 2                | 56.7               | 15                | 1340                    |                         | 591.371                               |
| 12    | 2                | 66.2               | 15                | 1795                    |                         | 340.454                               |
| 13    | 2                | 91.7               | 15                | 1369                    |                         | 174.777                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 53.1               | 5                 | 1547                    |                         | 223.052                               |
| 2     | 1                | 59.4               | 5                 |                         |                         | 326.731                               |
| 3     | 2                | 87.1               | 5                 | 1235                    |                         | 149.08                                |
| 4     | 1                | 58.8               | 5                 |                         |                         | 466.66                                |
| 5     | 2                | 91.9               | 5                 | 1016                    |                         | 320.86                                |
| 6     | 1                | 61.6               | 5                 |                         |                         | 417.58                                |
| 7     | 2                | 67.1               | 5                 | 1510                    |                         | 387.13                                |
| 8     | 2                | 69.3               | 5                 | 1259                    |                         | 341.15                                |
| 9     | 2                | 57                 | 5                 | 1813                    |                         | 514.2                                 |
| 10    | 2                | 90.9               | 5                 | 1061                    |                         | 515.62                                |
| 11    | 2                | 61.6               | 5                 | 1517                    |                         | 432.68                                |
| 12    | 2                | 53.1               | 5                 | 1243                    |                         | 60.84                                 |
| 13    | 3                | 65                 | 5                 | 1834                    | 1928                    | 343.41                                |
| 14    | 2                | 90                 | 5                 | 1629                    |                         | 157.14                                |
| 15    | 3                | 70.5               | 5                 | 1128                    | 1347                    | 326.69                                |
| 16    | 2                | 75.7               | 5                 | 1228                    |                         | 261.7                                 |
| 17    | 1                | 96.8               | 5                 |                         |                         | 4.87                                  |
| 18    | 3                | 85.5               | 5                 | 1910                    | 1493                    | 87.1                                  |
| 19    | 2                | 94.5               | 5                 | 1634                    |                         | 80.6                                  |
| 20    | 1                | 92.4               | 5                 |                         |                         | 142.1                                 |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 59.2               | 16                |                         |                         | 417.711                               |
| 2     | 2                | 93.9               | 16                | 1462                    |                         | 623.08                                |
| 3     | 1                | 67.2               | 16                |                         |                         | 924.91                                |
| 4     | 3                | 60.7               | 16                | 1209                    | 1041                    | 152.26                                |
| 5     | 2                | 91.9               | 16                | 1200                    |                         | 801.23                                |
| 6     | 2                | 94.3               | 16                | 1717                    |                         | 215.84                                |
| 7     | 2                | 71.4               | 16                | 1752                    |                         | 26.85                                 |
| 8     | 3                | 69.2               | 16                | 1971                    | 1601                    | 471.76                                |
| 9     | 2                | 53.8               | 16                | 1382                    |                         | 110.37                                |
| 10    | 2                | 87.7               | 16                | 1270                    |                         | 606                                   |
| 11    | 2                | 58.9               | 16                | 1092                    |                         | 45.6                                  |
| 12    | 2                | 85.1               | 16                | 1748                    |                         | 603.1                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 22**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 91.8               | 15                | 1636                    | 1605                    | 61.553                                |
| 2     | 3                | 80.8               | 15                | 1744                    | 1321                    | 10.026                                |
| 3     | 1                | 97.7               | 15                |                         |                         | 90.06                                 |
| 4     | 2                | 58.9               | 15                | 1638                    |                         | 200.11                                |
| 5     | 1                | 84.2               | 15                |                         |                         | 123.04                                |
| 6     | 2                | 87.7               | 15                | 1645                    |                         | 244.62                                |
| 7     | 3                | 53.1               | 15                | 1937                    | 1609                    | 734.16                                |
| 8     | 2                | 80.4               | 15                | 1435                    |                         | 517.81                                |
| 9     | 2                | 83                 | 15                | 1309                    |                         | 212.62                                |
| 10    | 3                | 85.2               | 15                | 1108                    | 1299                    | 380.08                                |
| 11    | 2                | 65.6               | 15                | 1677                    |                         | 745.02                                |
| 12    | 2                | 77.4               | 15                | 1300                    |                         | 587.98                                |
| 13    | 1                | 71.3               | 15                |                         |                         | 738.3                                 |
| 14    | 3                | 71.9               | 15                | 1471                    | 1692                    | 18.3                                  |
| 15    | 1                | 79.7               | 15                |                         |                         | 539.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 85                 | 19                | 1574                    | 1219                    | 352.623                               |
| 2     | 2                | 78.1               | 19                | 1015                    |                         | 1138.1                                |
| 3     | 2                | 66.7               | 19                | 1528                    |                         | 280.19                                |
| 4     | 1                | 67.4               | 19                |                         |                         | 469.52                                |
| 5     | 2                | 81.1               | 19                | 1418                    |                         | 990.48                                |
| 6     | 1                | 82.8               | 19                |                         |                         | 1157.73                               |
| 7     | 2                | 75.6               | 19                | 1312                    |                         | 1107.82                               |
| 8     | 3                | 87.7               | 19                | 1069                    | 1465                    | 1143.6                                |
| 9     | 2                | 97.1               | 19                | 1557                    |                         | 209.22                                |
| 10    | 3                | 85.7               | 19                | 1527                    | 1868                    | 992                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 77.1               | 8                 | 1925                    |                         | 758.312                               |
| 2     | 2                | 50.8               | 8                 | 1419                    |                         | 752.403                               |
| 3     | 2                | 84.2               | 8                 | 1748                    |                         | 369.146                               |
| 4     | 2                | 51                 | 8                 | 1514                    |                         | 404.189                               |
| 5     | 1                | 57.7               | 8                 |                         |                         | 79.472                                |
| 6     | 2                | 95.1               | 8                 | 1075                    |                         | 589.835                               |
| 7     | 3                | 74.5               | 8                 | 1061                    | 1855                    | 307.738                               |
| 8     | 2                | 90.1               | 8                 | 1257                    |                         | 336.592                               |
| 9     | 2                | 62.4               | 8                 | 1799                    |                         | 28.125                                |
| 10    | 2                | 59.6               | 8                 | 1210                    |                         | 208.418                               |
| 11    | 2                | 70.7               | 8                 | 1034                    |                         | 248.571                               |
| 12    | 2                | 83.7               | 8                 | 1120                    |                         | 843.854                               |
| 13    | 3                | 89.3               | 8                 | 1616                    | 1651                    | 208.877                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 50.7               | 13                | 1754                    |                         | 583.064                               |
| 2     | 1                | 51.9               | 13                |                         |                         | 729.1                                 |
| 3     | 2                | 66.8               | 13                | 1615                    |                         | 329.7                                 |
| 4     | 2                | 86.4               | 13                | 1500                    |                         | 130.9                                 |
| 5     | 2                | 90.1               | 13                | 1058                    |                         | 776.01                                |
| 6     | 2                | 55.9               | 13                | 1212                    |                         | 157.49                                |
| 7     | 2                | 86.5               | 13                | 1292                    |                         | 705.19                                |
| 8     | 2                | 76.4               | 13                | 1242                    |                         | 278.62                                |
| 9     | 2                | 92.4               | 13                | 1474                    |                         | 556.99                                |
| 10    | 3                | 58.9               | 13                | 1224                    | 1772                    | 350.93                                |
| 11    | 3                | 67.6               | 13                | 1667                    | 1605                    | 203.07                                |
| 12    | 2                | 74.6               | 13                | 1030                    |                         | 249                                   |
| 13    | 1                | 73.9               | 13                |                         |                         | 550                                   |
| 14    | 2                | 63.3               | 13                | 1041                    |                         | 271.7                                 |
| 15    | 2                | 55.6               | 13                | 1227                    |                         | 443.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 70.2               | 9                 |                         |                         | 133.72                                |
| 2     | 1                | 72.2               | 9                 |                         |                         | 811.087                               |
| 3     | 1                | 98.7               | 9                 |                         |                         | 407.224                               |
| 4     | 2                | 71.3               | 9                 | 1990                    |                         | 725.771                               |
| 5     | 2                | 90.5               | 9                 | 1486                    |                         | 21.269                                |
| 6     | 2                | 89.5               | 9                 | 1301                    |                         | 118.156                               |
| 7     | 2                | 93.8               | 9                 | 1289                    |                         | 71.443                                |
| 8     | 2                | 85.5               | 9                 | 1344                    |                         | 270.11                                |
| 9     | 2                | 76.2               | 9                 | 1861                    |                         | 773.107                               |
| 10    | 2                | 90.8               | 9                 | 1754                    |                         | 357.244                               |
| 11    | 3                | 75.2               | 9                 | 1230                    | 1259                    | 265.831                               |
| 12    | 3                | 66.6               | 9                 | 1444                    | 1566                    | 751.629                               |
| 13    | 3                | 74.9               | 9                 | 1698                    | 1327                    | 774.286                               |
| 14    | 1                | 96.8               | 9                 |                         |                         | 36.143                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 88.1               | 11                | 1927                    | 1734                    | 648.696                               |
| 2     | 1                | 64.2               | 11                |                         |                         | 118.261                               |
| 3     | 2                | 87.8               | 11                | 1765                    |                         | 835.672                               |
| 4     | 1                | 68.8               | 11                |                         |                         | 374.543                               |
| 5     | 2                | 92                 | 11                | 1877                    |                         | 971.344                               |
| 6     | 3                | 76.2               | 11                | 1998                    | 1139                    | 672.735                               |
| 7     | 1                | 99.3               | 11                |                         |                         | 525.295                               |
| 8     | 2                | 93.1               | 11                | 1981                    |                         | 755.846                               |
| 9     | 3                | 52.4               | 11                | 1282                    | 1196                    | 449.207                               |
| 10    | 2                | 58.6               | 11                | 1265                    |                         | 300.018                               |
| 11    | 2                | 75.2               | 11                | 1328                    |                         | 208.709                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 29**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.3               | 9                 | 1978                    |                         | 596.016                               |
| 2     | 3                | 95.5               | 9                 | 1444                    | 1135                    | 252.525                               |
| 3     | 2                | 74.7               | 9                 | 1870                    |                         | 147.165                               |
| 4     | 1                | 66.8               | 9                 |                         |                         | 219.963                               |
| 5     | 3                | 74.2               | 9                 | 1203                    | 1378                    | 81.311                                |
| 6     | 1                | 61.7               | 9                 |                         |                         | 172.448                               |
| 7     | 2                | 57.7               | 9                 | 1350                    |                         | 36.856                                |
| 8     | 2                | 83.7               | 9                 | 1643                    |                         | 182.844                               |
| 9     | 1                | 65.4               | 9                 |                         |                         | 224.441                               |
| 10    | 2                | 73.9               | 9                 | 1392                    |                         | 687.969                               |
| 11    | 3                | 97                 | 9                 | 1409                    | 1889                    | 658.926                               |
| 12    | 1                | 84.8               | 9                 |                         |                         | 366.384                               |
| 13    | 2                | 51.3               | 9                 | 1170                    |                         | 378.532                               |
| 14    | 1                | 67.6               | 9                 |                         |                         | 22.669                                |
| 15    | 3                | 64.9               | 9                 | 1526                    | 1945                    | 22.987                                |
| 16    | 3                | 84.4               | 9                 | 1359                    | 1239                    | 394.065                               |
| 17    | 3                | 83.7               | 9                 | 1486                    | 1089                    | 531.082                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Center Freq: 5530MHz     |       |        |                     | Low Edge: 5492MHz                                    |  | High Edge: 5569MHz              |       |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|--|---------------------------------|-------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            |  | 1= Detection<br>0= No Detection |       |
| 1                        | 6     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  |  | 1                               |       |
| 2                        | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  |  | 1                               |       |
| 3                        | 19    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  |  | 1                               |       |
| 4                        | 19    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  |  | 1                               |       |
| 5                        | 14    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  |  | 1                               |       |
| 6                        | 13    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  |  | 1                               |       |
| 7                        | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  |  | 1                               |       |
| 8                        | 12    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  |  | 1                               |       |
| 9                        | 12    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  |  | 1                               |       |
| 10                       | 6     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail |  | 1                               |       |
| 11                       | 16    | 6.4    | 5498.4              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail |  | 1                               |       |
| 12                       | 8     | 3.2    | 5495.2              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail |  | 0                               |       |
| 13                       | 8     | 3.2    | 5495.2              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail |  | 1                               |       |
| 14                       | 11    | 4.4    | 5496.4              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail |  | 1                               |       |
| 15                       | 15    | 6      | 5498                | Statistical_Check_RandParm_For_Radar_Type_5_15_trail |  | 0                               |       |
| 16                       | 8     | 3.2    | 5495.2              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail |  | 0                               |       |
| 17                       | 18    | 7.2    | 5499.2              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail |  | 1                               |       |
| 18                       | 12    | 4.8    | 5496.8              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail |  | 0                               |       |
| 19                       | 13    | 5.2    | 5497.2              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail |  | 0                               |       |
| 20                       | 13    | 5.2    | 5497.2              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail |  | 1                               |       |
| 21                       | 13    | 5.2    | 5563.8              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail |  | 1                               |       |
| 22                       | 7     | 2.8    | 5566.2              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail |  | 1                               |       |
| 23                       | 7     | 2.8    | 5566.2              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail |  | 1                               |       |
| 24                       | 16    | 6.4    | 5562.6              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail |  | 1                               |       |
| 25                       | 9     | 3.6    | 5565.4              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail |  | 1                               |       |
| 26                       | 5     | 2      | 5567                | Statistical_Check_RandParm_For_Radar_Type_5_26_trail |  | 1                               |       |
| 27                       | 9     | 3.6    | 5565.4              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail |  | 1                               |       |
| 28                       | 12    | 4.8    | 5564.2              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail |  | 1                               |       |
| 29                       | 7     | 2.8    | 5566.2              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail |  | 1                               |       |
| 30                       | 9     | 3.6    | 5565.4              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail |  | 1                               |       |
| Detection Percentage (%) |       |        |                     |                                                      |  |                                 | 83.33 |
| Limit                    |       |        |                     |                                                      |  |                                 | ≥ 80  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 82.6               | 6                 |                         |                         | 662.88                                |
| 2     | 2                | 74.4               | 6                 | 1100                    |                         | 500.007                               |
| 3     | 2                | 50.5               | 6                 | 1964                    |                         | 564.194                               |
| 4     | 2                | 83.9               | 6                 | 1957                    |                         | 321.031                               |
| 5     | 2                | 68.1               | 6                 | 1168                    |                         | 713.229                               |
| 6     | 2                | 74.4               | 6                 | 1176                    |                         | 288.046                               |
| 7     | 2                | 79.7               | 6                 | 1884                    |                         | 572.783                               |
| 8     | 2                | 53.9               | 6                 | 1213                    |                         | 525.76                                |
| 9     | 1                | 72.9               | 6                 |                         |                         | 693.687                               |
| 10    | 3                | 69.2               | 6                 | 1006                    | 1468                    | 286.444                               |
| 11    | 1                | 54                 | 6                 |                         |                         | 126.951                               |
| 12    | 1                | 83.3               | 6                 |                         |                         | 746.029                               |
| 13    | 1                | 85.3               | 6                 |                         |                         | 433.086                               |
| 14    | 3                | 61.9               | 6                 | 1306                    | 1462                    | 430.343                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 52.3               | 15                | 1693                    |                         | 645.172                               |
| 2     | 2                | 51.6               | 15                | 1274                    |                         | 89.08                                 |
| 3     | 2                | 83.2               | 15                | 1881                    |                         | 813.38                                |
| 4     | 2                | 91.7               | 15                | 1758                    |                         | 718.48                                |
| 5     | 3                | 58.4               | 15                | 1006                    | 1358                    | 378.57                                |
| 6     | 3                | 56.1               | 15                | 1632                    | 1464                    | 273.85                                |
| 7     | 2                | 98.7               | 15                | 1706                    |                         | 275.49                                |
| 8     | 1                | 65.6               | 15                |                         |                         | 389.26                                |
| 9     | 3                | 52.7               | 15                | 1874                    | 1470                    | 911.33                                |
| 10    | 2                | 56.2               | 15                | 1184                    |                         | 13.82                                 |
| 11    | 2                | 81.3               | 15                | 1488                    |                         | 500.9                                 |
| 12    | 2                | 94.6               | 15                | 1435                    |                         | 109.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 64.3               | 19                | 1522                    |                         | 320.413                               |
| 2     | 2                | 89.2               | 19                | 1994                    |                         | 16.3                                  |
| 3     | 2                | 51.4               | 19                | 1613                    |                         | 362.815                               |
| 4     | 2                | 98.8               | 19                | 1759                    |                         | 143.453                               |
| 5     | 2                | 83.3               | 19                | 1029                    |                         | 321.831                               |
| 6     | 1                | 68.4               | 19                |                         |                         | 459.058                               |
| 7     | 2                | 59.2               | 19                | 1190                    |                         | 192.496                               |
| 8     | 2                | 68.8               | 19                | 1780                    |                         | 588.844                               |
| 9     | 2                | 88                 | 19                | 1512                    |                         | 263.861                               |
| 10    | 2                | 64.1               | 19                | 1120                    |                         | 472.019                               |
| 11    | 2                | 99.7               | 19                | 1239                    |                         | 44.156                                |
| 12    | 2                | 88.3               | 19                | 1281                    |                         | 669.294                               |
| 13    | 2                | 54.9               | 19                | 1020                    |                         | 170.782                               |
| 14    | 2                | 53.4               | 19                | 1302                    |                         | 180.329                               |
| 15    | 1                | 62.4               | 19                |                         |                         | 209.847                               |
| 16    | 2                | 90.8               | 19                | 1822                    |                         | 120.065                               |
| 17    | 2                | 78.8               | 19                | 1986                    |                         | 464.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 4</b> |
|-------------------------|

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 92                 | 14                |                         |                         | 250.446                               |
| 2     | 2                | 54.5               | 14                | 1730                    |                         | 459.12                                |
| 3     | 3                | 85.4               | 14                | 1013                    | 1537                    | 267.77                                |
| 4     | 3                | 77.1               | 14                | 1958                    | 1652                    | 110.76                                |
| 5     | 2                | 97.5               | 14                | 1097                    |                         | 170.47                                |
| 6     | 2                | 99.4               | 14                | 1727                    |                         | 721.53                                |
| 7     | 1                | 80.5               | 14                |                         |                         | 383.9                                 |
| 8     | 2                | 62.2               | 14                | 1384                    |                         | 777.04                                |
| 9     | 1                | 72.1               | 14                |                         |                         | 567.64                                |
| 10    | 2                | 53.1               | 14                | 1970                    |                         | 322.87                                |
| 11    | 2                | 56.6               | 14                | 1503                    |                         | 786.35                                |
| 12    | 2                | 90.2               | 14                | 1527                    |                         | 665.97                                |
| 13    | 1                | 64.7               | 14                |                         |                         | 363.11                                |
| 14    | 1                | 62.7               | 14                |                         |                         | 59                                    |
| 15    | 2                | 54.1               | 14                | 1232                    |                         | 396.7                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 6</b> |
|-------------------------|

|                    |
|--------------------|
| Bursts in Trial: 8 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 61                 | 15                | 1751                    |                         | 400.707                               |
| 2     | 1                | 50.2               | 15                |                         |                         | 649.373                               |
| 3     | 1                | 59.6               | 15                |                         |                         | 578.077                               |
| 4     | 2                | 54.9               | 15                | 1185                    |                         | 462.08                                |
| 5     | 2                | 64.1               | 15                | 1619                    |                         | 647.703                               |
| 6     | 3                | 66.1               | 15                | 1217                    | 1333                    | 218.457                               |
| 7     | 1                | 55.3               | 15                |                         |                         | 141                                   |
| 8     | 3                | 71.7               | 15                | 1007                    | 1669                    | 359.893                               |
| 9     | 2                | 68.8               | 15                | 1681                    |                         | 108.047                               |
| 10    | 2                | 72                 | 15                | 1111                    |                         | 267.47                                |
| 11    | 3                | 72.5               | 15                | 1181                    | 1441                    | 103.803                               |
| 12    | 2                | 88                 | 15                | 1820                    |                         | 392.817                               |
| 13    | 2                | 84                 | 15                | 1670                    |                         | 455.33                                |
| 14    | 3                | 58.9               | 15                | 1573                    | 1950                    | 53.083                                |
| 15    | 2                | 58.1               | 15                | 1861                    |                         | 101.607                               |
| 16    | 2                | 72.8               | 15                | 1837                    |                         | 485                                   |
| 17    | 2                | 83.7               | 15                | 1273                    |                         | 424.033                               |
| 18    | 1                | 90.9               | 15                |                         |                         | 126.767                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 93.2               | 12                | 1639                        |                         | 486.206                               |
| 2     | 2                | 89.7               | 12                | 1468                        |                         | 134.012                               |
| 3     | 2                | 50.9               | 12                | 1478                        |                         | 533.987                               |
| 4     | 2                | 75.5               | 12                | 1487                        |                         | 428.43                                |
| 5     | 2                | 74.4               | 12                | 1573                        |                         | 120.373                               |
| 6     | 2                | 75.4               | 12                | 1224                        |                         | 253.777                               |
| 7     | 2                | 59.4               | 12                | 1001                        |                         | 77.1                                  |
| 8     | 3                | 74                 | 12                | 1722                        | 1521                    | 362.533                               |
| 9     | 2                | 79.7               | 12                | 1990                        |                         | 217.697                               |
| 10    | 2                | 80.4               | 12                | 1240                        |                         | 295.9                                 |
| 11    | 2                | 85.3               | 12                | 1371                        |                         | 212.383                               |
| 12    | 2                | 94.4               | 12                | 1958                        |                         | 175.467                               |
| 13    | 3                | 63.5               | 12                | 1564                        | 1392                    | 658.22                                |
| 14    | 1                | 61                 | 12                |                             |                         | 502.763                               |
| 15    | 2                | 56.4               | 12                | 1604                        |                         | 323.257                               |
| 16    | 1                | 55.9               | 12                |                             |                         | 67.4                                  |
| 17    | 2                | 55.8               | 12                | 1164                        |                         | 46.433                                |
| 18    | 2                | 55.7               | 12                | 1975                        |                         | 103.667                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 71.5               | 12                | 1729                    |                         | 75.807                                |
| 2     | 1                | 57.7               | 12                |                         |                         | 20.805                                |
| 3     | 3                | 89.7               | 12                | 1259                    | 1033                    | 279.777                               |
| 4     | 1                | 57.6               | 12                |                         |                         | 275.13                                |
| 5     | 1                | 51.6               | 12                |                         |                         | 284.593                               |
| 6     | 2                | 90.6               | 12                | 1884                    |                         | 355.107                               |
| 7     | 1                | 83.1               | 12                |                         |                         | 419.52                                |
| 8     | 2                | 58                 | 12                | 1984                    |                         | 411.313                               |
| 9     | 2                | 72.5               | 12                | 1336                    |                         | 291.877                               |
| 10    | 3                | 92.6               | 12                | 1527                    | 1648                    | 96.5                                  |
| 11    | 3                | 88.2               | 12                | 1745                    | 1262                    | 21.723                                |
| 12    | 3                | 80.1               | 12                | 1800                    | 1238                    | 317.267                               |
| 13    | 2                | 65.1               | 12                | 1831                    |                         | 425.69                                |
| 14    | 1                | 80.7               | 12                |                         |                         | 276.363                               |
| 15    | 3                | 56.1               | 12                | 1304                    | 1539                    | 427.977                               |
| 16    | 3                | 63.6               | 12                | 1792                    | 1356                    | 469.8                                 |
| 17    | 1                | 51.6               | 12                |                         |                         | 388.533                               |
| 18    | 2                | 97.2               | 12                | 1212                    |                         | 487.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 69.6               | 6                 | 1315                    | 1701                    | 404.379                               |
| 2     | 3                | 63.2               | 6                 | 1168                    | 1188                    | 951.381                               |
| 3     | 1                | 92.4               | 6                 |                         |                         | 36.182                                |
| 4     | 2                | 74.7               | 6                 | 1576                    |                         | 309.043                               |
| 5     | 2                | 82.7               | 6                 | 1648                    |                         | 599.584                               |
| 6     | 1                | 75.7               | 6                 |                         |                         | 648.705                               |
| 7     | 1                | 67.6               | 6                 |                         |                         | 1039.355                              |
| 8     | 2                | 57.1               | 6                 | 1792                    |                         | 38.976                                |
| 9     | 2                | 52.6               | 6                 | 1650                    |                         | 123.557                               |
| 10    | 2                | 86.1               | 6                 | 1516                    |                         | 886.718                               |
| 11    | 2                | 72.9               | 6                 | 1339                    |                         | 515.809                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 61.7               | 16                | 1289                    |                         | 234.345                               |
| 2     | 2                | 57.5               | 16                | 1430                    |                         | 502.763                               |
| 3     | 3                | 66.7               | 16                | 1869                    | 1735                    | 388.916                               |
| 4     | 3                | 51.9               | 16                | 1608                    | 1639                    | 390.319                               |
| 5     | 2                | 62                 | 16                | 1352                    |                         | 479.802                               |
| 6     | 1                | 56.5               | 16                |                         |                         | 755.645                               |
| 7     | 3                | 64                 | 16                | 1151                    | 1373                    | 460.088                               |
| 8     | 2                | 96.5               | 16                | 1780                    |                         | 894.572                               |
| 9     | 1                | 94.2               | 16                |                         |                         | 502.435                               |
| 10    | 1                | 69.1               | 16                |                         |                         | 554.028                               |
| 11    | 2                | 67.8               | 16                | 1484                    |                         | 375.011                               |
| 12    | 2                | 96.5               | 16                | 1866                    |                         | 452.754                               |
| 13    | 1                | 71.1               | 16                |                         |                         | 784.077                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 72.3               | 8                 | 1382                    |                         | 560.992                               |
| 2     | 2                | 99.4               | 8                 | 1132                    |                         | 661.93                                |
| 3     | 2                | 71.7               | 8                 | 1201                    |                         | 353.38                                |
| 4     | 1                | 81.1               | 8                 |                         |                         | 1083.33                               |
| 5     | 2                | 62                 | 8                 | 1479                    |                         | 985.67                                |
| 6     | 2                | 91.6               | 8                 | 1014                    |                         | 889.11                                |
| 7     | 2                | 88.5               | 8                 | 1701                    |                         | 854.65                                |
| 8     | 2                | 74.4               | 8                 | 1288                    |                         | 196.89                                |
| 9     | 2                | 67                 | 8                 | 1261                    |                         | 6.12                                  |
| 10    | 2                | 83.9               | 8                 | 1193                    |                         | 678.2                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 75.6               | 8                 | 1844                    |                         | 39.049                                |
| 2     | 3                | 80.8               | 8                 | 1324                    | 1085                    | 965.891                               |
| 3     | 3                | 66.5               | 8                 | 1610                    | 1693                    | 940.232                               |
| 4     | 3                | 90                 | 8                 | 1929                    | 1527                    | 354.653                               |
| 5     | 3                | 85.2               | 8                 | 1188                    | 1481                    | 945.304                               |
| 6     | 1                | 99.1               | 8                 |                         |                         | 858.015                               |
| 7     | 1                | 52.6               | 8                 |                         |                         | 186.025                               |
| 8     | 1                | 66.3               | 8                 |                         |                         | 324.126                               |
| 9     | 2                | 50                 | 8                 | 1865                    |                         | 803.747                               |
| 10    | 1                | 61.4               | 8                 |                         |                         | 589.118                               |
| 11    | 3                | 82                 | 8                 | 1890                    | 1930                    | 599.209                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 73.1               | 11                | 1010                    |                         | 403.876                               |
| 2     | 1                | 99.6               | 11                |                         |                         | 458.001                               |
| 3     | 2                | 63.3               | 11                | 1219                    |                         | 544.162                               |
| 4     | 1                | 57                 | 11                |                         |                         | 453.323                               |
| 5     | 2                | 97.9               | 11                | 1980                    |                         | 512.364                               |
| 6     | 2                | 97.7               | 11                | 1983                    |                         | 465.365                               |
| 7     | 2                | 93.1               | 11                | 1016                    |                         | 386.236                               |
| 8     | 2                | 92.7               | 11                | 1683                    |                         | 379.887                               |
| 9     | 1                | 52                 | 11                |                         |                         | 312.228                               |
| 10    | 3                | 63.7               | 11                | 1687                    | 1927                    | 535.339                               |
| 11    | 2                | 74.7               | 11                | 1581                    |                         | 595.511                               |
| 12    | 3                | 60.2               | 11                | 1285                    | 1240                    | 247.462                               |
| 13    | 1                | 95.5               | 11                |                         |                         | 232.443                               |
| 14    | 2                | 61.4               | 11                | 1976                    |                         | 219.154                               |
| 15    | 2                | 78.6               | 11                | 1389                    |                         | 604.825                               |
| 16    | 2                | 82.2               | 11                | 1571                    |                         | 418.096                               |
| 17    | 2                | 70.8               | 11                | 1876                    |                         | 280.637                               |
| 18    | 3                | 92.2               | 11                | 1754                    | 1690                    | 499.158                               |
| 19    | 2                | 64.1               | 11                | 1796                    |                         | 168.779                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 63.9               | 15                | 1849                    |                         | 313.181                               |
| 2     | 2                | 94.8               | 15                | 1266                    |                         | 273.863                               |
| 3     | 2                | 98.1               | 15                | 1959                    |                         | 397.956                               |
| 4     | 2                | 67.9               | 15                | 1539                    |                         | 437.129                               |
| 5     | 2                | 63.7               | 15                | 1496                    |                         | 522.902                               |
| 6     | 2                | 71.1               | 15                | 1078                    |                         | 58.005                                |
| 7     | 2                | 98.9               | 15                | 1056                    |                         | 700.168                               |
| 8     | 2                | 84.7               | 15                | 1317                    |                         | 86.792                                |
| 9     | 2                | 70.5               | 15                | 1635                    |                         | 198.285                               |
| 10    | 2                | 62.2               | 15                | 1539                    |                         | 889.248                               |
| 11    | 3                | 53.9               | 15                | 1548                    | 1952                    | 574.511                               |
| 12    | 1                | 71.7               | 15                |                         |                         | 224.654                               |
| 13    | 2                | 51                 | 15                | 1490                    |                         | 40.377                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 90.8               | 8                 | 1942                    |                         | 801.761                               |
| 2     | 1                | 64                 | 8                 |                         |                         | 73.83                                 |
| 3     | 2                | 67.8               | 8                 | 1370                    |                         | 531.55                                |
| 4     | 2                | 99.4               | 8                 | 1204                    |                         | 174.88                                |
| 5     | 1                | 90.9               | 8                 |                         |                         | 957.03                                |
| 6     | 3                | 81.9               | 8                 | 1066                    | 1749                    | 608.55                                |
| 7     | 2                | 82.9               | 8                 | 1636                    |                         | 13.59                                 |
| 8     | 3                | 88.7               | 8                 | 1698                    | 1712                    | 142.11                                |
| 9     | 2                | 70                 | 8                 | 1727                    |                         | 344.64                                |
| 10    | 2                | 64.1               | 8                 | 1944                    |                         | 383.87                                |
| 11    | 3                | 65.9               | 8                 | 1934                    | 1527                    | 236.7                                 |
| 12    | 2                | 89.7               | 8                 | 1094                    |                         | 327.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 73.3               | 18                |                         |                         | 314.416                               |
| 2     | 3                | 75.4               | 18                | 1297                    | 1097                    | 48.828                                |
| 3     | 2                | 89.6               | 18                | 1280                    |                         | 305                                   |
| 4     | 3                | 87                 | 18                | 1529                    | 1632                    | 205.41                                |
| 5     | 1                | 65.1               | 18                |                         |                         | 253.7                                 |
| 6     | 2                | 98.4               | 18                | 1550                    |                         | 733.21                                |
| 7     | 1                | 79.2               | 18                |                         |                         | 489.91                                |
| 8     | 1                | 60.5               | 18                |                         |                         | 599.63                                |
| 9     | 1                | 68.2               | 18                |                         |                         | 632.8                                 |
| 10    | 2                | 92.8               | 18                | 1268                    |                         | 711.93                                |
| 11    | 2                | 79.6               | 18                | 1078                    |                         | 348.25                                |
| 12    | 3                | 75.4               | 18                | 1891                    | 1181                    | 6.14                                  |
| 13    | 2                | 67.7               | 18                | 1919                    |                         | 485.6                                 |
| 14    | 2                | 75.6               | 18                | 1292                    |                         | 557.8                                 |
| 15    | 1                | 91.8               | 18                |                         |                         | 41.4                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 64.8               | 12                | 1647                    |                         | 592.798                               |
| 2     | 1                | 67.9               | 12                |                         |                         | 690.231                               |
| 3     | 3                | 55.6               | 12                | 1458                    | 1765                    | 675.612                               |
| 4     | 3                | 83.8               | 12                | 1458                    | 1697                    | 721.393                               |
| 5     | 3                | 51.8               | 12                | 1689                    | 1222                    | 472.624                               |
| 6     | 1                | 54.9               | 12                |                         |                         | 687.465                               |
| 7     | 2                | 53                 | 12                | 1468                    |                         | 448.485                               |
| 8     | 3                | 95.2               | 12                | 1452                    | 1775                    | 280.496                               |
| 9     | 3                | 55.4               | 12                | 1815                    | 1216                    | 606.767                               |
| 10    | 3                | 80.4               | 12                | 1783                    | 1896                    | 227.518                               |
| 11    | 2                | 97.7               | 12                | 1826                    |                         | 401.309                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 72                 | 13                | 1171                    |                         | 205.148                               |
| 2     | 2                | 75.1               | 13                | 1927                    |                         | 197.577                               |
| 3     | 3                | 62.1               | 13                | 1460                    | 1701                    | 807.674                               |
| 4     | 2                | 54.6               | 13                | 1210                    |                         | 365.831                               |
| 5     | 2                | 58.7               | 13                | 1757                    |                         | 470.879                               |
| 6     | 3                | 85.2               | 13                | 1449                    | 1670                    | 842.046                               |
| 7     | 2                | 97.2               | 13                | 1419                    |                         | 466.273                               |
| 8     | 2                | 60.8               | 13                | 1253                    |                         | 283.83                                |
| 9     | 2                | 53.7               | 13                | 1473                    |                         | 310.777                               |
| 10    | 2                | 74.6               | 13                | 1361                    |                         | 257.064                               |
| 11    | 3                | 78.8               | 13                | 1805                    | 1310                    | 132.311                               |
| 12    | 2                | 69                 | 13                | 1018                    |                         | 373.959                               |
| 13    | 2                | 62.1               | 13                | 1937                    |                         | 776.886                               |
| 14    | 3                | 84                 | 13                | 1615                    | 1199                    | 19.743                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 67.4               | 13                |                         |                         | 141.254                               |
| 2     | 2                | 56.4               | 13                | 1005                    |                         | 808.417                               |
| 3     | 2                | 82.6               | 13                | 1135                    |                         | 366.004                               |
| 4     | 3                | 57.9               | 13                | 1706                    | 1300                    | 322.971                               |
| 5     | 2                | 54.8               | 13                | 1174                    |                         | 521.479                               |
| 6     | 1                | 63.9               | 13                |                         |                         | 479.446                               |
| 7     | 1                | 85.7               | 13                |                         |                         | 631.273                               |
| 8     | 1                | 97.3               | 13                |                         |                         | 0.31                                  |
| 9     | 2                | 54.3               | 13                | 1063                    |                         | 541.537                               |
| 10    | 2                | 94.8               | 13                | 1707                    |                         | 308.814                               |
| 11    | 2                | 59.8               | 13                | 1954                    |                         | 255.581                               |
| 12    | 3                | 59.9               | 13                | 1480                    | 1764                    | 381.579                               |
| 13    | 3                | 54.4               | 13                | 1065                    | 1500                    | 225.086                               |
| 14    | 2                | 81.8               | 13                | 1098                    |                         | 351.043                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 21**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 86.1               | 7                 |                         |                         | 775.051                               |
| 2     | 2                | 76.4               | 7                 | 1941                    |                         | 487.067                               |
| 3     | 1                | 56                 | 7                 |                         |                         | 418.124                               |
| 4     | 3                | 82.8               | 7                 | 1669                    | 1356                    | 136.591                               |
| 5     | 1                | 98.5               | 7                 |                         |                         | 90.119                                |
| 6     | 1                | 62.3               | 7                 |                         |                         | 100.556                               |
| 7     | 2                | 97.2               | 7                 | 1926                    |                         | 575.653                               |
| 8     | 2                | 76                 | 7                 | 1608                    |                         | 664.46                                |
| 9     | 2                | 85.5               | 7                 | 1390                    |                         | 606.107                               |
| 10    | 2                | 87.9               | 7                 | 1172                    |                         | 680.654                               |
| 11    | 2                | 61.4               | 7                 | 1073                    |                         | 391.961                               |
| 12    | 1                | 95.5               | 7                 |                         |                         | 6.919                                 |
| 13    | 1                | 73.2               | 7                 |                         |                         | 754.186                               |
| 14    | 2                | 95.1               | 7                 | 1783                    |                         | 454.643                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 50.5               | 7                 |                         |                         | 394.64                                |
| 2     | 2                | 52.4               | 7                 | 1308                    |                         | 657.863                               |
| 3     | 1                | 80.2               | 7                 |                         |                         | 373.597                               |
| 4     | 2                | 85.5               | 7                 | 1421                    |                         | 200.87                                |
| 5     | 2                | 73.2               | 7                 | 1177                    |                         | 398.213                               |
| 6     | 1                | 81.5               | 7                 |                         |                         | 643.357                               |
| 7     | 2                | 63.9               | 7                 | 1831                    |                         | 225.37                                |
| 8     | 3                | 74.7               | 7                 | 1896                    | 1418                    | 26.573                                |
| 9     | 1                | 83.9               | 7                 |                         |                         | 276.417                               |
| 10    | 1                | 78.4               | 7                 |                         |                         | 114.94                                |
| 11    | 2                | 52.3               | 7                 | 1202                    |                         | 329.283                               |
| 12    | 1                | 57.6               | 7                 |                         |                         | 20.507                                |
| 13    | 1                | 69.6               | 7                 |                         |                         | 428.77                                |
| 14    | 2                | 93.1               | 7                 | 1233                    |                         | 62.903                                |
| 15    | 1                | 96.8               | 7                 |                         |                         | 42.597                                |
| 16    | 3                | 94.9               | 7                 | 1150                    | 1024                    | 416                                   |
| 17    | 2                | 61.1               | 7                 | 1253                    |                         | 107.933                               |
| 18    | 1                | 82                 | 7                 |                         |                         | 413.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 64.4               | 16                |                         |                         | 523.367                               |
| 2     | 2                | 77.6               | 16                | 1033                    |                         | 33.932                                |
| 3     | 3                | 95.5               | 16                | 1221                    | 1841                    | 588.58                                |
| 4     | 2                | 51.8               | 16                | 1117                    |                         | 267.76                                |
| 5     | 2                | 63.1               | 16                | 1326                    |                         | 718.8                                 |
| 6     | 2                | 94.6               | 16                | 1427                    |                         | 127.65                                |
| 7     | 1                | 87.6               | 16                |                         |                         | 677                                   |
| 8     | 1                | 59.5               | 16                |                         |                         | 643.86                                |
| 9     | 1                | 83.4               | 16                |                         |                         | 565.89                                |
| 10    | 3                | 58.5               | 16                | 1120                    | 1494                    | 345.78                                |
| 11    | 2                | 96.1               | 16                | 1033                    |                         | 516.03                                |
| 12    | 1                | 92.7               | 16                |                         |                         | 262.38                                |
| 13    | 1                | 54.4               | 16                |                         |                         | 219.66                                |
| 14    | 3                | 72.1               | 16                | 1193                    | 1384                    | 42.89                                 |
| 15    | 2                | 93.5               | 16                | 1215                    |                         | 494.2                                 |
| 16    | 2                | 80.6               | 16                | 1808                    |                         | 356.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 91.3               | 9                 | 1441                    |                         | 57.544                                |
| 2     | 3                | 67.6               | 9                 | 1166                    | 1916                    | 414.131                               |
| 3     | 3                | 58.8               | 9                 | 1441                    | 1982                    | 43.992                                |
| 4     | 3                | 96                 | 9                 | 1365                    | 1324                    | 928.653                               |
| 5     | 1                | 67                 | 9                 |                         |                         | 292.604                               |
| 6     | 3                | 97.5               | 9                 | 1243                    | 1438                    | 295.665                               |
| 7     | 2                | 66.5               | 9                 | 1970                    |                         | 654.695                               |
| 8     | 3                | 68.6               | 9                 | 1313                    | 1358                    | 199.336                               |
| 9     | 2                | 81.7               | 9                 | 1797                    |                         | 260.587                               |
| 10    | 1                | 53                 | 9                 |                         |                         | 886.018                               |
| 11    | 2                | 72.6               | 9                 | 1695                    |                         | 176.309                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 65.1               | 5                 |                         |                         | 105.717                               |
| 2     | 2                | 72.9               | 5                 | 1810                    |                         | 158.557                               |
| 3     | 2                | 87.6               | 5                 | 1650                    |                         | 657.654                               |
| 4     | 2                | 77.4               | 5                 | 1632                    |                         | 218.101                               |
| 5     | 2                | 65.4               | 5                 | 1731                    |                         | 138.419                               |
| 6     | 3                | 74.7               | 5                 | 1054                    | 1750                    | 797.696                               |
| 7     | 2                | 70.5               | 5                 | 1229                    |                         | 58.373                                |
| 8     | 1                | 51.3               | 5                 |                         |                         | 652.19                                |
| 9     | 2                | 89.5               | 5                 | 1861                    |                         | 625.087                               |
| 10    | 2                | 74.8               | 5                 | 1121                    |                         | 31.104                                |
| 11    | 2                | 51.9               | 5                 | 1553                    |                         | 182.721                               |
| 12    | 1                | 80.5               | 5                 |                         |                         | 131.709                               |
| 13    | 2                | 50.5               | 5                 | 1004                    |                         | 296.386                               |
| 14    | 2                | 81.7               | 5                 | 1936                    |                         | 156.743                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.1               | 9                 | 1021                    |                         | 315.617                               |
| 2     | 2                | 94.1               | 9                 | 1342                    |                         | 189.057                               |
| 3     | 3                | 89.6               | 9                 | 1662                    | 1726                    | 80.582                                |
| 4     | 2                | 91                 | 9                 | 1868                    |                         | 122.533                               |
| 5     | 3                | 69.5               | 9                 | 1757                    | 1002                    | 161.804                               |
| 6     | 2                | 73.8               | 9                 | 1258                    |                         | 59.575                                |
| 7     | 2                | 91                 | 9                 | 1570                    |                         | 0.456                                 |
| 8     | 2                | 67.5               | 9                 | 1087                    |                         | 262.387                               |
| 9     | 2                | 98.6               | 9                 | 1856                    |                         | 287.048                               |
| 10    | 2                | 83.6               | 9                 | 1143                    |                         | 305.489                               |
| 11    | 3                | 50.8               | 9                 | 1204                    | 1391                    | 27.551                                |
| 12    | 2                | 61.2               | 9                 | 1682                    |                         | 570.972                               |
| 13    | 2                | 83.4               | 9                 | 1714                    |                         | 103.813                               |
| 14    | 2                | 58.3               | 9                 | 1852                    |                         | 516.474                               |
| 15    | 2                | 67.9               | 9                 | 1764                    |                         | 257.395                               |
| 16    | 1                | 90.6               | 9                 |                         |                         | 101.856                               |
| 17    | 1                | 69.6               | 9                 |                         |                         | 77.337                                |
| 18    | 3                | 52.7               | 9                 | 1201                    | 1483                    | 94.758                                |
| 19    | 1                | 75.3               | 9                 |                         |                         | 592.579                               |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 60.2               | 12                | 1207                    |                         | 552.38                                |
| 2     | 2                | 90.5               | 12                | 1551                    |                         | 523.451                               |
| 3     | 2                | 98.4               | 12                | 1400                    |                         | 479.542                               |
| 4     | 2                | 88.6               | 12                | 1365                    |                         | 161.313                               |
| 5     | 1                | 72.5               | 12                |                         |                         | 544.204                               |
| 6     | 1                | 88.3               | 12                |                         |                         | 16.905                                |
| 7     | 2                | 53.6               | 12                | 1667                    |                         | 578.436                               |
| 8     | 2                | 58                 | 12                | 1213                    |                         | 595.127                               |
| 9     | 3                | 69.4               | 12                | 1679                    | 1726                    | 147.778                               |
| 10    | 3                | 58.5               | 12                | 1843                    | 1618                    | 541.159                               |
| 11    | 2                | 94.4               | 12                | 1140                    |                         | 159.291                               |
| 12    | 1                | 70.6               | 12                |                         |                         | 246.092                               |
| 13    | 2                | 83                 | 12                | 1361                    |                         | 472.453                               |
| 14    | 3                | 97.9               | 12                | 1900                    | 1039                    | 71.654                                |
| 15    | 2                | 98.7               | 12                | 1041                    |                         | 485.075                               |
| 16    | 3                | 73.6               | 12                | 1975                    | 1392                    | 136.416                               |
| 17    | 1                | 81.8               | 12                |                         |                         | 84.937                                |
| 18    | 1                | 54.5               | 12                |                         |                         | 179.358                               |
| 19    | 2                | 86.4               | 12                | 1444                    |                         | 164.279                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 82.6               | 7                 | 1134                    |                         | 1004.67                               |
| 2     | 3                | 52.9               | 7                 | 1728                    | 1078                    | 365.221                               |
| 3     | 3                | 51.5               | 7                 | 1176                    | 1682                    | 271.652                               |
| 4     | 1                | 86.8               | 7                 |                         |                         | 204.473                               |
| 5     | 2                | 99.6               | 7                 | 1112                    |                         | 798.784                               |
| 6     | 2                | 72.2               | 7                 | 1834                    |                         | 471.625                               |
| 7     | 2                | 70.9               | 7                 | 1817                    |                         | 792.745                               |
| 8     | 3                | 77.7               | 7                 | 1450                    | 1886                    | 251.766                               |
| 9     | 1                | 91.7               | 7                 |                         |                         | 970.797                               |
| 10    | 2                | 76.1               | 7                 | 1257                    |                         | 243.718                               |
| 11    | 2                | 53.3               | 7                 | 1433                    |                         | 270.809                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 30**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Center Freq: 5570MHz     |       |        |                     | Low Edge: 5492MHz                                    | High Edge: 5649MHz              |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |
| 1                        | 13    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |
| 2                        | 19    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |
| 3                        | 19    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |
| 4                        | 10    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |
| 5                        | 13    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |
| 6                        | 15    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |
| 7                        | 18    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |
| 8                        | 14    |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |
| 9                        | 6     |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |
| 10                       | 8     |        | 5570                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |
| 11                       | 7     | 2.8    | 5494.8              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 0                               |
| 12                       | 12    | 4.8    | 5496.8              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 0                               |
| 13                       | 19    | 7.6    | 5499.6              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 1                               |
| 14                       | 13    | 5.2    | 5497.2              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |
| 15                       | 11    | 4.4    | 5496.4              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 1                               |
| 16                       | 12    | 4.8    | 5496.8              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 1                               |
| 17                       | 16    | 6.4    | 5498.4              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |
| 18                       | 12    | 4.8    | 5496.8              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 0                               |
| 19                       | 14    | 5.6    | 5497.6              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |
| 20                       | 13    | 5.2    | 5497.2              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 0                               |
| 21                       | 15    | 6      | 5643                | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |
| 22                       | 13    | 5.2    | 5643.8              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |
| 23                       | 5     | 2      | 5647                | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |
| 24                       | 19    | 7.6    | 5641.4              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |
| 25                       | 17    | 6.8    | 5642.2              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |
| 26                       | 19    | 7.6    | 5641.4              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |
| 27                       | 5     | 2      | 5647                | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |
| 28                       | 14    | 5.6    | 5643.4              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |
| 29                       | 16    | 6.4    | 5642.6              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |
| 30                       | 5     | 2      | 5647                | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |
| Detection Percentage (%) |       |        |                     |                                                      | 83.33                           |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 60.1               | 13                | 1271                    |                         | 570.111                               |
| 2     | 3                | 69.6               | 13                | 1145                    | 1092                    | 801.67                                |
| 3     | 3                | 90.9               | 13                | 1415                    | 1408                    | 708.07                                |
| 4     | 2                | 92.6               | 13                | 1421                    |                         | 15.53                                 |
| 5     | 3                | 83.1               | 13                | 1276                    | 1293                    | 342.22                                |
| 6     | 2                | 64.4               | 13                | 1042                    |                         | 422.12                                |
| 7     | 3                | 60.7               | 13                | 1465                    | 1299                    | 190.21                                |
| 8     | 3                | 82                 | 13                | 1131                    | 1275                    | 670.23                                |
| 9     | 3                | 68.8               | 13                | 1908                    | 1998                    | 855.6                                 |
| 10    | 2                | 72.1               | 13                | 1699                    |                         | 733.36                                |
| 11    | 1                | 57                 | 13                |                         |                         | 563.4                                 |
| 12    | 2                | 62.4               | 13                | 1847                    |                         | 526.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 82.5               | 19                | 1490                    |                         | 659.851                               |
| 2     | 1                | 56.3               | 19                |                         |                         | 653.283                               |
| 3     | 2                | 79.9               | 19                | 1644                    |                         | 429.097                               |
| 4     | 2                | 61.6               | 19                | 1767                    |                         | 410.95                                |
| 5     | 2                | 64.4               | 19                | 1806                    |                         | 294.373                               |
| 6     | 3                | 69.3               | 19                | 1466                    | 1674                    | 466.357                               |
| 7     | 2                | 75.6               | 19                | 1495                    |                         | 192.06                                |
| 8     | 2                | 77.9               | 19                | 1763                    |                         | 161.453                               |
| 9     | 3                | 66.6               | 19                | 1749                    | 1117                    | 182.167                               |
| 10    | 2                | 56.2               | 19                | 1128                    |                         | 285.56                                |
| 11    | 2                | 65.9               | 19                | 1035                    |                         | 481.753                               |
| 12    | 1                | 52.1               | 19                |                         |                         | 11.007                                |
| 13    | 3                | 98.6               | 19                | 1332                    | 1151                    | 299.44                                |
| 14    | 2                | 63.6               | 19                | 1122                    |                         | 253.373                               |
| 15    | 1                | 82.1               | 19                |                         |                         | 413.387                               |
| 16    | 1                | 90.4               | 19                |                         |                         | 71                                    |
| 17    | 2                | 90.1               | 19                | 1451                    |                         | 549.833                               |
| 18    | 3                | 50.4               | 19                | 1714                    | 1014                    | 117.367                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 61.6               | 19                | 1424                    |                         | 47.252                                |
| 2     | 3                | 93.3               | 19                | 1860                    | 1063                    | 246.727                               |
| 3     | 2                | 92.8               | 19                | 1253                    |                         | 34.144                                |
| 4     | 1                | 84.5               | 19                |                         |                         | 342.531                               |
| 5     | 1                | 64.8               | 19                |                         |                         | 606.059                               |
| 6     | 1                | 96.5               | 19                |                         |                         | 63.186                                |
| 7     | 1                | 54.8               | 19                |                         |                         | 372.523                               |
| 8     | 2                | 69                 | 19                | 1786                    |                         | 192.68                                |
| 9     | 2                | 66.2               | 19                | 1170                    |                         | 153.327                               |
| 10    | 3                | 83.9               | 19                | 1273                    | 1211                    | 825.164                               |
| 11    | 2                | 73                 | 19                | 1802                    |                         | 287.531                               |
| 12    | 1                | 56.3               | 19                |                         |                         | 436.809                               |
| 13    | 1                | 86.2               | 19                |                         |                         | 342.186                               |
| 14    | 2                | 92.3               | 19                | 1227                    |                         | 686.443                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.9               | 10                | 1890                    |                         | 400.548                               |
| 2     | 2                | 86.4               | 10                | 1639                    |                         | 447.048                               |
| 3     | 2                | 50.9               | 10                | 1686                    |                         | 185.875                               |
| 4     | 3                | 94                 | 10                | 1241                    | 1820                    | 9.983                                 |
| 5     | 1                | 88.4               | 10                |                         |                         | 197.391                               |
| 6     | 2                | 75.6               | 10                | 1659                    |                         | 184.508                               |
| 7     | 2                | 70.1               | 10                | 1233                    |                         | 394.666                               |
| 8     | 2                | 99.1               | 10                | 1521                    |                         | 290.124                               |
| 9     | 1                | 85.7               | 10                |                         |                         | 421.071                               |
| 10    | 2                | 96.1               | 10                | 1925                    |                         | 477.159                               |
| 11    | 2                | 60.5               | 10                | 1879                    |                         | 643.916                               |
| 12    | 1                | 66                 | 10                |                         |                         | 347.314                               |
| 13    | 2                | 69.3               | 10                | 1827                    |                         | 125.152                               |
| 14    | 1                | 63                 | 10                |                         |                         | 172.549                               |
| 15    | 1                | 94.3               | 10                |                         |                         | 288.847                               |
| 16    | 2                | 79                 | 10                | 1642                    |                         | 199.165                               |
| 17    | 3                | 86.8               | 10                | 1471                    | 1240                    | 567.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 61.1               | 13                |                         |                         | 187.544                               |
| 2     | 3                | 92.7               | 13                | 1600                    | 1412                    | 440.021                               |
| 3     | 2                | 83.1               | 13                | 1346                    |                         | 420.782                               |
| 4     | 2                | 88.2               | 13                | 1216                    |                         | 57.213                                |
| 5     | 2                | 52.5               | 13                | 1418                    |                         | 294.214                               |
| 6     | 2                | 84.2               | 13                | 1876                    |                         | 405.045                               |
| 7     | 2                | 98                 | 13                | 1477                    |                         | 90.816                                |
| 8     | 1                | 72.9               | 13                |                         |                         | 518.497                               |
| 9     | 2                | 77.4               | 13                | 1427                    |                         | 252.928                               |
| 10    | 2                | 70.9               | 13                | 1985                    |                         | 486.829                               |
| 11    | 2                | 84.5               | 13                | 1386                    |                         | 231.991                               |
| 12    | 3                | 83.3               | 13                | 1166                    | 1883                    | 594.232                               |
| 13    | 2                | 66.4               | 13                | 1101                    |                         | 355.893                               |
| 14    | 3                | 66.9               | 13                | 1688                    | 1971                    | 100.364                               |
| 15    | 2                | 95.8               | 13                | 1557                    |                         | 73.015                                |
| 16    | 2                | 84.6               | 13                | 1056                    |                         | 209.406                               |
| 17    | 2                | 74.7               | 13                | 1067                    |                         | 224.437                               |
| 18    | 3                | 60.8               | 13                | 1271                    | 1509                    | 346.558                               |
| 19    | 2                | 81.6               | 13                | 1409                    |                         | 288.279                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 76.2               | 15                |                         |                         | 968.837                               |
| 2     | 2                | 93.9               | 15                | 1243                    |                         | 13.607                                |
| 3     | 2                | 72.4               | 15                | 1943                    |                         | 147.783                               |
| 4     | 2                | 76.8               | 15                | 1910                    |                         | 1002.32                               |
| 5     | 2                | 59.8               | 15                | 1194                    |                         | 866.797                               |
| 6     | 1                | 54.6               | 15                |                         |                         | 280.973                               |
| 7     | 2                | 99.2               | 15                | 1700                    |                         | 62.66                                 |
| 8     | 1                | 78                 | 15                |                         |                         | 963.567                               |
| 9     | 3                | 55                 | 15                | 1343                    | 1491                    | 304.633                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 91.9               | 18                | 1502                    | 1081                    | 631.391                               |
| 2     | 2                | 83.7               | 18                | 1983                    |                         | 308.893                               |
| 3     | 3                | 52                 | 18                | 1395                    | 1189                    | 373.607                               |
| 4     | 2                | 93.5               | 18                | 1328                    |                         | 54.31                                 |
| 5     | 2                | 75.7               | 18                | 1754                    |                         | 253.073                               |
| 6     | 2                | 82.4               | 18                | 1641                    |                         | 241.147                               |
| 7     | 3                | 52.6               | 18                | 1237                    | 1636                    | 139.12                                |
| 8     | 2                | 54                 | 18                | 1542                    |                         | 31.193                                |
| 9     | 2                | 95.3               | 18                | 1511                    |                         | 558.857                               |
| 10    | 3                | 80.3               | 18                | 1400                    | 1971                    | 203.84                                |
| 11    | 2                | 56                 | 18                | 1542                    |                         | 619.083                               |
| 12    | 2                | 55                 | 18                | 1382                    |                         | 112.557                               |
| 13    | 3                | 64                 | 18                | 1503                    | 1147                    | 508.6                                 |
| 14    | 2                | 92.3               | 18                | 1328                    |                         | 381.943                               |
| 15    | 2                | 73.2               | 18                | 1005                    |                         | 156.207                               |
| 16    | 3                | 79.3               | 18                | 1413                    | 1977                    | 298.1                                 |
| 17    | 2                | 54.8               | 18                | 1353                    |                         | 307.233                               |
| 18    | 1                | 55.2               | 18                |                         |                         | 327.767                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 67.8               | 14                | 1204                        |                         | 291.406                               |
| 2     | 2                | 91.9               | 14                | 1031                        |                         | 408.787                               |
| 3     | 1                | 74.1               | 14                |                             |                         | 303.194                               |
| 4     | 3                | 63.3               | 14                | 1321                        | 1766                    | 766.611                               |
| 5     | 3                | 81.1               | 14                | 1827                        | 1294                    | 76.719                                |
| 6     | 2                | 79.5               | 14                | 1105                        |                         | 518.326                               |
| 7     | 1                | 81.2               | 14                |                             |                         | 11.483                                |
| 8     | 3                | 85.2               | 14                | 1667                        | 1872                    | 322.35                                |
| 9     | 2                | 89.2               | 14                | 1359                        |                         | 669.367                               |
| 10    | 2                | 97.7               | 14                | 1699                        |                         | 702.294                               |
| 11    | 1                | 77.3               | 14                |                             |                         | 717.241                               |
| 12    | 1                | 58.2               | 14                |                             |                         | 565.499                               |
| 13    | 1                | 77.4               | 14                |                             |                         | 299.586                               |
| 14    | 2                | 51.5               | 14                | 1175                        |                         | 739.543                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 9**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 84.4               | 8                 |                         |                         | 598.986                               |
| 2     | 2                | 87.4               | 8                 | 1313                    |                         | 99.055                                |
| 3     | 2                | 56.4               | 8                 | 1772                    |                         | 579.874                               |
| 4     | 2                | 80.4               | 8                 | 1954                    |                         | 167.971                               |
| 5     | 2                | 71                 | 8                 | 1341                    |                         | 114.059                               |
| 6     | 2                | 59.8               | 8                 | 1401                    |                         | 654.366                               |
| 7     | 2                | 78.2               | 8                 | 1734                    |                         | 99.373                                |
| 8     | 3                | 71.2               | 8                 | 1218                    | 1129                    | 615.96                                |
| 9     | 2                | 79.3               | 8                 | 1044                    |                         | 741.427                               |
| 10    | 1                | 51.6               | 8                 |                         |                         | 98.884                                |
| 11    | 2                | 74.9               | 8                 | 1765                    |                         | 487.471                               |
| 12    | 3                | 95.5               | 8                 | 1830                    | 1092                    | 611.829                               |
| 13    | 2                | 65                 | 8                 | 1535                    |                         | 678.086                               |
| 14    | 2                | 67.4               | 8                 | 1006                    |                         | 375.843                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 52.2               | 7                 |                         |                         | 388.118                               |
| 2     | 3                | 89                 | 7                 | 1865                    | 1826                    | 937.59                                |
| 3     | 1                | 75.6               | 7                 |                         |                         | 761.25                                |
| 4     | 1                | 93.1               | 7                 |                         |                         | 343.79                                |
| 5     | 3                | 50                 | 7                 | 1108                    | 1898                    | 178.6                                 |
| 6     | 2                | 59.8               | 7                 | 1561                    |                         | 392.99                                |
| 7     | 2                | 54.6               | 7                 | 1300                    |                         | 621.91                                |
| 8     | 2                | 86                 | 7                 | 1948                    |                         | 556.08                                |
| 9     | 1                | 55.3               | 7                 |                         |                         | 699.18                                |
| 10    | 2                | 70.7               | 7                 | 1012                    |                         | 29.72                                 |
| 11    | 1                | 91.4               | 7                 |                         |                         | 233.2                                 |
| 12    | 1                | 72.4               | 7                 |                         |                         | 207                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 88.1               | 12                | 1278                    |                         | 774.888                               |
| 2     | 1                | 66.3               | 12                |                         |                         | 386.061                               |
| 3     | 2                | 52.3               | 12                | 1333                    |                         | 573.352                               |
| 4     | 1                | 83.7               | 12                |                         |                         | 90.473                                |
| 5     | 3                | 86.5               | 12                | 1226                    | 1566                    | 151.044                               |
| 6     | 2                | 62.5               | 12                | 1211                    |                         | 528.595                               |
| 7     | 1                | 60.1               | 12                |                         |                         | 227.265                               |
| 8     | 2                | 57                 | 12                | 1742                    |                         | 853.136                               |
| 9     | 2                | 68.2               | 12                | 1574                    |                         | 832.687                               |
| 10    | 3                | 85.9               | 12                | 1639                    | 1149                    | 765.118                               |
| 11    | 3                | 54.4               | 12                | 1599                    | 1762                    | 221.609                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 50                 | 19                | 1252                    |                         | 649.045                               |
| 2     | 2                | 59.9               | 19                | 1772                    |                         | 606.93                                |
| 3     | 1                | 84.4               | 19                |                         |                         | 724.55                                |
| 4     | 1                | 68.6               | 19                |                         |                         | 665.51                                |
| 5     | 1                | 86                 | 19                |                         |                         | 261.78                                |
| 6     | 2                | 99.4               | 19                | 1452                    |                         | 390.64                                |
| 7     | 2                | 52.5               | 19                | 1118                    |                         | 56.27                                 |
| 8     | 2                | 97.1               | 19                | 1939                    |                         | 427.94                                |
| 9     | 2                | 76.1               | 19                | 1569                    |                         | 548.98                                |
| 10    | 3                | 64.7               | 19                | 1570                    | 1867                    | 702.35                                |
| 11    | 1                | 96.7               | 19                |                         |                         | 231.12                                |
| 12    | 3                | 88.4               | 19                | 1242                    | 1352                    | 450.08                                |
| 13    | 2                | 91.2               | 19                | 1879                    |                         | 399.67                                |
| 14    | 3                | 74.7               | 19                | 1577                    | 1090                    | 720.3                                 |
| 15    | 1                | 61                 | 19                |                         |                         | 257                                   |
| 16    | 1                | 56.7               | 19                |                         |                         | 450.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 53                 | 13                | 1111                    |                         | 709.309                               |
| 2     | 1                | 93.4               | 13                |                         |                         | 263.63                                |
| 3     | 2                | 63.1               | 13                | 1061                    |                         | 177.22                                |
| 4     | 2                | 67.5               | 13                | 1798                    |                         | 514.01                                |
| 5     | 1                | 61.4               | 13                |                         |                         | 682.26                                |
| 6     | 2                | 69.4               | 13                | 1822                    |                         | 624.14                                |
| 7     | 3                | 85.6               | 13                | 1106                    | 1047                    | 171.47                                |
| 8     | 3                | 94.8               | 13                | 1279                    | 1466                    | 262.44                                |
| 9     | 2                | 97.1               | 13                | 1221                    |                         | 168.28                                |
| 10    | 3                | 60.1               | 13                | 1652                    | 1127                    | 673.64                                |
| 11    | 2                | 59.6               | 13                | 1728                    |                         | 455.66                                |
| 12    | 2                | 73.8               | 13                | 1002                    |                         | 83.4                                  |
| 13    | 2                | 99.3               | 13                | 1710                    |                         | 4.26                                  |
| 14    | 2                | 91.4               | 13                | 1738                    |                         | 484.1                                 |
| 15    | 3                | 61.5               | 13                | 1442                    | 1265                    | 382.4                                 |
| 16    | 1                | 80                 | 13                |                         |                         | 583.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 99.4               | 11                | 1664                    |                         | 673.737                               |
| 2     | 2                | 67.6               | 11                | 1911                    |                         | 203.947                               |
| 3     | 3                | 58.5               | 11                | 1660                    | 1401                    | 5.274                                 |
| 4     | 1                | 59.2               | 11                |                         |                         | 810.501                               |
| 5     | 2                | 77.2               | 11                | 1586                    |                         | 124.979                               |
| 6     | 3                | 60.3               | 11                | 1220                    | 1227                    | 830.816                               |
| 7     | 3                | 75.6               | 11                | 1265                    | 1023                    | 730.243                               |
| 8     | 1                | 54                 | 11                |                         |                         | 284.73                                |
| 9     | 2                | 61.5               | 11                | 1093                    |                         | 693.147                               |
| 10    | 2                | 54.2               | 11                | 1299                    |                         | 518.354                               |
| 11    | 2                | 72.8               | 11                | 1140                    |                         | 584.141                               |
| 12    | 3                | 83.3               | 11                | 1962                    | 1792                    | 286.339                               |
| 13    | 1                | 56.1               | 11                |                         |                         | 570.186                               |
| 14    | 2                | 96.3               | 11                | 1605                    |                         | 219.743                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 65                 | 12                | 1412                    | 1889                    | 109.012                               |
| 2     | 2                | 77.9               | 12                | 1658                    |                         | 724.881                               |
| 3     | 2                | 75.7               | 12                | 1811                    |                         | 664.852                               |
| 4     | 1                | 62                 | 12                |                         |                         | 616.683                               |
| 5     | 3                | 67.6               | 12                | 1390                    | 1957                    | 311.044                               |
| 6     | 3                | 80.4               | 12                | 1829                    | 1935                    | 1012.095                              |
| 7     | 3                | 82.3               | 12                | 1039                    | 1882                    | 847.075                               |
| 8     | 2                | 72.9               | 12                | 1341                    |                         | 414.396                               |
| 9     | 2                | 70.2               | 12                | 1761                    |                         | 126.847                               |
| 10    | 2                | 65.5               | 12                | 1216                    |                         | 20.328                                |
| 11    | 3                | 58.3               | 12                | 1137                    | 1487                    | 475.209                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 85.2               | 16                | 1555                    | 1193                    | 56.698                                |
| 2     | 2                | 55.9               | 16                | 1992                    |                         | 282.717                               |
| 3     | 3                | 90.1               | 16                | 1086                    | 1899                    | 628.144                               |
| 4     | 1                | 50.4               | 16                |                         |                         | 168.061                               |
| 5     | 1                | 68.6               | 16                |                         |                         | 574.489                               |
| 6     | 1                | 79.2               | 16                |                         |                         | 705.656                               |
| 7     | 1                | 72.8               | 16                |                         |                         | 767.823                               |
| 8     | 2                | 78.2               | 16                | 1650                    |                         | 815.82                                |
| 9     | 2                | 53.9               | 16                | 1305                    |                         | 788.217                               |
| 10    | 1                | 82.6               | 16                |                         |                         | 762.544                               |
| 11    | 2                | 60.4               | 16                | 1169                    |                         | 694.051                               |
| 12    | 3                | 52.8               | 16                | 1934                    | 1679                    | 186.809                               |
| 13    | 2                | 93.3               | 16                | 1546                    |                         | 545.986                               |
| 14    | 2                | 65.9               | 16                | 1693                    |                         | 832.643                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 90.6               | 12                | 1134                    | 1519                    | 283.176                               |
| 2     | 3                | 74.3               | 12                | 1766                    | 1211                    | 263.527                               |
| 3     | 3                | 69.9               | 12                | 1387                    | 1402                    | 153.574                               |
| 4     | 3                | 51.4               | 12                | 1658                    | 1068                    | 727.321                               |
| 5     | 2                | 61.9               | 12                | 1464                    |                         | 616.169                               |
| 6     | 3                | 73.3               | 12                | 1908                    | 1500                    | 321.676                               |
| 7     | 3                | 93.7               | 12                | 1094                    | 1935                    | 31.553                                |
| 8     | 3                | 99.9               | 12                | 1305                    | 1493                    | 24.49                                 |
| 9     | 2                | 77                 | 12                | 1277                    |                         | 804.057                               |
| 10    | 1                | 65.2               | 12                |                         |                         | 155.874                               |
| 11    | 2                | 67.1               | 12                | 1635                    |                         | 430.891                               |
| 12    | 3                | 67.4               | 12                | 1485                    | 1302                    | 255.239                               |
| 13    | 2                | 50.5               | 12                | 1875                    |                         | 106.286                               |
| 14    | 3                | 77.1               | 12                | 1634                    | 1287                    | 212.943                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 65                 | 14                | 1611                    |                         | 218.363                               |
| 2     | 1                | 91.9               | 14                |                         |                         | 206.091                               |
| 3     | 2                | 82.3               | 14                | 1651                    |                         | 877.032                               |
| 4     | 1                | 98.6               | 14                |                         |                         | 858.643                               |
| 5     | 1                | 79                 | 14                |                         |                         | 587.994                               |
| 6     | 1                | 63.5               | 14                |                         |                         | 1014.775                              |
| 7     | 2                | 58.2               | 14                | 1526                    |                         | 875.485                               |
| 8     | 3                | 51.3               | 14                | 1804                    | 1016                    | 1015.216                              |
| 9     | 1                | 88.2               | 14                |                         |                         | 957.317                               |
| 10    | 1                | 95.5               | 14                |                         |                         | 819.118                               |
| 11    | 2                | 56.6               | 14                | 1175                    |                         | 969.809                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 50.8               | 13                | 1979                    | 1659                    | 319.393                               |
| 2     | 2                | 97.6               | 13                | 1531                    |                         | 636.513                               |
| 3     | 1                | 82.5               | 13                |                         |                         | 222.536                               |
| 4     | 2                | 78.7               | 13                | 1093                    |                         | 676.079                               |
| 5     | 3                | 69.4               | 13                | 1796                    | 1201                    | 324.832                               |
| 6     | 2                | 73.8               | 13                | 1297                    |                         | 763.745                               |
| 7     | 2                | 69.6               | 13                | 1041                    |                         | 448.028                               |
| 8     | 3                | 70.3               | 13                | 1548                    | 1346                    | 784.132                               |
| 9     | 3                | 86.8               | 13                | 1880                    | 1268                    | 624.735                               |
| 10    | 1                | 89.5               | 13                |                         |                         | 807.688                               |
| 11    | 2                | 55.2               | 13                | 1993                    |                         | 540.431                               |
| 12    | 3                | 72.6               | 13                | 1921                    | 1874                    | 20.054                                |
| 13    | 1                | 98.7               | 13                |                         |                         | 483.277                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 21**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 22**

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 93                 | 5                 | 1729                    |                         | 107.452                               |
| 2     | 3                | 80.8               | 5                 | 1016                    | 1376                    | 369.28                                |
| 3     | 1                | 51.5               | 5                 |                         |                         | 449.47                                |
| 4     | 3                | 88.3               | 5                 | 1095                    | 1144                    | 672.24                                |
| 5     | 2                | 90.1               | 5                 | 1526                    |                         | 73.35                                 |
| 6     | 2                | 92.6               | 5                 | 1366                    |                         | 693.62                                |
| 7     | 3                | 85.3               | 5                 | 1456                    | 1515                    | 373.36                                |
| 8     | 3                | 85.4               | 5                 | 1978                    | 1814                    | 64.22                                 |
| 9     | 1                | 70.8               | 5                 |                         |                         | 193.54                                |
| 10    | 2                | 99                 | 5                 | 1254                    |                         | 164.27                                |
| 11    | 2                | 85.1               | 5                 | 1525                    |                         | 614.64                                |
| 12    | 2                | 50.9               | 5                 | 1470                    |                         | 530.08                                |
| 13    | 3                | 87.8               | 5                 | 1527                    | 1298                    | 37.63                                 |
| 14    | 3                | 91.6               | 5                 | 1887                    | 1988                    | 742.4                                 |
| 15    | 3                | 62.3               | 5                 | 1777                    | 1349                    | 500.4                                 |
| 16    | 1                | 64.9               | 5                 |                         |                         | 648.7                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                          |
|--------------------------|
| <b>Trial Number : 24</b> |
|--------------------------|

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 87.5               | 17                | 1394                    |                         | 326.001                               |
| 2     | 2                | 82.5               | 17                | 1569                    |                         | 575.821                               |
| 3     | 3                | 92.8               | 17                | 1829                    | 1259                    | 133.952                               |
| 4     | 2                | 92.7               | 17                | 1208                    |                         | 319.793                               |
| 5     | 3                | 89.8               | 17                | 1644                    | 1794                    | 125.074                               |
| 6     | 2                | 77.5               | 17                | 1014                    |                         | 326.705                               |
| 7     | 1                | 57.1               | 17                |                         |                         | 329.616                               |
| 8     | 3                | 92.9               | 17                | 1772                    | 1557                    | 289.337                               |
| 9     | 3                | 68.5               | 17                | 1294                    | 1200                    | 232.608                               |
| 10    | 2                | 79.6               | 17                | 1476                    |                         | 289.859                               |
| 11    | 2                | 94.9               | 17                | 1830                    |                         | 142.951                               |
| 12    | 2                | 85.3               | 17                | 1156                    |                         | 442.802                               |
| 13    | 2                | 85.6               | 17                | 1113                    |                         | 171.013                               |
| 14    | 2                | 71.6               | 17                | 1330                    |                         | 509.444                               |
| 15    | 3                | 73.9               | 17                | 1070                    | 1254                    | 435.735                               |
| 16    | 1                | 50.6               | 17                |                         |                         | 127.336                               |
| 17    | 2                | 72.7               | 17                | 1813                    |                         | 222.737                               |
| 18    | 3                | 91.8               | 17                | 1088                    | 1499                    | 274.658                               |
| 19    | 1                | 89.3               | 17                |                         |                         | 461.379                               |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 26**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 73.2               | 5                 | 1316                    |                         | 146.929                               |
| 2     | 1                | 88.3               | 5                 |                         |                         | 79.075                                |
| 3     | 2                | 63.3               | 5                 | 1212                    |                         | 100.505                               |
| 4     | 1                | 69                 | 5                 |                         |                         | 342.463                               |
| 5     | 3                | 60.8               | 5                 | 1633                    | 1504                    | 36.711                                |
| 6     | 2                | 51.3               | 5                 | 1760                    |                         | 152.038                               |
| 7     | 2                | 87.2               | 5                 | 1583                    |                         | 520.546                               |
| 8     | 2                | 97.8               | 5                 | 1348                    |                         | 555.844                               |
| 9     | 1                | 69.1               | 5                 |                         |                         | 13.301                                |
| 10    | 2                | 91.6               | 5                 | 1478                    |                         | 656.649                               |
| 11    | 3                | 50.5               | 5                 | 1218                    | 1227                    | 134.726                               |
| 12    | 2                | 82.3               | 5                 | 1674                    |                         | 573.084                               |
| 13    | 2                | 61.6               | 5                 | 1910                    |                         | 185.232                               |
| 14    | 2                | 72.2               | 5                 | 1976                    |                         | 459.409                               |
| 15    | 1                | 94.7               | 5                 |                         |                         | 689.547                               |
| 16    | 3                | 80.8               | 5                 | 1673                    | 1845                    | 477.565                               |
| 17    | 3                | 54.3               | 5                 | 1608                    | 1400                    | 270.982                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 63.1               | 14                | 1096                    | 1315                    | 117.99                                |
| 2     | 2                | 51.2               | 14                | 1784                    |                         | 704.591                               |
| 3     | 3                | 50.7               | 14                | 1066                    | 1670                    | 356.592                               |
| 4     | 2                | 51.1               | 14                | 1405                    |                         | 158.993                               |
| 5     | 2                | 80.6               | 14                | 1434                    |                         | 360.494                               |
| 6     | 1                | 84                 | 14                |                         |                         | 818.555                               |
| 7     | 3                | 59                 | 14                | 1669                    | 1444                    | 989.595                               |
| 8     | 3                | 72.1               | 14                | 1737                    | 1182                    | 684.866                               |
| 9     | 1                | 59.1               | 14                |                         |                         | 1047.577                              |
| 10    | 3                | 62.7               | 14                | 1826                    | 1215                    | 820.818                               |
| 11    | 3                | 65.5               | 14                | 1269                    | 1154                    | 38.909                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 91.3               | 16                | 1055                    |                         | 864.768                               |
| 2     | 2                | 62.5               | 16                | 1853                    |                         | 609.82                                |
| 3     | 2                | 94.2               | 16                | 1079                    |                         | 443.48                                |
| 4     | 2                | 56.4               | 16                | 1000                    |                         | 110.55                                |
| 5     | 2                | 85.4               | 16                | 1245                    |                         | 125.7                                 |
| 6     | 2                | 72.2               | 16                | 1231                    |                         | 444.36                                |
| 7     | 2                | 90.9               | 16                | 1017                    |                         | 372.72                                |
| 8     | 2                | 96.3               | 16                | 1666                    |                         | 301.5                                 |
| 9     | 3                | 88.1               | 16                | 1901                    | 1144                    | 662.85                                |
| 10    | 2                | 74.1               | 16                | 1377                    |                         | 823.49                                |
| 11    | 1                | 78.1               | 16                |                         |                         | 586.2                                 |
| 12    | 2                | 60.4               | 16                | 1999                    |                         | 195.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 30**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Transmit (802.11ax-20 MHz)  
 Test Date : 2023/04/20

| Trial #                         | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                               | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 0                               |
| 14                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 0                               |
| 29                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                              | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| <b>Detection Percentage (%)</b> |                 |                                                                    | 93.33                           |
| <b>Limit</b>                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.5              | 5.577        | 20              |              |
| 2     | 5.5              | 5.426        | 20              |              |
| 3     | 5.5              | 5.418        | 20              |              |
| 4     | 5.5              | 5.462        | 20              |              |
| 5     | 5.5              | 5.51         | 20              | *            |
| 6     | 5.5              | 5.636        | 20              |              |
| 7     | 5.5              | 5.357        | 20              |              |
| 8     | 5.5              | 5.465        | 20              |              |
| 9     | 5.5              | 5.387        | 20              |              |
| 10    | 5.5              | 5.37         | 20              |              |
| 11    | 5.5              | 5.602        | 20              |              |
| 12    | 5.5              | 5.642        | 20              |              |
| 13    | 5.5              | 5.664        | 20              |              |
| 14    | 5.5              | 5.721        | 20              |              |
| 15    | 5.5              | 5.718        | 20              |              |
| 16    | 5.5              | 5.585        | 20              |              |
| 17    | 5.5              | 5.343        | 20              |              |
| 18    | 5.5              | 5.61         | 20              |              |
| 19    | 5.5              | 5.566        | 20              |              |
| 20    | 5.5              | 5.516        | 20              |              |
| 21    | 5.5              | 5.611        | 20              |              |
| 22    | 5.5              | 5.26         | 20              |              |
| 23    | 5.5              | 5.294        | 20              |              |
| 24    | 5.5              | 5.306        | 20              |              |
| 25    | 5.5              | 5.341        | 20              |              |
| 26    | 5.5              | 5.626        | 20              |              |
| 27    | 5.5              | 5.415        | 20              |              |
| 28    | 5.5              | 5.463        | 20              |              |
| 29    | 5.5              | 5.408        | 20              |              |
| 30    | 5.5              | 5.301        | 20              |              |
| 31    | 5.5              | 5.391        | 20              |              |
| 32    | 5.5              | 5.417        | 20              |              |
| 33    | 5.5              | 5.686        | 20              |              |
| 34    | 5.5              | 5.286        | 20              |              |
| 35    | 5.5              | 5.627        | 20              |              |
| 36    | 5.5              | 5.656        | 20              |              |
| 37    | 5.5              | 5.438        | 20              |              |
| 38    | 5.5              | 5.562        | 20              |              |
| 39    | 5.5              | 5.648        | 20              |              |
| 40    | 5.5              | 5.674        | 20              |              |
| 41    | 5.5              | 5.614        | 20              |              |
| 42    | 5.5              | 5.431        | 20              |              |
| 43    | 5.5              | 5.594        | 20              |              |
| 44    | 5.5              | 5.633        | 20              |              |
| 45    | 5.5              | 5.618        | 20              |              |
| 46    | 5.5              | 5.287        | 20              |              |
| 47    | 5.5              | 5.584        | 20              |              |
| 48    | 5.5              | 5.468        | 20              |              |
| 49    | 5.5              | 5.631        | 20              |              |

|     |     |       |    |   |
|-----|-----|-------|----|---|
| 50  | 5.5 | 5.622 | 20 |   |
| 51  | 5.5 | 5.676 | 20 |   |
| 52  | 5.5 | 5.521 | 20 |   |
| 53  | 5.5 | 5.493 | 20 | * |
| 54  | 5.5 | 5.273 | 20 |   |
| 55  | 5.5 | 5.714 | 20 |   |
| 56  | 5.5 | 5.563 | 20 |   |
| 57  | 5.5 | 5.422 | 20 |   |
| 58  | 5.5 | 5.303 | 20 |   |
| 59  | 5.5 | 5.379 | 20 |   |
| 60  | 5.5 | 5.255 | 20 |   |
| 61  | 5.5 | 5.436 | 20 |   |
| 62  | 5.5 | 5.293 | 20 |   |
| 63  | 5.5 | 5.536 | 20 |   |
| 64  | 5.5 | 5.505 | 20 | * |
| 65  | 5.5 | 5.624 | 20 |   |
| 66  | 5.5 | 5.338 | 20 |   |
| 67  | 5.5 | 5.515 | 20 |   |
| 68  | 5.5 | 5.599 | 20 |   |
| 69  | 5.5 | 5.531 | 20 |   |
| 70  | 5.5 | 5.466 | 20 |   |
| 71  | 5.5 | 5.298 | 20 |   |
| 72  | 5.5 | 5.561 | 20 |   |
| 73  | 5.5 | 5.702 | 20 |   |
| 74  | 5.5 | 5.583 | 20 |   |
| 75  | 5.5 | 5.477 | 20 |   |
| 76  | 5.5 | 5.491 | 20 | * |
| 77  | 5.5 | 5.318 | 20 |   |
| 78  | 5.5 | 5.67  | 20 |   |
| 79  | 5.5 | 5.354 | 20 |   |
| 80  | 5.5 | 5.449 | 20 |   |
| 81  | 5.5 | 5.397 | 20 |   |
| 82  | 5.5 | 5.333 | 20 |   |
| 83  | 5.5 | 5.289 | 20 |   |
| 84  | 5.5 | 5.632 | 20 |   |
| 85  | 5.5 | 5.568 | 20 |   |
| 86  | 5.5 | 5.35  | 20 |   |
| 87  | 5.5 | 5.265 | 20 |   |
| 88  | 5.5 | 5.69  | 20 |   |
| 89  | 5.5 | 5.396 | 20 |   |
| 90  | 5.5 | 5.31  | 20 |   |
| 91  | 5.5 | 5.503 | 20 | * |
| 92  | 5.5 | 5.593 | 20 |   |
| 93  | 5.5 | 5.724 | 20 |   |
| 94  | 5.5 | 5.554 | 20 |   |
| 95  | 5.5 | 5.617 | 20 |   |
| 96  | 5.5 | 5.698 | 20 |   |
| 97  | 5.5 | 5.276 | 20 |   |
| 98  | 5.5 | 5.457 | 20 |   |
| 99  | 5.5 | 5.329 | 20 |   |
| 100 | 5.5 | 5.654 | 20 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.395        | 20              |              |
| 2                      | 5.5              | 5.654        | 20              |              |
| 3                      | 5.5              | 5.376        | 20              |              |
| 4                      | 5.5              | 5.355        | 20              |              |
| 5                      | 5.5              | 5.43         | 20              |              |
| 6                      | 5.5              | 5.577        | 20              |              |
| 7                      | 5.5              | 5.304        | 20              |              |
| 8                      | 5.5              | 5.523        | 20              |              |
| 9                      | 5.5              | 5.506        | 20              | *            |
| 10                     | 5.5              | 5.526        | 20              |              |
| 11                     | 5.5              | 5.432        | 20              |              |
| 12                     | 5.5              | 5.399        | 20              |              |
| 13                     | 5.5              | 5.649        | 20              |              |
| 14                     | 5.5              | 5.424        | 20              |              |
| 15                     | 5.5              | 5.428        | 20              |              |
| 16                     | 5.5              | 5.72         | 20              |              |
| 17                     | 5.5              | 5.274        | 20              |              |
| 18                     | 5.5              | 5.666        | 20              |              |
| 19                     | 5.5              | 5.501        | 20              | *            |
| 20                     | 5.5              | 5.273        | 20              |              |
| 21                     | 5.5              | 5.697        | 20              |              |
| 22                     | 5.5              | 5.333        | 20              |              |
| 23                     | 5.5              | 5.617        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.442        | 20              |              |
| 2                      | 5.5              | 5.345        | 20              |              |
| 3                      | 5.5              | 5.348        | 20              |              |
| 4                      | 5.5              | 5.529        | 20              |              |
| 5                      | 5.5              | 5.472        | 20              |              |
| 6                      | 5.5              | 5.476        | 20              |              |
| 7                      | 5.5              | 5.651        | 20              |              |
| 8                      | 5.5              | 5.536        | 20              |              |
| 9                      | 5.5              | 5.478        | 20              |              |
| 10                     | 5.5              | 5.711        | 20              |              |
| 11                     | 5.5              | 5.313        | 20              |              |
| 12                     | 5.5              | 5.502        | 20              | *            |
| 13                     | 5.5              | 5.451        | 20              |              |
| 14                     | 5.5              | 5.557        | 20              |              |
| 15                     | 5.5              | 5.373        | 20              |              |
| 16                     | 5.5              | 5.591        | 20              |              |
| 17                     | 5.5              | 5.662        | 20              |              |
| 18                     | 5.5              | 5.595        | 20              |              |
| 19                     | 5.5              | 5.56         | 20              |              |
| 20                     | 5.5              | 5.629        | 20              |              |
| 21                     | 5.5              | 5.359        | 20              |              |
| 22                     | 5.5              | 5.354        | 20              |              |
| 23                     | 5.5              | 5.556        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.263        | 20              |              |
| 2                      | 5.5              | 5.573        | 20              |              |
| 3                      | 5.5              | 5.301        | 20              |              |
| 4                      | 5.5              | 5.541        | 20              |              |
| 5                      | 5.5              | 5.678        | 20              |              |
| 6                      | 5.5              | 5.706        | 20              |              |
| 7                      | 5.5              | 5.254        | 20              |              |
| 8                      | 5.5              | 5.641        | 20              |              |
| 9                      | 5.5              | 5.265        | 20              |              |
| 10                     | 5.5              | 5.464        | 20              |              |
| 11                     | 5.5              | 5.426        | 20              |              |
| 12                     | 5.5              | 5.367        | 20              |              |
| 13                     | 5.5              | 5.656        | 20              |              |
| 14                     | 5.5              | 5.442        | 20              |              |
| 15                     | 5.5              | 5.279        | 20              |              |
| 16                     | 5.5              | 5.323        | 20              |              |
| 17                     | 5.5              | 5.28         | 20              |              |
| 18                     | 5.5              | 5.699        | 20              |              |
| 19                     | 5.5              | 5.694        | 20              |              |
| 20                     | 5.5              | 5.65         | 20              |              |
| 21                     | 5.5              | 5.25         | 20              |              |
| 22                     | 5.5              | 5.44         | 20              |              |
| 23                     | 5.5              | 5.477        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.683        | 20              |              |
| 2                      | 5.5              | 5.364        | 20              |              |
| 3                      | 5.5              | 5.41         | 20              |              |
| 4                      | 5.5              | 5.354        | 20              |              |
| 5                      | 5.5              | 5.689        | 20              |              |
| 6                      | 5.5              | 5.311        | 20              |              |
| 7                      | 5.5              | 5.316        | 20              |              |
| 8                      | 5.5              | 5.638        | 20              |              |
| 9                      | 5.5              | 5.564        | 20              |              |
| 10                     | 5.5              | 5.371        | 20              |              |
| 11                     | 5.5              | 5.613        | 20              |              |
| 12                     | 5.5              | 5.505        | 20              | *            |
| 13                     | 5.5              | 5.385        | 20              |              |
| 14                     | 5.5              | 5.401        | 20              |              |
| 15                     | 5.5              | 5.264        | 20              |              |
| 16                     | 5.5              | 5.44         | 20              |              |
| 17                     | 5.5              | 5.518        | 20              |              |
| 18                     | 5.5              | 5.379        | 20              |              |
| 19                     | 5.5              | 5.677        | 20              |              |
| 20                     | 5.5              | 5.563        | 20              |              |
| 21                     | 5.5              | 5.565        | 20              |              |
| 22                     | 5.5              | 5.67         | 20              |              |
| 23                     | 5.5              | 5.511        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.607        | 20              |              |
| 2                      | 5.5              | 5.608        | 20              |              |
| 3                      | 5.5              | 5.688        | 20              |              |
| 4                      | 5.5              | 5.699        | 20              |              |
| 5                      | 5.5              | 5.686        | 20              |              |
| 6                      | 5.5              | 5.437        | 20              |              |
| 7                      | 5.5              | 5.257        | 20              |              |
| 8                      | 5.5              | 5.299        | 20              |              |
| 9                      | 5.5              | 5.634        | 20              |              |
| 10                     | 5.5              | 5.429        | 20              |              |
| 11                     | 5.5              | 5.289        | 20              |              |
| 12                     | 5.5              | 5.46         | 20              |              |
| 13                     | 5.5              | 5.361        | 20              |              |
| 14                     | 5.5              | 5.365        | 20              |              |
| 15                     | 5.5              | 5.393        | 20              |              |
| 16                     | 5.5              | 5.447        | 20              |              |
| 17                     | 5.5              | 5.282        | 20              |              |
| 18                     | 5.5              | 5.31         | 20              |              |
| 19                     | 5.5              | 5.586        | 20              |              |
| 20                     | 5.5              | 5.317        | 20              |              |
| 21                     | 5.5              | 5.331        | 20              |              |
| 22                     | 5.5              | 5.414        | 20              |              |
| 23                     | 5.5              | 5.708        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.438        | 20              |              |
| 2                      | 5.5              | 5.473        | 20              |              |
| 3                      | 5.5              | 5.276        | 20              |              |
| 4                      | 5.5              | 5.465        | 20              |              |
| 5                      | 5.5              | 5.492        | 20              | *            |
| 6                      | 5.5              | 5.487        | 20              |              |
| 7                      | 5.5              | 5.71         | 20              |              |
| 8                      | 5.5              | 5.693        | 20              |              |
| 9                      | 5.5              | 5.532        | 20              |              |
| 10                     | 5.5              | 5.508        | 20              | *            |
| 11                     | 5.5              | 5.468        | 20              |              |
| 12                     | 5.5              | 5.301        | 20              |              |
| 13                     | 5.5              | 5.51         | 20              | *            |
| 14                     | 5.5              | 5.475        | 20              |              |
| 15                     | 5.5              | 5.375        | 20              |              |
| 16                     | 5.5              | 5.631        | 20              |              |
| 17                     | 5.5              | 5.507        | 20              | *            |
| 18                     | 5.5              | 5.399        | 20              |              |
| 19                     | 5.5              | 5.69         | 20              |              |
| 20                     | 5.5              | 5.308        | 20              |              |
| 21                     | 5.5              | 5.294        | 20              |              |
| 22                     | 5.5              | 5.328        | 20              |              |
| 23                     | 5.5              | 5.267        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.261        | 20              |              |
| 2                      | 5.5              | 5.425        | 20              |              |
| 3                      | 5.5              | 5.371        | 20              |              |
| 4                      | 5.5              | 5.254        | 20              |              |
| 5                      | 5.5              | 5.45         | 20              |              |
| 6                      | 5.5              | 5.692        | 20              |              |
| 7                      | 5.5              | 5.332        | 20              |              |
| 8                      | 5.5              | 5.366        | 20              |              |
| 9                      | 5.5              | 5.713        | 20              |              |
| 10                     | 5.5              | 5.266        | 20              |              |
| 11                     | 5.5              | 5.367        | 20              |              |
| 12                     | 5.5              | 5.383        | 20              |              |
| 13                     | 5.5              | 5.548        | 20              |              |
| 14                     | 5.5              | 5.284        | 20              |              |
| 15                     | 5.5              | 5.387        | 20              |              |
| 16                     | 5.5              | 5.526        | 20              |              |
| 17                     | 5.5              | 5.63         | 20              |              |
| 18                     | 5.5              | 5.461        | 20              |              |
| 19                     | 5.5              | 5.534        | 20              |              |
| 20                     | 5.5              | 5.358        | 20              |              |
| 21                     | 5.5              | 5.683        | 20              |              |
| 22                     | 5.5              | 5.279        | 20              |              |
| 23                     | 5.5              | 5.295        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.333        | 20              |              |
| 2                      | 5.5              | 5.456        | 20              |              |
| 3                      | 5.5              | 5.515        | 20              |              |
| 4                      | 5.5              | 5.34         | 20              |              |
| 5                      | 5.5              | 5.311        | 20              |              |
| 6                      | 5.5              | 5.648        | 20              |              |
| 7                      | 5.5              | 5.616        | 20              |              |
| 8                      | 5.5              | 5.345        | 20              |              |
| 9                      | 5.5              | 5.369        | 20              |              |
| 10                     | 5.5              | 5.528        | 20              |              |
| 11                     | 5.5              | 5.629        | 20              |              |
| 12                     | 5.5              | 5.355        | 20              |              |
| 13                     | 5.5              | 5.381        | 20              |              |
| 14                     | 5.5              | 5.301        | 20              |              |
| 15                     | 5.5              | 5.316        | 20              |              |
| 16                     | 5.5              | 5.357        | 20              |              |
| 17                     | 5.5              | 5.326        | 20              |              |
| 18                     | 5.5              | 5.598        | 20              |              |
| 19                     | 5.5              | 5.56         | 20              |              |
| 20                     | 5.5              | 5.686        | 20              |              |
| 21                     | 5.5              | 5.682        | 20              |              |
| 22                     | 5.5              | 5.605        | 20              |              |
| 23                     | 5.5              | 5.672        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.609        | 20              |              |
| 2                      | 5.5              | 5.589        | 20              |              |
| 3                      | 5.5              | 5.405        | 20              |              |
| 4                      | 5.5              | 5.354        | 20              |              |
| 5                      | 5.5              | 5.65         | 20              |              |
| 6                      | 5.5              | 5.429        | 20              |              |
| 7                      | 5.5              | 5.513        | 20              |              |
| 8                      | 5.5              | 5.533        | 20              |              |
| 9                      | 5.5              | 5.398        | 20              |              |
| 10                     | 5.5              | 5.629        | 20              |              |
| 11                     | 5.5              | 5.575        | 20              |              |
| 12                     | 5.5              | 5.587        | 20              |              |
| 13                     | 5.5              | 5.627        | 20              |              |
| 14                     | 5.5              | 5.557        | 20              |              |
| 15                     | 5.5              | 5.389        | 20              |              |
| 16                     | 5.5              | 5.634        | 20              |              |
| 17                     | 5.5              | 5.6          | 20              |              |
| 18                     | 5.5              | 5.415        | 20              |              |
| 19                     | 5.5              | 5.512        | 20              |              |
| 20                     | 5.5              | 5.488        | 20              |              |
| 21                     | 5.5              | 5.54         | 20              |              |
| 22                     | 5.5              | 5.404        | 20              |              |
| 23                     | 5.5              | 5.623        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.654        | 20              |              |
| 2                      | 5.5              | 5.331        | 20              |              |
| 3                      | 5.5              | 5.291        | 20              |              |
| 4                      | 5.5              | 5.259        | 20              |              |
| 5                      | 5.5              | 5.478        | 20              |              |
| 6                      | 5.5              | 5.432        | 20              |              |
| 7                      | 5.5              | 5.269        | 20              |              |
| 8                      | 5.5              | 5.59         | 20              |              |
| 9                      | 5.5              | 5.467        | 20              |              |
| 10                     | 5.5              | 5.677        | 20              |              |
| 11                     | 5.5              | 5.527        | 20              |              |
| 12                     | 5.5              | 5.461        | 20              |              |
| 13                     | 5.5              | 5.44         | 20              |              |
| 14                     | 5.5              | 5.381        | 20              |              |
| 15                     | 5.5              | 5.507        | 20              | *            |
| 16                     | 5.5              | 5.609        | 20              |              |
| 17                     | 5.5              | 5.377        | 20              |              |
| 18                     | 5.5              | 5.366        | 20              |              |
| 19                     | 5.5              | 5.315        | 20              |              |
| 20                     | 5.5              | 5.544        | 20              |              |
| 21                     | 5.5              | 5.644        | 20              |              |
| 22                     | 5.5              | 5.418        | 20              |              |
| 23                     | 5.5              | 5.365        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.337        | 20              |              |
| 2                      | 5.5              | 5.411        | 20              |              |
| 3                      | 5.5              | 5.383        | 20              |              |
| 4                      | 5.5              | 5.365        | 20              |              |
| 5                      | 5.5              | 5.254        | 20              |              |
| 6                      | 5.5              | 5.619        | 20              |              |
| 7                      | 5.5              | 5.469        | 20              |              |
| 8                      | 5.5              | 5.444        | 20              |              |
| 9                      | 5.5              | 5.539        | 20              |              |
| 10                     | 5.5              | 5.677        | 20              |              |
| 11                     | 5.5              | 5.291        | 20              |              |
| 12                     | 5.5              | 5.443        | 20              |              |
| 13                     | 5.5              | 5.369        | 20              |              |
| 14                     | 5.5              | 5.577        | 20              |              |
| 15                     | 5.5              | 5.531        | 20              |              |
| 16                     | 5.5              | 5.611        | 20              |              |
| 17                     | 5.5              | 5.364        | 20              |              |
| 18                     | 5.5              | 5.416        | 20              |              |
| 19                     | 5.5              | 5.53         | 20              |              |
| 20                     | 5.5              | 5.289        | 20              |              |
| 21                     | 5.5              | 5.419        | 20              |              |
| 22                     | 5.5              | 5.412        | 20              |              |
| 23                     | 5.5              | 5.607        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.4          | 20              |              |
| 2                      | 5.5              | 5.417        | 20              |              |
| 3                      | 5.5              | 5.564        | 20              |              |
| 4                      | 5.5              | 5.291        | 20              |              |
| 5                      | 5.5              | 5.272        | 20              |              |
| 6                      | 5.5              | 5.643        | 20              |              |
| 7                      | 5.5              | 5.42         | 20              |              |
| 8                      | 5.5              | 5.335        | 20              |              |
| 9                      | 5.5              | 5.476        | 20              |              |
| 10                     | 5.5              | 5.563        | 20              |              |
| 11                     | 5.5              | 5.453        | 20              |              |
| 12                     | 5.5              | 5.714        | 20              |              |
| 13                     | 5.5              | 5.285        | 20              |              |
| 14                     | 5.5              | 5.553        | 20              |              |
| 15                     | 5.5              | 5.368        | 20              |              |
| 16                     | 5.5              | 5.616        | 20              |              |
| 17                     | 5.5              | 5.69         | 20              |              |
| 18                     | 5.5              | 5.359        | 20              |              |
| 19                     | 5.5              | 5.339        | 20              |              |
| 20                     | 5.5              | 5.457        | 20              |              |
| 21                     | 5.5              | 5.392        | 20              |              |
| 22                     | 5.5              | 5.257        | 20              |              |
| 23                     | 5.5              | 5.264        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.657        | 20              |              |
| 2                      | 5.5              | 5.56         | 20              |              |
| 3                      | 5.5              | 5.322        | 20              |              |
| 4                      | 5.5              | 5.436        | 20              |              |
| 5                      | 5.5              | 5.424        | 20              |              |
| 6                      | 5.5              | 5.274        | 20              |              |
| 7                      | 5.5              | 5.608        | 20              |              |
| 8                      | 5.5              | 5.465        | 20              |              |
| 9                      | 5.5              | 5.63         | 20              |              |
| 10                     | 5.5              | 5.51         | 20              | *            |
| 11                     | 5.5              | 5.604        | 20              |              |
| 12                     | 5.5              | 5.413        | 20              |              |
| 13                     | 5.5              | 5.333        | 20              |              |
| 14                     | 5.5              | 5.661        | 20              |              |
| 15                     | 5.5              | 5.622        | 20              |              |
| 16                     | 5.5              | 5.341        | 20              |              |
| 17                     | 5.5              | 5.619        | 20              |              |
| 18                     | 5.5              | 5.393        | 20              |              |
| 19                     | 5.5              | 5.721        | 20              |              |
| 20                     | 5.5              | 5.39         | 20              |              |
| 21                     | 5.5              | 5.723        | 20              |              |
| 22                     | 5.5              | 5.291        | 20              |              |
| 23                     | 5.5              | 5.582        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.311        | 20              |              |
| 2                      | 5.5              | 5.359        | 20              |              |
| 3                      | 5.5              | 5.569        | 20              |              |
| 4                      | 5.5              | 5.326        | 20              |              |
| 5                      | 5.5              | 5.418        | 20              |              |
| 6                      | 5.5              | 5.56         | 20              |              |
| 7                      | 5.5              | 5.598        | 20              |              |
| 8                      | 5.5              | 5.538        | 20              |              |
| 9                      | 5.5              | 5.399        | 20              |              |
| 10                     | 5.5              | 5.715        | 20              |              |
| 11                     | 5.5              | 5.521        | 20              |              |
| 12                     | 5.5              | 5.496        | 20              | *            |
| 13                     | 5.5              | 5.665        | 20              |              |
| 14                     | 5.5              | 5.348        | 20              |              |
| 15                     | 5.5              | 5.27         | 20              |              |
| 16                     | 5.5              | 5.44         | 20              |              |
| 17                     | 5.5              | 5.254        | 20              |              |
| 18                     | 5.5              | 5.347        | 20              |              |
| 19                     | 5.5              | 5.336        | 20              |              |
| 20                     | 5.5              | 5.428        | 20              |              |
| 21                     | 5.5              | 5.253        | 20              |              |
| 22                     | 5.5              | 5.364        | 20              |              |
| 23                     | 5.5              | 5.407        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.504        | 20              | *            |
| 2                      | 5.5              | 5.662        | 20              |              |
| 3                      | 5.5              | 5.311        | 20              |              |
| 4                      | 5.5              | 5.702        | 20              |              |
| 5                      | 5.5              | 5.7          | 20              |              |
| 6                      | 5.5              | 5.615        | 20              |              |
| 7                      | 5.5              | 5.393        | 20              |              |
| 8                      | 5.5              | 5.534        | 20              |              |
| 9                      | 5.5              | 5.65         | 20              |              |
| 10                     | 5.5              | 5.386        | 20              |              |
| 11                     | 5.5              | 5.325        | 20              |              |
| 12                     | 5.5              | 5.467        | 20              |              |
| 13                     | 5.5              | 5.551        | 20              |              |
| 14                     | 5.5              | 5.337        | 20              |              |
| 15                     | 5.5              | 5.446        | 20              |              |
| 16                     | 5.5              | 5.313        | 20              |              |
| 17                     | 5.5              | 5.568        | 20              |              |
| 18                     | 5.5              | 5.32         | 20              |              |
| 19                     | 5.5              | 5.545        | 20              |              |
| 20                     | 5.5              | 5.457        | 20              |              |
| 21                     | 5.5              | 5.286        | 20              |              |
| 22                     | 5.5              | 5.664        | 20              |              |
| 23                     | 5.5              | 5.473        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.437        | 20              |              |
| 2                      | 5.5              | 5.69         | 20              |              |
| 3                      | 5.5              | 5.499        | 20              | *            |
| 4                      | 5.5              | 5.43         | 20              |              |
| 5                      | 5.5              | 5.599        | 20              |              |
| 6                      | 5.5              | 5.29         | 20              |              |
| 7                      | 5.5              | 5.633        | 20              |              |
| 8                      | 5.5              | 5.719        | 20              |              |
| 9                      | 5.5              | 5.422        | 20              |              |
| 10                     | 5.5              | 5.467        | 20              |              |
| 11                     | 5.5              | 5.457        | 20              |              |
| 12                     | 5.5              | 5.327        | 20              |              |
| 13                     | 5.5              | 5.54         | 20              |              |
| 14                     | 5.5              | 5.624        | 20              |              |
| 15                     | 5.5              | 5.47         | 20              |              |
| 16                     | 5.5              | 5.359        | 20              |              |
| 17                     | 5.5              | 5.315        | 20              |              |
| 18                     | 5.5              | 5.335        | 20              |              |
| 19                     | 5.5              | 5.347        | 20              |              |
| 20                     | 5.5              | 5.505        | 20              | *            |
| 21                     | 5.5              | 5.592        | 20              |              |
| 22                     | 5.5              | 5.358        | 20              |              |
| 23                     | 5.5              | 5.507        | 20              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.591        | 20              |              |
| 2                      | 5.5              | 5.547        | 20              |              |
| 3                      | 5.5              | 5.448        | 20              |              |
| 4                      | 5.5              | 5.638        | 20              |              |
| 5                      | 5.5              | 5.294        | 20              |              |
| 6                      | 5.5              | 5.592        | 20              |              |
| 7                      | 5.5              | 5.652        | 20              |              |
| 8                      | 5.5              | 5.263        | 20              |              |
| 9                      | 5.5              | 5.278        | 20              |              |
| 10                     | 5.5              | 5.434        | 20              |              |
| 11                     | 5.5              | 5.526        | 20              |              |
| 12                     | 5.5              | 5.524        | 20              |              |
| 13                     | 5.5              | 5.514        | 20              |              |
| 14                     | 5.5              | 5.577        | 20              |              |
| 15                     | 5.5              | 5.53         | 20              |              |
| 16                     | 5.5              | 5.388        | 20              |              |
| 17                     | 5.5              | 5.539        | 20              |              |
| 18                     | 5.5              | 5.556        | 20              |              |
| 19                     | 5.5              | 5.31         | 20              |              |
| 20                     | 5.5              | 5.665        | 20              |              |
| 21                     | 5.5              | 5.642        | 20              |              |
| 22                     | 5.5              | 5.338        | 20              |              |
| 23                     | 5.5              | 5.362        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.43         | 20              |              |
| 2                      | 5.5              | 5.475        | 20              |              |
| 3                      | 5.5              | 5.561        | 20              |              |
| 4                      | 5.5              | 5.574        | 20              |              |
| 5                      | 5.5              | 5.431        | 20              |              |
| 6                      | 5.5              | 5.465        | 20              |              |
| 7                      | 5.5              | 5.457        | 20              |              |
| 8                      | 5.5              | 5.717        | 20              |              |
| 9                      | 5.5              | 5.331        | 20              |              |
| 10                     | 5.5              | 5.505        | 20              | *            |
| 11                     | 5.5              | 5.608        | 20              |              |
| 12                     | 5.5              | 5.588        | 20              |              |
| 13                     | 5.5              | 5.32         | 20              |              |
| 14                     | 5.5              | 5.548        | 20              |              |
| 15                     | 5.5              | 5.685        | 20              |              |
| 16                     | 5.5              | 5.444        | 20              |              |
| 17                     | 5.5              | 5.697        | 20              |              |
| 18                     | 5.5              | 5.611        | 20              |              |
| 19                     | 5.5              | 5.721        | 20              |              |
| 20                     | 5.5              | 5.287        | 20              |              |
| 21                     | 5.5              | 5.402        | 20              |              |
| 22                     | 5.5              | 5.529        | 20              |              |
| 23                     | 5.5              | 5.288        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.656        | 20              |              |
| 2                      | 5.5              | 5.602        | 20              |              |
| 3                      | 5.5              | 5.591        | 20              |              |
| 4                      | 5.5              | 5.633        | 20              |              |
| 5                      | 5.5              | 5.391        | 20              |              |
| 6                      | 5.5              | 5.429        | 20              |              |
| 7                      | 5.5              | 5.281        | 20              |              |
| 8                      | 5.5              | 5.305        | 20              |              |
| 9                      | 5.5              | 5.506        | 20              | *            |
| 10                     | 5.5              | 5.592        | 20              |              |
| 11                     | 5.5              | 5.319        | 20              |              |
| 12                     | 5.5              | 5.546        | 20              |              |
| 13                     | 5.5              | 5.309        | 20              |              |
| 14                     | 5.5              | 5.259        | 20              |              |
| 15                     | 5.5              | 5.48         | 20              |              |
| 16                     | 5.5              | 5.254        | 20              |              |
| 17                     | 5.5              | 5.641        | 20              |              |
| 18                     | 5.5              | 5.654        | 20              |              |
| 19                     | 5.5              | 5.304        | 20              |              |
| 20                     | 5.5              | 5.556        | 20              |              |
| 21                     | 5.5              | 5.39         | 20              |              |
| 22                     | 5.5              | 5.426        | 20              |              |
| 23                     | 5.5              | 5.533        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.517        | 20              |              |
| 2                      | 5.5              | 5.443        | 20              |              |
| 3                      | 5.5              | 5.351        | 20              |              |
| 4                      | 5.5              | 5.313        | 20              |              |
| 5                      | 5.5              | 5.346        | 20              |              |
| 6                      | 5.5              | 5.33         | 20              |              |
| 7                      | 5.5              | 5.363        | 20              |              |
| 8                      | 5.5              | 5.677        | 20              |              |
| 9                      | 5.5              | 5.335        | 20              |              |
| 10                     | 5.5              | 5.341        | 20              |              |
| 11                     | 5.5              | 5.696        | 20              |              |
| 12                     | 5.5              | 5.584        | 20              |              |
| 13                     | 5.5              | 5.659        | 20              |              |
| 14                     | 5.5              | 5.477        | 20              |              |
| 15                     | 5.5              | 5.45         | 20              |              |
| 16                     | 5.5              | 5.552        | 20              |              |
| 17                     | 5.5              | 5.681        | 20              |              |
| 18                     | 5.5              | 5.302        | 20              |              |
| 19                     | 5.5              | 5.693        | 20              |              |
| 20                     | 5.5              | 5.431        | 20              |              |
| 21                     | 5.5              | 5.656        | 20              |              |
| 22                     | 5.5              | 5.437        | 20              |              |
| 23                     | 5.5              | 5.641        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.594        | 20              |              |
| 2                      | 5.5              | 5.369        | 20              |              |
| 3                      | 5.5              | 5.491        | 20              | *            |
| 4                      | 5.5              | 5.47         | 20              |              |
| 5                      | 5.5              | 5.586        | 20              |              |
| 6                      | 5.5              | 5.682        | 20              |              |
| 7                      | 5.5              | 5.52         | 20              |              |
| 8                      | 5.5              | 5.666        | 20              |              |
| 9                      | 5.5              | 5.358        | 20              |              |
| 10                     | 5.5              | 5.492        | 20              | *            |
| 11                     | 5.5              | 5.565        | 20              |              |
| 12                     | 5.5              | 5.523        | 20              |              |
| 13                     | 5.5              | 5.388        | 20              |              |
| 14                     | 5.5              | 5.668        | 20              |              |
| 15                     | 5.5              | 5.469        | 20              |              |
| 16                     | 5.5              | 5.336        | 20              |              |
| 17                     | 5.5              | 5.539        | 20              |              |
| 18                     | 5.5              | 5.298        | 20              |              |
| 19                     | 5.5              | 5.453        | 20              |              |
| 20                     | 5.5              | 5.633        | 20              |              |
| 21                     | 5.5              | 5.602        | 20              |              |
| 22                     | 5.5              | 5.592        | 20              |              |
| 23                     | 5.5              | 5.294        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.668        | 20              |              |
| 2                      | 5.5              | 5.375        | 20              |              |
| 3                      | 5.5              | 5.688        | 20              |              |
| 4                      | 5.5              | 5.594        | 20              |              |
| 5                      | 5.5              | 5.655        | 20              |              |
| 6                      | 5.5              | 5.521        | 20              |              |
| 7                      | 5.5              | 5.32         | 20              |              |
| 8                      | 5.5              | 5.681        | 20              |              |
| 9                      | 5.5              | 5.709        | 20              |              |
| 10                     | 5.5              | 5.673        | 20              |              |
| 11                     | 5.5              | 5.571        | 20              |              |
| 12                     | 5.5              | 5.445        | 20              |              |
| 13                     | 5.5              | 5.561        | 20              |              |
| 14                     | 5.5              | 5.47         | 20              |              |
| 15                     | 5.5              | 5.557        | 20              |              |
| 16                     | 5.5              | 5.61         | 20              |              |
| 17                     | 5.5              | 5.662        | 20              |              |
| 18                     | 5.5              | 5.646        | 20              |              |
| 19                     | 5.5              | 5.378        | 20              |              |
| 20                     | 5.5              | 5.252        | 20              |              |
| 21                     | 5.5              | 5.316        | 20              |              |
| 22                     | 5.5              | 5.558        | 20              |              |
| 23                     | 5.5              | 5.723        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.635        | 20              |              |
| 2                      | 5.5              | 5.7          | 20              |              |
| 3                      | 5.5              | 5.563        | 20              |              |
| 4                      | 5.5              | 5.585        | 20              |              |
| 5                      | 5.5              | 5.441        | 20              |              |
| 6                      | 5.5              | 5.343        | 20              |              |
| 7                      | 5.5              | 5.628        | 20              |              |
| 8                      | 5.5              | 5.388        | 20              |              |
| 9                      | 5.5              | 5.508        | 20              | *            |
| 10                     | 5.5              | 5.372        | 20              |              |
| 11                     | 5.5              | 5.397        | 20              |              |
| 12                     | 5.5              | 5.602        | 20              |              |
| 13                     | 5.5              | 5.377        | 20              |              |
| 14                     | 5.5              | 5.346        | 20              |              |
| 15                     | 5.5              | 5.573        | 20              |              |
| 16                     | 5.5              | 5.517        | 20              |              |
| 17                     | 5.5              | 5.354        | 20              |              |
| 18                     | 5.5              | 5.556        | 20              |              |
| 19                     | 5.5              | 5.582        | 20              |              |
| 20                     | 5.5              | 5.299        | 20              |              |
| 21                     | 5.5              | 5.389        | 20              |              |
| 22                     | 5.5              | 5.426        | 20              |              |
| 23                     | 5.5              | 5.412        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.27         | 20              |              |
| 2                      | 5.5              | 5.352        | 20              |              |
| 3                      | 5.5              | 5.364        | 20              |              |
| 4                      | 5.5              | 5.37         | 20              |              |
| 5                      | 5.5              | 5.263        | 20              |              |
| 6                      | 5.5              | 5.385        | 20              |              |
| 7                      | 5.5              | 5.513        | 20              |              |
| 8                      | 5.5              | 5.508        | 20              | *            |
| 9                      | 5.5              | 5.449        | 20              |              |
| 10                     | 5.5              | 5.692        | 20              |              |
| 11                     | 5.5              | 5.631        | 20              |              |
| 12                     | 5.5              | 5.374        | 20              |              |
| 13                     | 5.5              | 5.36         | 20              |              |
| 14                     | 5.5              | 5.568        | 20              |              |
| 15                     | 5.5              | 5.48         | 20              |              |
| 16                     | 5.5              | 5.643        | 20              |              |
| 17                     | 5.5              | 5.668        | 20              |              |
| 18                     | 5.5              | 5.716        | 20              |              |
| 19                     | 5.5              | 5.258        | 20              |              |
| 20                     | 5.5              | 5.593        | 20              |              |
| 21                     | 5.5              | 5.372        | 20              |              |
| 22                     | 5.5              | 5.318        | 20              |              |
| 23                     | 5.5              | 5.509        | 20              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.315        | 20              |              |
| 2                      | 5.5              | 5.259        | 20              |              |
| 3                      | 5.5              | 5.377        | 20              |              |
| 4                      | 5.5              | 5.718        | 20              |              |
| 5                      | 5.5              | 5.627        | 20              |              |
| 6                      | 5.5              | 5.422        | 20              |              |
| 7                      | 5.5              | 5.3          | 20              |              |
| 8                      | 5.5              | 5.579        | 20              |              |
| 9                      | 5.5              | 5.293        | 20              |              |
| 10                     | 5.5              | 5.323        | 20              |              |
| 11                     | 5.5              | 5.321        | 20              |              |
| 12                     | 5.5              | 5.71         | 20              |              |
| 13                     | 5.5              | 5.684        | 20              |              |
| 14                     | 5.5              | 5.333        | 20              |              |
| 15                     | 5.5              | 5.707        | 20              |              |
| 16                     | 5.5              | 5.564        | 20              |              |
| 17                     | 5.5              | 5.427        | 20              |              |
| 18                     | 5.5              | 5.356        | 20              |              |
| 19                     | 5.5              | 5.642        | 20              |              |
| 20                     | 5.5              | 5.265        | 20              |              |
| 21                     | 5.5              | 5.629        | 20              |              |
| 22                     | 5.5              | 5.338        | 20              |              |
| 23                     | 5.5              | 5.348        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.61         | 20              |              |
| 2                      | 5.5              | 5.517        | 20              |              |
| 3                      | 5.5              | 5.286        | 20              |              |
| 4                      | 5.5              | 5.54         | 20              |              |
| 5                      | 5.5              | 5.538        | 20              |              |
| 6                      | 5.5              | 5.47         | 20              |              |
| 7                      | 5.5              | 5.657        | 20              |              |
| 8                      | 5.5              | 5.36         | 20              |              |
| 9                      | 5.5              | 5.616        | 20              |              |
| 10                     | 5.5              | 5.676        | 20              |              |
| 11                     | 5.5              | 5.295        | 20              |              |
| 12                     | 5.5              | 5.597        | 20              |              |
| 13                     | 5.5              | 5.556        | 20              |              |
| 14                     | 5.5              | 5.369        | 20              |              |
| 15                     | 5.5              | 5.513        | 20              |              |
| 16                     | 5.5              | 5.301        | 20              |              |
| 17                     | 5.5              | 5.709        | 20              |              |
| 18                     | 5.5              | 5.693        | 20              |              |
| 19                     | 5.5              | 5.541        | 20              |              |
| 20                     | 5.5              | 5.256        | 20              |              |
| 21                     | 5.5              | 5.333        | 20              |              |
| 22                     | 5.5              | 5.634        | 20              |              |
| 23                     | 5.5              | 5.446        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.637        | 20              |              |
| 2                      | 5.5              | 5.254        | 20              |              |
| 3                      | 5.5              | 5.722        | 20              |              |
| 4                      | 5.5              | 5.607        | 20              |              |
| 5                      | 5.5              | 5.48         | 20              |              |
| 6                      | 5.5              | 5.68         | 20              |              |
| 7                      | 5.5              | 5.258        | 20              |              |
| 8                      | 5.5              | 5.3          | 20              |              |
| 9                      | 5.5              | 5.701        | 20              |              |
| 10                     | 5.5              | 5.53         | 20              |              |
| 11                     | 5.5              | 5.361        | 20              |              |
| 12                     | 5.5              | 5.346        | 20              |              |
| 13                     | 5.5              | 5.441        | 20              |              |
| 14                     | 5.5              | 5.472        | 20              |              |
| 15                     | 5.5              | 5.429        | 20              |              |
| 16                     | 5.5              | 5.677        | 20              |              |
| 17                     | 5.5              | 5.535        | 20              |              |
| 18                     | 5.5              | 5.582        | 20              |              |
| 19                     | 5.5              | 5.702        | 20              |              |
| 20                     | 5.5              | 5.267        | 20              |              |
| 21                     | 5.5              | 5.553        | 20              |              |
| 22                     | 5.5              | 5.565        | 20              |              |
| 23                     | 5.5              | 5.596        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.653        | 20              |              |
| 2                      | 5.5              | 5.268        | 20              |              |
| 3                      | 5.5              | 5.651        | 20              |              |
| 4                      | 5.5              | 5.404        | 20              |              |
| 5                      | 5.5              | 5.299        | 20              |              |
| 6                      | 5.5              | 5.699        | 20              |              |
| 7                      | 5.5              | 5.368        | 20              |              |
| 8                      | 5.5              | 5.304        | 20              |              |
| 9                      | 5.5              | 5.671        | 20              |              |
| 10                     | 5.5              | 5.381        | 20              |              |
| 11                     | 5.5              | 5.434        | 20              |              |
| 12                     | 5.5              | 5.321        | 20              |              |
| 13                     | 5.5              | 5.383        | 20              |              |
| 14                     | 5.5              | 5.491        | 20              | *            |
| 15                     | 5.5              | 5.341        | 20              |              |
| 16                     | 5.5              | 5.313        | 20              |              |
| 17                     | 5.5              | 5.333        | 20              |              |
| 18                     | 5.5              | 5.39         | 20              |              |
| 19                     | 5.5              | 5.685        | 20              |              |
| 20                     | 5.5              | 5.716        | 20              |              |
| 21                     | 5.5              | 5.442        | 20              |              |
| 22                     | 5.5              | 5.591        | 20              |              |
| 23                     | 5.5              | 5.287        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.674        | 20              |              |
| 2                      | 5.5              | 5.508        | 20              | *            |
| 3                      | 5.5              | 5.389        | 20              |              |
| 4                      | 5.5              | 5.645        | 20              |              |
| 5                      | 5.5              | 5.532        | 20              |              |
| 6                      | 5.5              | 5.698        | 20              |              |
| 7                      | 5.5              | 5.721        | 20              |              |
| 8                      | 5.5              | 5.378        | 20              |              |
| 9                      | 5.5              | 5.447        | 20              |              |
| 10                     | 5.5              | 5.291        | 20              |              |
| 11                     | 5.5              | 5.391        | 20              |              |
| 12                     | 5.5              | 5.557        | 20              |              |
| 13                     | 5.5              | 5.5          | 20              | *            |
| 14                     | 5.5              | 5.268        | 20              |              |
| 15                     | 5.5              | 5.722        | 20              |              |
| 16                     | 5.5              | 5.349        | 20              |              |
| 17                     | 5.5              | 5.48         | 20              |              |
| 18                     | 5.5              | 5.635        | 20              |              |
| 19                     | 5.5              | 5.681        | 20              |              |
| 20                     | 5.5              | 5.489        | 20              |              |
| 21                     | 5.5              | 5.643        | 20              |              |
| 22                     | 5.5              | 5.607        | 20              |              |
| 23                     | 5.5              | 5.282        | 20              |              |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Transmit (802.11ax-40 MHz)  
 Test Date : 2023/04/20

| Trial #                  | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 0                               |
| 15                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| Detection Percentage (%) |                 |                                                                    | 96.67                           |
| Limit                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.51             | 5.298        | 40              |              |
| 2     | 5.51             | 5.363        | 40              |              |
| 3     | 5.51             | 5.635        | 40              |              |
| 4     | 5.51             | 5.548        | 40              |              |
| 5     | 5.51             | 5.485        | 40              |              |
| 6     | 5.51             | 5.486        | 40              |              |
| 7     | 5.51             | 5.597        | 40              |              |
| 8     | 5.51             | 5.537        | 40              |              |
| 9     | 5.51             | 5.531        | 40              |              |
| 10    | 5.51             | 5.55         | 40              |              |
| 11    | 5.51             | 5.53         | 40              | *            |
| 12    | 5.51             | 5.455        | 40              |              |
| 13    | 5.51             | 5.43         | 40              |              |
| 14    | 5.51             | 5.46         | 40              |              |
| 15    | 5.51             | 5.712        | 40              |              |
| 16    | 5.51             | 5.709        | 40              |              |
| 17    | 5.51             | 5.591        | 40              |              |
| 18    | 5.51             | 5.609        | 40              |              |
| 19    | 5.51             | 5.644        | 40              |              |
| 20    | 5.51             | 5.32         | 40              |              |
| 21    | 5.51             | 5.656        | 40              |              |
| 22    | 5.51             | 5.716        | 40              |              |
| 23    | 5.51             | 5.335        | 40              |              |
| 24    | 5.51             | 5.255        | 40              |              |
| 25    | 5.51             | 5.699        | 40              |              |
| 26    | 5.51             | 5.677        | 40              |              |
| 27    | 5.51             | 5.528        | 40              | *            |
| 28    | 5.51             | 5.468        | 40              |              |
| 29    | 5.51             | 5.341        | 40              |              |
| 30    | 5.51             | 5.418        | 40              |              |
| 31    | 5.51             | 5.393        | 40              |              |
| 32    | 5.51             | 5.71         | 40              |              |
| 33    | 5.51             | 5.482        | 40              |              |
| 34    | 5.51             | 5.447        | 40              |              |
| 35    | 5.51             | 5.397        | 40              |              |
| 36    | 5.51             | 5.508        | 40              | *            |
| 37    | 5.51             | 5.471        | 40              |              |
| 38    | 5.51             | 5.613        | 40              |              |
| 39    | 5.51             | 5.514        | 40              | *            |
| 40    | 5.51             | 5.614        | 40              |              |
| 41    | 5.51             | 5.434        | 40              |              |
| 42    | 5.51             | 5.542        | 40              |              |
| 43    | 5.51             | 5.402        | 40              |              |
| 44    | 5.51             | 5.359        | 40              |              |
| 45    | 5.51             | 5.387        | 40              |              |
| 46    | 5.51             | 5.488        | 40              |              |
| 47    | 5.51             | 5.49         | 40              | *            |
| 48    | 5.51             | 5.315        | 40              |              |
| 49    | 5.51             | 5.309        | 40              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.51 | 5.355 | 40 |   |
| 51  | 5.51 | 5.606 | 40 |   |
| 52  | 5.51 | 5.376 | 40 |   |
| 53  | 5.51 | 5.293 | 40 |   |
| 54  | 5.51 | 5.69  | 40 |   |
| 55  | 5.51 | 5.515 | 40 | * |
| 56  | 5.51 | 5.467 | 40 |   |
| 57  | 5.51 | 5.668 | 40 |   |
| 58  | 5.51 | 5.375 | 40 |   |
| 59  | 5.51 | 5.483 | 40 |   |
| 60  | 5.51 | 5.462 | 40 |   |
| 61  | 5.51 | 5.274 | 40 |   |
| 62  | 5.51 | 5.263 | 40 |   |
| 63  | 5.51 | 5.388 | 40 |   |
| 64  | 5.51 | 5.694 | 40 |   |
| 65  | 5.51 | 5.543 | 40 |   |
| 66  | 5.51 | 5.308 | 40 |   |
| 67  | 5.51 | 5.325 | 40 |   |
| 68  | 5.51 | 5.409 | 40 |   |
| 69  | 5.51 | 5.271 | 40 |   |
| 70  | 5.51 | 5.675 | 40 |   |
| 71  | 5.51 | 5.663 | 40 |   |
| 72  | 5.51 | 5.557 | 40 |   |
| 73  | 5.51 | 5.499 | 40 | * |
| 74  | 5.51 | 5.305 | 40 |   |
| 75  | 5.51 | 5.539 | 40 |   |
| 76  | 5.51 | 5.652 | 40 |   |
| 77  | 5.51 | 5.494 | 40 | * |
| 78  | 5.51 | 5.693 | 40 |   |
| 79  | 5.51 | 5.576 | 40 |   |
| 80  | 5.51 | 5.275 | 40 |   |
| 81  | 5.51 | 5.348 | 40 |   |
| 82  | 5.51 | 5.669 | 40 |   |
| 83  | 5.51 | 5.297 | 40 |   |
| 84  | 5.51 | 5.623 | 40 |   |
| 85  | 5.51 | 5.416 | 40 |   |
| 86  | 5.51 | 5.567 | 40 |   |
| 87  | 5.51 | 5.48  | 40 |   |
| 88  | 5.51 | 5.65  | 40 |   |
| 89  | 5.51 | 5.269 | 40 |   |
| 90  | 5.51 | 5.294 | 40 |   |
| 91  | 5.51 | 5.618 | 40 |   |
| 92  | 5.51 | 5.415 | 40 |   |
| 93  | 5.51 | 5.453 | 40 |   |
| 94  | 5.51 | 5.389 | 40 |   |
| 95  | 5.51 | 5.626 | 40 |   |
| 96  | 5.51 | 5.304 | 40 |   |
| 97  | 5.51 | 5.379 | 40 |   |
| 98  | 5.51 | 5.491 | 40 | * |
| 99  | 5.51 | 5.426 | 40 |   |
| 100 | 5.51 | 5.638 | 40 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.307        | 40              |              |
| 2                      | 5.51             | 5.64         | 40              |              |
| 3                      | 5.51             | 5.27         | 40              |              |
| 4                      | 5.51             | 5.416        | 40              |              |
| 5                      | 5.51             | 5.487        | 40              |              |
| 6                      | 5.51             | 5.415        | 40              |              |
| 7                      | 5.51             | 5.422        | 40              |              |
| 8                      | 5.51             | 5.49         | 40              | *            |
| 9                      | 5.51             | 5.418        | 40              |              |
| 10                     | 5.51             | 5.482        | 40              |              |
| 11                     | 5.51             | 5.614        | 40              |              |
| 12                     | 5.51             | 5.708        | 40              |              |
| 13                     | 5.51             | 5.446        | 40              |              |
| 14                     | 5.51             | 5.616        | 40              |              |
| 15                     | 5.51             | 5.655        | 40              |              |
| 16                     | 5.51             | 5.338        | 40              |              |
| 17                     | 5.51             | 5.62         | 40              |              |
| 18                     | 5.51             | 5.558        | 40              |              |
| 19                     | 5.51             | 5.547        | 40              |              |
| 20                     | 5.51             | 5.685        | 40              |              |
| 21                     | 5.51             | 5.478        | 40              |              |
| 22                     | 5.51             | 5.497        | 40              | *            |
| 23                     | 5.51             | 5.523        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.308        | 40              |              |
| 2                      | 5.51             | 5.721        | 40              |              |
| 3                      | 5.51             | 5.555        | 40              |              |
| 4                      | 5.51             | 5.544        | 40              |              |
| 5                      | 5.51             | 5.335        | 40              |              |
| 6                      | 5.51             | 5.596        | 40              |              |
| 7                      | 5.51             | 5.273        | 40              |              |
| 8                      | 5.51             | 5.648        | 40              |              |
| 9                      | 5.51             | 5.372        | 40              |              |
| 10                     | 5.51             | 5.51         | 40              | *            |
| 11                     | 5.51             | 5.6          | 40              |              |
| 12                     | 5.51             | 5.589        | 40              |              |
| 13                     | 5.51             | 5.637        | 40              |              |
| 14                     | 5.51             | 5.564        | 40              |              |
| 15                     | 5.51             | 5.365        | 40              |              |
| 16                     | 5.51             | 5.586        | 40              |              |
| 17                     | 5.51             | 5.654        | 40              |              |
| 18                     | 5.51             | 5.647        | 40              |              |
| 19                     | 5.51             | 5.256        | 40              |              |
| 20                     | 5.51             | 5.258        | 40              |              |
| 21                     | 5.51             | 5.341        | 40              |              |
| 22                     | 5.51             | 5.715        | 40              |              |
| 23                     | 5.51             | 5.577        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.712        | 40              |              |
| 2                      | 5.51             | 5.458        | 40              |              |
| 3                      | 5.51             | 5.497        | 40              | *            |
| 4                      | 5.51             | 5.671        | 40              |              |
| 5                      | 5.51             | 5.564        | 40              |              |
| 6                      | 5.51             | 5.549        | 40              |              |
| 7                      | 5.51             | 5.287        | 40              |              |
| 8                      | 5.51             | 5.708        | 40              |              |
| 9                      | 5.51             | 5.541        | 40              |              |
| 10                     | 5.51             | 5.527        | 40              | *            |
| 11                     | 5.51             | 5.371        | 40              |              |
| 12                     | 5.51             | 5.362        | 40              |              |
| 13                     | 5.51             | 5.283        | 40              |              |
| 14                     | 5.51             | 5.689        | 40              |              |
| 15                     | 5.51             | 5.336        | 40              |              |
| 16                     | 5.51             | 5.67         | 40              |              |
| 17                     | 5.51             | 5.68         | 40              |              |
| 18                     | 5.51             | 5.59         | 40              |              |
| 19                     | 5.51             | 5.286        | 40              |              |
| 20                     | 5.51             | 5.548        | 40              |              |
| 21                     | 5.51             | 5.645        | 40              |              |
| 22                     | 5.51             | 5.468        | 40              |              |
| 23                     | 5.51             | 5.453        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.698        | 40              |              |
| 2                      | 5.51             | 5.458        | 40              |              |
| 3                      | 5.51             | 5.697        | 40              |              |
| 4                      | 5.51             | 5.591        | 40              |              |
| 5                      | 5.51             | 5.708        | 40              |              |
| 6                      | 5.51             | 5.533        | 40              |              |
| 7                      | 5.51             | 5.422        | 40              |              |
| 8                      | 5.51             | 5.584        | 40              |              |
| 9                      | 5.51             | 5.567        | 40              |              |
| 10                     | 5.51             | 5.494        | 40              | *            |
| 11                     | 5.51             | 5.641        | 40              |              |
| 12                     | 5.51             | 5.602        | 40              |              |
| 13                     | 5.51             | 5.497        | 40              | *            |
| 14                     | 5.51             | 5.711        | 40              |              |
| 15                     | 5.51             | 5.563        | 40              |              |
| 16                     | 5.51             | 5.493        | 40              | *            |
| 17                     | 5.51             | 5.56         | 40              |              |
| 18                     | 5.51             | 5.68         | 40              |              |
| 19                     | 5.51             | 5.393        | 40              |              |
| 20                     | 5.51             | 5.293        | 40              |              |
| 21                     | 5.51             | 5.468        | 40              |              |
| 22                     | 5.51             | 5.58         | 40              |              |
| 23                     | 5.51             | 5.645        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.411        | 40              |              |
| 2                      | 5.51             | 5.289        | 40              |              |
| 3                      | 5.51             | 5.709        | 40              |              |
| 4                      | 5.51             | 5.3          | 40              |              |
| 5                      | 5.51             | 5.43         | 40              |              |
| 6                      | 5.51             | 5.616        | 40              |              |
| 7                      | 5.51             | 5.441        | 40              |              |
| 8                      | 5.51             | 5.561        | 40              |              |
| 9                      | 5.51             | 5.625        | 40              |              |
| 10                     | 5.51             | 5.431        | 40              |              |
| 11                     | 5.51             | 5.405        | 40              |              |
| 12                     | 5.51             | 5.667        | 40              |              |
| 13                     | 5.51             | 5.598        | 40              |              |
| 14                     | 5.51             | 5.481        | 40              |              |
| 15                     | 5.51             | 5.701        | 40              |              |
| 16                     | 5.51             | 5.27         | 40              |              |
| 17                     | 5.51             | 5.662        | 40              |              |
| 18                     | 5.51             | 5.63         | 40              |              |
| 19                     | 5.51             | 5.692        | 40              |              |
| 20                     | 5.51             | 5.479        | 40              |              |
| 21                     | 5.51             | 5.601        | 40              |              |
| 22                     | 5.51             | 5.619        | 40              |              |
| 23                     | 5.51             | 5.308        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.664        | 40              |              |
| 2                      | 5.51             | 5.34         | 40              |              |
| 3                      | 5.51             | 5.607        | 40              |              |
| 4                      | 5.51             | 5.567        | 40              |              |
| 5                      | 5.51             | 5.703        | 40              |              |
| 6                      | 5.51             | 5.515        | 40              | *            |
| 7                      | 5.51             | 5.537        | 40              |              |
| 8                      | 5.51             | 5.303        | 40              |              |
| 9                      | 5.51             | 5.512        | 40              | *            |
| 10                     | 5.51             | 5.539        | 40              |              |
| 11                     | 5.51             | 5.25         | 40              |              |
| 12                     | 5.51             | 5.701        | 40              |              |
| 13                     | 5.51             | 5.314        | 40              |              |
| 14                     | 5.51             | 5.689        | 40              |              |
| 15                     | 5.51             | 5.534        | 40              |              |
| 16                     | 5.51             | 5.363        | 40              |              |
| 17                     | 5.51             | 5.276        | 40              |              |
| 18                     | 5.51             | 5.405        | 40              |              |
| 19                     | 5.51             | 5.408        | 40              |              |
| 20                     | 5.51             | 5.366        | 40              |              |
| 21                     | 5.51             | 5.381        | 40              |              |
| 22                     | 5.51             | 5.712        | 40              |              |
| 23                     | 5.51             | 5.418        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.624        | 40              |              |
| 2                      | 5.51             | 5.608        | 40              |              |
| 3                      | 5.51             | 5.469        | 40              |              |
| 4                      | 5.51             | 5.525        | 40              | *            |
| 5                      | 5.51             | 5.7          | 40              |              |
| 6                      | 5.51             | 5.404        | 40              |              |
| 7                      | 5.51             | 5.49         | 40              | *            |
| 8                      | 5.51             | 5.652        | 40              |              |
| 9                      | 5.51             | 5.547        | 40              |              |
| 10                     | 5.51             | 5.546        | 40              |              |
| 11                     | 5.51             | 5.519        | 40              | *            |
| 12                     | 5.51             | 5.494        | 40              | *            |
| 13                     | 5.51             | 5.414        | 40              |              |
| 14                     | 5.51             | 5.38         | 40              |              |
| 15                     | 5.51             | 5.27         | 40              |              |
| 16                     | 5.51             | 5.289        | 40              |              |
| 17                     | 5.51             | 5.621        | 40              |              |
| 18                     | 5.51             | 5.61         | 40              |              |
| 19                     | 5.51             | 5.443        | 40              |              |
| 20                     | 5.51             | 5.558        | 40              |              |
| 21                     | 5.51             | 5.611        | 40              |              |
| 22                     | 5.51             | 5.351        | 40              |              |
| 23                     | 5.51             | 5.709        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.679        | 40              |              |
| 2                      | 5.51             | 5.683        | 40              |              |
| 3                      | 5.51             | 5.355        | 40              |              |
| 4                      | 5.51             | 5.569        | 40              |              |
| 5                      | 5.51             | 5.403        | 40              |              |
| 6                      | 5.51             | 5.436        | 40              |              |
| 7                      | 5.51             | 5.586        | 40              |              |
| 8                      | 5.51             | 5.446        | 40              |              |
| 9                      | 5.51             | 5.303        | 40              |              |
| 10                     | 5.51             | 5.671        | 40              |              |
| 11                     | 5.51             | 5.536        | 40              |              |
| 12                     | 5.51             | 5.537        | 40              |              |
| 13                     | 5.51             | 5.35         | 40              |              |
| 14                     | 5.51             | 5.322        | 40              |              |
| 15                     | 5.51             | 5.46         | 40              |              |
| 16                     | 5.51             | 5.524        | 40              | *            |
| 17                     | 5.51             | 5.718        | 40              |              |
| 18                     | 5.51             | 5.498        | 40              | *            |
| 19                     | 5.51             | 5.572        | 40              |              |
| 20                     | 5.51             | 5.316        | 40              |              |
| 21                     | 5.51             | 5.325        | 40              |              |
| 22                     | 5.51             | 5.503        | 40              | *            |
| 23                     | 5.51             | 5.389        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.706        | 40              |              |
| 2                      | 5.51             | 5.508        | 40              | *            |
| 3                      | 5.51             | 5.541        | 40              |              |
| 4                      | 5.51             | 5.459        | 40              |              |
| 5                      | 5.51             | 5.408        | 40              |              |
| 6                      | 5.51             | 5.597        | 40              |              |
| 7                      | 5.51             | 5.285        | 40              |              |
| 8                      | 5.51             | 5.617        | 40              |              |
| 9                      | 5.51             | 5.584        | 40              |              |
| 10                     | 5.51             | 5.432        | 40              |              |
| 11                     | 5.51             | 5.485        | 40              |              |
| 12                     | 5.51             | 5.618        | 40              |              |
| 13                     | 5.51             | 5.44         | 40              |              |
| 14                     | 5.51             | 5.295        | 40              |              |
| 15                     | 5.51             | 5.547        | 40              |              |
| 16                     | 5.51             | 5.607        | 40              |              |
| 17                     | 5.51             | 5.546        | 40              |              |
| 18                     | 5.51             | 5.556        | 40              |              |
| 19                     | 5.51             | 5.592        | 40              |              |
| 20                     | 5.51             | 5.298        | 40              |              |
| 21                     | 5.51             | 5.283        | 40              |              |
| 22                     | 5.51             | 5.46         | 40              |              |
| 23                     | 5.51             | 5.371        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.367        | 40              |              |
| 2                      | 5.51             | 5.271        | 40              |              |
| 3                      | 5.51             | 5.461        | 40              |              |
| 4                      | 5.51             | 5.661        | 40              |              |
| 5                      | 5.51             | 5.468        | 40              |              |
| 6                      | 5.51             | 5.434        | 40              |              |
| 7                      | 5.51             | 5.394        | 40              |              |
| 8                      | 5.51             | 5.637        | 40              |              |
| 9                      | 5.51             | 5.306        | 40              |              |
| 10                     | 5.51             | 5.616        | 40              |              |
| 11                     | 5.51             | 5.67         | 40              |              |
| 12                     | 5.51             | 5.372        | 40              |              |
| 13                     | 5.51             | 5.254        | 40              |              |
| 14                     | 5.51             | 5.335        | 40              |              |
| 15                     | 5.51             | 5.656        | 40              |              |
| 16                     | 5.51             | 5.328        | 40              |              |
| 17                     | 5.51             | 5.299        | 40              |              |
| 18                     | 5.51             | 5.604        | 40              |              |
| 19                     | 5.51             | 5.602        | 40              |              |
| 20                     | 5.51             | 5.393        | 40              |              |
| 21                     | 5.51             | 5.368        | 40              |              |
| 22                     | 5.51             | 5.579        | 40              |              |
| 23                     | 5.51             | 5.512        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.68         | 40              |              |
| 2                      | 5.51             | 5.414        | 40              |              |
| 3                      | 5.51             | 5.349        | 40              |              |
| 4                      | 5.51             | 5.345        | 40              |              |
| 5                      | 5.51             | 5.511        | 40              | *            |
| 6                      | 5.51             | 5.546        | 40              |              |
| 7                      | 5.51             | 5.385        | 40              |              |
| 8                      | 5.51             | 5.424        | 40              |              |
| 9                      | 5.51             | 5.45         | 40              |              |
| 10                     | 5.51             | 5.252        | 40              |              |
| 11                     | 5.51             | 5.449        | 40              |              |
| 12                     | 5.51             | 5.552        | 40              |              |
| 13                     | 5.51             | 5.518        | 40              | *            |
| 14                     | 5.51             | 5.585        | 40              |              |
| 15                     | 5.51             | 5.431        | 40              |              |
| 16                     | 5.51             | 5.451        | 40              |              |
| 17                     | 5.51             | 5.391        | 40              |              |
| 18                     | 5.51             | 5.578        | 40              |              |
| 19                     | 5.51             | 5.647        | 40              |              |
| 20                     | 5.51             | 5.437        | 40              |              |
| 21                     | 5.51             | 5.584        | 40              |              |
| 22                     | 5.51             | 5.402        | 40              |              |
| 23                     | 5.51             | 5.689        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.335        | 40              |              |
| 2                      | 5.51             | 5.408        | 40              |              |
| 3                      | 5.51             | 5.387        | 40              |              |
| 4                      | 5.51             | 5.612        | 40              |              |
| 5                      | 5.51             | 5.422        | 40              |              |
| 6                      | 5.51             | 5.327        | 40              |              |
| 7                      | 5.51             | 5.588        | 40              |              |
| 8                      | 5.51             | 5.456        | 40              |              |
| 9                      | 5.51             | 5.36         | 40              |              |
| 10                     | 5.51             | 5.505        | 40              | *            |
| 11                     | 5.51             | 5.47         | 40              |              |
| 12                     | 5.51             | 5.286        | 40              |              |
| 13                     | 5.51             | 5.258        | 40              |              |
| 14                     | 5.51             | 5.703        | 40              |              |
| 15                     | 5.51             | 5.576        | 40              |              |
| 16                     | 5.51             | 5.359        | 40              |              |
| 17                     | 5.51             | 5.713        | 40              |              |
| 18                     | 5.51             | 5.718        | 40              |              |
| 19                     | 5.51             | 5.53         | 40              | *            |
| 20                     | 5.51             | 5.436        | 40              |              |
| 21                     | 5.51             | 5.395        | 40              |              |
| 22                     | 5.51             | 5.639        | 40              |              |
| 23                     | 5.51             | 5.457        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.349        | 40              |              |
| 2                      | 5.51             | 5.696        | 40              |              |
| 3                      | 5.51             | 5.454        | 40              |              |
| 4                      | 5.51             | 5.588        | 40              |              |
| 5                      | 5.51             | 5.606        | 40              |              |
| 6                      | 5.51             | 5.466        | 40              |              |
| 7                      | 5.51             | 5.527        | 40              | *            |
| 8                      | 5.51             | 5.45         | 40              |              |
| 9                      | 5.51             | 5.694        | 40              |              |
| 10                     | 5.51             | 5.312        | 40              |              |
| 11                     | 5.51             | 5.472        | 40              |              |
| 12                     | 5.51             | 5.544        | 40              |              |
| 13                     | 5.51             | 5.452        | 40              |              |
| 14                     | 5.51             | 5.49         | 40              | *            |
| 15                     | 5.51             | 5.71         | 40              |              |
| 16                     | 5.51             | 5.346        | 40              |              |
| 17                     | 5.51             | 5.718        | 40              |              |
| 18                     | 5.51             | 5.425        | 40              |              |
| 19                     | 5.51             | 5.651        | 40              |              |
| 20                     | 5.51             | 5.322        | 40              |              |
| 21                     | 5.51             | 5.599        | 40              |              |
| 22                     | 5.51             | 5.497        | 40              | *            |
| 23                     | 5.51             | 5.428        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.329        | 40              |              |
| 2                      | 5.51             | 5.369        | 40              |              |
| 3                      | 5.51             | 5.573        | 40              |              |
| 4                      | 5.51             | 5.682        | 40              |              |
| 5                      | 5.51             | 5.568        | 40              |              |
| 6                      | 5.51             | 5.632        | 40              |              |
| 7                      | 5.51             | 5.718        | 40              |              |
| 8                      | 5.51             | 5.476        | 40              |              |
| 9                      | 5.51             | 5.642        | 40              |              |
| 10                     | 5.51             | 5.409        | 40              |              |
| 11                     | 5.51             | 5.288        | 40              |              |
| 12                     | 5.51             | 5.655        | 40              |              |
| 13                     | 5.51             | 5.68         | 40              |              |
| 14                     | 5.51             | 5.717        | 40              |              |
| 15                     | 5.51             | 5.413        | 40              |              |
| 16                     | 5.51             | 5.61         | 40              |              |
| 17                     | 5.51             | 5.352        | 40              |              |
| 18                     | 5.51             | 5.346        | 40              |              |
| 19                     | 5.51             | 5.658        | 40              |              |
| 20                     | 5.51             | 5.475        | 40              |              |
| 21                     | 5.51             | 5.293        | 40              |              |
| 22                     | 5.51             | 5.454        | 40              |              |
| 23                     | 5.51             | 5.261        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.275        | 40              |              |
| 2                      | 5.51             | 5.684        | 40              |              |
| 3                      | 5.51             | 5.37         | 40              |              |
| 4                      | 5.51             | 5.535        | 40              |              |
| 5                      | 5.51             | 5.423        | 40              |              |
| 6                      | 5.51             | 5.287        | 40              |              |
| 7                      | 5.51             | 5.527        | 40              | *            |
| 8                      | 5.51             | 5.612        | 40              |              |
| 9                      | 5.51             | 5.313        | 40              |              |
| 10                     | 5.51             | 5.643        | 40              |              |
| 11                     | 5.51             | 5.627        | 40              |              |
| 12                     | 5.51             | 5.666        | 40              |              |
| 13                     | 5.51             | 5.629        | 40              |              |
| 14                     | 5.51             | 5.718        | 40              |              |
| 15                     | 5.51             | 5.316        | 40              |              |
| 16                     | 5.51             | 5.291        | 40              |              |
| 17                     | 5.51             | 5.703        | 40              |              |
| 18                     | 5.51             | 5.716        | 40              |              |
| 19                     | 5.51             | 5.633        | 40              |              |
| 20                     | 5.51             | 5.45         | 40              |              |
| 21                     | 5.51             | 5.656        | 40              |              |
| 22                     | 5.51             | 5.348        | 40              |              |
| 23                     | 5.51             | 5.393        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.51         | 40              | *            |
| 2                      | 5.51             | 5.508        | 40              | *            |
| 3                      | 5.51             | 5.632        | 40              |              |
| 4                      | 5.51             | 5.393        | 40              |              |
| 5                      | 5.51             | 5.501        | 40              | *            |
| 6                      | 5.51             | 5.566        | 40              |              |
| 7                      | 5.51             | 5.431        | 40              |              |
| 8                      | 5.51             | 5.505        | 40              | *            |
| 9                      | 5.51             | 5.513        | 40              | *            |
| 10                     | 5.51             | 5.429        | 40              |              |
| 11                     | 5.51             | 5.62         | 40              |              |
| 12                     | 5.51             | 5.453        | 40              |              |
| 13                     | 5.51             | 5.284        | 40              |              |
| 14                     | 5.51             | 5.294        | 40              |              |
| 15                     | 5.51             | 5.282        | 40              |              |
| 16                     | 5.51             | 5.445        | 40              |              |
| 17                     | 5.51             | 5.441        | 40              |              |
| 18                     | 5.51             | 5.558        | 40              |              |
| 19                     | 5.51             | 5.319        | 40              |              |
| 20                     | 5.51             | 5.49         | 40              | *            |
| 21                     | 5.51             | 5.526        | 40              | *            |
| 22                     | 5.51             | 5.647        | 40              |              |
| 23                     | 5.51             | 5.45         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.4          | 40              |              |
| 2                      | 5.51             | 5.464        | 40              |              |
| 3                      | 5.51             | 5.636        | 40              |              |
| 4                      | 5.51             | 5.543        | 40              |              |
| 5                      | 5.51             | 5.256        | 40              |              |
| 6                      | 5.51             | 5.432        | 40              |              |
| 7                      | 5.51             | 5.555        | 40              |              |
| 8                      | 5.51             | 5.67         | 40              |              |
| 9                      | 5.51             | 5.274        | 40              |              |
| 10                     | 5.51             | 5.38         | 40              |              |
| 11                     | 5.51             | 5.259        | 40              |              |
| 12                     | 5.51             | 5.549        | 40              |              |
| 13                     | 5.51             | 5.648        | 40              |              |
| 14                     | 5.51             | 5.255        | 40              |              |
| 15                     | 5.51             | 5.479        | 40              |              |
| 16                     | 5.51             | 5.643        | 40              |              |
| 17                     | 5.51             | 5.655        | 40              |              |
| 18                     | 5.51             | 5.346        | 40              |              |
| 19                     | 5.51             | 5.478        | 40              |              |
| 20                     | 5.51             | 5.681        | 40              |              |
| 21                     | 5.51             | 5.492        | 40              | *            |
| 22                     | 5.51             | 5.436        | 40              |              |
| 23                     | 5.51             | 5.262        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.552        | 40              |              |
| 2                      | 5.51             | 5.251        | 40              |              |
| 3                      | 5.51             | 5.439        | 40              |              |
| 4                      | 5.51             | 5.367        | 40              |              |
| 5                      | 5.51             | 5.681        | 40              |              |
| 6                      | 5.51             | 5.523        | 40              | *            |
| 7                      | 5.51             | 5.303        | 40              |              |
| 8                      | 5.51             | 5.292        | 40              |              |
| 9                      | 5.51             | 5.716        | 40              |              |
| 10                     | 5.51             | 5.404        | 40              |              |
| 11                     | 5.51             | 5.587        | 40              |              |
| 12                     | 5.51             | 5.372        | 40              |              |
| 13                     | 5.51             | 5.597        | 40              |              |
| 14                     | 5.51             | 5.43         | 40              |              |
| 15                     | 5.51             | 5.527        | 40              | *            |
| 16                     | 5.51             | 5.432        | 40              |              |
| 17                     | 5.51             | 5.572        | 40              |              |
| 18                     | 5.51             | 5.624        | 40              |              |
| 19                     | 5.51             | 5.465        | 40              |              |
| 20                     | 5.51             | 5.662        | 40              |              |
| 21                     | 5.51             | 5.281        | 40              |              |
| 22                     | 5.51             | 5.579        | 40              |              |
| 23                     | 5.51             | 5.625        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.456        | 40              |              |
| 2                      | 5.51             | 5.646        | 40              |              |
| 3                      | 5.51             | 5.373        | 40              |              |
| 4                      | 5.51             | 5.316        | 40              |              |
| 5                      | 5.51             | 5.491        | 40              | *            |
| 6                      | 5.51             | 5.701        | 40              |              |
| 7                      | 5.51             | 5.383        | 40              |              |
| 8                      | 5.51             | 5.668        | 40              |              |
| 9                      | 5.51             | 5.409        | 40              |              |
| 10                     | 5.51             | 5.655        | 40              |              |
| 11                     | 5.51             | 5.557        | 40              |              |
| 12                     | 5.51             | 5.616        | 40              |              |
| 13                     | 5.51             | 5.661        | 40              |              |
| 14                     | 5.51             | 5.297        | 40              |              |
| 15                     | 5.51             | 5.376        | 40              |              |
| 16                     | 5.51             | 5.708        | 40              |              |
| 17                     | 5.51             | 5.573        | 40              |              |
| 18                     | 5.51             | 5.5          | 40              | *            |
| 19                     | 5.51             | 5.545        | 40              |              |
| 20                     | 5.51             | 5.422        | 40              |              |
| 21                     | 5.51             | 5.598        | 40              |              |
| 22                     | 5.51             | 5.338        | 40              |              |
| 23                     | 5.51             | 5.254        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.641        | 40              |              |
| 2                      | 5.51             | 5.718        | 40              |              |
| 3                      | 5.51             | 5.579        | 40              |              |
| 4                      | 5.51             | 5.697        | 40              |              |
| 5                      | 5.51             | 5.596        | 40              |              |
| 6                      | 5.51             | 5.657        | 40              |              |
| 7                      | 5.51             | 5.426        | 40              |              |
| 8                      | 5.51             | 5.403        | 40              |              |
| 9                      | 5.51             | 5.341        | 40              |              |
| 10                     | 5.51             | 5.391        | 40              |              |
| 11                     | 5.51             | 5.654        | 40              |              |
| 12                     | 5.51             | 5.719        | 40              |              |
| 13                     | 5.51             | 5.379        | 40              |              |
| 14                     | 5.51             | 5.499        | 40              | *            |
| 15                     | 5.51             | 5.29         | 40              |              |
| 16                     | 5.51             | 5.308        | 40              |              |
| 17                     | 5.51             | 5.624        | 40              |              |
| 18                     | 5.51             | 5.666        | 40              |              |
| 19                     | 5.51             | 5.636        | 40              |              |
| 20                     | 5.51             | 5.268        | 40              |              |
| 21                     | 5.51             | 5.615        | 40              |              |
| 22                     | 5.51             | 5.625        | 40              |              |
| 23                     | 5.51             | 5.595        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.698        | 40              |              |
| 2                      | 5.51             | 5.437        | 40              |              |
| 3                      | 5.51             | 5.287        | 40              |              |
| 4                      | 5.51             | 5.493        | 40              | *            |
| 5                      | 5.51             | 5.355        | 40              |              |
| 6                      | 5.51             | 5.608        | 40              |              |
| 7                      | 5.51             | 5.267        | 40              |              |
| 8                      | 5.51             | 5.427        | 40              |              |
| 9                      | 5.51             | 5.651        | 40              |              |
| 10                     | 5.51             | 5.719        | 40              |              |
| 11                     | 5.51             | 5.638        | 40              |              |
| 12                     | 5.51             | 5.697        | 40              |              |
| 13                     | 5.51             | 5.68         | 40              |              |
| 14                     | 5.51             | 5.578        | 40              |              |
| 15                     | 5.51             | 5.607        | 40              |              |
| 16                     | 5.51             | 5.652        | 40              |              |
| 17                     | 5.51             | 5.534        | 40              |              |
| 18                     | 5.51             | 5.58         | 40              |              |
| 19                     | 5.51             | 5.263        | 40              |              |
| 20                     | 5.51             | 5.654        | 40              |              |
| 21                     | 5.51             | 5.542        | 40              |              |
| 22                     | 5.51             | 5.508        | 40              | *            |
| 23                     | 5.51             | 5.374        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.495        | 40              | *            |
| 2                      | 5.51             | 5.372        | 40              |              |
| 3                      | 5.51             | 5.399        | 40              |              |
| 4                      | 5.51             | 5.619        | 40              |              |
| 5                      | 5.51             | 5.653        | 40              |              |
| 6                      | 5.51             | 5.323        | 40              |              |
| 7                      | 5.51             | 5.627        | 40              |              |
| 8                      | 5.51             | 5.661        | 40              |              |
| 9                      | 5.51             | 5.269        | 40              |              |
| 10                     | 5.51             | 5.625        | 40              |              |
| 11                     | 5.51             | 5.676        | 40              |              |
| 12                     | 5.51             | 5.593        | 40              |              |
| 13                     | 5.51             | 5.673        | 40              |              |
| 14                     | 5.51             | 5.312        | 40              |              |
| 15                     | 5.51             | 5.504        | 40              | *            |
| 16                     | 5.51             | 5.377        | 40              |              |
| 17                     | 5.51             | 5.29         | 40              |              |
| 18                     | 5.51             | 5.47         | 40              |              |
| 19                     | 5.51             | 5.55         | 40              |              |
| 20                     | 5.51             | 5.461        | 40              |              |
| 21                     | 5.51             | 5.457        | 40              |              |
| 22                     | 5.51             | 5.548        | 40              |              |
| 23                     | 5.51             | 5.43         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.329        | 40              |              |
| 2                      | 5.51             | 5.454        | 40              |              |
| 3                      | 5.51             | 5.453        | 40              |              |
| 4                      | 5.51             | 5.325        | 40              |              |
| 5                      | 5.51             | 5.714        | 40              |              |
| 6                      | 5.51             | 5.427        | 40              |              |
| 7                      | 5.51             | 5.611        | 40              |              |
| 8                      | 5.51             | 5.688        | 40              |              |
| 9                      | 5.51             | 5.252        | 40              |              |
| 10                     | 5.51             | 5.662        | 40              |              |
| 11                     | 5.51             | 5.544        | 40              |              |
| 12                     | 5.51             | 5.43         | 40              |              |
| 13                     | 5.51             | 5.664        | 40              |              |
| 14                     | 5.51             | 5.31         | 40              |              |
| 15                     | 5.51             | 5.706        | 40              |              |
| 16                     | 5.51             | 5.289        | 40              |              |
| 17                     | 5.51             | 5.616        | 40              |              |
| 18                     | 5.51             | 5.586        | 40              |              |
| 19                     | 5.51             | 5.6          | 40              |              |
| 20                     | 5.51             | 5.601        | 40              |              |
| 21                     | 5.51             | 5.447        | 40              |              |
| 22                     | 5.51             | 5.338        | 40              |              |
| 23                     | 5.51             | 5.585        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.706        | 40              |              |
| 2                      | 5.51             | 5.558        | 40              |              |
| 3                      | 5.51             | 5.479        | 40              |              |
| 4                      | 5.51             | 5.417        | 40              |              |
| 5                      | 5.51             | 5.702        | 40              |              |
| 6                      | 5.51             | 5.645        | 40              |              |
| 7                      | 5.51             | 5.512        | 40              | *            |
| 8                      | 5.51             | 5.621        | 40              |              |
| 9                      | 5.51             | 5.578        | 40              |              |
| 10                     | 5.51             | 5.569        | 40              |              |
| 11                     | 5.51             | 5.596        | 40              |              |
| 12                     | 5.51             | 5.655        | 40              |              |
| 13                     | 5.51             | 5.465        | 40              |              |
| 14                     | 5.51             | 5.323        | 40              |              |
| 15                     | 5.51             | 5.721        | 40              |              |
| 16                     | 5.51             | 5.688        | 40              |              |
| 17                     | 5.51             | 5.489        | 40              |              |
| 18                     | 5.51             | 5.537        | 40              |              |
| 19                     | 5.51             | 5.475        | 40              |              |
| 20                     | 5.51             | 5.319        | 40              |              |
| 21                     | 5.51             | 5.708        | 40              |              |
| 22                     | 5.51             | 5.626        | 40              |              |
| 23                     | 5.51             | 5.306        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.386        | 40              |              |
| 2                      | 5.51             | 5.419        | 40              |              |
| 3                      | 5.51             | 5.616        | 40              |              |
| 4                      | 5.51             | 5.444        | 40              |              |
| 5                      | 5.51             | 5.325        | 40              |              |
| 6                      | 5.51             | 5.37         | 40              |              |
| 7                      | 5.51             | 5.479        | 40              |              |
| 8                      | 5.51             | 5.574        | 40              |              |
| 9                      | 5.51             | 5.576        | 40              |              |
| 10                     | 5.51             | 5.337        | 40              |              |
| 11                     | 5.51             | 5.399        | 40              |              |
| 12                     | 5.51             | 5.302        | 40              |              |
| 13                     | 5.51             | 5.402        | 40              |              |
| 14                     | 5.51             | 5.651        | 40              |              |
| 15                     | 5.51             | 5.564        | 40              |              |
| 16                     | 5.51             | 5.437        | 40              |              |
| 17                     | 5.51             | 5.641        | 40              |              |
| 18                     | 5.51             | 5.668        | 40              |              |
| 19                     | 5.51             | 5.301        | 40              |              |
| 20                     | 5.51             | 5.604        | 40              |              |
| 21                     | 5.51             | 5.44         | 40              |              |
| 22                     | 5.51             | 5.391        | 40              |              |
| 23                     | 5.51             | 5.339        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.396        | 40              |              |
| 2                      | 5.51             | 5.333        | 40              |              |
| 3                      | 5.51             | 5.325        | 40              |              |
| 4                      | 5.51             | 5.354        | 40              |              |
| 5                      | 5.51             | 5.444        | 40              |              |
| 6                      | 5.51             | 5.395        | 40              |              |
| 7                      | 5.51             | 5.669        | 40              |              |
| 8                      | 5.51             | 5.497        | 40              | *            |
| 9                      | 5.51             | 5.496        | 40              | *            |
| 10                     | 5.51             | 5.543        | 40              |              |
| 11                     | 5.51             | 5.416        | 40              |              |
| 12                     | 5.51             | 5.311        | 40              |              |
| 13                     | 5.51             | 5.265        | 40              |              |
| 14                     | 5.51             | 5.564        | 40              |              |
| 15                     | 5.51             | 5.25         | 40              |              |
| 16                     | 5.51             | 5.67         | 40              |              |
| 17                     | 5.51             | 5.398        | 40              |              |
| 18                     | 5.51             | 5.271        | 40              |              |
| 19                     | 5.51             | 5.272        | 40              |              |
| 20                     | 5.51             | 5.329        | 40              |              |
| 21                     | 5.51             | 5.415        | 40              |              |
| 22                     | 5.51             | 5.671        | 40              |              |
| 23                     | 5.51             | 5.498        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.415        | 40              |              |
| 2                      | 5.51             | 5.411        | 40              |              |
| 3                      | 5.51             | 5.657        | 40              |              |
| 4                      | 5.51             | 5.531        | 40              |              |
| 5                      | 5.51             | 5.558        | 40              |              |
| 6                      | 5.51             | 5.484        | 40              |              |
| 7                      | 5.51             | 5.701        | 40              |              |
| 8                      | 5.51             | 5.586        | 40              |              |
| 9                      | 5.51             | 5.383        | 40              |              |
| 10                     | 5.51             | 5.599        | 40              |              |
| 11                     | 5.51             | 5.341        | 40              |              |
| 12                     | 5.51             | 5.281        | 40              |              |
| 13                     | 5.51             | 5.362        | 40              |              |
| 14                     | 5.51             | 5.429        | 40              |              |
| 15                     | 5.51             | 5.564        | 40              |              |
| 16                     | 5.51             | 5.536        | 40              |              |
| 17                     | 5.51             | 5.72         | 40              |              |
| 18                     | 5.51             | 5.379        | 40              |              |
| 19                     | 5.51             | 5.584        | 40              |              |
| 20                     | 5.51             | 5.306        | 40              |              |
| 21                     | 5.51             | 5.258        | 40              |              |
| 22                     | 5.51             | 5.432        | 40              |              |
| 23                     | 5.51             | 5.525        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.659        | 40              |              |
| 2                      | 5.51             | 5.509        | 40              | *            |
| 3                      | 5.51             | 5.643        | 40              |              |
| 4                      | 5.51             | 5.5          | 40              | *            |
| 5                      | 5.51             | 5.432        | 40              |              |
| 6                      | 5.51             | 5.613        | 40              |              |
| 7                      | 5.51             | 5.618        | 40              |              |
| 8                      | 5.51             | 5.624        | 40              |              |
| 9                      | 5.51             | 5.672        | 40              |              |
| 10                     | 5.51             | 5.7          | 40              |              |
| 11                     | 5.51             | 5.688        | 40              |              |
| 12                     | 5.51             | 5.479        | 40              |              |
| 13                     | 5.51             | 5.558        | 40              |              |
| 14                     | 5.51             | 5.351        | 40              |              |
| 15                     | 5.51             | 5.456        | 40              |              |
| 16                     | 5.51             | 5.655        | 40              |              |
| 17                     | 5.51             | 5.377        | 40              |              |
| 18                     | 5.51             | 5.441        | 40              |              |
| 19                     | 5.51             | 5.488        | 40              |              |
| 20                     | 5.51             | 5.384        | 40              |              |
| 21                     | 5.51             | 5.561        | 40              |              |
| 22                     | 5.51             | 5.53         | 40              | *            |
| 23                     | 5.51             | 5.654        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.502        | 40              | *            |
| 2                      | 5.51             | 5.416        | 40              |              |
| 3                      | 5.51             | 5.718        | 40              |              |
| 4                      | 5.51             | 5.529        | 40              | *            |
| 5                      | 5.51             | 5.585        | 40              |              |
| 6                      | 5.51             | 5.45         | 40              |              |
| 7                      | 5.51             | 5.539        | 40              |              |
| 8                      | 5.51             | 5.318        | 40              |              |
| 9                      | 5.51             | 5.285        | 40              |              |
| 10                     | 5.51             | 5.291        | 40              |              |
| 11                     | 5.51             | 5.376        | 40              |              |
| 12                     | 5.51             | 5.547        | 40              |              |
| 13                     | 5.51             | 5.642        | 40              |              |
| 14                     | 5.51             | 5.664        | 40              |              |
| 15                     | 5.51             | 5.4          | 40              |              |
| 16                     | 5.51             | 5.544        | 40              |              |
| 17                     | 5.51             | 5.695        | 40              |              |
| 18                     | 5.51             | 5.281        | 40              |              |
| 19                     | 5.51             | 5.397        | 40              |              |
| 20                     | 5.51             | 5.486        | 40              |              |
| 21                     | 5.51             | 5.494        | 40              | *            |
| 22                     | 5.51             | 5.317        | 40              |              |
| 23                     | 5.51             | 5.429        | 40              |              |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Transmit (802.11ax-80 MHz)  
 Test Date : 2023/04/20

| Trial #                         | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 0                               |
| 9                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 0                               |
| 24                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| <b>Detection Percentage (%)</b> |                 |                                                                    | 93.33                           |
| <b>Limit</b>                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.53             | 5.486        | 80              |              |
| 2     | 5.53             | 5.46         | 80              |              |
| 3     | 5.53             | 5.613        | 80              |              |
| 4     | 5.53             | 5.641        | 80              |              |
| 5     | 5.53             | 5.665        | 80              |              |
| 6     | 5.53             | 5.595        | 80              |              |
| 7     | 5.53             | 5.662        | 80              |              |
| 8     | 5.53             | 5.382        | 80              |              |
| 9     | 5.53             | 5.45         | 80              |              |
| 10    | 5.53             | 5.583        | 80              |              |
| 11    | 5.53             | 5.651        | 80              |              |
| 12    | 5.53             | 5.479        | 80              |              |
| 13    | 5.53             | 5.398        | 80              |              |
| 14    | 5.53             | 5.614        | 80              |              |
| 15    | 5.53             | 5.309        | 80              |              |
| 16    | 5.53             | 5.467        | 80              |              |
| 17    | 5.53             | 5.404        | 80              |              |
| 18    | 5.53             | 5.498        | 80              | *            |
| 19    | 5.53             | 5.536        | 80              | *            |
| 20    | 5.53             | 5.299        | 80              |              |
| 21    | 5.53             | 5.39         | 80              |              |
| 22    | 5.53             | 5.499        | 80              | *            |
| 23    | 5.53             | 5.357        | 80              |              |
| 24    | 5.53             | 5.313        | 80              |              |
| 25    | 5.53             | 5.296        | 80              |              |
| 26    | 5.53             | 5.3          | 80              |              |
| 27    | 5.53             | 5.505        | 80              | *            |
| 28    | 5.53             | 5.626        | 80              |              |
| 29    | 5.53             | 5.419        | 80              |              |
| 30    | 5.53             | 5.706        | 80              |              |
| 31    | 5.53             | 5.506        | 80              | *            |
| 32    | 5.53             | 5.441        | 80              |              |
| 33    | 5.53             | 5.62         | 80              |              |
| 34    | 5.53             | 5.603        | 80              |              |
| 35    | 5.53             | 5.42         | 80              |              |
| 36    | 5.53             | 5.258        | 80              |              |
| 37    | 5.53             | 5.64         | 80              |              |
| 38    | 5.53             | 5.638        | 80              |              |
| 39    | 5.53             | 5.368        | 80              |              |
| 40    | 5.53             | 5.682        | 80              |              |
| 41    | 5.53             | 5.337        | 80              |              |
| 42    | 5.53             | 5.344        | 80              |              |
| 43    | 5.53             | 5.274        | 80              |              |
| 44    | 5.53             | 5.328        | 80              |              |
| 45    | 5.53             | 5.435        | 80              |              |
| 46    | 5.53             | 5.339        | 80              |              |
| 47    | 5.53             | 5.549        | 80              | *            |
| 48    | 5.53             | 5.643        | 80              |              |
| 49    | 5.53             | 5.29         | 80              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.53 | 5.509 | 80 | * |
| 51  | 5.53 | 5.519 | 80 | * |
| 52  | 5.53 | 5.327 | 80 |   |
| 53  | 5.53 | 5.633 | 80 |   |
| 54  | 5.53 | 5.672 | 80 |   |
| 55  | 5.53 | 5.436 | 80 |   |
| 56  | 5.53 | 5.487 | 80 |   |
| 57  | 5.53 | 5.691 | 80 |   |
| 58  | 5.53 | 5.375 | 80 |   |
| 59  | 5.53 | 5.567 | 80 | * |
| 60  | 5.53 | 5.397 | 80 |   |
| 61  | 5.53 | 5.564 | 80 | * |
| 62  | 5.53 | 5.455 | 80 |   |
| 63  | 5.53 | 5.414 | 80 |   |
| 64  | 5.53 | 5.376 | 80 |   |
| 65  | 5.53 | 5.576 | 80 |   |
| 66  | 5.53 | 5.386 | 80 |   |
| 67  | 5.53 | 5.58  | 80 |   |
| 68  | 5.53 | 5.582 | 80 |   |
| 69  | 5.53 | 5.495 | 80 | * |
| 70  | 5.53 | 5.54  | 80 | * |
| 71  | 5.53 | 5.539 | 80 | * |
| 72  | 5.53 | 5.35  | 80 |   |
| 73  | 5.53 | 5.515 | 80 | * |
| 74  | 5.53 | 5.363 | 80 |   |
| 75  | 5.53 | 5.5   | 80 | * |
| 76  | 5.53 | 5.578 | 80 |   |
| 77  | 5.53 | 5.655 | 80 |   |
| 78  | 5.53 | 5.443 | 80 |   |
| 79  | 5.53 | 5.459 | 80 |   |
| 80  | 5.53 | 5.458 | 80 |   |
| 81  | 5.53 | 5.31  | 80 |   |
| 82  | 5.53 | 5.391 | 80 |   |
| 83  | 5.53 | 5.588 | 80 |   |
| 84  | 5.53 | 5.426 | 80 |   |
| 85  | 5.53 | 5.547 | 80 | * |
| 86  | 5.53 | 5.364 | 80 |   |
| 87  | 5.53 | 5.565 | 80 | * |
| 88  | 5.53 | 5.347 | 80 |   |
| 89  | 5.53 | 5.257 | 80 |   |
| 90  | 5.53 | 5.568 | 80 | * |
| 91  | 5.53 | 5.667 | 80 |   |
| 92  | 5.53 | 5.558 | 80 | * |
| 93  | 5.53 | 5.405 | 80 |   |
| 94  | 5.53 | 5.37  | 80 |   |
| 95  | 5.53 | 5.698 | 80 |   |
| 96  | 5.53 | 5.72  | 80 |   |
| 97  | 5.53 | 5.271 | 80 |   |
| 98  | 5.53 | 5.431 | 80 |   |
| 99  | 5.53 | 5.494 | 80 | * |
| 100 | 5.53 | 5.677 | 80 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.529        | 80              | *            |
| 2                      | 5.53             | 5.272        | 80              |              |
| 3                      | 5.53             | 5.605        | 80              |              |
| 4                      | 5.53             | 5.465        | 80              |              |
| 5                      | 5.53             | 5.705        | 80              |              |
| 6                      | 5.53             | 5.569        | 80              | *            |
| 7                      | 5.53             | 5.498        | 80              | *            |
| 8                      | 5.53             | 5.342        | 80              |              |
| 9                      | 5.53             | 5.571        | 80              |              |
| 10                     | 5.53             | 5.494        | 80              | *            |
| 11                     | 5.53             | 5.363        | 80              |              |
| 12                     | 5.53             | 5.624        | 80              |              |
| 13                     | 5.53             | 5.296        | 80              |              |
| 14                     | 5.53             | 5.251        | 80              |              |
| 15                     | 5.53             | 5.469        | 80              |              |
| 16                     | 5.53             | 5.623        | 80              |              |
| 17                     | 5.53             | 5.67         | 80              |              |
| 18                     | 5.53             | 5.58         | 80              |              |
| 19                     | 5.53             | 5.399        | 80              |              |
| 20                     | 5.53             | 5.695        | 80              |              |
| 21                     | 5.53             | 5.405        | 80              |              |
| 22                     | 5.53             | 5.367        | 80              |              |
| 23                     | 5.53             | 5.558        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.649        | 80              |              |
| 2                      | 5.53             | 5.614        | 80              |              |
| 3                      | 5.53             | 5.586        | 80              |              |
| 4                      | 5.53             | 5.481        | 80              |              |
| 5                      | 5.53             | 5.483        | 80              |              |
| 6                      | 5.53             | 5.279        | 80              |              |
| 7                      | 5.53             | 5.303        | 80              |              |
| 8                      | 5.53             | 5.42         | 80              |              |
| 9                      | 5.53             | 5.425        | 80              |              |
| 10                     | 5.53             | 5.499        | 80              | *            |
| 11                     | 5.53             | 5.707        | 80              |              |
| 12                     | 5.53             | 5.391        | 80              |              |
| 13                     | 5.53             | 5.432        | 80              |              |
| 14                     | 5.53             | 5.341        | 80              |              |
| 15                     | 5.53             | 5.316        | 80              |              |
| 16                     | 5.53             | 5.466        | 80              |              |
| 17                     | 5.53             | 5.278        | 80              |              |
| 18                     | 5.53             | 5.346        | 80              |              |
| 19                     | 5.53             | 5.691        | 80              |              |
| 20                     | 5.53             | 5.292        | 80              |              |
| 21                     | 5.53             | 5.702        | 80              |              |
| 22                     | 5.53             | 5.545        | 80              | *            |
| 23                     | 5.53             | 5.367        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.385        | 80              |              |
| 2                      | 5.53             | 5.696        | 80              |              |
| 3                      | 5.53             | 5.428        | 80              |              |
| 4                      | 5.53             | 5.458        | 80              |              |
| 5                      | 5.53             | 5.291        | 80              |              |
| 6                      | 5.53             | 5.653        | 80              |              |
| 7                      | 5.53             | 5.459        | 80              |              |
| 8                      | 5.53             | 5.702        | 80              |              |
| 9                      | 5.53             | 5.674        | 80              |              |
| 10                     | 5.53             | 5.53         | 80              | *            |
| 11                     | 5.53             | 5.689        | 80              |              |
| 12                     | 5.53             | 5.358        | 80              |              |
| 13                     | 5.53             | 5.394        | 80              |              |
| 14                     | 5.53             | 5.48         | 80              |              |
| 15                     | 5.53             | 5.383        | 80              |              |
| 16                     | 5.53             | 5.446        | 80              |              |
| 17                     | 5.53             | 5.288        | 80              |              |
| 18                     | 5.53             | 5.388        | 80              |              |
| 19                     | 5.53             | 5.722        | 80              |              |
| 20                     | 5.53             | 5.41         | 80              |              |
| 21                     | 5.53             | 5.314        | 80              |              |
| 22                     | 5.53             | 5.532        | 80              | *            |
| 23                     | 5.53             | 5.425        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.469        | 80              |              |
| 2                      | 5.53             | 5.683        | 80              |              |
| 3                      | 5.53             | 5.555        | 80              | *            |
| 4                      | 5.53             | 5.287        | 80              |              |
| 5                      | 5.53             | 5.687        | 80              |              |
| 6                      | 5.53             | 5.514        | 80              | *            |
| 7                      | 5.53             | 5.693        | 80              |              |
| 8                      | 5.53             | 5.595        | 80              |              |
| 9                      | 5.53             | 5.368        | 80              |              |
| 10                     | 5.53             | 5.618        | 80              |              |
| 11                     | 5.53             | 5.356        | 80              |              |
| 12                     | 5.53             | 5.706        | 80              |              |
| 13                     | 5.53             | 5.402        | 80              |              |
| 14                     | 5.53             | 5.703        | 80              |              |
| 15                     | 5.53             | 5.293        | 80              |              |
| 16                     | 5.53             | 5.5          | 80              | *            |
| 17                     | 5.53             | 5.329        | 80              |              |
| 18                     | 5.53             | 5.276        | 80              |              |
| 19                     | 5.53             | 5.392        | 80              |              |
| 20                     | 5.53             | 5.645        | 80              |              |
| 21                     | 5.53             | 5.634        | 80              |              |
| 22                     | 5.53             | 5.31         | 80              |              |
| 23                     | 5.53             | 5.471        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.575        | 80              |              |
| 2                      | 5.53             | 5.569        | 80              | *            |
| 3                      | 5.53             | 5.613        | 80              |              |
| 4                      | 5.53             | 5.592        | 80              |              |
| 5                      | 5.53             | 5.325        | 80              |              |
| 6                      | 5.53             | 5.487        | 80              |              |
| 7                      | 5.53             | 5.341        | 80              |              |
| 8                      | 5.53             | 5.397        | 80              |              |
| 9                      | 5.53             | 5.283        | 80              |              |
| 10                     | 5.53             | 5.355        | 80              |              |
| 11                     | 5.53             | 5.52         | 80              | *            |
| 12                     | 5.53             | 5.402        | 80              |              |
| 13                     | 5.53             | 5.514        | 80              | *            |
| 14                     | 5.53             | 5.425        | 80              |              |
| 15                     | 5.53             | 5.723        | 80              |              |
| 16                     | 5.53             | 5.557        | 80              | *            |
| 17                     | 5.53             | 5.376        | 80              |              |
| 18                     | 5.53             | 5.587        | 80              |              |
| 19                     | 5.53             | 5.408        | 80              |              |
| 20                     | 5.53             | 5.667        | 80              |              |
| 21                     | 5.53             | 5.553        | 80              | *            |
| 22                     | 5.53             | 5.335        | 80              |              |
| 23                     | 5.53             | 5.492        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.442        | 80              |              |
| 2                      | 5.53             | 5.575        | 80              |              |
| 3                      | 5.53             | 5.669        | 80              |              |
| 4                      | 5.53             | 5.384        | 80              |              |
| 5                      | 5.53             | 5.398        | 80              |              |
| 6                      | 5.53             | 5.62         | 80              |              |
| 7                      | 5.53             | 5.341        | 80              |              |
| 8                      | 5.53             | 5.257        | 80              |              |
| 9                      | 5.53             | 5.41         | 80              |              |
| 10                     | 5.53             | 5.435        | 80              |              |
| 11                     | 5.53             | 5.324        | 80              |              |
| 12                     | 5.53             | 5.647        | 80              |              |
| 13                     | 5.53             | 5.477        | 80              |              |
| 14                     | 5.53             | 5.327        | 80              |              |
| 15                     | 5.53             | 5.544        | 80              | *            |
| 16                     | 5.53             | 5.585        | 80              |              |
| 17                     | 5.53             | 5.625        | 80              |              |
| 18                     | 5.53             | 5.438        | 80              |              |
| 19                     | 5.53             | 5.539        | 80              | *            |
| 20                     | 5.53             | 5.348        | 80              |              |
| 21                     | 5.53             | 5.724        | 80              |              |
| 22                     | 5.53             | 5.676        | 80              |              |
| 23                     | 5.53             | 5.705        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.548        | 80              | *            |
| 2                      | 5.53             | 5.317        | 80              |              |
| 3                      | 5.53             | 5.359        | 80              |              |
| 4                      | 5.53             | 5.586        | 80              |              |
| 5                      | 5.53             | 5.403        | 80              |              |
| 6                      | 5.53             | 5.288        | 80              |              |
| 7                      | 5.53             | 5.396        | 80              |              |
| 8                      | 5.53             | 5.51         | 80              | *            |
| 9                      | 5.53             | 5.423        | 80              |              |
| 10                     | 5.53             | 5.491        | 80              | *            |
| 11                     | 5.53             | 5.505        | 80              | *            |
| 12                     | 5.53             | 5.672        | 80              |              |
| 13                     | 5.53             | 5.415        | 80              |              |
| 14                     | 5.53             | 5.371        | 80              |              |
| 15                     | 5.53             | 5.328        | 80              |              |
| 16                     | 5.53             | 5.604        | 80              |              |
| 17                     | 5.53             | 5.399        | 80              |              |
| 18                     | 5.53             | 5.419        | 80              |              |
| 19                     | 5.53             | 5.721        | 80              |              |
| 20                     | 5.53             | 5.542        | 80              | *            |
| 21                     | 5.53             | 5.569        | 80              | *            |
| 22                     | 5.53             | 5.588        | 80              |              |
| 23                     | 5.53             | 5.579        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.68         | 80              |              |
| 2                      | 5.53             | 5.614        | 80              |              |
| 3                      | 5.53             | 5.263        | 80              |              |
| 4                      | 5.53             | 5.557        | 80              | *            |
| 5                      | 5.53             | 5.553        | 80              | *            |
| 6                      | 5.53             | 5.617        | 80              |              |
| 7                      | 5.53             | 5.635        | 80              |              |
| 8                      | 5.53             | 5.255        | 80              |              |
| 9                      | 5.53             | 5.293        | 80              |              |
| 10                     | 5.53             | 5.343        | 80              |              |
| 11                     | 5.53             | 5.63         | 80              |              |
| 12                     | 5.53             | 5.491        | 80              | *            |
| 13                     | 5.53             | 5.718        | 80              |              |
| 14                     | 5.53             | 5.694        | 80              |              |
| 15                     | 5.53             | 5.412        | 80              |              |
| 16                     | 5.53             | 5.332        | 80              |              |
| 17                     | 5.53             | 5.681        | 80              |              |
| 18                     | 5.53             | 5.474        | 80              |              |
| 19                     | 5.53             | 5.539        | 80              | *            |
| 20                     | 5.53             | 5.359        | 80              |              |
| 21                     | 5.53             | 5.627        | 80              |              |
| 22                     | 5.53             | 5.443        | 80              |              |
| 23                     | 5.53             | 5.382        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.586        | 80              |              |
| 2                      | 5.53             | 5.498        | 80              | *            |
| 3                      | 5.53             | 5.696        | 80              |              |
| 4                      | 5.53             | 5.634        | 80              |              |
| 5                      | 5.53             | 5.648        | 80              |              |
| 6                      | 5.53             | 5.297        | 80              |              |
| 7                      | 5.53             | 5.267        | 80              |              |
| 8                      | 5.53             | 5.29         | 80              |              |
| 9                      | 5.53             | 5.505        | 80              | *            |
| 10                     | 5.53             | 5.415        | 80              |              |
| 11                     | 5.53             | 5.443        | 80              |              |
| 12                     | 5.53             | 5.682        | 80              |              |
| 13                     | 5.53             | 5.311        | 80              |              |
| 14                     | 5.53             | 5.631        | 80              |              |
| 15                     | 5.53             | 5.299        | 80              |              |
| 16                     | 5.53             | 5.521        | 80              | *            |
| 17                     | 5.53             | 5.252        | 80              |              |
| 18                     | 5.53             | 5.639        | 80              |              |
| 19                     | 5.53             | 5.611        | 80              |              |
| 20                     | 5.53             | 5.296        | 80              |              |
| 21                     | 5.53             | 5.43         | 80              |              |
| 22                     | 5.53             | 5.27         | 80              |              |
| 23                     | 5.53             | 5.644        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.417        | 80              |              |
| 2                      | 5.53             | 5.539        | 80              | *            |
| 3                      | 5.53             | 5.544        | 80              | *            |
| 4                      | 5.53             | 5.423        | 80              |              |
| 5                      | 5.53             | 5.585        | 80              |              |
| 6                      | 5.53             | 5.459        | 80              |              |
| 7                      | 5.53             | 5.712        | 80              |              |
| 8                      | 5.53             | 5.254        | 80              |              |
| 9                      | 5.53             | 5.337        | 80              |              |
| 10                     | 5.53             | 5.492        | 80              | *            |
| 11                     | 5.53             | 5.301        | 80              |              |
| 12                     | 5.53             | 5.534        | 80              | *            |
| 13                     | 5.53             | 5.5          | 80              | *            |
| 14                     | 5.53             | 5.497        | 80              | *            |
| 15                     | 5.53             | 5.538        | 80              | *            |
| 16                     | 5.53             | 5.342        | 80              |              |
| 17                     | 5.53             | 5.386        | 80              |              |
| 18                     | 5.53             | 5.581        | 80              |              |
| 19                     | 5.53             | 5.369        | 80              |              |
| 20                     | 5.53             | 5.578        | 80              |              |
| 21                     | 5.53             | 5.583        | 80              |              |
| 22                     | 5.53             | 5.433        | 80              |              |
| 23                     | 5.53             | 5.277        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.344        | 80              |              |
| 2                      | 5.53             | 5.537        | 80              | *            |
| 3                      | 5.53             | 5.511        | 80              | *            |
| 4                      | 5.53             | 5.669        | 80              |              |
| 5                      | 5.53             | 5.545        | 80              | *            |
| 6                      | 5.53             | 5.56         | 80              | *            |
| 7                      | 5.53             | 5.265        | 80              |              |
| 8                      | 5.53             | 5.638        | 80              |              |
| 9                      | 5.53             | 5.386        | 80              |              |
| 10                     | 5.53             | 5.462        | 80              |              |
| 11                     | 5.53             | 5.405        | 80              |              |
| 12                     | 5.53             | 5.543        | 80              | *            |
| 13                     | 5.53             | 5.272        | 80              |              |
| 14                     | 5.53             | 5.251        | 80              |              |
| 15                     | 5.53             | 5.592        | 80              |              |
| 16                     | 5.53             | 5.367        | 80              |              |
| 17                     | 5.53             | 5.467        | 80              |              |
| 18                     | 5.53             | 5.42         | 80              |              |
| 19                     | 5.53             | 5.547        | 80              | *            |
| 20                     | 5.53             | 5.663        | 80              |              |
| 21                     | 5.53             | 5.601        | 80              |              |
| 22                     | 5.53             | 5.429        | 80              |              |
| 23                     | 5.53             | 5.418        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.646        | 80              |              |
| 2                      | 5.53             | 5.286        | 80              |              |
| 3                      | 5.53             | 5.441        | 80              |              |
| 4                      | 5.53             | 5.38         | 80              |              |
| 5                      | 5.53             | 5.42         | 80              |              |
| 6                      | 5.53             | 5.629        | 80              |              |
| 7                      | 5.53             | 5.405        | 80              |              |
| 8                      | 5.53             | 5.534        | 80              | *            |
| 9                      | 5.53             | 5.63         | 80              |              |
| 10                     | 5.53             | 5.382        | 80              |              |
| 11                     | 5.53             | 5.627        | 80              |              |
| 12                     | 5.53             | 5.257        | 80              |              |
| 13                     | 5.53             | 5.433        | 80              |              |
| 14                     | 5.53             | 5.391        | 80              |              |
| 15                     | 5.53             | 5.322        | 80              |              |
| 16                     | 5.53             | 5.396        | 80              |              |
| 17                     | 5.53             | 5.503        | 80              | *            |
| 18                     | 5.53             | 5.677        | 80              |              |
| 19                     | 5.53             | 5.678        | 80              |              |
| 20                     | 5.53             | 5.55         | 80              | *            |
| 21                     | 5.53             | 5.652        | 80              |              |
| 22                     | 5.53             | 5.723        | 80              |              |
| 23                     | 5.53             | 5.665        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.54         | 80              | *            |
| 2                      | 5.53             | 5.252        | 80              |              |
| 3                      | 5.53             | 5.644        | 80              |              |
| 4                      | 5.53             | 5.427        | 80              |              |
| 5                      | 5.53             | 5.57         | 80              | *            |
| 6                      | 5.53             | 5.72         | 80              |              |
| 7                      | 5.53             | 5.26         | 80              |              |
| 8                      | 5.53             | 5.416        | 80              |              |
| 9                      | 5.53             | 5.547        | 80              | *            |
| 10                     | 5.53             | 5.267        | 80              |              |
| 11                     | 5.53             | 5.49         | 80              | *            |
| 12                     | 5.53             | 5.303        | 80              |              |
| 13                     | 5.53             | 5.609        | 80              |              |
| 14                     | 5.53             | 5.591        | 80              |              |
| 15                     | 5.53             | 5.532        | 80              | *            |
| 16                     | 5.53             | 5.501        | 80              | *            |
| 17                     | 5.53             | 5.309        | 80              |              |
| 18                     | 5.53             | 5.314        | 80              |              |
| 19                     | 5.53             | 5.34         | 80              |              |
| 20                     | 5.53             | 5.615        | 80              |              |
| 21                     | 5.53             | 5.304        | 80              |              |
| 22                     | 5.53             | 5.359        | 80              |              |
| 23                     | 5.53             | 5.479        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.321        | 80              |              |
| 2                      | 5.53             | 5.401        | 80              |              |
| 3                      | 5.53             | 5.266        | 80              |              |
| 4                      | 5.53             | 5.485        | 80              |              |
| 5                      | 5.53             | 5.372        | 80              |              |
| 6                      | 5.53             | 5.679        | 80              |              |
| 7                      | 5.53             | 5.615        | 80              |              |
| 8                      | 5.53             | 5.575        | 80              |              |
| 9                      | 5.53             | 5.428        | 80              |              |
| 10                     | 5.53             | 5.39         | 80              |              |
| 11                     | 5.53             | 5.582        | 80              |              |
| 12                     | 5.53             | 5.572        | 80              |              |
| 13                     | 5.53             | 5.324        | 80              |              |
| 14                     | 5.53             | 5.475        | 80              |              |
| 15                     | 5.53             | 5.535        | 80              | *            |
| 16                     | 5.53             | 5.518        | 80              | *            |
| 17                     | 5.53             | 5.395        | 80              |              |
| 18                     | 5.53             | 5.286        | 80              |              |
| 19                     | 5.53             | 5.267        | 80              |              |
| 20                     | 5.53             | 5.448        | 80              |              |
| 21                     | 5.53             | 5.577        | 80              |              |
| 22                     | 5.53             | 5.56         | 80              | *            |
| 23                     | 5.53             | 5.435        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.443        | 80              |              |
| 2                      | 5.53             | 5.416        | 80              |              |
| 3                      | 5.53             | 5.599        | 80              |              |
| 4                      | 5.53             | 5.496        | 80              | *            |
| 5                      | 5.53             | 5.343        | 80              |              |
| 6                      | 5.53             | 5.553        | 80              | *            |
| 7                      | 5.53             | 5.695        | 80              |              |
| 8                      | 5.53             | 5.655        | 80              |              |
| 9                      | 5.53             | 5.454        | 80              |              |
| 10                     | 5.53             | 5.482        | 80              |              |
| 11                     | 5.53             | 5.647        | 80              |              |
| 12                     | 5.53             | 5.684        | 80              |              |
| 13                     | 5.53             | 5.328        | 80              |              |
| 14                     | 5.53             | 5.365        | 80              |              |
| 15                     | 5.53             | 5.395        | 80              |              |
| 16                     | 5.53             | 5.381        | 80              |              |
| 17                     | 5.53             | 5.671        | 80              |              |
| 18                     | 5.53             | 5.62         | 80              |              |
| 19                     | 5.53             | 5.431        | 80              |              |
| 20                     | 5.53             | 5.606        | 80              |              |
| 21                     | 5.53             | 5.593        | 80              |              |
| 22                     | 5.53             | 5.622        | 80              |              |
| 23                     | 5.53             | 5.686        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.477        | 80              |              |
| 2                      | 5.53             | 5.381        | 80              |              |
| 3                      | 5.53             | 5.604        | 80              |              |
| 4                      | 5.53             | 5.452        | 80              |              |
| 5                      | 5.53             | 5.386        | 80              |              |
| 6                      | 5.53             | 5.448        | 80              |              |
| 7                      | 5.53             | 5.294        | 80              |              |
| 8                      | 5.53             | 5.629        | 80              |              |
| 9                      | 5.53             | 5.699        | 80              |              |
| 10                     | 5.53             | 5.384        | 80              |              |
| 11                     | 5.53             | 5.546        | 80              | *            |
| 12                     | 5.53             | 5.309        | 80              |              |
| 13                     | 5.53             | 5.525        | 80              | *            |
| 14                     | 5.53             | 5.664        | 80              |              |
| 15                     | 5.53             | 5.467        | 80              |              |
| 16                     | 5.53             | 5.519        | 80              | *            |
| 17                     | 5.53             | 5.602        | 80              |              |
| 18                     | 5.53             | 5.522        | 80              | *            |
| 19                     | 5.53             | 5.256        | 80              |              |
| 20                     | 5.53             | 5.367        | 80              |              |
| 21                     | 5.53             | 5.323        | 80              |              |
| 22                     | 5.53             | 5.666        | 80              |              |
| 23                     | 5.53             | 5.697        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.544        | 80              | *            |
| 2                      | 5.53             | 5.394        | 80              |              |
| 3                      | 5.53             | 5.647        | 80              |              |
| 4                      | 5.53             | 5.421        | 80              |              |
| 5                      | 5.53             | 5.289        | 80              |              |
| 6                      | 5.53             | 5.705        | 80              |              |
| 7                      | 5.53             | 5.36         | 80              |              |
| 8                      | 5.53             | 5.534        | 80              | *            |
| 9                      | 5.53             | 5.389        | 80              |              |
| 10                     | 5.53             | 5.411        | 80              |              |
| 11                     | 5.53             | 5.628        | 80              |              |
| 12                     | 5.53             | 5.428        | 80              |              |
| 13                     | 5.53             | 5.57         | 80              | *            |
| 14                     | 5.53             | 5.506        | 80              | *            |
| 15                     | 5.53             | 5.386        | 80              |              |
| 16                     | 5.53             | 5.42         | 80              |              |
| 17                     | 5.53             | 5.32         | 80              |              |
| 18                     | 5.53             | 5.338        | 80              |              |
| 19                     | 5.53             | 5.591        | 80              |              |
| 20                     | 5.53             | 5.559        | 80              | *            |
| 21                     | 5.53             | 5.392        | 80              |              |
| 22                     | 5.53             | 5.691        | 80              |              |
| 23                     | 5.53             | 5.409        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.554        | 80              | *            |
| 2                      | 5.53             | 5.289        | 80              |              |
| 3                      | 5.53             | 5.662        | 80              |              |
| 4                      | 5.53             | 5.37         | 80              |              |
| 5                      | 5.53             | 5.367        | 80              |              |
| 6                      | 5.53             | 5.338        | 80              |              |
| 7                      | 5.53             | 5.649        | 80              |              |
| 8                      | 5.53             | 5.52         | 80              | *            |
| 9                      | 5.53             | 5.423        | 80              |              |
| 10                     | 5.53             | 5.685        | 80              |              |
| 11                     | 5.53             | 5.426        | 80              |              |
| 12                     | 5.53             | 5.292        | 80              |              |
| 13                     | 5.53             | 5.558        | 80              | *            |
| 14                     | 5.53             | 5.589        | 80              |              |
| 15                     | 5.53             | 5.487        | 80              |              |
| 16                     | 5.53             | 5.465        | 80              |              |
| 17                     | 5.53             | 5.389        | 80              |              |
| 18                     | 5.53             | 5.588        | 80              |              |
| 19                     | 5.53             | 5.35         | 80              |              |
| 20                     | 5.53             | 5.403        | 80              |              |
| 21                     | 5.53             | 5.294        | 80              |              |
| 22                     | 5.53             | 5.618        | 80              |              |
| 23                     | 5.53             | 5.687        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.541        | 80              | *            |
| 2                      | 5.53             | 5.604        | 80              |              |
| 3                      | 5.53             | 5.251        | 80              |              |
| 4                      | 5.53             | 5.686        | 80              |              |
| 5                      | 5.53             | 5.417        | 80              |              |
| 6                      | 5.53             | 5.41         | 80              |              |
| 7                      | 5.53             | 5.493        | 80              | *            |
| 8                      | 5.53             | 5.421        | 80              |              |
| 9                      | 5.53             | 5.331        | 80              |              |
| 10                     | 5.53             | 5.507        | 80              | *            |
| 11                     | 5.53             | 5.639        | 80              |              |
| 12                     | 5.53             | 5.607        | 80              |              |
| 13                     | 5.53             | 5.486        | 80              |              |
| 14                     | 5.53             | 5.297        | 80              |              |
| 15                     | 5.53             | 5.698        | 80              |              |
| 16                     | 5.53             | 5.614        | 80              |              |
| 17                     | 5.53             | 5.301        | 80              |              |
| 18                     | 5.53             | 5.322        | 80              |              |
| 19                     | 5.53             | 5.342        | 80              |              |
| 20                     | 5.53             | 5.666        | 80              |              |
| 21                     | 5.53             | 5.68         | 80              |              |
| 22                     | 5.53             | 5.53         | 80              | *            |
| 23                     | 5.53             | 5.623        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.403        | 80              |              |
| 2                      | 5.53             | 5.65         | 80              |              |
| 3                      | 5.53             | 5.523        | 80              | *            |
| 4                      | 5.53             | 5.332        | 80              |              |
| 5                      | 5.53             | 5.25         | 80              |              |
| 6                      | 5.53             | 5.571        | 80              |              |
| 7                      | 5.53             | 5.376        | 80              |              |
| 8                      | 5.53             | 5.613        | 80              |              |
| 9                      | 5.53             | 5.309        | 80              |              |
| 10                     | 5.53             | 5.304        | 80              |              |
| 11                     | 5.53             | 5.5          | 80              | *            |
| 12                     | 5.53             | 5.385        | 80              |              |
| 13                     | 5.53             | 5.709        | 80              |              |
| 14                     | 5.53             | 5.601        | 80              |              |
| 15                     | 5.53             | 5.536        | 80              | *            |
| 16                     | 5.53             | 5.268        | 80              |              |
| 17                     | 5.53             | 5.358        | 80              |              |
| 18                     | 5.53             | 5.521        | 80              | *            |
| 19                     | 5.53             | 5.473        | 80              |              |
| 20                     | 5.53             | 5.437        | 80              |              |
| 21                     | 5.53             | 5.514        | 80              | *            |
| 22                     | 5.53             | 5.38         | 80              |              |
| 23                     | 5.53             | 5.363        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.365        | 80              |              |
| 2                      | 5.53             | 5.488        | 80              |              |
| 3                      | 5.53             | 5.499        | 80              | *            |
| 4                      | 5.53             | 5.443        | 80              |              |
| 5                      | 5.53             | 5.268        | 80              |              |
| 6                      | 5.53             | 5.644        | 80              |              |
| 7                      | 5.53             | 5.354        | 80              |              |
| 8                      | 5.53             | 5.295        | 80              |              |
| 9                      | 5.53             | 5.654        | 80              |              |
| 10                     | 5.53             | 5.581        | 80              |              |
| 11                     | 5.53             | 5.377        | 80              |              |
| 12                     | 5.53             | 5.56         | 80              | *            |
| 13                     | 5.53             | 5.452        | 80              |              |
| 14                     | 5.53             | 5.405        | 80              |              |
| 15                     | 5.53             | 5.708        | 80              |              |
| 16                     | 5.53             | 5.607        | 80              |              |
| 17                     | 5.53             | 5.275        | 80              |              |
| 18                     | 5.53             | 5.55         | 80              | *            |
| 19                     | 5.53             | 5.27         | 80              |              |
| 20                     | 5.53             | 5.304        | 80              |              |
| 21                     | 5.53             | 5.544        | 80              | *            |
| 22                     | 5.53             | 5.474        | 80              |              |
| 23                     | 5.53             | 5.563        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.512        | 80              | *            |
| 2                      | 5.53             | 5.644        | 80              |              |
| 3                      | 5.53             | 5.721        | 80              |              |
| 4                      | 5.53             | 5.57         | 80              | *            |
| 5                      | 5.53             | 5.438        | 80              |              |
| 6                      | 5.53             | 5.404        | 80              |              |
| 7                      | 5.53             | 5.566        | 80              | *            |
| 8                      | 5.53             | 5.58         | 80              |              |
| 9                      | 5.53             | 5.66         | 80              |              |
| 10                     | 5.53             | 5.279        | 80              |              |
| 11                     | 5.53             | 5.654        | 80              |              |
| 12                     | 5.53             | 5.564        | 80              | *            |
| 13                     | 5.53             | 5.376        | 80              |              |
| 14                     | 5.53             | 5.621        | 80              |              |
| 15                     | 5.53             | 5.405        | 80              |              |
| 16                     | 5.53             | 5.414        | 80              |              |
| 17                     | 5.53             | 5.469        | 80              |              |
| 18                     | 5.53             | 5.501        | 80              | *            |
| 19                     | 5.53             | 5.306        | 80              |              |
| 20                     | 5.53             | 5.547        | 80              | *            |
| 21                     | 5.53             | 5.701        | 80              |              |
| 22                     | 5.53             | 5.656        | 80              |              |
| 23                     | 5.53             | 5.536        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.463        | 80              |              |
| 2                      | 5.53             | 5.541        | 80              | *            |
| 3                      | 5.53             | 5.672        | 80              |              |
| 4                      | 5.53             | 5.56         | 80              | *            |
| 5                      | 5.53             | 5.444        | 80              |              |
| 6                      | 5.53             | 5.427        | 80              |              |
| 7                      | 5.53             | 5.616        | 80              |              |
| 8                      | 5.53             | 5.548        | 80              | *            |
| 9                      | 5.53             | 5.628        | 80              |              |
| 10                     | 5.53             | 5.466        | 80              |              |
| 11                     | 5.53             | 5.589        | 80              |              |
| 12                     | 5.53             | 5.577        | 80              |              |
| 13                     | 5.53             | 5.669        | 80              |              |
| 14                     | 5.53             | 5.545        | 80              | *            |
| 15                     | 5.53             | 5.268        | 80              |              |
| 16                     | 5.53             | 5.338        | 80              |              |
| 17                     | 5.53             | 5.649        | 80              |              |
| 18                     | 5.53             | 5.574        | 80              |              |
| 19                     | 5.53             | 5.673        | 80              |              |
| 20                     | 5.53             | 5.321        | 80              |              |
| 21                     | 5.53             | 5.309        | 80              |              |
| 22                     | 5.53             | 5.48         | 80              |              |
| 23                     | 5.53             | 5.333        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.683        | 80              |              |
| 2                      | 5.53             | 5.459        | 80              |              |
| 3                      | 5.53             | 5.4          | 80              |              |
| 4                      | 5.53             | 5.715        | 80              |              |
| 5                      | 5.53             | 5.596        | 80              |              |
| 6                      | 5.53             | 5.542        | 80              | *            |
| 7                      | 5.53             | 5.292        | 80              |              |
| 8                      | 5.53             | 5.722        | 80              |              |
| 9                      | 5.53             | 5.352        | 80              |              |
| 10                     | 5.53             | 5.484        | 80              |              |
| 11                     | 5.53             | 5.595        | 80              |              |
| 12                     | 5.53             | 5.61         | 80              |              |
| 13                     | 5.53             | 5.623        | 80              |              |
| 14                     | 5.53             | 5.583        | 80              |              |
| 15                     | 5.53             | 5.433        | 80              |              |
| 16                     | 5.53             | 5.645        | 80              |              |
| 17                     | 5.53             | 5.402        | 80              |              |
| 18                     | 5.53             | 5.634        | 80              |              |
| 19                     | 5.53             | 5.354        | 80              |              |
| 20                     | 5.53             | 5.298        | 80              |              |
| 21                     | 5.53             | 5.307        | 80              |              |
| 22                     | 5.53             | 5.262        | 80              |              |
| 23                     | 5.53             | 5.63         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.682        | 80              |              |
| 2                      | 5.53             | 5.447        | 80              |              |
| 3                      | 5.53             | 5.694        | 80              |              |
| 4                      | 5.53             | 5.458        | 80              |              |
| 5                      | 5.53             | 5.717        | 80              |              |
| 6                      | 5.53             | 5.507        | 80              | *            |
| 7                      | 5.53             | 5.357        | 80              |              |
| 8                      | 5.53             | 5.47         | 80              |              |
| 9                      | 5.53             | 5.547        | 80              | *            |
| 10                     | 5.53             | 5.328        | 80              |              |
| 11                     | 5.53             | 5.643        | 80              |              |
| 12                     | 5.53             | 5.499        | 80              | *            |
| 13                     | 5.53             | 5.668        | 80              |              |
| 14                     | 5.53             | 5.683        | 80              |              |
| 15                     | 5.53             | 5.373        | 80              |              |
| 16                     | 5.53             | 5.713        | 80              |              |
| 17                     | 5.53             | 5.583        | 80              |              |
| 18                     | 5.53             | 5.474        | 80              |              |
| 19                     | 5.53             | 5.589        | 80              |              |
| 20                     | 5.53             | 5.371        | 80              |              |
| 21                     | 5.53             | 5.459        | 80              |              |
| 22                     | 5.53             | 5.344        | 80              |              |
| 23                     | 5.53             | 5.332        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.544        | 80              | *            |
| 2                      | 5.53             | 5.641        | 80              |              |
| 3                      | 5.53             | 5.303        | 80              |              |
| 4                      | 5.53             | 5.353        | 80              |              |
| 5                      | 5.53             | 5.485        | 80              |              |
| 6                      | 5.53             | 5.413        | 80              |              |
| 7                      | 5.53             | 5.594        | 80              |              |
| 8                      | 5.53             | 5.302        | 80              |              |
| 9                      | 5.53             | 5.392        | 80              |              |
| 10                     | 5.53             | 5.654        | 80              |              |
| 11                     | 5.53             | 5.323        | 80              |              |
| 12                     | 5.53             | 5.475        | 80              |              |
| 13                     | 5.53             | 5.469        | 80              |              |
| 14                     | 5.53             | 5.483        | 80              |              |
| 15                     | 5.53             | 5.306        | 80              |              |
| 16                     | 5.53             | 5.516        | 80              | *            |
| 17                     | 5.53             | 5.596        | 80              |              |
| 18                     | 5.53             | 5.259        | 80              |              |
| 19                     | 5.53             | 5.709        | 80              |              |
| 20                     | 5.53             | 5.262        | 80              |              |
| 21                     | 5.53             | 5.646        | 80              |              |
| 22                     | 5.53             | 5.7          | 80              |              |
| 23                     | 5.53             | 5.662        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.264        | 80              |              |
| 2                      | 5.53             | 5.522        | 80              | *            |
| 3                      | 5.53             | 5.273        | 80              |              |
| 4                      | 5.53             | 5.656        | 80              |              |
| 5                      | 5.53             | 5.413        | 80              |              |
| 6                      | 5.53             | 5.547        | 80              | *            |
| 7                      | 5.53             | 5.436        | 80              |              |
| 8                      | 5.53             | 5.664        | 80              |              |
| 9                      | 5.53             | 5.496        | 80              | *            |
| 10                     | 5.53             | 5.282        | 80              |              |
| 11                     | 5.53             | 5.265        | 80              |              |
| 12                     | 5.53             | 5.407        | 80              |              |
| 13                     | 5.53             | 5.253        | 80              |              |
| 14                     | 5.53             | 5.262        | 80              |              |
| 15                     | 5.53             | 5.314        | 80              |              |
| 16                     | 5.53             | 5.489        | 80              |              |
| 17                     | 5.53             | 5.704        | 80              |              |
| 18                     | 5.53             | 5.266        | 80              |              |
| 19                     | 5.53             | 5.586        | 80              |              |
| 20                     | 5.53             | 5.296        | 80              |              |
| 21                     | 5.53             | 5.305        | 80              |              |
| 22                     | 5.53             | 5.615        | 80              |              |
| 23                     | 5.53             | 5.61         | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.497        | 80              | *            |
| 2                      | 5.53             | 5.723        | 80              |              |
| 3                      | 5.53             | 5.507        | 80              | *            |
| 4                      | 5.53             | 5.5          | 80              | *            |
| 5                      | 5.53             | 5.397        | 80              |              |
| 6                      | 5.53             | 5.695        | 80              |              |
| 7                      | 5.53             | 5.483        | 80              |              |
| 8                      | 5.53             | 5.346        | 80              |              |
| 9                      | 5.53             | 5.604        | 80              |              |
| 10                     | 5.53             | 5.585        | 80              |              |
| 11                     | 5.53             | 5.574        | 80              |              |
| 12                     | 5.53             | 5.292        | 80              |              |
| 13                     | 5.53             | 5.458        | 80              |              |
| 14                     | 5.53             | 5.334        | 80              |              |
| 15                     | 5.53             | 5.451        | 80              |              |
| 16                     | 5.53             | 5.42         | 80              |              |
| 17                     | 5.53             | 5.571        | 80              |              |
| 18                     | 5.53             | 5.405        | 80              |              |
| 19                     | 5.53             | 5.299        | 80              |              |
| 20                     | 5.53             | 5.582        | 80              |              |
| 21                     | 5.53             | 5.446        | 80              |              |
| 22                     | 5.53             | 5.453        | 80              |              |
| 23                     | 5.53             | 5.505        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.487        | 80              |              |
| 2                      | 5.53             | 5.554        | 80              | *            |
| 3                      | 5.53             | 5.297        | 80              |              |
| 4                      | 5.53             | 5.652        | 80              |              |
| 5                      | 5.53             | 5.64         | 80              |              |
| 6                      | 5.53             | 5.721        | 80              |              |
| 7                      | 5.53             | 5.276        | 80              |              |
| 8                      | 5.53             | 5.585        | 80              |              |
| 9                      | 5.53             | 5.34         | 80              |              |
| 10                     | 5.53             | 5.438        | 80              |              |
| 11                     | 5.53             | 5.619        | 80              |              |
| 12                     | 5.53             | 5.28         | 80              |              |
| 13                     | 5.53             | 5.698        | 80              |              |
| 14                     | 5.53             | 5.337        | 80              |              |
| 15                     | 5.53             | 5.252        | 80              |              |
| 16                     | 5.53             | 5.285        | 80              |              |
| 17                     | 5.53             | 5.44         | 80              |              |
| 18                     | 5.53             | 5.499        | 80              | *            |
| 19                     | 5.53             | 5.496        | 80              | *            |
| 20                     | 5.53             | 5.664        | 80              |              |
| 21                     | 5.53             | 5.592        | 80              |              |
| 22                     | 5.53             | 5.697        | 80              |              |
| 23                     | 5.53             | 5.43         | 80              |              |

Product : WiFi 6 (802.11ax) 3x3 MU-MIMO Dual Band Module  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Transmit (802.11ax-160 MHz)  
 Test Date : 2023/04/20

| Trial #                         | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                               | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 0                               |
| 19                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                              | 5570            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| <b>Detection Percentage (%)</b> |                 |                                                                    | 93.33                           |
| <b>Limit</b>                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.57             | 5.347        | 160             |              |
| 2     | 5.57             | 5.577        | 160             | *            |
| 3     | 5.57             | 5.527        | 160             | *            |
| 4     | 5.57             | 5.37         | 160             |              |
| 5     | 5.57             | 5.284        | 160             |              |
| 6     | 5.57             | 5.515        | 160             | *            |
| 7     | 5.57             | 5.689        | 160             |              |
| 8     | 5.57             | 5.659        | 160             |              |
| 9     | 5.57             | 5.601        | 160             | *            |
| 10    | 5.57             | 5.543        | 160             | *            |
| 11    | 5.57             | 5.497        | 160             | *            |
| 12    | 5.57             | 5.304        | 160             |              |
| 13    | 5.57             | 5.588        | 160             | *            |
| 14    | 5.57             | 5.428        | 160             |              |
| 15    | 5.57             | 5.7          | 160             |              |
| 16    | 5.57             | 5.554        | 160             | *            |
| 17    | 5.57             | 5.692        | 160             |              |
| 18    | 5.57             | 5.365        | 160             |              |
| 19    | 5.57             | 5.28         | 160             |              |
| 20    | 5.57             | 5.712        | 160             |              |
| 21    | 5.57             | 5.376        | 160             |              |
| 22    | 5.57             | 5.281        | 160             |              |
| 23    | 5.57             | 5.392        | 160             |              |
| 24    | 5.57             | 5.505        | 160             | *            |
| 25    | 5.57             | 5.64         | 160             | *            |
| 26    | 5.57             | 5.625        | 160             | *            |
| 27    | 5.57             | 5.523        | 160             | *            |
| 28    | 5.57             | 5.265        | 160             |              |
| 29    | 5.57             | 5.351        | 160             |              |
| 30    | 5.57             | 5.722        | 160             |              |
| 31    | 5.57             | 5.596        | 160             | *            |
| 32    | 5.57             | 5.493        | 160             | *            |
| 33    | 5.57             | 5.655        | 160             |              |
| 34    | 5.57             | 5.474        | 160             |              |
| 35    | 5.57             | 5.294        | 160             |              |
| 36    | 5.57             | 5.307        | 160             |              |
| 37    | 5.57             | 5.701        | 160             |              |
| 38    | 5.57             | 5.595        | 160             | *            |
| 39    | 5.57             | 5.283        | 160             |              |
| 40    | 5.57             | 5.705        | 160             |              |
| 41    | 5.57             | 5.485        | 160             |              |
| 42    | 5.57             | 5.451        | 160             |              |
| 43    | 5.57             | 5.513        | 160             | *            |
| 44    | 5.57             | 5.604        | 160             | *            |
| 45    | 5.57             | 5.431        | 160             |              |
| 46    | 5.57             | 5.634        | 160             | *            |
| 47    | 5.57             | 5.354        | 160             |              |
| 48    | 5.57             | 5.717        | 160             |              |
| 49    | 5.57             | 5.508        | 160             | *            |

|     |      |       |     |   |
|-----|------|-------|-----|---|
| 50  | 5.57 | 5.495 | 160 | * |
| 51  | 5.57 | 5.43  | 160 |   |
| 52  | 5.57 | 5.462 | 160 |   |
| 53  | 5.57 | 5.648 | 160 | * |
| 54  | 5.57 | 5.4   | 160 |   |
| 55  | 5.57 | 5.469 | 160 |   |
| 56  | 5.57 | 5.671 | 160 |   |
| 57  | 5.57 | 5.486 | 160 |   |
| 58  | 5.57 | 5.259 | 160 |   |
| 59  | 5.57 | 5.714 | 160 |   |
| 60  | 5.57 | 5.684 | 160 |   |
| 61  | 5.57 | 5.622 | 160 | * |
| 62  | 5.57 | 5.678 | 160 |   |
| 63  | 5.57 | 5.711 | 160 |   |
| 64  | 5.57 | 5.645 | 160 | * |
| 65  | 5.57 | 5.503 | 160 | * |
| 66  | 5.57 | 5.694 | 160 |   |
| 67  | 5.57 | 5.447 | 160 |   |
| 68  | 5.57 | 5.666 | 160 |   |
| 69  | 5.57 | 5.66  | 160 |   |
| 70  | 5.57 | 5.452 | 160 |   |
| 71  | 5.57 | 5.581 | 160 | * |
| 72  | 5.57 | 5.611 | 160 | * |
| 73  | 5.57 | 5.285 | 160 |   |
| 74  | 5.57 | 5.631 | 160 | * |
| 75  | 5.57 | 5.492 | 160 | * |
| 76  | 5.57 | 5.576 | 160 | * |
| 77  | 5.57 | 5.325 | 160 |   |
| 78  | 5.57 | 5.32  | 160 |   |
| 79  | 5.57 | 5.641 | 160 | * |
| 80  | 5.57 | 5.656 | 160 |   |
| 81  | 5.57 | 5.395 | 160 |   |
| 82  | 5.57 | 5.322 | 160 |   |
| 83  | 5.57 | 5.673 | 160 |   |
| 84  | 5.57 | 5.44  | 160 |   |
| 85  | 5.57 | 5.483 | 160 |   |
| 86  | 5.57 | 5.652 | 160 |   |
| 87  | 5.57 | 5.579 | 160 | * |
| 88  | 5.57 | 5.562 | 160 | * |
| 89  | 5.57 | 5.55  | 160 | * |
| 90  | 5.57 | 5.51  | 160 | * |
| 91  | 5.57 | 5.38  | 160 |   |
| 92  | 5.57 | 5.605 | 160 | * |
| 93  | 5.57 | 5.381 | 160 |   |
| 94  | 5.57 | 5.574 | 160 | * |
| 95  | 5.57 | 5.699 | 160 |   |
| 96  | 5.57 | 5.635 | 160 | * |
| 97  | 5.57 | 5.522 | 160 | * |
| 98  | 5.57 | 5.308 | 160 |   |
| 99  | 5.57 | 5.532 | 160 | * |
| 100 | 5.57 | 5.327 | 160 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.704        | 160             |              |
| 2                      | 5.57             | 5.437        | 160             |              |
| 3                      | 5.57             | 5.315        | 160             |              |
| 4                      | 5.57             | 5.709        | 160             |              |
| 5                      | 5.57             | 5.291        | 160             |              |
| 6                      | 5.57             | 5.457        | 160             |              |
| 7                      | 5.57             | 5.663        | 160             |              |
| 8                      | 5.57             | 5.308        | 160             |              |
| 9                      | 5.57             | 5.559        | 160             | *            |
| 10                     | 5.57             | 5.624        | 160             | *            |
| 11                     | 5.57             | 5.514        | 160             | *            |
| 12                     | 5.57             | 5.552        | 160             | *            |
| 13                     | 5.57             | 5.441        | 160             |              |
| 14                     | 5.57             | 5.586        | 160             | *            |
| 15                     | 5.57             | 5.67         | 160             |              |
| 16                     | 5.57             | 5.354        | 160             |              |
| 17                     | 5.57             | 5.46         | 160             |              |
| 18                     | 5.57             | 5.668        | 160             |              |
| 19                     | 5.57             | 5.496        | 160             | *            |
| 20                     | 5.57             | 5.419        | 160             |              |
| 21                     | 5.57             | 5.436        | 160             |              |
| 22                     | 5.57             | 5.693        | 160             |              |
| 23                     | 5.57             | 5.255        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.496        | 160             | *            |
| 2                      | 5.57             | 5.632        | 160             | *            |
| 3                      | 5.57             | 5.549        | 160             | *            |
| 4                      | 5.57             | 5.478        | 160             |              |
| 5                      | 5.57             | 5.506        | 160             | *            |
| 6                      | 5.57             | 5.634        | 160             | *            |
| 7                      | 5.57             | 5.489        | 160             |              |
| 8                      | 5.57             | 5.675        | 160             |              |
| 9                      | 5.57             | 5.347        | 160             |              |
| 10                     | 5.57             | 5.623        | 160             | *            |
| 11                     | 5.57             | 5.466        | 160             |              |
| 12                     | 5.57             | 5.276        | 160             |              |
| 13                     | 5.57             | 5.324        | 160             |              |
| 14                     | 5.57             | 5.571        | 160             | *            |
| 15                     | 5.57             | 5.379        | 160             |              |
| 16                     | 5.57             | 5.671        | 160             |              |
| 17                     | 5.57             | 5.257        | 160             |              |
| 18                     | 5.57             | 5.557        | 160             | *            |
| 19                     | 5.57             | 5.636        | 160             | *            |
| 20                     | 5.57             | 5.468        | 160             |              |
| 21                     | 5.57             | 5.497        | 160             | *            |
| 22                     | 5.57             | 5.664        | 160             |              |
| 23                     | 5.57             | 5.286        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.614        | 160             | *            |
| 2                      | 5.57             | 5.672        | 160             |              |
| 3                      | 5.57             | 5.449        | 160             |              |
| 4                      | 5.57             | 5.676        | 160             |              |
| 5                      | 5.57             | 5.526        | 160             | *            |
| 6                      | 5.57             | 5.306        | 160             |              |
| 7                      | 5.57             | 5.624        | 160             | *            |
| 8                      | 5.57             | 5.534        | 160             | *            |
| 9                      | 5.57             | 5.647        | 160             | *            |
| 10                     | 5.57             | 5.661        | 160             |              |
| 11                     | 5.57             | 5.252        | 160             |              |
| 12                     | 5.57             | 5.366        | 160             |              |
| 13                     | 5.57             | 5.32         | 160             |              |
| 14                     | 5.57             | 5.265        | 160             |              |
| 15                     | 5.57             | 5.615        | 160             | *            |
| 16                     | 5.57             | 5.646        | 160             | *            |
| 17                     | 5.57             | 5.722        | 160             |              |
| 18                     | 5.57             | 5.523        | 160             | *            |
| 19                     | 5.57             | 5.618        | 160             | *            |
| 20                     | 5.57             | 5.529        | 160             | *            |
| 21                     | 5.57             | 5.376        | 160             |              |
| 22                     | 5.57             | 5.678        | 160             |              |
| 23                     | 5.57             | 5.459        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.538        | 160             | *            |
| 2                      | 5.57             | 5.68         | 160             |              |
| 3                      | 5.57             | 5.45         | 160             |              |
| 4                      | 5.57             | 5.414        | 160             |              |
| 5                      | 5.57             | 5.334        | 160             |              |
| 6                      | 5.57             | 5.337        | 160             |              |
| 7                      | 5.57             | 5.26         | 160             |              |
| 8                      | 5.57             | 5.505        | 160             | *            |
| 9                      | 5.57             | 5.263        | 160             |              |
| 10                     | 5.57             | 5.295        | 160             |              |
| 11                     | 5.57             | 5.574        | 160             | *            |
| 12                     | 5.57             | 5.415        | 160             |              |
| 13                     | 5.57             | 5.718        | 160             |              |
| 14                     | 5.57             | 5.377        | 160             |              |
| 15                     | 5.57             | 5.601        | 160             | *            |
| 16                     | 5.57             | 5.692        | 160             |              |
| 17                     | 5.57             | 5.592        | 160             | *            |
| 18                     | 5.57             | 5.57         | 160             | *            |
| 19                     | 5.57             | 5.264        | 160             |              |
| 20                     | 5.57             | 5.686        | 160             |              |
| 21                     | 5.57             | 5.267        | 160             |              |
| 22                     | 5.57             | 5.699        | 160             |              |
| 23                     | 5.57             | 5.666        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.721        | 160             |              |
| 2                      | 5.57             | 5.642        | 160             | *            |
| 3                      | 5.57             | 5.291        | 160             |              |
| 4                      | 5.57             | 5.524        | 160             | *            |
| 5                      | 5.57             | 5.258        | 160             |              |
| 6                      | 5.57             | 5.332        | 160             |              |
| 7                      | 5.57             | 5.364        | 160             |              |
| 8                      | 5.57             | 5.574        | 160             | *            |
| 9                      | 5.57             | 5.323        | 160             |              |
| 10                     | 5.57             | 5.705        | 160             |              |
| 11                     | 5.57             | 5.303        | 160             |              |
| 12                     | 5.57             | 5.422        | 160             |              |
| 13                     | 5.57             | 5.667        | 160             |              |
| 14                     | 5.57             | 5.454        | 160             |              |
| 15                     | 5.57             | 5.35         | 160             |              |
| 16                     | 5.57             | 5.724        | 160             |              |
| 17                     | 5.57             | 5.704        | 160             |              |
| 18                     | 5.57             | 5.575        | 160             | *            |
| 19                     | 5.57             | 5.26         | 160             |              |
| 20                     | 5.57             | 5.471        | 160             |              |
| 21                     | 5.57             | 5.488        | 160             |              |
| 22                     | 5.57             | 5.465        | 160             |              |
| 23                     | 5.57             | 5.367        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.508        | 160             | *            |
| 2                      | 5.57             | 5.635        | 160             | *            |
| 3                      | 5.57             | 5.321        | 160             |              |
| 4                      | 5.57             | 5.63         | 160             | *            |
| 5                      | 5.57             | 5.661        | 160             |              |
| 6                      | 5.57             | 5.608        | 160             | *            |
| 7                      | 5.57             | 5.524        | 160             | *            |
| 8                      | 5.57             | 5.713        | 160             |              |
| 9                      | 5.57             | 5.602        | 160             | *            |
| 10                     | 5.57             | 5.35         | 160             |              |
| 11                     | 5.57             | 5.67         | 160             |              |
| 12                     | 5.57             | 5.691        | 160             |              |
| 13                     | 5.57             | 5.721        | 160             |              |
| 14                     | 5.57             | 5.292        | 160             |              |
| 15                     | 5.57             | 5.426        | 160             |              |
| 16                     | 5.57             | 5.528        | 160             | *            |
| 17                     | 5.57             | 5.364        | 160             |              |
| 18                     | 5.57             | 5.266        | 160             |              |
| 19                     | 5.57             | 5.49         | 160             | *            |
| 20                     | 5.57             | 5.423        | 160             |              |
| 21                     | 5.57             | 5.631        | 160             | *            |
| 22                     | 5.57             | 5.575        | 160             | *            |
| 23                     | 5.57             | 5.352        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.313        | 160             |              |
| 2                      | 5.57             | 5.611        | 160             | *            |
| 3                      | 5.57             | 5.364        | 160             |              |
| 4                      | 5.57             | 5.702        | 160             |              |
| 5                      | 5.57             | 5.304        | 160             |              |
| 6                      | 5.57             | 5.434        | 160             |              |
| 7                      | 5.57             | 5.529        | 160             | *            |
| 8                      | 5.57             | 5.471        | 160             |              |
| 9                      | 5.57             | 5.466        | 160             |              |
| 10                     | 5.57             | 5.509        | 160             | *            |
| 11                     | 5.57             | 5.563        | 160             | *            |
| 12                     | 5.57             | 5.332        | 160             |              |
| 13                     | 5.57             | 5.373        | 160             |              |
| 14                     | 5.57             | 5.251        | 160             |              |
| 15                     | 5.57             | 5.561        | 160             | *            |
| 16                     | 5.57             | 5.309        | 160             |              |
| 17                     | 5.57             | 5.631        | 160             | *            |
| 18                     | 5.57             | 5.505        | 160             | *            |
| 19                     | 5.57             | 5.552        | 160             | *            |
| 20                     | 5.57             | 5.311        | 160             |              |
| 21                     | 5.57             | 5.267        | 160             |              |
| 22                     | 5.57             | 5.275        | 160             |              |
| 23                     | 5.57             | 5.589        | 160             | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.274        | 160             |              |
| 2                      | 5.57             | 5.39         | 160             |              |
| 3                      | 5.57             | 5.357        | 160             |              |
| 4                      | 5.57             | 5.621        | 160             | *            |
| 5                      | 5.57             | 5.604        | 160             | *            |
| 6                      | 5.57             | 5.706        | 160             |              |
| 7                      | 5.57             | 5.718        | 160             |              |
| 8                      | 5.57             | 5.648        | 160             | *            |
| 9                      | 5.57             | 5.581        | 160             | *            |
| 10                     | 5.57             | 5.281        | 160             |              |
| 11                     | 5.57             | 5.256        | 160             |              |
| 12                     | 5.57             | 5.263        | 160             |              |
| 13                     | 5.57             | 5.72         | 160             |              |
| 14                     | 5.57             | 5.335        | 160             |              |
| 15                     | 5.57             | 5.624        | 160             | *            |
| 16                     | 5.57             | 5.708        | 160             |              |
| 17                     | 5.57             | 5.534        | 160             | *            |
| 18                     | 5.57             | 5.677        | 160             |              |
| 19                     | 5.57             | 5.272        | 160             |              |
| 20                     | 5.57             | 5.716        | 160             |              |
| 21                     | 5.57             | 5.315        | 160             |              |
| 22                     | 5.57             | 5.34         | 160             |              |
| 23                     | 5.57             | 5.359        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.419        | 160             |              |
| 2                      | 5.57             | 5.708        | 160             |              |
| 3                      | 5.57             | 5.519        | 160             | *            |
| 4                      | 5.57             | 5.316        | 160             |              |
| 5                      | 5.57             | 5.379        | 160             |              |
| 6                      | 5.57             | 5.696        | 160             |              |
| 7                      | 5.57             | 5.343        | 160             |              |
| 8                      | 5.57             | 5.59         | 160             | *            |
| 9                      | 5.57             | 5.493        | 160             | *            |
| 10                     | 5.57             | 5.695        | 160             |              |
| 11                     | 5.57             | 5.635        | 160             | *            |
| 12                     | 5.57             | 5.49         | 160             | *            |
| 13                     | 5.57             | 5.395        | 160             |              |
| 14                     | 5.57             | 5.361        | 160             |              |
| 15                     | 5.57             | 5.309        | 160             |              |
| 16                     | 5.57             | 5.6          | 160             | *            |
| 17                     | 5.57             | 5.5          | 160             | *            |
| 18                     | 5.57             | 5.615        | 160             | *            |
| 19                     | 5.57             | 5.503        | 160             | *            |
| 20                     | 5.57             | 5.409        | 160             |              |
| 21                     | 5.57             | 5.688        | 160             |              |
| 22                     | 5.57             | 5.57         | 160             | *            |
| 23                     | 5.57             | 5.617        | 160             | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.446        | 160             |              |
| 2                      | 5.57             | 5.348        | 160             |              |
| 3                      | 5.57             | 5.72         | 160             |              |
| 4                      | 5.57             | 5.586        | 160             | *            |
| 5                      | 5.57             | 5.329        | 160             |              |
| 6                      | 5.57             | 5.534        | 160             | *            |
| 7                      | 5.57             | 5.563        | 160             | *            |
| 8                      | 5.57             | 5.613        | 160             | *            |
| 9                      | 5.57             | 5.693        | 160             |              |
| 10                     | 5.57             | 5.519        | 160             | *            |
| 11                     | 5.57             | 5.656        | 160             |              |
| 12                     | 5.57             | 5.721        | 160             |              |
| 13                     | 5.57             | 5.272        | 160             |              |
| 14                     | 5.57             | 5.583        | 160             | *            |
| 15                     | 5.57             | 5.6          | 160             | *            |
| 16                     | 5.57             | 5.585        | 160             | *            |
| 17                     | 5.57             | 5.452        | 160             |              |
| 18                     | 5.57             | 5.661        | 160             |              |
| 19                     | 5.57             | 5.404        | 160             |              |
| 20                     | 5.57             | 5.35         | 160             |              |
| 21                     | 5.57             | 5.416        | 160             |              |
| 22                     | 5.57             | 5.686        | 160             |              |
| 23                     | 5.57             | 5.371        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.256        | 160             |              |
| 2                      | 5.57             | 5.299        | 160             |              |
| 3                      | 5.57             | 5.613        | 160             | *            |
| 4                      | 5.57             | 5.383        | 160             |              |
| 5                      | 5.57             | 5.537        | 160             | *            |
| 6                      | 5.57             | 5.442        | 160             |              |
| 7                      | 5.57             | 5.399        | 160             |              |
| 8                      | 5.57             | 5.722        | 160             |              |
| 9                      | 5.57             | 5.499        | 160             | *            |
| 10                     | 5.57             | 5.544        | 160             | *            |
| 11                     | 5.57             | 5.524        | 160             | *            |
| 12                     | 5.57             | 5.53         | 160             | *            |
| 13                     | 5.57             | 5.439        | 160             |              |
| 14                     | 5.57             | 5.28         | 160             |              |
| 15                     | 5.57             | 5.531        | 160             | *            |
| 16                     | 5.57             | 5.431        | 160             |              |
| 17                     | 5.57             | 5.376        | 160             |              |
| 18                     | 5.57             | 5.268        | 160             |              |
| 19                     | 5.57             | 5.474        | 160             |              |
| 20                     | 5.57             | 5.43         | 160             |              |
| 21                     | 5.57             | 5.705        | 160             |              |
| 22                     | 5.57             | 5.651        | 160             |              |
| 23                     | 5.57             | 5.575        | 160             | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.546        | 160             | *            |
| 2                      | 5.57             | 5.714        | 160             |              |
| 3                      | 5.57             | 5.44         | 160             |              |
| 4                      | 5.57             | 5.459        | 160             |              |
| 5                      | 5.57             | 5.505        | 160             | *            |
| 6                      | 5.57             | 5.586        | 160             | *            |
| 7                      | 5.57             | 5.285        | 160             |              |
| 8                      | 5.57             | 5.623        | 160             | *            |
| 9                      | 5.57             | 5.386        | 160             |              |
| 10                     | 5.57             | 5.447        | 160             |              |
| 11                     | 5.57             | 5.299        | 160             |              |
| 12                     | 5.57             | 5.448        | 160             |              |
| 13                     | 5.57             | 5.689        | 160             |              |
| 14                     | 5.57             | 5.269        | 160             |              |
| 15                     | 5.57             | 5.521        | 160             | *            |
| 16                     | 5.57             | 5.7          | 160             |              |
| 17                     | 5.57             | 5.356        | 160             |              |
| 18                     | 5.57             | 5.343        | 160             |              |
| 19                     | 5.57             | 5.304        | 160             |              |
| 20                     | 5.57             | 5.315        | 160             |              |
| 21                     | 5.57             | 5.514        | 160             | *            |
| 22                     | 5.57             | 5.307        | 160             |              |
| 23                     | 5.57             | 5.333        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.578        | 160             | *            |
| 2                      | 5.57             | 5.521        | 160             | *            |
| 3                      | 5.57             | 5.473        | 160             |              |
| 4                      | 5.57             | 5.668        | 160             |              |
| 5                      | 5.57             | 5.343        | 160             |              |
| 6                      | 5.57             | 5.303        | 160             |              |
| 7                      | 5.57             | 5.517        | 160             | *            |
| 8                      | 5.57             | 5.422        | 160             |              |
| 9                      | 5.57             | 5.257        | 160             |              |
| 10                     | 5.57             | 5.52         | 160             | *            |
| 11                     | 5.57             | 5.363        | 160             |              |
| 12                     | 5.57             | 5.477        | 160             |              |
| 13                     | 5.57             | 5.715        | 160             |              |
| 14                     | 5.57             | 5.301        | 160             |              |
| 15                     | 5.57             | 5.274        | 160             |              |
| 16                     | 5.57             | 5.332        | 160             |              |
| 17                     | 5.57             | 5.682        | 160             |              |
| 18                     | 5.57             | 5.491        | 160             | *            |
| 19                     | 5.57             | 5.357        | 160             |              |
| 20                     | 5.57             | 5.546        | 160             | *            |
| 21                     | 5.57             | 5.277        | 160             |              |
| 22                     | 5.57             | 5.438        | 160             |              |
| 23                     | 5.57             | 5.398        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.29         | 160             |              |
| 2                      | 5.57             | 5.407        | 160             |              |
| 3                      | 5.57             | 5.34         | 160             |              |
| 4                      | 5.57             | 5.447        | 160             |              |
| 5                      | 5.57             | 5.299        | 160             |              |
| 6                      | 5.57             | 5.503        | 160             | *            |
| 7                      | 5.57             | 5.293        | 160             |              |
| 8                      | 5.57             | 5.704        | 160             |              |
| 9                      | 5.57             | 5.298        | 160             |              |
| 10                     | 5.57             | 5.537        | 160             | *            |
| 11                     | 5.57             | 5.723        | 160             |              |
| 12                     | 5.57             | 5.457        | 160             |              |
| 13                     | 5.57             | 5.623        | 160             | *            |
| 14                     | 5.57             | 5.67         | 160             |              |
| 15                     | 5.57             | 5.601        | 160             | *            |
| 16                     | 5.57             | 5.674        | 160             |              |
| 17                     | 5.57             | 5.589        | 160             | *            |
| 18                     | 5.57             | 5.599        | 160             | *            |
| 19                     | 5.57             | 5.251        | 160             |              |
| 20                     | 5.57             | 5.371        | 160             |              |
| 21                     | 5.57             | 5.636        | 160             | *            |
| 22                     | 5.57             | 5.603        | 160             | *            |
| 23                     | 5.57             | 5.439        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.661        | 160             |              |
| 2                      | 5.57             | 5.323        | 160             |              |
| 3                      | 5.57             | 5.539        | 160             | *            |
| 4                      | 5.57             | 5.687        | 160             |              |
| 5                      | 5.57             | 5.497        | 160             | *            |
| 6                      | 5.57             | 5.526        | 160             | *            |
| 7                      | 5.57             | 5.631        | 160             | *            |
| 8                      | 5.57             | 5.332        | 160             |              |
| 9                      | 5.57             | 5.511        | 160             | *            |
| 10                     | 5.57             | 5.531        | 160             | *            |
| 11                     | 5.57             | 5.578        | 160             | *            |
| 12                     | 5.57             | 5.491        | 160             | *            |
| 13                     | 5.57             | 5.672        | 160             |              |
| 14                     | 5.57             | 5.716        | 160             |              |
| 15                     | 5.57             | 5.255        | 160             |              |
| 16                     | 5.57             | 5.278        | 160             |              |
| 17                     | 5.57             | 5.597        | 160             | *            |
| 18                     | 5.57             | 5.38         | 160             |              |
| 19                     | 5.57             | 5.534        | 160             | *            |
| 20                     | 5.57             | 5.59         | 160             | *            |
| 21                     | 5.57             | 5.293        | 160             |              |
| 22                     | 5.57             | 5.367        | 160             |              |
| 23                     | 5.57             | 5.51         | 160             | *            |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 17      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.57          | 5.674     | 160          |           |
| 2                      | 5.57          | 5.525     | 160          | *         |
| 3                      | 5.57          | 5.61      | 160          | *         |
| 4                      | 5.57          | 5.256     | 160          |           |
| 5                      | 5.57          | 5.381     | 160          |           |
| 6                      | 5.57          | 5.382     | 160          |           |
| 7                      | 5.57          | 5.608     | 160          | *         |
| 8                      | 5.57          | 5.654     | 160          |           |
| 9                      | 5.57          | 5.268     | 160          |           |
| 10                     | 5.57          | 5.7       | 160          |           |
| 11                     | 5.57          | 5.575     | 160          | *         |
| 12                     | 5.57          | 5.698     | 160          |           |
| 13                     | 5.57          | 5.649     | 160          | *         |
| 14                     | 5.57          | 5.409     | 160          |           |
| 15                     | 5.57          | 5.374     | 160          |           |
| 16                     | 5.57          | 5.316     | 160          |           |
| 17                     | 5.57          | 5.387     | 160          |           |
| 18                     | 5.57          | 5.714     | 160          |           |
| 19                     | 5.57          | 5.668     | 160          |           |
| 20                     | 5.57          | 5.44      | 160          |           |
| 21                     | 5.57          | 5.405     | 160          |           |
| 22                     | 5.57          | 5.508     | 160          | *         |
| 23                     | 5.57          | 5.335     | 160          |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.454        | 160             |              |
| 2                      | 5.57             | 5.598        | 160             | *            |
| 3                      | 5.57             | 5.596        | 160             | *            |
| 4                      | 5.57             | 5.653        | 160             |              |
| 5                      | 5.57             | 5.621        | 160             | *            |
| 6                      | 5.57             | 5.338        | 160             |              |
| 7                      | 5.57             | 5.318        | 160             |              |
| 8                      | 5.57             | 5.336        | 160             |              |
| 9                      | 5.57             | 5.575        | 160             | *            |
| 10                     | 5.57             | 5.555        | 160             | *            |
| 11                     | 5.57             | 5.6          | 160             | *            |
| 12                     | 5.57             | 5.392        | 160             |              |
| 13                     | 5.57             | 5.49         | 160             | *            |
| 14                     | 5.57             | 5.558        | 160             | *            |
| 15                     | 5.57             | 5.658        | 160             |              |
| 16                     | 5.57             | 5.449        | 160             |              |
| 17                     | 5.57             | 5.674        | 160             |              |
| 18                     | 5.57             | 5.307        | 160             |              |
| 19                     | 5.57             | 5.471        | 160             |              |
| 20                     | 5.57             | 5.567        | 160             | *            |
| 21                     | 5.57             | 5.576        | 160             | *            |
| 22                     | 5.57             | 5.51         | 160             | *            |
| 23                     | 5.57             | 5.41         | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.532        | 160             | *            |
| 2                      | 5.57             | 5.315        | 160             |              |
| 3                      | 5.57             | 5.492        | 160             | *            |
| 4                      | 5.57             | 5.397        | 160             |              |
| 5                      | 5.57             | 5.525        | 160             | *            |
| 6                      | 5.57             | 5.61         | 160             | *            |
| 7                      | 5.57             | 5.454        | 160             |              |
| 8                      | 5.57             | 5.424        | 160             |              |
| 9                      | 5.57             | 5.571        | 160             | *            |
| 10                     | 5.57             | 5.311        | 160             |              |
| 11                     | 5.57             | 5.328        | 160             |              |
| 12                     | 5.57             | 5.264        | 160             |              |
| 13                     | 5.57             | 5.305        | 160             |              |
| 14                     | 5.57             | 5.566        | 160             | *            |
| 15                     | 5.57             | 5.58         | 160             | *            |
| 16                     | 5.57             | 5.512        | 160             | *            |
| 17                     | 5.57             | 5.485        | 160             |              |
| 18                     | 5.57             | 5.437        | 160             |              |
| 19                     | 5.57             | 5.25         | 160             |              |
| 20                     | 5.57             | 5.526        | 160             | *            |
| 21                     | 5.57             | 5.527        | 160             | *            |
| 22                     | 5.57             | 5.584        | 160             | *            |
| 23                     | 5.57             | 5.303        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.48         | 160             |              |
| 2                      | 5.57             | 5.479        | 160             |              |
| 3                      | 5.57             | 5.717        | 160             |              |
| 4                      | 5.57             | 5.601        | 160             | *            |
| 5                      | 5.57             | 5.297        | 160             |              |
| 6                      | 5.57             | 5.533        | 160             | *            |
| 7                      | 5.57             | 5.602        | 160             | *            |
| 8                      | 5.57             | 5.661        | 160             |              |
| 9                      | 5.57             | 5.556        | 160             | *            |
| 10                     | 5.57             | 5.397        | 160             |              |
| 11                     | 5.57             | 5.66         | 160             |              |
| 12                     | 5.57             | 5.434        | 160             |              |
| 13                     | 5.57             | 5.632        | 160             | *            |
| 14                     | 5.57             | 5.374        | 160             |              |
| 15                     | 5.57             | 5.692        | 160             |              |
| 16                     | 5.57             | 5.674        | 160             |              |
| 17                     | 5.57             | 5.569        | 160             | *            |
| 18                     | 5.57             | 5.72         | 160             |              |
| 19                     | 5.57             | 5.633        | 160             | *            |
| 20                     | 5.57             | 5.457        | 160             |              |
| 21                     | 5.57             | 5.356        | 160             |              |
| 22                     | 5.57             | 5.349        | 160             |              |
| 23                     | 5.57             | 5.422        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.305        | 160             |              |
| 2                      | 5.57             | 5.364        | 160             |              |
| 3                      | 5.57             | 5.708        | 160             |              |
| 4                      | 5.57             | 5.336        | 160             |              |
| 5                      | 5.57             | 5.295        | 160             |              |
| 6                      | 5.57             | 5.405        | 160             |              |
| 7                      | 5.57             | 5.695        | 160             |              |
| 8                      | 5.57             | 5.316        | 160             |              |
| 9                      | 5.57             | 5.677        | 160             |              |
| 10                     | 5.57             | 5.433        | 160             |              |
| 11                     | 5.57             | 5.425        | 160             |              |
| 12                     | 5.57             | 5.632        | 160             | *            |
| 13                     | 5.57             | 5.586        | 160             | *            |
| 14                     | 5.57             | 5.666        | 160             |              |
| 15                     | 5.57             | 5.618        | 160             | *            |
| 16                     | 5.57             | 5.458        | 160             |              |
| 17                     | 5.57             | 5.259        | 160             |              |
| 18                     | 5.57             | 5.7          | 160             |              |
| 19                     | 5.57             | 5.633        | 160             | *            |
| 20                     | 5.57             | 5.271        | 160             |              |
| 21                     | 5.57             | 5.382        | 160             |              |
| 22                     | 5.57             | 5.492        | 160             | *            |
| 23                     | 5.57             | 5.344        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.561        | 160             | *            |
| 2                      | 5.57             | 5.485        | 160             |              |
| 3                      | 5.57             | 5.514        | 160             | *            |
| 4                      | 5.57             | 5.54         | 160             | *            |
| 5                      | 5.57             | 5.488        | 160             |              |
| 6                      | 5.57             | 5.625        | 160             | *            |
| 7                      | 5.57             | 5.713        | 160             |              |
| 8                      | 5.57             | 5.339        | 160             |              |
| 9                      | 5.57             | 5.307        | 160             |              |
| 10                     | 5.57             | 5.596        | 160             | *            |
| 11                     | 5.57             | 5.583        | 160             | *            |
| 12                     | 5.57             | 5.348        | 160             |              |
| 13                     | 5.57             | 5.57         | 160             | *            |
| 14                     | 5.57             | 5.373        | 160             |              |
| 15                     | 5.57             | 5.689        | 160             |              |
| 16                     | 5.57             | 5.437        | 160             |              |
| 17                     | 5.57             | 5.389        | 160             |              |
| 18                     | 5.57             | 5.642        | 160             | *            |
| 19                     | 5.57             | 5.594        | 160             | *            |
| 20                     | 5.57             | 5.68         | 160             |              |
| 21                     | 5.57             | 5.686        | 160             |              |
| 22                     | 5.57             | 5.506        | 160             | *            |
| 23                     | 5.57             | 5.291        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.547        | 160             | *            |
| 2                      | 5.57             | 5.461        | 160             |              |
| 3                      | 5.57             | 5.396        | 160             |              |
| 4                      | 5.57             | 5.6          | 160             | *            |
| 5                      | 5.57             | 5.495        | 160             | *            |
| 6                      | 5.57             | 5.458        | 160             |              |
| 7                      | 5.57             | 5.663        | 160             |              |
| 8                      | 5.57             | 5.67         | 160             |              |
| 9                      | 5.57             | 5.693        | 160             |              |
| 10                     | 5.57             | 5.432        | 160             |              |
| 11                     | 5.57             | 5.459        | 160             |              |
| 12                     | 5.57             | 5.42         | 160             |              |
| 13                     | 5.57             | 5.699        | 160             |              |
| 14                     | 5.57             | 5.378        | 160             |              |
| 15                     | 5.57             | 5.541        | 160             | *            |
| 16                     | 5.57             | 5.498        | 160             | *            |
| 17                     | 5.57             | 5.443        | 160             |              |
| 18                     | 5.57             | 5.642        | 160             | *            |
| 19                     | 5.57             | 5.259        | 160             |              |
| 20                     | 5.57             | 5.584        | 160             | *            |
| 21                     | 5.57             | 5.48         | 160             |              |
| 22                     | 5.57             | 5.425        | 160             |              |
| 23                     | 5.57             | 5.594        | 160             | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.39         | 160             |              |
| 2                      | 5.57             | 5.391        | 160             |              |
| 3                      | 5.57             | 5.638        | 160             | *            |
| 4                      | 5.57             | 5.342        | 160             |              |
| 5                      | 5.57             | 5.257        | 160             |              |
| 6                      | 5.57             | 5.461        | 160             |              |
| 7                      | 5.57             | 5.606        | 160             | *            |
| 8                      | 5.57             | 5.469        | 160             |              |
| 9                      | 5.57             | 5.717        | 160             |              |
| 10                     | 5.57             | 5.564        | 160             | *            |
| 11                     | 5.57             | 5.302        | 160             |              |
| 12                     | 5.57             | 5.382        | 160             |              |
| 13                     | 5.57             | 5.356        | 160             |              |
| 14                     | 5.57             | 5.507        | 160             | *            |
| 15                     | 5.57             | 5.334        | 160             |              |
| 16                     | 5.57             | 5.43         | 160             |              |
| 17                     | 5.57             | 5.251        | 160             |              |
| 18                     | 5.57             | 5.354        | 160             |              |
| 19                     | 5.57             | 5.547        | 160             | *            |
| 20                     | 5.57             | 5.392        | 160             |              |
| 21                     | 5.57             | 5.413        | 160             |              |
| 22                     | 5.57             | 5.693        | 160             |              |
| 23                     | 5.57             | 5.447        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.368        | 160             |              |
| 2                      | 5.57             | 5.676        | 160             |              |
| 3                      | 5.57             | 5.311        | 160             |              |
| 4                      | 5.57             | 5.413        | 160             |              |
| 5                      | 5.57             | 5.342        | 160             |              |
| 6                      | 5.57             | 5.331        | 160             |              |
| 7                      | 5.57             | 5.336        | 160             |              |
| 8                      | 5.57             | 5.558        | 160             | *            |
| 9                      | 5.57             | 5.43         | 160             |              |
| 10                     | 5.57             | 5.651        | 160             |              |
| 11                     | 5.57             | 5.314        | 160             |              |
| 12                     | 5.57             | 5.405        | 160             |              |
| 13                     | 5.57             | 5.631        | 160             | *            |
| 14                     | 5.57             | 5.648        | 160             | *            |
| 15                     | 5.57             | 5.633        | 160             | *            |
| 16                     | 5.57             | 5.392        | 160             |              |
| 17                     | 5.57             | 5.36         | 160             |              |
| 18                     | 5.57             | 5.63         | 160             | *            |
| 19                     | 5.57             | 5.52         | 160             | *            |
| 20                     | 5.57             | 5.529        | 160             | *            |
| 21                     | 5.57             | 5.523        | 160             | *            |
| 22                     | 5.57             | 5.579        | 160             | *            |
| 23                     | 5.57             | 5.438        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.409        | 160             |              |
| 2                      | 5.57             | 5.576        | 160             | *            |
| 3                      | 5.57             | 5.465        | 160             |              |
| 4                      | 5.57             | 5.403        | 160             |              |
| 5                      | 5.57             | 5.411        | 160             |              |
| 6                      | 5.57             | 5.562        | 160             | *            |
| 7                      | 5.57             | 5.706        | 160             |              |
| 8                      | 5.57             | 5.379        | 160             |              |
| 9                      | 5.57             | 5.678        | 160             |              |
| 10                     | 5.57             | 5.41         | 160             |              |
| 11                     | 5.57             | 5.317        | 160             |              |
| 12                     | 5.57             | 5.724        | 160             |              |
| 13                     | 5.57             | 5.428        | 160             |              |
| 14                     | 5.57             | 5.601        | 160             | *            |
| 15                     | 5.57             | 5.274        | 160             |              |
| 16                     | 5.57             | 5.343        | 160             |              |
| 17                     | 5.57             | 5.517        | 160             | *            |
| 18                     | 5.57             | 5.613        | 160             | *            |
| 19                     | 5.57             | 5.256        | 160             |              |
| 20                     | 5.57             | 5.258        | 160             |              |
| 21                     | 5.57             | 5.458        | 160             |              |
| 22                     | 5.57             | 5.605        | 160             | *            |
| 23                     | 5.57             | 5.265        | 160             |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 27      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.57          | 5.3       | 160          |           |
| 2                      | 5.57          | 5.598     | 160          | *         |
| 3                      | 5.57          | 5.262     | 160          |           |
| 4                      | 5.57          | 5.573     | 160          | *         |
| 5                      | 5.57          | 5.443     | 160          |           |
| 6                      | 5.57          | 5.615     | 160          | *         |
| 7                      | 5.57          | 5.475     | 160          |           |
| 8                      | 5.57          | 5.36      | 160          |           |
| 9                      | 5.57          | 5.529     | 160          | *         |
| 10                     | 5.57          | 5.696     | 160          |           |
| 11                     | 5.57          | 5.383     | 160          |           |
| 12                     | 5.57          | 5.553     | 160          | *         |
| 13                     | 5.57          | 5.438     | 160          |           |
| 14                     | 5.57          | 5.301     | 160          |           |
| 15                     | 5.57          | 5.283     | 160          |           |
| 16                     | 5.57          | 5.494     | 160          | *         |
| 17                     | 5.57          | 5.632     | 160          | *         |
| 18                     | 5.57          | 5.665     | 160          |           |
| 19                     | 5.57          | 5.299     | 160          |           |
| 20                     | 5.57          | 5.397     | 160          |           |
| 21                     | 5.57          | 5.579     | 160          | *         |
| 22                     | 5.57          | 5.368     | 160          |           |
| 23                     | 5.57          | 5.61      | 160          | *         |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.469        | 160             |              |
| 2                      | 5.57             | 5.674        | 160             |              |
| 3                      | 5.57             | 5.318        | 160             |              |
| 4                      | 5.57             | 5.252        | 160             |              |
| 5                      | 5.57             | 5.441        | 160             |              |
| 6                      | 5.57             | 5.606        | 160             | *            |
| 7                      | 5.57             | 5.547        | 160             | *            |
| 8                      | 5.57             | 5.632        | 160             | *            |
| 9                      | 5.57             | 5.42         | 160             |              |
| 10                     | 5.57             | 5.479        | 160             |              |
| 11                     | 5.57             | 5.71         | 160             |              |
| 12                     | 5.57             | 5.642        | 160             | *            |
| 13                     | 5.57             | 5.672        | 160             |              |
| 14                     | 5.57             | 5.433        | 160             |              |
| 15                     | 5.57             | 5.614        | 160             | *            |
| 16                     | 5.57             | 5.581        | 160             | *            |
| 17                     | 5.57             | 5.497        | 160             | *            |
| 18                     | 5.57             | 5.595        | 160             | *            |
| 19                     | 5.57             | 5.438        | 160             |              |
| 20                     | 5.57             | 5.514        | 160             | *            |
| 21                     | 5.57             | 5.532        | 160             | *            |
| 22                     | 5.57             | 5.556        | 160             | *            |
| 23                     | 5.57             | 5.471        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.443        | 160             |              |
| 2                      | 5.57             | 5.29         | 160             |              |
| 3                      | 5.57             | 5.286        | 160             |              |
| 4                      | 5.57             | 5.565        | 160             | *            |
| 5                      | 5.57             | 5.459        | 160             |              |
| 6                      | 5.57             | 5.676        | 160             |              |
| 7                      | 5.57             | 5.547        | 160             | *            |
| 8                      | 5.57             | 5.509        | 160             | *            |
| 9                      | 5.57             | 5.568        | 160             | *            |
| 10                     | 5.57             | 5.606        | 160             | *            |
| 11                     | 5.57             | 5.371        | 160             |              |
| 12                     | 5.57             | 5.36         | 160             |              |
| 13                     | 5.57             | 5.345        | 160             |              |
| 14                     | 5.57             | 5.467        | 160             |              |
| 15                     | 5.57             | 5.642        | 160             | *            |
| 16                     | 5.57             | 5.648        | 160             | *            |
| 17                     | 5.57             | 5.682        | 160             |              |
| 18                     | 5.57             | 5.671        | 160             |              |
| 19                     | 5.57             | 5.375        | 160             |              |
| 20                     | 5.57             | 5.337        | 160             |              |
| 21                     | 5.57             | 5.693        | 160             |              |
| 22                     | 5.57             | 5.617        | 160             | *            |
| 23                     | 5.57             | 5.331        | 160             |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.57             | 5.435        | 160             |              |
| 2                      | 5.57             | 5.716        | 160             |              |
| 3                      | 5.57             | 5.268        | 160             |              |
| 4                      | 5.57             | 5.341        | 160             |              |
| 5                      | 5.57             | 5.664        | 160             |              |
| 6                      | 5.57             | 5.529        | 160             | *            |
| 7                      | 5.57             | 5.718        | 160             |              |
| 8                      | 5.57             | 5.502        | 160             | *            |
| 9                      | 5.57             | 5.693        | 160             |              |
| 10                     | 5.57             | 5.319        | 160             |              |
| 11                     | 5.57             | 5.568        | 160             | *            |
| 12                     | 5.57             | 5.566        | 160             | *            |
| 13                     | 5.57             | 5.456        | 160             |              |
| 14                     | 5.57             | 5.307        | 160             |              |
| 15                     | 5.57             | 5.358        | 160             |              |
| 16                     | 5.57             | 5.286        | 160             |              |
| 17                     | 5.57             | 5.614        | 160             | *            |
| 18                     | 5.57             | 5.397        | 160             |              |
| 19                     | 5.57             | 5.584        | 160             | *            |
| 20                     | 5.57             | 5.34         | 160             |              |
| 21                     | 5.57             | 5.56         | 160             | *            |
| 22                     | 5.57             | 5.627        | 160             | *            |
| 23                     | 5.57             | 5.538        | 160             | *            |

## Mode 1 – 802.11ax20

| Total Type 1~4 Radar Statistical Performance (5500MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 86.67                    | >60%      | Pass   |
| 2                                                      | 93.33                    | >60%      | Pass   |
| 3                                                      | 86.67                    | >60%      | Pass   |
| 4                                                      | 80.00                    | >60%      | Pass   |
| Total Type 1~4                                         | 86.67                    | >80%      | Pass   |
| 5                                                      | 90.00                    | ≥80%      | Pass   |
| 6                                                      | 93.33                    | ≥70%      | Pass   |

## Mode 2 – 802.11ax40

| Total Type 1~4 Radar Statistical Performance (5510MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 90.00                    | >60%      | Pass   |
| 2                                                      | 90.00                    | >60%      | Pass   |
| 3                                                      | 73.33                    | >60%      | Pass   |
| 4                                                      | 70.00                    | >60%      | Pass   |
| Total Type 1~4                                         | 80.83                    | >80%      | Pass   |
| 5                                                      | 86.67                    | ≥80%      | Pass   |
| 6                                                      | 96.67                    | ≥70%      | Pass   |

## Mode 3 – 802.11ax80

| Total Type 1~4 Radar Statistical Performance (5530MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 86.67                    | >60%      | Pass   |
| 2                                                      | 93.33                    | >60%      | Pass   |
| 3                                                      | 73.33                    | >60%      | Pass   |
| 4                                                      | 70.00                    | >60%      | Pass   |
| Total Type 1~4                                         | 80.83                    | >80%      | Pass   |
| 5                                                      | 83.33                    | ≥80%      | Pass   |
| 6                                                      | 93.33                    | ≥70%      | Pass   |

Mode 4 – 802.11ax160

| Total Type 1~4 Radar Statistical Performance (5570MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 90.00                    | >60%      | Pass   |
| 2                                                      | 90.00                    | >60%      | Pass   |
| 3                                                      | 80.00                    | >60%      | Pass   |
| 4                                                      | 66.67                    | >60%      | Pass   |
| Total Type 1~4                                         | 81.67                    | >80%      | Pass   |
| 5                                                      | 83.33                    | ≥80%      | Pass   |
| 6                                                      | 96.67                    | ≥70%      | Pass   |