


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.902G	49.62	68.20	-18.58	5.62	3	Vertical	9	2.93	44.00	34.30	5.85	34.53
AV	5.9656G	87.14	Inf	-Inf	5.52	3	Vertical	9	2.93	81.62	34.17	5.87	34.52
PK	5.8984G	57.61	88.20	-30.59	5.60	3	Vertical	9	2.93	52.01	34.29	5.84	34.53
PK	5.9683G	95.84	Inf	-Inf	5.52	3	Vertical	9	2.93	90.32	34.16	5.88	34.52

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	49.46	68.20	-18.74	5.50	3	Horizontal	40	1.00	43.96	34.20	5.83	34.53
AV	5.9665G	91.18	Inf	-Inf	5.52	3	Horizontal	40	1.00	85.66	34.17	5.87	34.52
PK	5.8906G	58.22	88.20	-29.98	5.57	3	Horizontal	40	1.00	52.65	34.26	5.84	34.53
PK	5.9662G	98.19	Inf	-Inf	5.52	3	Horizontal	40	1.00	92.67	34.17	5.87	34.52



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32662G	44.78	54.00	-9.22	12.93	3	Vertical	355	2.26	31.85	38.87	8.56	34.50
AV	18.49754G	34.20	54.00	-19.80	-14.24	3	Vertical	287	1.92	48.44	37.90	10.60	53.20
PK	12.32974G	53.12	74.00	-20.88	12.93	3	Vertical	355	2.26	40.19	38.87	8.56	34.50
PK	18.50308G	41.57	74.00	-32.43	-14.23	3	Vertical	287	1.92	55.80	37.90	10.61	53.20

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33356G	45.02	54.00	-8.98	12.94	3	Horizontal	5	1.28	32.08	38.87	8.57	34.50
AV	18.50066G	34.41	54.00	-19.59	-14.23	3	Horizontal	193	1.08	48.64	37.90	10.61	53.20
PK	12.33176G	53.54	74.00	-20.46	12.93	3	Horizontal	5	1.28	40.61	38.87	8.56	34.50
PK	18.495G	41.73	74.00	-32.27	-14.25	3	Horizontal	193	1.08	55.98	37.90	10.60	53.21



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80804G	45.98	68.20	-22.22	14.26	3	Vertical	181	1.64	31.72	39.41	8.69	33.84
AV	19.22212G	34.25	54.00	-19.75	-13.75	3	Vertical	340	2.28	48.00	37.78	10.83	52.82
PK	12.81271G	54.10	88.20	-34.10	14.26	3	Vertical	181	1.64	39.84	39.41	8.69	33.84
PK	19.21862G	42.94	74.00	-31.06	-13.77	3	Vertical	340	2.28	56.71	37.77	10.83	52.83

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81467G	45.74	68.20	-22.46	14.27	3	Horizontal	220	1.53	31.47	39.41	8.69	33.83
AV	19.21076G	34.71	54.00	-19.29	-13.79	3	Horizontal	353	1.49	48.50	37.77	10.83	52.85
PK	12.80862G	53.82	88.20	-34.38	14.26	3	Horizontal	220	1.53	39.56	39.41	8.69	33.84
PK	19.21386G	42.10	74.00	-31.90	-13.78	3	Horizontal	353	1.49	55.88	37.77	10.83	52.84



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89435G	45.69	68.20	-22.51	14.51	3	Vertical	276	1.22	31.18	39.49	8.71	33.69
AV	19.33056G	35.79	54.00	-18.21	-13.39	3	Vertical	130	2.22	49.18	37.83	10.86	52.54
PK	12.88568G	55.24	88.20	-32.96	14.49	3	Vertical	276	1.22	40.75	39.49	8.71	33.71
PK	19.34356G	41.99	74.00	-32.01	-13.34	3	Vertical	130	2.22	55.33	37.84	10.87	52.51

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89181G	46.77	68.20	-21.43	14.50	3	Horizontal	249	1.10	32.27	39.49	8.71	33.70
AV	19.3277G	35.26	54.00	-18.74	-13.40	3	Horizontal	74	2.80	48.66	37.83	10.86	52.55
PK	12.89443G	53.95	88.20	-34.25	14.51	3	Horizontal	249	1.10	39.44	39.49	8.71	33.69
PK	19.34264G	42.58	74.00	-31.42	-13.34	3	Horizontal	74	2.80	55.92	37.84	10.87	52.51



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97039G	45.86	68.20	-22.34	14.74	3	Vertical	153	2.18	31.12	39.57	8.73	33.56
AV	19.45536G	34.90	54.00	-19.10	-12.98	3	Vertical	329	2.71	47.88	37.88	10.90	52.22
PK	12.96737G	53.48	88.20	-34.72	14.73	3	Vertical	153	2.18	38.75	39.57	8.73	33.57
PK	19.45278G	42.71	74.00	-31.29	-12.98	3	Vertical	329	2.71	55.69	37.88	10.90	52.22

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96702G	45.96	68.20	-22.24	14.73	3	Horizontal	150	2.14	31.23	39.57	8.73	33.57
AV	19.45752G	35.14	54.00	-18.86	-12.97	3	Horizontal	354	1.43	48.11	37.88	10.90	52.21
PK	12.9654G	53.70	88.20	-34.50	14.73	3	Horizontal	150	2.14	38.97	39.57	8.73	33.57
PK	19.4582G	42.40	74.00	-31.60	-12.97	3	Horizontal	354	1.43	55.37	37.88	10.90	52.21



6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6525MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04597G	45.68	68.20	-22.52	14.92	3	Vertical	303	2.48	30.76	39.60	8.75	33.43
AV	19.5792G	34.89	54.00	-19.11	-13.00	3	Vertical	127	1.68	47.89	37.87	10.94	52.27
PK	13.05393G	54.78	88.20	-33.42	14.93	3	Vertical	303	2.48	39.85	39.60	8.75	33.42
PK	19.56872G	42.22	74.00	-31.78	-12.98	3	Vertical	127	1.68	55.20	37.87	10.94	52.25

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6525MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05481G	45.78	68.20	-22.42	14.93	3	Horizontal	130	1.01	30.85	39.60	8.75	33.42
AV	19.56566G	34.66	54.00	-19.34	-12.97	3	Horizontal	57	2.75	47.63	37.87	10.94	52.24
PK	13.04825G	54.47	88.20	-33.73	14.92	3	Horizontal	130	1.01	39.55	39.60	8.75	33.43
PK	19.57382G	42.67	74.00	-31.33	-12.99	3	Horizontal	57	2.75	55.66	37.87	10.94	52.26



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13282G	45.78	68.20	-22.42	15.01	3	Vertical	37	1.18	30.77	39.53	8.77	33.29
AV	19.6932G	34.08	54.00	-19.92	-13.28	3	Vertical	242	2.87	47.36	37.82	10.97	52.53
PK	13.13477G	54.05	88.20	-34.15	15.01	3	Vertical	37	1.18	39.04	39.53	8.77	33.29
PK	19.69232G	41.16	74.00	-32.84	-13.27	3	Vertical	242	2.87	54.43	37.82	10.97	52.52

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13237G	46.84	68.20	-21.36	15.02	3	Horizontal	312	1.30	31.82	39.54	8.77	33.29
AV	19.70436G	34.17	54.00	-19.83	-13.29	3	Horizontal	252	2.08	47.46	37.82	10.98	52.55
PK	13.12527G	54.61	88.20	-33.59	15.02	3	Horizontal	312	1.30	39.59	39.55	8.77	33.30
PK	19.68712G	41.73	74.00	-32.27	-13.25	3	Horizontal	252	2.08	54.98	37.83	10.97	52.51



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3673G	46.11	54.00	-7.89	15.76	3	Vertical	142	2.79	30.35	39.84	8.83	32.91
AV	20.0511G	35.12	54.00	-18.88	-13.82	3	Vertical	221	1.95	48.94	37.82	11.08	53.18
PK	13.37103G	54.75	74.00	-19.25	15.79	3	Vertical	142	2.79	38.96	39.86	8.83	32.90
PK	20.05362G	42.36	74.00	-31.64	-13.82	3	Vertical	221	1.95	56.18	37.82	11.08	53.18

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37061G	45.86	54.00	-8.14	15.78	3	Horizontal	127	2.52	30.08	39.85	8.83	32.90
AV	20.06418G	35.30	54.00	-18.70	-13.80	3	Horizontal	288	1.53	49.10	37.83	11.08	53.17
PK	13.37424G	54.53	74.00	-19.47	15.80	3	Horizontal	127	2.52	38.73	39.87	8.83	32.90
PK	20.0453G	41.07	74.00	-32.93	-13.82	3	Horizontal	288	1.53	54.89	37.82	11.08	53.18



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68738G	46.88	68.20	-21.32	16.18	3	Vertical	301	1.94	30.70	40.03	8.91	32.76
AV	20.5315G	34.77	54.00	-19.23	-13.49	3	Vertical	60	1.80	48.26	37.89	11.18	53.02
PK	13.68503G	54.87	88.20	-33.33	16.18	3	Vertical	301	1.94	38.69	40.03	8.91	32.76
PK	20.53742G	41.21	74.00	-32.79	-13.48	3	Vertical	60	1.80	54.69	37.89	11.19	53.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68563G	46.97	68.20	-21.23	16.18	3	Horizontal	315	2.46	30.79	40.03	8.91	32.76
AV	20.54348G	34.78	54.00	-19.22	-13.50	3	Horizontal	194	1.96	48.28	37.88	11.19	53.03
PK	13.69361G	55.06	88.20	-33.14	16.16	3	Horizontal	315	2.46	38.90	40.01	8.91	32.76
PK	20.54232G	42.37	74.00	-31.63	-13.50	3	Horizontal	194	1.96	55.87	37.88	11.19	53.03



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76506G	46.42	68.20	-21.78	16.21	3	Vertical	26	1.80	30.21	40.07	8.93	32.79
AV	20.64896G	35.36	54.00	-18.64	-13.58	3	Vertical	142	2.07	48.94	37.84	11.21	53.09
PK	13.76803G	56.06	88.20	-32.14	16.21	3	Vertical	26	1.80	39.85	40.07	8.93	32.79
PK	20.65374G	40.97	74.00	-33.03	-13.58	3	Vertical	142	2.07	54.55	37.84	11.21	53.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77178G	46.98	68.20	-21.22	16.21	3	Horizontal	304	2.33	30.77	40.07	8.93	32.79
AV	20.66804G	35.26	54.00	-18.74	-13.60	3	Horizontal	35	2.71	48.86	37.83	11.21	53.10
PK	13.77382G	55.47	88.20	-32.73	16.21	3	Horizontal	304	2.33	39.26	40.07	8.93	32.79
PK	20.65916G	42.10	74.00	-31.90	-13.59	3	Horizontal	35	2.71	55.69	37.84	11.21	53.10



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84935G	46.49	68.20	-21.71	16.33	3	Vertical	240	1.79	30.16	40.20	8.95	32.82
AV	20.7794G	35.58	54.00	-18.42	-13.61	3	Vertical	333	1.64	49.19	37.86	11.24	53.17
PK	13.8517G	55.23	88.20	-32.97	16.33	3	Vertical	240	1.79	38.90	40.20	8.95	32.82
PK	20.7768G	41.23	74.00	-32.77	-13.62	3	Vertical	333	1.64	54.85	37.85	11.24	53.17

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85414G	46.82	68.20	-21.38	16.34	3	Horizontal	183	2.48	30.48	40.21	8.95	32.82
AV	20.78768G	35.72	54.00	-18.28	-13.59	3	Horizontal	269	2.43	49.31	37.88	11.24	53.17
PK	13.84838G	55.59	88.20	-32.61	16.33	3	Horizontal	183	2.48	39.26	40.20	8.95	32.82
PK	20.79216G	41.19	74.00	-32.81	-13.60	3	Horizontal	269	2.43	54.79	37.88	11.24	53.18



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00536G	47.22	68.20	-20.98	16.42	3	Vertical	7	2.96	30.80	40.32	8.99	32.89
AV	21.01848G	35.94	54.00	-18.06	-13.25	3	Vertical	224	1.69	49.19	38.31	11.29	53.31
PK	14.01094G	55.44	88.20	-32.76	16.43	3	Vertical	7	2.96	39.01	40.33	8.99	32.89
PK	21.02184G	42.39	74.00	-31.61	-13.26	3	Vertical	224	1.69	55.65	38.31	11.29	53.32

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01444G	47.28	68.20	-20.92	16.43	3	Horizontal	120	2.01	30.85	40.34	8.99	32.90
AV	21.00164G	36.91	54.00	-17.09	-13.25	3	Horizontal	360	1.11	50.16	38.30	11.29	53.30
PK	14.00688G	55.63	88.20	-32.57	16.42	3	Horizontal	120	2.01	39.21	40.32	8.99	32.89
PK	21.02388G	43.24	74.00	-30.76	-13.26	3	Horizontal	360	1.11	56.50	38.31	11.29	53.32



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	86.26	Inf	-Inf	7.98	3	Vertical	10	2.97	78.28	36.22	6.51	34.75
AV	7.1549G	52.41	68.20	-15.79	8.51	3	Vertical	10	2.97	43.90	36.71	6.56	34.76
PK	7.0871G	93.43	Inf	-Inf	7.98	3	Vertical	10	2.97	85.45	36.22	6.51	34.75
PK	7.2287G	60.19	88.20	-28.01	8.63	3	Vertical	10	2.97	51.56	36.80	6.60	34.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0877G	88.37	Inf	-Inf	7.99	3	Horizontal	326	1.06	80.38	36.23	6.51	34.75
AV	7.151G	52.56	68.20	-15.64	8.50	3	Horizontal	326	1.06	44.06	36.70	6.56	34.76
PK	7.0877G	95.41	Inf	-Inf	7.99	3	Horizontal	326	1.06	87.42	36.23	6.51	34.75
PK	7.1894G	59.62	88.20	-28.58	8.60	3	Horizontal	326	1.06	51.02	36.78	6.58	34.76



6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17219G	47.43	68.20	-20.77	16.49	3	Vertical	132	1.43	30.94	40.53	9.05	33.09
AV	21.24284G	35.63	54.00	-18.37	-13.29	3	Vertical	21	1.10	48.92	38.40	11.34	53.49
PK	14.17386G	55.78	88.20	-32.42	16.49	3	Vertical	132	1.43	39.29	40.53	9.05	33.09
PK	21.26984G	42.97	74.00	-31.03	-13.34	3	Vertical	21	1.10	56.31	38.38	11.34	53.52

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16505G	47.47	68.20	-20.73	16.50	3	Horizontal	92	1.59	30.97	40.53	9.05	33.08
AV	21.26616G	36.04	54.00	-17.96	-13.32	3	Horizontal	214	2.35	49.36	38.39	11.34	53.51
PK	14.16649G	55.46	88.20	-32.74	16.50	3	Horizontal	92	1.59	38.96	40.53	9.05	33.08
PK	21.25084G	41.57	74.00	-32.43	-13.30	3	Horizontal	214	2.35	54.87	38.40	11.34	53.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6065MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.897G	49.41	68.20	-18.79	5.60	3	Vertical	347	3.00	43.81	34.29	5.84	34.53
AV	6.07G	84.52	Inf	-Inf	5.49	3	Vertical	347	3.00	79.03	34.06	5.94	34.51
PK	5.9235G	57.06	88.20	-31.14	5.58	3	Vertical	347	3.00	51.48	34.25	5.86	34.53
PK	6.0455G	92.31	Inf	-Inf	5.50	3	Vertical	347	3.00	86.81	34.10	5.92	34.52

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6065MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8555G	49.50	68.20	-18.70	5.41	3	Horizontal	44	1.00	44.09	34.12	5.82	34.53
AV	6.0675G	90.47	Inf	-Inf	5.50	3	Horizontal	44	1.00	84.97	34.07	5.94	34.51
PK	5.8585G	57.69	88.20	-30.51	5.43	3	Horizontal	44	1.00	52.26	34.13	5.83	34.53
PK	6.053G	96.70	Inf	-Inf	5.51	3	Horizontal	44	1.00	91.19	34.09	5.93	34.51



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6065MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.15752G	42.22	54.00	-11.78	12.86	3	Vertical	350	1.57	29.36	38.96	8.52	34.62
AV	18.18596G	33.42	54.00	-20.58	-14.95	3	Vertical	156	1.51	48.37	37.85	10.51	53.77
PK	12.10968G	51.91	74.00	-22.09	12.77	3	Vertical	350	1.57	39.14	38.91	8.51	34.65
PK	18.18208G	40.89	74.00	-33.11	-14.95	3	Vertical	156	1.51	55.84	37.85	10.51	53.77

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6065MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.1584G	42.24	54.00	-11.76	12.86	3	Horizontal	8	2.61	29.38	38.96	8.52	34.62
AV	18.2146G	33.84	54.00	-20.16	-14.90	3	Horizontal	121	1.27	48.74	37.83	10.52	53.71
PK	12.1556G	52.48	74.00	-21.52	12.86	3	Horizontal	8	2.61	39.62	38.96	8.52	34.62
PK	18.2062G	42.12	74.00	-31.88	-14.92	3	Horizontal	121	1.27	57.04	37.84	10.51	53.73



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29417G	45.03	54.00	-8.97	12.95	3	Vertical	223	1.34	32.08	38.91	8.56	34.52
AV	18.4386G	34.42	54.00	-19.58	-14.38	3	Vertical	119	1.05	48.80	37.88	10.59	53.31
PK	12.28855G	54.01	74.00	-19.99	12.93	3	Vertical	223	1.34	41.08	38.91	8.55	34.53
PK	18.4386G	40.10	74.00	-33.90	-14.38	3	Vertical	119	1.05	54.48	37.88	10.59	53.31

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29418G	45.22	54.00	-8.78	12.95	3	Horizontal	139	1.38	32.27	38.91	8.56	34.52
AV	18.43476G	34.44	54.00	-19.56	-14.41	3	Horizontal	274	2.67	48.85	37.87	10.58	53.32
PK	12.29336G	52.65	74.00	-21.35	12.94	3	Horizontal	139	1.38	39.71	38.91	8.55	34.52
PK	18.44124G	41.39	74.00	-32.61	-14.38	3	Horizontal	274	2.67	55.77	37.88	10.59	53.31



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7721G	45.54	68.20	-22.66	14.11	3	Vertical	163	1.64	31.43	39.34	8.68	33.91
AV	19.1446G	34.33	54.00	-19.67	-14.04	3	Vertical	213	1.10	48.37	37.72	10.80	53.02
PK	12.76607G	53.54	88.20	-34.66	14.09	3	Vertical	163	1.64	39.45	39.33	8.68	33.92
PK	19.17308G	40.40	74.00	-33.60	-13.94	3	Vertical	213	1.10	54.34	37.74	10.81	52.95

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76559G	45.52	68.20	-22.68	14.09	3	Horizontal	169	3.00	31.43	39.33	8.68	33.92
AV	19.135G	34.41	54.00	-19.59	-14.08	3	Horizontal	249	1.71	48.49	37.71	10.80	53.05
PK	12.77418G	54.68	88.20	-33.52	14.13	3	Horizontal	169	3.00	40.55	39.35	8.68	33.90
PK	19.14484G	41.41	74.00	-32.59	-14.04	3	Horizontal	249	1.71	55.45	37.72	10.80	53.02



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92903G	45.77	68.20	-22.43	14.62	3	Vertical	345	1.19	31.15	39.53	8.72	33.63
AV	19.4022G	35.16	54.00	-18.84	-13.15	3	Vertical	205	1.65	48.31	37.86	10.88	52.35
PK	12.92848G	53.67	88.20	-34.53	14.62	3	Vertical	345	1.19	39.05	39.53	8.72	33.63
PK	19.39172G	41.62	74.00	-32.38	-13.18	3	Vertical	205	1.65	54.80	37.86	10.88	52.38

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92603G	45.61	68.20	-22.59	14.61	3	Horizontal	135	1.14	31.00	39.53	8.72	33.64
AV	19.3928G	35.52	54.00	-18.48	-13.18	3	Horizontal	43	2.24	48.70	37.86	10.88	52.38
PK	12.92551G	53.71	88.20	-34.49	14.61	3	Horizontal	135	1.14	39.10	39.53	8.72	33.64
PK	19.39576G	40.45	74.00	-33.55	-13.17	3	Horizontal	43	2.24	53.62	37.86	10.88	52.37



6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




13/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09176G	46.20	68.20	-22.00	15.00	3	Vertical	56	1.85	31.20	39.60	8.76	33.36
AV	19.6196G	34.92	54.00	-19.08	-13.10	3	Vertical	283	2.96	48.02	37.85	10.95	52.36
PK	13.08689G	53.92	88.20	-34.28	14.99	3	Vertical	56	1.85	38.93	39.60	8.76	33.37
PK	19.618G	41.21	74.00	-32.79	-13.10	3	Vertical	283	2.96	54.31	37.85	10.95	52.36

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6545MHz_TX




13/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09277G	46.23	68.20	-21.97	15.00	3	Horizontal	135	2.26	31.23	39.60	8.76	33.36
AV	19.62992G	35.26	54.00	-18.74	-13.12	3	Horizontal	176	1.69	48.38	37.85	10.96	52.39
PK	13.08781G	54.62	88.20	-33.58	14.99	3	Horizontal	135	2.26	39.63	39.60	8.76	33.37
PK	19.62084G	41.50	74.00	-32.50	-13.11	3	Horizontal	176	1.69	54.61	37.85	10.95	52.37



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25121G	45.93	54.00	-8.07	15.15	3	Vertical	145	2.64	30.78	39.45	8.80	33.10
AV	19.8588G	35.65	54.00	-18.35	-13.60	3	Vertical	309	2.83	49.25	37.80	11.03	52.89
PK	13.25395G	55.02	74.00	-18.98	15.16	3	Vertical	145	2.64	39.86	39.45	8.80	33.09
PK	19.85516G	41.32	74.00	-32.68	-13.59	3	Vertical	309	2.83	54.91	37.80	11.03	52.88

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25199G	45.81	54.00	-8.19	15.15	3	Horizontal	182	1.54	30.66	39.45	8.80	33.10
AV	19.8878G	35.19	54.00	-18.81	-13.65	3	Horizontal	265	2.81	48.84	37.80	11.04	52.95
PK	13.25428G	53.69	74.00	-20.31	15.16	3	Horizontal	182	1.54	38.53	39.45	8.80	33.09
PK	19.86336G	41.38	74.00	-32.62	-13.61	3	Horizontal	265	2.81	54.99	37.80	11.03	52.90



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41403G	46.14	68.20	-22.06	16.01	3	Vertical	155	2.48	30.13	40.00	8.84	32.83
AV	20.11484G	35.50	54.00	-18.50	-13.75	3	Vertical	135	1.71	49.25	37.85	11.09	53.15
PK	13.4072G	54.17	88.20	-34.03	16.00	3	Vertical	155	2.48	38.17	40.00	8.84	32.84
PK	20.1278G	42.78	74.00	-31.22	-13.74	3	Vertical	135	1.71	56.52	37.85	11.10	53.15

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41309G	46.50	68.20	-21.70	16.01	3	Horizontal	187	1.40	30.49	40.00	8.84	32.83
AV	20.10792G	35.36	54.00	-18.64	-13.77	3	Horizontal	336	1.88	49.13	37.84	11.09	53.16
PK	13.40513G	55.28	88.20	-32.92	15.99	3	Horizontal	187	1.40	39.29	40.00	8.84	32.85
PK	20.12264G	42.37	74.00	-31.63	-13.74	3	Horizontal	336	1.88	56.11	37.85	11.10	53.15



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57338G	46.66	68.20	-21.54	16.31	3	Vertical	336	1.75	30.35	40.15	8.88	32.72
AV	20.35244G	35.69	54.00	-18.31	-13.55	3	Vertical	169	2.59	49.24	37.90	11.15	53.06
PK	13.56569G	54.79	88.20	-33.41	16.30	3	Vertical	336	1.75	38.49	40.13	8.88	32.71
PK	20.33668G	42.66	74.00	-31.34	-13.57	3	Vertical	169	2.59	56.23	37.90	11.14	53.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.5729G	46.91	68.20	-21.29	16.31	3	Horizontal	313	1.30	30.60	40.15	8.88	32.72
AV	20.36796G	35.94	54.00	-18.06	-13.54	3	Horizontal	39	2.65	49.48	37.90	11.15	53.05
PK	13.57354G	55.34	88.20	-32.86	16.31	3	Horizontal	313	1.30	39.03	40.15	8.88	32.72
PK	20.36088G	42.52	74.00	-31.48	-13.55	3	Horizontal	39	2.65	56.07	37.90	11.15	53.06



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73049G	46.91	68.20	-21.29	16.17	3	Vertical	135	2.51	30.74	40.03	8.92	32.78
AV	20.58636G	36.28	54.00	-17.72	-13.52	3	Vertical	40	1.75	49.80	37.87	11.20	53.05
PK	13.73378G	54.82	88.20	-33.38	16.17	3	Vertical	135	2.51	38.65	40.03	8.92	32.78
PK	20.5788G	41.59	74.00	-32.41	-13.53	3	Vertical	40	1.75	55.12	37.87	11.19	53.05

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72709G	46.92	68.20	-21.28	16.17	3	Horizontal	269	2.30	30.75	40.03	8.92	32.78
AV	20.58756G	35.61	54.00	-18.39	-13.53	3	Horizontal	122	1.42	49.14	37.86	11.20	53.05
PK	13.73305G	55.22	88.20	-32.98	16.17	3	Horizontal	269	2.30	39.05	40.03	8.92	32.78
PK	20.59216G	41.93	74.00	-32.07	-13.54	3	Horizontal	122	1.42	55.47	37.86	11.20	53.06



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




13/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89056G	47.05	68.20	-21.15	16.40	3	Vertical	116	1.37	30.65	40.28	8.96	32.84
AV	20.85068G	36.67	54.00	-17.33	-13.50	3	Vertical	358	1.42	50.17	38.00	11.25	53.21
PK	13.88513G	54.74	88.20	-33.46	16.39	3	Vertical	116	1.37	38.35	40.27	8.96	32.84
PK	20.85212G	41.20	74.00	-32.80	-13.50	3	Vertical	358	1.42	54.70	38.00	11.25	53.21

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6945MHz_TX




13/06/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89472G	46.84	68.20	-21.36	16.41	3	Horizontal	3	1.72	30.43	40.29	8.96	32.84
AV	20.85404G	37.49	54.00	-16.51	-13.49	3	Horizontal	134	1.76	50.98	38.01	11.25	53.21
PK	13.89207G	55.36	88.20	-32.84	16.40	3	Horizontal	3	1.72	38.96	40.28	8.96	32.84
PK	20.84476G	43.42	74.00	-30.58	-13.51	3	Horizontal	134	1.76	56.93	37.99	11.25	53.21



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0172G	85.38	Inf	-Inf	7.59	3	Vertical	9	2.69	77.79	35.87	6.46	34.74
AV	7.1705G	52.43	68.20	-15.77	8.55	3	Vertical	9	2.69	43.88	36.74	6.57	34.76
PK	7.0298G	90.97	Inf	-Inf	7.65	3	Vertical	9	2.69	83.32	35.92	6.47	34.74
PK	7.1687G	59.75	88.20	-28.45	8.55	3	Vertical	9	2.69	51.20	36.74	6.57	34.76

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0268G	88.08	Inf	-Inf	7.64	3	Horizontal	27	1.00	80.44	35.91	6.47	34.74
AV	7.1495G	52.12	68.20	-16.08	8.49	3	Horizontal	27	1.00	43.63	36.70	6.55	34.76
PK	7.0244G	93.95	Inf	-Inf	7.63	3	Horizontal	27	1.00	86.32	35.90	6.47	34.74
PK	7.1711G	61.36	88.20	-26.84	8.55	3	Horizontal	27	1.00	52.81	36.74	6.57	34.76



6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04854G	47.29	68.20	-20.91	16.52	3	Vertical	77	1.96	30.77	40.45	9.01	32.94
AV	21.07404G	36.46	54.00	-17.54	-13.27	3	Vertical	207	1.30	49.73	38.33	11.30	53.36
PK	14.05098G	55.70	88.20	-32.50	16.52	3	Vertical	77	1.96	39.18	40.45	9.01	32.94
PK	21.07124G	42.77	74.00	-31.23	-13.27	3	Vertical	207	1.30	56.04	38.33	11.30	53.36

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05041G	47.21	68.20	-20.99	16.52	3	Horizontal	11	1.55	30.69	40.45	9.01	32.94
AV	21.07G	36.21	54.00	-17.79	-13.27	3	Horizontal	333	1.60	49.48	38.33	11.30	53.36
PK	14.0478G	55.80	88.20	-32.40	16.51	3	Horizontal	11	1.55	39.29	40.44	9.01	32.94
PK	21.08228G	42.09	74.00	-31.91	-13.28	3	Horizontal	333	1.60	55.37	38.33	11.30	53.37



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8665G	49.54	68.20	-18.66	5.47	3	Vertical	19	2.73	44.07	34.17	5.83	34.53
AV	6.023G	85.13	Inf	-Inf	5.49	3	Vertical	19	2.73	79.64	34.10	5.91	34.52
PK	5.889G	57.31	88.20	-30.89	5.57	3	Vertical	19	2.73	51.74	34.26	5.84	34.53
PK	6.0085G	92.20	Inf	-Inf	5.48	3	Vertical	19	2.73	86.72	34.10	5.90	34.52

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	50.70	68.20	-17.50	5.58	3	Horizontal	40	1.07	45.12	34.26	5.85	34.53
AV	6.03G	90.22	Inf	-Inf	5.49	3	Horizontal	40	1.07	84.73	34.10	5.91	34.52
PK	5.9205G	58.14	88.20	-30.06	5.58	3	Horizontal	40	1.07	52.56	34.26	5.85	34.53
PK	6.033G	96.58	Inf	-Inf	5.49	3	Horizontal	40	1.07	91.09	34.10	5.91	34.52



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05078G	44.45	54.00	-9.55	12.60	3	Vertical	128	1.01	31.85	38.80	8.49	34.69
AV	18.08436G	34.83	54.00	-19.17	-15.08	3	Vertical	228	1.59	49.91	37.93	10.48	53.95
PK	12.04594G	53.28	74.00	-20.72	12.58	3	Vertical	128	1.01	40.70	38.79	8.49	34.70
PK	18.08632G	41.61	74.00	-32.39	-15.07	3	Vertical	228	1.59	56.68	37.93	10.48	53.94

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04583G	44.38	54.00	-9.62	12.58	3	Horizontal	316	2.83	31.80	38.79	8.49	34.70
AV	18.09312G	34.45	54.00	-19.55	-15.06	3	Horizontal	123	1.31	49.51	37.93	10.48	53.93
PK	12.04644G	52.51	74.00	-21.49	12.58	3	Horizontal	316	2.83	39.93	38.79	8.49	34.70
PK	18.08112G	42.18	74.00	-31.82	-15.07	3	Horizontal	123	1.31	57.25	37.94	10.48	53.95



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36691G	45.05	54.00	-8.95	12.93	3	Vertical	278	1.46	32.12	38.83	8.57	34.47
AV	18.55172G	34.03	54.00	-19.97	-14.22	3	Vertical	32	1.37	48.25	37.92	10.62	53.22
PK	12.37351G	52.71	74.00	-21.29	12.94	3	Vertical	278	1.46	39.77	38.83	8.58	34.47
PK	18.56132G	43.84	74.00	-30.16	-14.22	3	Vertical	32	1.37	58.06	37.92	10.62	53.22

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3681G	44.87	54.00	-9.13	12.93	3	Horizontal	204	1.66	31.94	38.83	8.57	34.47
AV	18.57448G	34.14	54.00	-19.86	-14.21	3	Horizontal	239	2.28	48.35	37.93	10.63	53.23
PK	12.37127G	52.45	74.00	-21.55	12.93	3	Horizontal	204	1.66	39.52	38.83	8.57	34.47
PK	18.55708G	42.59	74.00	-31.41	-14.22	3	Horizontal	239	2.28	56.81	37.92	10.62	53.22



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68796G	45.40	54.00	-8.60	13.79	3	Vertical	177	2.75	31.61	39.18	8.66	34.05
AV	19.03764G	34.34	54.00	-19.66	-14.44	3	Vertical	31	1.69	48.78	37.63	10.77	53.30
PK	12.6889G	54.16	74.00	-19.84	13.79	3	Vertical	177	2.75	40.37	39.18	8.66	34.05
PK	19.0462G	42.43	74.00	-31.57	-14.41	3	Vertical	31	1.69	56.84	37.64	10.77	53.28

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68785G	45.18	54.00	-8.82	13.79	3	Horizontal	357	2.65	31.39	39.18	8.66	34.05
AV	19.02488G	34.24	54.00	-19.76	-14.49	3	Horizontal	40	1.48	48.73	37.62	10.77	53.34
PK	12.69306G	53.23	74.00	-20.77	13.81	3	Horizontal	357	2.65	39.42	39.19	8.66	34.04
PK	19.04224G	41.18	74.00	-32.82	-14.43	3	Horizontal	40	1.48	55.61	37.63	10.77	53.29



6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6505MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01129G	45.59	68.20	-22.61	14.85	3	Vertical	73	1.82	30.74	39.60	8.74	33.49
AV	19.52324G	35.14	54.00	-18.86	-12.88	3	Vertical	316	2.32	48.02	37.89	10.92	52.15
PK	13.0088G	54.02	88.20	-34.18	14.84	3	Vertical	73	1.82	39.18	39.60	8.74	33.50
PK	19.49932G	43.94	74.00	-30.06	-12.83	3	Vertical	316	2.32	56.77	37.90	10.91	52.10

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00612G	45.90	68.20	-22.30	14.84	3	Horizontal	210	2.34	31.06	39.60	8.74	33.50
AV	19.5238G	35.29	54.00	-18.71	-12.88	3	Horizontal	107	2.21	48.17	37.89	10.92	52.15
PK	13.00991G	54.40	88.20	-33.80	14.85	3	Horizontal	210	2.34	39.55	39.60	8.74	33.49
PK	19.51456G	44.50	74.00	-29.50	-12.86	3	Horizontal	107	2.21	57.36	37.89	10.92	52.13



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32519G	46.16	54.00	-7.84	15.47	3	Vertical	343	2.07	30.69	39.63	8.82	32.98
AV	19.98948G	35.32	54.00	-18.68	-13.85	3	Vertical	164	2.69	49.17	37.80	11.07	53.18
PK	13.33005G	54.08	74.00	-19.92	15.50	3	Vertical	343	2.07	38.58	39.65	8.82	32.97
PK	19.97544G	42.02	74.00	-31.98	-13.83	3	Vertical	164	2.69	55.85	37.80	11.06	53.15

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33361G	45.88	54.00	-8.12	15.53	3	Horizontal	109	2.65	30.35	39.67	8.82	32.96
AV	20.00212G	35.31	54.00	-18.69	-13.87	3	Horizontal	318	1.07	49.18	37.80	11.07	53.20
PK	13.32986G	55.00	74.00	-19.00	15.50	3	Horizontal	109	2.65	39.50	39.65	8.82	32.97
PK	19.976G	40.48	74.00	-33.52	-13.83	3	Horizontal	318	1.07	54.31	37.80	11.06	53.15



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64516G	47.04	68.20	-21.16	16.26	3	Vertical	53	2.08	30.78	40.11	8.90	32.75
AV	20.4754G	35.05	54.00	-18.95	-13.48	3	Vertical	104	1.14	48.53	37.90	11.17	53.01
PK	13.64835G	55.54	88.20	-32.66	16.25	3	Vertical	53	2.08	39.29	40.10	8.90	32.75
PK	20.4558G	42.78	74.00	-31.22	-13.49	3	Vertical	104	1.14	56.27	37.90	11.17	53.02

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65325G	47.56	68.20	-20.64	16.24	3	Horizontal	171	1.86	31.32	40.09	8.90	32.75
AV	20.4948G	35.49	54.00	-18.51	-13.46	3	Horizontal	25	1.90	48.95	37.90	11.18	53.00
PK	13.64747G	55.75	88.20	-32.45	16.26	3	Horizontal	171	1.86	39.49	40.11	8.90	32.75
PK	20.47212G	44.13	74.00	-29.87	-13.48	3	Horizontal	25	1.90	57.61	37.90	11.17	53.01



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.982G	86.25	Inf	-Inf	7.55	3	Vertical	4	2.63	78.70	35.84	6.44	34.73
AV	7.148G	52.53	68.20	-15.67	8.47	3	Vertical	4	2.63	44.06	36.68	6.55	34.76
PK	6.974G	93.49	Inf	-Inf	7.56	3	Vertical	4	2.63	85.93	35.85	6.44	34.73
PK	7.207G	59.85	88.20	-28.35	8.63	3	Vertical	4	2.63	51.22	36.80	6.59	34.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9815G	88.93	Inf	-Inf	7.55	3	Horizontal	26	1.07	81.38	35.84	6.44	34.73
AV	7.139G	53.12	68.20	-15.08	8.40	3	Horizontal	26	1.07	44.72	36.61	6.55	34.76
PK	6.9945G	97.93	Inf	-Inf	7.52	3	Horizontal	26	1.07	90.41	35.81	6.45	34.74
PK	7.177G	60.11	88.20	-28.09	8.56	3	Horizontal	26	1.07	51.55	36.75	6.57	34.76



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0504G	47.55	68.20	-20.65	16.52	3	Vertical	319	1.21	31.03	40.45	9.01	32.94
AV	20.96548G	36.22	54.00	-17.78	-13.31	3	Vertical	263	1.35	49.53	38.23	11.28	53.28
PK	14.05472G	54.00	88.20	-34.20	16.52	3	Vertical	319	1.21	37.48	40.46	9.01	32.95
PK	20.93616G	44.84	74.00	-29.16	-13.36	3	Vertical	263	1.35	58.20	38.17	11.27	53.26

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96163G	46.51	68.20	-21.69	16.41	3	Horizontal	285	1.62	30.10	40.30	8.98	32.87
AV	20.955G	36.33	54.00	-17.67	-13.32	3	Horizontal	243	2.89	49.65	38.21	11.28	53.27
PK	13.97399G	53.57	88.20	-34.63	16.41	3	Horizontal	285	1.62	37.16	40.30	8.98	32.87
PK	20.967G	42.69	74.00	-31.31	-13.31	3	Horizontal	243	2.89	56.00	38.23	11.28	53.28



Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
5	5	5	5

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-62.00	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-62.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-64.00	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-69.00	OFF	10	100	90	Pass
				Center	6185	-66.00	OFF	10	100	90	Pass
				High edge	6260	-72.00	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-70.00	OFF	10	100	90	Pass
				Center	6505	-65.00	OFF	10	100	90	Pass
				High edge	6580	-71.00	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-69.00	OFF	10	100	90	Pass
				Center	6665	-65.00	OFF	10	100	90	Pass
				High edge	6740	-70.00	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-64.00	OFF	10	100	90	Pass
				Center	6985	-63.00	OFF	10	100	90	Pass
				High edge	7060	-68.00	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Inteferece frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-57.00	5.00	-62.00	≤ -62
						Minimal	-58.00	5.00	-63.00	≤ -62
						ON	-59.00	5.00	-64.00	≤ -62
6	101		6455	Center	6455	OFF	-57.00	5.00	-62.00	≤ -62
						Minimal	-59.00	5.00	-64.00	≤ -62
						ON	-60.00	5.00	-65.00	≤ -62
7	149		6695	Center	6695	OFF	-57.00	5.00	-62.00	≤ -62
						Minimal	-58.00	5.00	-63.00	≤ -62
						ON	-58.00	5.00	-63.00	≤ -62
8	213		7015	Center	7015	OFF	-59.00	5.00	-64.00	≤ -62
						Minimal	-63.00	5.00	-68.00	≤ -62
						ON	-66.00	5.00	-71.00	≤ -62

Detection Level = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)




Contention Based Protocol Threshold Level 802.11ax HEW160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-64.00	5.00	-69.00	≤ -62
						Minimal	-65.00	5.00	-70.00	≤ -62
						ON	-66.00	5.00	-71.00	≤ -62
				Center	6185	OFF	-61.00	5.00	-66.00	≤ -62
						Minimal	-62.00	5.00	-67.00	≤ -62
						ON	-63.00	5.00	-68.00	≤ -62
				High edge	6260	OFF	-67.00	5.00	-72.00	≤ -62
						Minimal	-68.00	5.00	-73.00	≤ -62
						ON	-68.00	5.00	-73.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-65.00	5.00	-70.00	≤ -62
						Minimal	-66.00	5.00	-71.00	≤ -62
						ON	-67.00	5.00	-72.00	≤ -62
				Center	6505	OFF	-60.00	5.00	-65.00	≤ -62
						Minimal	-61.00	5.00	-66.00	≤ -62
						ON	-62.00	5.00	-67.00	≤ -62
				High edge	6580	OFF	-66.00	5.00	-71.00	≤ -62
						Minimal	-67.00	5.00	-72.00	≤ -62
						ON	-67.00	5.00	-72.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-64.00	5.00	-69.00	≤ -62
						Minimal	-65.00	5.00	-70.00	≤ -62
						ON	-66.00	5.00	-71.00	≤ -62
				Center	6665	OFF	-60.00	5.00	-65.00	≤ -62
						Minimal	-61.00	5.00	-66.00	≤ -62
						ON	-62.00	5.00	-67.00	≤ -62
				High edge	6740	OFF	-65.00	5.00	-70.00	≤ -62
						Minimal	-66.00	5.00	-71.00	≤ -62
						ON	-67.00	5.00	-72.00	≤ -62
8	207	160	6985	Low edge	6910	OFF	-59.00	5.00	-64.00	≤ -62
						Minimal	-60.00	5.00	-65.00	≤ -62
						ON	-61.00	5.00	-66.00	≤ -62
				Center	6985	OFF	-58.00	5.00	-63.00	≤ -62
						Minimal	-59.00	5.00	-64.00	≤ -62
						ON	-60.00	5.00	-65.00	≤ -62
				High edge	7060	OFF	-63.00	5.00	-68.00	≤ -62
						Minimal	-64.00	5.00	-69.00	≤ -62
						ON	-64.00	5.00	-69.00	≤ -62

Detection Level = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)


Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz


Time Analysis





Bandwidth 20MHz: Traffic Loading Plot - 6695MHz


Time Analysis



Sample Time	1us
All TX Time	949.52ms
All TX Sample	949520
Duty Cycle	0.949519
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz


Time Analysis



Sample Time	1us
All TX Time	789.381ms
All TX Sample	789381
Duty Cycle	0.78938
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis




Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis




Bandwidth 160MHz: Traffic Loading Plot - 6665MHz



Time Analysis




Bandwidth 160MHz: Traffic Loading Plot - 6985MHz


Time Analysis






















2. Contention-Based Protocol Plot



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz

Time Analysis




Sample Time	1us
All TX Time	632.812ms
All TX Sample	632812
Duty Cycle	0.632811
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz

Time Analysis




Sample Time	1us
All TX Time	857.775ms
All TX Sample	857775
Duty Cycle	0.857774
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level:-57 dBm)


Time Analysis



Sample Time	1us
All TX Time	935.896ms
All TX Sample	935896
Duty Cycle	0.935895
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level:-58 dBm)

Time Analysis




Sample Time	1us
All TX Time	934.673ms
All TX Sample	934673
Duty Cycle	0.934672
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -59 dBm)

Time Analysis




Sample Time	1us
All TX Time	934.204ms
All TX Sample	934204
Duty Cycle	0.934203
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -64 dBm)

Time Analysis




Sample Time	1us
All TX Time	897.751ms
All TX Sample	897751
Duty Cycle	0.89775
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -65 dBm)


Time Analysis



Sample Time	1us
All TX Time	890.614ms
All TX Sample	890614
Duty Cycle	0.890613
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -66 dBm)

Time Analysis




Sample Time	1us
All TX Time	889.493ms
All TX Sample	889493
Duty Cycle	0.889492
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6185 MHz (Threshold Level: -61 dBm)


Time Analysis



Sample Time	1us
All TX Time	97.09ms
All TX Sample	97090
Duty Cycle	0.09709
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -62 dBm)

Time Analysis




Sample Time	1us
All TX Time	150.396ms
All TX Sample	150396
Duty Cycle	0.150396
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6185 MHz (Threshold Level: -63 dBm)


Time Analysis



Sample Time	1us
All TX Time	113.798ms
All TX Sample	113798
Duty Cycle	0.113798
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -67 dBm)

Time Analysis




Sample Time	1us
All TX Time	337.183ms
All TX Sample	337183
Duty Cycle	0.337183
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs




Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)


Time Analysis



Sample Time	1us
All TX Time	348.217ms
All TX Sample	348217
Duty Cycle	0.348217
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

3. Bandwidth Reduction







Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.48709G	52.16	54.00	-1.84	Vertical
Mode 2	Pass	AV	4.82408G	47.13	54.00	-6.87	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82406G	45.94	54.00	-8.06	3	Vertical	92	1.40
Mode 1	Pass	AV	11.48709G	52.16	54.00	-1.84	3	Vertical	287	1.09
Mode 1	Pass	AV	17.23356G	49.38	68.20	-18.82	3	Vertical	222	1.82
Mode 1	Pass	PK	4.824G	51.74	74.00	-22.26	3	Vertical	92	1.40
Mode 1	Pass	PK	11.48646G	64.91	74.00	-9.09	3	Vertical	287	1.09
Mode 1	Pass	PK	17.23386G	61.08	68.20	-7.12	3	Vertical	222	1.82
Mode 1	Pass	AV	4.82406G	48.65	54.00	-5.35	3	Horizontal	316	1.08
Mode 1	Pass	AV	11.48748G	45.67	54.00	-8.33	3	Horizontal	197	1.03
Mode 1	Pass	AV	17.23237G	47.73	68.20	-20.47	3	Horizontal	193	2.57
Mode 1	Pass	PK	4.82404G	52.20	74.00	-21.80	3	Horizontal	316	1.08
Mode 1	Pass	PK	11.48707G	58.10	74.00	-15.90	3	Horizontal	197	1.03
Mode 1	Pass	PK	17.23093G	58.96	68.20	-9.24	3	Horizontal	193	2.57
Mode 2	Pass	AV	4.82408G	47.13	54.00	-6.87	3	Vertical	60	1.00
Mode 2	Pass	AV	13.02737G	46.69	68.20	-21.51	3	Vertical	344	1.07
Mode 2	Pass	AV	19.5211G	38.83	54.00	-15.17	3	Vertical	287	2.17
Mode 2	Pass	PK	4.8241G	51.91	74.00	-22.09	3	Vertical	60	1.00
Mode 2	Pass	PK	13.02653G	62.03	88.20	-26.17	3	Vertical	344	1.07
Mode 2	Pass	PK	19.5011G	47.49	74.00	-26.51	3	Vertical	287	2.17
Mode 2	Pass	AV	4.8241G	46.41	54.00	-7.59	3	Horizontal	314	1.08
Mode 2	Pass	AV	13.01798G	44.40	68.20	-23.80	3	Horizontal	360	1.18
Mode 2	Pass	AV	19.5324G	39.19	54.00	-14.81	3	Horizontal	320	2.12
Mode 2	Pass	PK	4.82406G	50.91	74.00	-23.09	3	Horizontal	314	1.08
Mode 2	Pass	PK	13.01755G	57.15	88.20	-31.05	3	Horizontal	360	1.18
Mode 2	Pass	PK	19.5232G	48.32	74.00	-25.68	3	Horizontal	320	2.12

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82406G	45.94	54.00	-8.06	5.05	3	Vertical	92	1.40	40.89	32.44	6.90	34.29
AV	11.48709G	52.16	54.00	-1.84	15.51	3	Vertical	287	1.09	36.65	39.20	10.80	34.49
AV	17.23356G	49.38	68.20	-18.82	19.21	3	Vertical	222	1.82	30.17	38.33	14.02	33.14
PK	4.824G	51.74	74.00	-22.26	5.05	3	Vertical	92	1.40	46.69	32.44	6.90	34.29
PK	11.48646G	64.91	74.00	-9.09	15.51	3	Vertical	287	1.09	49.40	39.20	10.80	34.49
PK	17.23386G	61.08	68.20	-7.12	19.21	3	Vertical	222	1.82	41.87	38.33	14.02	33.14

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82406G	48.65	54.00	-5.35	5.05	3	Horizontal	316	1.08	43.60	32.44	6.90	34.29
AV	11.48748G	45.67	54.00	-8.33	15.51	3	Horizontal	197	1.03	30.16	39.20	10.80	34.49
AV	17.23237G	47.73	68.20	-20.47	19.21	3	Horizontal	193	2.57	28.52	38.33	14.02	33.14
PK	4.82404G	52.20	74.00	-21.80	5.05	3	Horizontal	316	1.08	47.15	32.44	6.90	34.29
PK	11.48707G	58.10	74.00	-15.90	15.51	3	Horizontal	197	1.03	42.59	39.20	10.80	34.49
PK	17.23093G	58.96	68.20	-9.24	19.21	3	Horizontal	193	2.57	39.75	38.33	14.02	33.14

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82408G	47.13	54.00	-6.87	5.05	3	Vertical	60	1.00	42.08	32.44	6.90	34.29
AV	13.02737G	46.69	68.20	-21.51	17.75	3	Vertical	344	1.07	28.94	39.77	11.41	33.43
AV	19.5211G	38.83	54.00	-15.17	-9.12	3	Vertical	287	2.17	47.95	37.89	14.68	52.15
PK	4.8241G	51.91	74.00	-22.09	5.05	3	Vertical	60	1.00	46.86	32.44	6.90	34.29
PK	13.02653G	62.03	88.20	-26.17	17.75	3	Vertical	344	1.07	44.28	39.77	11.41	33.43
PK	19.5011G	47.49	74.00	-26.51	-9.06	3	Vertical	287	2.17	56.55	37.90	14.68	52.10

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8241G	46.41	54.00	-7.59	5.05	3	Horizontal	314	1.08	41.36	32.44	6.90	34.29
AV	13.01798G	44.40	68.20	-23.80	17.75	3	Horizontal	360	1.18	26.65	39.78	11.41	33.44
AV	19.5324G	39.19	54.00	-14.81	-9.14	3	Horizontal	320	2.12	48.33	37.89	14.68	52.17
PK	4.82406G	50.91	74.00	-23.09	5.05	3	Horizontal	314	1.08	45.86	32.44	6.90	34.29
PK	13.01755G	57.15	88.20	-31.05	17.74	3	Horizontal	360	1.18	39.41	39.78	11.41	33.45
PK	19.5232G	48.32	74.00	-25.68	-9.12	3	Horizontal	320	2.12	57.44	37.89	14.68	52.15