


802.11n HT20\_Nss1,(MCS0)\_1TX

19/03/2021

5825MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	62.97	68.20	-5.23	55.36	3	Vertical	240	2.31	-	33.90	5.17	31.46
PK	5.822G	106.36	Inf	-Inf	98.91	3	Vertical	240	2.31	-	33.84	5.07	31.46
AV	5.817G	95.91	Inf	-Inf	88.49	3	Vertical	240	2.31	-	33.83	5.05	31.46
PK	5.93G	63.46	68.20	-4.74	55.42	3	Vertical	240	2.31	-	34.10	5.39	31.45

802.11n HT20\_Nss1,(MCS0)\_1TX

19/03/2021

5825MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	63.89	68.20	-4.31	56.30	3	Horizontal	144	1.76	-	33.90	5.15	31.46
PK	5.829G	106.24	Inf	-Inf	98.75	3	Horizontal	144	1.76	-	33.86	5.09	31.46
AV	5.833G	95.95	Inf	-Inf	88.44	3	Horizontal	144	1.76	-	33.87	5.10	31.46
PK	5.926G	65.38	68.20	-2.82	57.35	3	Horizontal	144	1.76	-	34.10	5.38	31.45

802.11n HT20\_Nss1,(MCS0)\_1TX

19/03/2021

5825MHz\_TX




EUT X\_1TX  
Setting 20  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.88333G	62.33	74.00	-11.67	57.46	3	Vertical	324	1.03	-	32.70	4.10	31.93
AV	3.88333G	48.79	54.00	-5.21	43.92	3	Vertical	324	1.03	-	32.70	4.10	31.93
PK	7.76696G	50.51	68.20	-17.69	40.78	3	Vertical	344	1.77	-	36.47	5.83	32.57
PK	11.64792G	58.16	74.00	-15.84	44.01	3	Vertical	188	2.15	-	39.40	7.68	32.93
AV	11.65013G	42.97	54.00	-11.03	28.82	3	Vertical	188	2.15	-	39.40	7.68	32.93

802.11n HT20\_Nss1,(MCS0)\_1TX

19/03/2021

5825MHz\_TX




EUT X\_1TX  
Setting 20  
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.88293G	60.46	74.00	-13.54	55.59	3	Horizontal	233	2.42	-	32.70	4.10	31.93
AV	3.88333G	46.55	54.00	-7.45	41.68	3	Horizontal	233	2.42	-	32.70	4.10	31.93
PK	7.76679G	52.38	68.20	-15.82	42.65	3	Horizontal	187	2.09	-	36.47	5.83	32.57
PK	11.6498G	56.22	74.00	-17.78	42.07	3	Horizontal	232	1.76	-	39.40	7.68	32.93
AV	11.65052G	41.54	54.00	-12.46	27.39	3	Horizontal	232	1.76	-	39.40	7.68	32.93

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5190MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.55	74.00	-1.45	65.78	3	Vertical	233	1.48	-	33.50	5.00	31.73
AV	5.1484G	50.77	54.00	-3.23	44.00	3	Vertical	233	1.48	-	33.50	5.00	31.73
PK	5.1764G	101.65	Inf	-Inf	94.81	3	Vertical	233	1.48	-	33.50	5.05	31.71
AV	5.1744G	92.79	Inf	-Inf	85.95	3	Vertical	233	1.48	-	33.50	5.05	31.71

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5190MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.21	74.00	-3.79	63.44	3	Horizontal	139	1.80	-	33.50	5.00	31.73
AV	5.1464G	49.61	54.00	-4.39	42.86	3	Horizontal	139	1.80	-	33.49	4.99	31.73
PK	5.1748G	100.87	Inf	-Inf	94.03	3	Horizontal	139	1.80	-	33.50	5.05	31.71
AV	5.174G	91.51	Inf	-Inf	84.67	3	Horizontal	139	1.80	-	33.50	5.05	31.71

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5190MHz\_TX




EUT X\_1TX  
Setting 16  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38116G	59.86	68.20	-8.34	46.64	3	Vertical	192	2.28	-	38.52	7.23	32.53
PK	15.57456G	53.26	74.00	-20.74	39.56	3	Vertical	39	2.39	-	37.50	9.05	32.85
AV	15.563G	40.99	54.00	-13.01	27.24	3	Vertical	39	2.39	-	37.55	9.05	32.85

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5190MHz\_TX



EUT X\_1TX  
Setting 16  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38176G	66.82	68.20	-1.38	53.60	3	Horizontal	229	1.92	-	38.52	7.23	32.53
PK	15.57044G	53.44	74.00	-20.56	39.72	3	Horizontal	63	2.00	-	37.52	9.05	32.85
AV	15.57532G	41.36	54.00	-12.64	27.66	3	Horizontal	63	2.00	-	37.50	9.05	32.85



802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5230MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1064G	57.84	74.00	-16.16	51.28	3	Vertical	196	2.86	-	33.41	4.91	31.76
AV	5.1028G	45.86	54.00	-8.14	39.30	3	Vertical	196	2.86	-	33.41	4.91	31.76
PK	5.236G	102.01	Inf	-Inf	95.03	3	Vertical	196	2.86	-	33.57	5.08	31.67
AV	5.2456G	92.61	Inf	-Inf	85.60	3	Vertical	196	2.86	-	33.59	5.08	31.66
PK	5.365G	58.86	74.00	-15.14	51.61	3	Vertical	196	2.86	-	33.80	5.02	31.57
AV	5.3566G	45.80	54.00	-8.20	38.56	3	Vertical	196	2.86	-	33.80	5.02	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5230MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	58.05	74.00	-15.95	51.33	3	Horizontal	139	1.80	-	33.48	4.98	31.74
AV	5.1496G	45.78	54.00	-8.22	39.01	3	Horizontal	139	1.80	-	33.50	5.00	31.73
PK	5.2456G	101.42	Inf	-Inf	94.41	3	Horizontal	139	1.80	-	33.59	5.08	31.66
AV	5.2456G	92.27	Inf	-Inf	85.26	3	Horizontal	139	1.80	-	33.59	5.08	31.66
PK	5.3764G	59.42	74.00	-14.58	52.17	3	Horizontal	139	1.80	-	33.80	5.01	31.56
AV	5.35G	46.32	54.00	-7.68	39.07	3	Horizontal	139	1.80	-	33.80	5.03	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5230MHz\_TX




EUT X\_1TX  
Setting 16  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46104G	63.01	68.20	-5.19	49.79	3	Vertical	184	1.01	-	38.50	7.26	32.54
PK	15.68124G	52.65	74.00	-21.35	38.93	3	Vertical	236	1.31	-	37.48	9.09	32.85
AV	15.69196G	40.80	54.00	-13.20	27.08	3	Vertical	236	1.31	-	37.49	9.09	32.86

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5230MHz\_TX




EUT X\_1TX  
Setting 16  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46084G	66.76	68.20	-1.44	53.54	3	Horizontal	233	1.93	-	38.50	7.26	32.54
PK	15.69648G	53.24	74.00	-20.76	39.51	3	Horizontal	98	1.72	-	37.50	9.09	32.86
AV	15.69524G	41.25	54.00	-12.75	27.52	3	Horizontal	98	1.72	-	37.50	9.09	32.86

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5270MHz\_TX




EUT Y\_1TX  
Setting 18  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	59.35	74.00	-14.65	52.63	3	Vertical	196	2.70	-	33.48	4.98	31.74
AV	5.15G	47.11	54.00	-6.89	40.34	3	Vertical	196	2.70	-	33.50	5.00	31.73
PK	5.255G	103.50	Inf	-Inf	96.47	3	Vertical	196	2.70	-	33.61	5.07	31.65
AV	5.2544G	94.28	Inf	-Inf	87.25	3	Vertical	196	2.70	-	33.61	5.07	31.65
PK	5.3834G	64.46	74.00	-9.54	57.21	3	Vertical	196	2.70	-	33.80	5.01	31.56
AV	5.3528G	49.63	54.00	-4.37	42.39	3	Vertical	196	2.70	-	33.80	5.02	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5270MHz\_TX




EUT Y\_1TX  
Setting 18  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.76	74.00	-15.24	51.99	3	Horizontal	148	1.76	-	33.50	5.00	31.73
AV	5.1494G	46.98	54.00	-7.02	40.21	3	Horizontal	148	1.76	-	33.50	5.00	31.73
PK	5.255G	102.25	Inf	-Inf	95.22	3	Horizontal	148	1.76	-	33.61	5.07	31.65
AV	5.2742G	93.15	Inf	-Inf	86.08	3	Horizontal	148	1.76	-	33.65	5.06	31.64
PK	5.35G	65.64	74.00	-8.36	58.40	3	Horizontal	148	1.76	-	33.80	5.02	31.58
AV	5.3534G	50.55	54.00	-3.45	43.31	3	Horizontal	148	1.76	-	33.80	5.02	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5270MHz\_TX




EUT X\_1TX  
Setting 18  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54084G	62.31	68.20	-5.89	49.09	3	Vertical	182	2.47	-	38.50	7.29	32.57
PK	15.80776G	53.47	74.00	-20.53	39.90	3	Vertical	115	2.67	-	37.30	9.13	32.86
AV	15.80496G	40.74	54.00	-13.26	27.17	3	Vertical	115	2.67	-	37.30	9.13	32.86

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5270MHz\_TX



EUT X\_1TX  
Setting 18  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54116G	65.86	68.20	-2.34	52.64	3	Horizontal	235	1.92	-	38.50	7.29	32.57
PK	15.80572G	53.62	74.00	-20.38	40.05	3	Horizontal	277	2.56	-	37.30	9.13	32.86
AV	15.8026G	41.00	54.00	-13.00	27.43	3	Horizontal	277	2.56	-	37.30	9.13	32.86



802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5310MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	101.47	Inf	-Inf	94.35	3	Vertical	194	2.79	-	33.69	5.05	31.62
AV	5.294G	92.42	Inf	-Inf	85.30	3	Vertical	194	2.79	-	33.69	5.05	31.62
PK	5.35G	67.86	74.00	-6.14	60.61	3	Vertical	194	2.79	-	33.80	5.03	31.58
AV	5.3504G	50.22	54.00	-3.78	42.98	3	Vertical	194	2.79	-	33.80	5.02	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5310MHz\_TX




EUT Y\_1TX  
Setting 16  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	100.73	Inf	-Inf	93.54	3	Horizontal	144	1.73	-	33.75	5.04	31.60
AV	5.3248G	91.20	Inf	-Inf	84.01	3	Horizontal	144	1.73	-	33.75	5.04	31.60
PK	5.3508G	70.72	74.00	-3.28	63.48	3	Horizontal	144	1.73	-	33.80	5.02	31.58
AV	5.3504G	51.84	54.00	-2.16	44.60	3	Horizontal	144	1.73	-	33.80	5.02	31.58

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5310MHz\_TX




EUT X\_1TX  
Setting 16  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62412G	59.49	74.00	-14.51	46.29	3	Vertical	180	2.35	-	38.48	7.32	32.60
AV	10.61992G	45.48	54.00	-8.52	32.28	3	Vertical	180	2.35	-	38.48	7.32	32.60
PK	15.92252G	53.66	74.00	-20.34	40.04	3	Vertical	25	1.44	-	37.32	9.17	32.87
AV	15.92604G	40.71	54.00	-13.29	27.08	3	Vertical	25	1.44	-	37.33	9.17	32.87

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5310MHz\_TX




EUT X\_1TX  
Setting 16  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61956G	62.03	74.00	-11.97	48.83	3	Horizontal	231	1.91	-	38.48	7.32	32.60
AV	10.61936G	48.46	54.00	-5.54	35.26	3	Horizontal	231	1.91	-	38.48	7.32	32.60
PK	15.93396G	54.04	74.00	-19.96	40.40	3	Horizontal	343	2.96	-	37.33	9.18	32.87
AV	15.92228G	41.20	54.00	-12.80	27.58	3	Horizontal	343	2.96	-	37.32	9.17	32.87

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5510MHz\_TX




EUT Y\_1TX  
Setting 14  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4336G	58.51	74.00	-15.49	51.07	3	Vertical	243	2.82	-	33.93	5.03	31.52
PK	5.4676G	62.68	68.20	-5.52	55.14	3	Vertical	243	2.82	-	33.96	5.07	31.49
AV	5.4596G	46.17	54.00	-7.83	38.63	3	Vertical	243	2.82	-	33.98	5.06	31.50
PK	5.5144G	102.35	Inf	-Inf	94.81	3	Vertical	243	2.82	-	33.90	5.11	31.47
AV	5.526G	92.09	Inf	-Inf	84.53	3	Vertical	243	2.82	-	33.90	5.13	31.47

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5510MHz\_TX




EUT Y\_1TX  
Setting 14  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.32	74.00	-15.68	50.78	3	Horizontal	139	1.65	-	33.98	5.06	31.50
AV	5.46G	46.55	54.00	-7.45	39.01	3	Horizontal	139	1.65	-	33.98	5.06	31.50
PK	5.4696G	66.04	68.20	-2.16	58.50	3	Horizontal	139	1.65	-	33.96	5.07	31.49
PK	5.5268G	101.56	Inf	-Inf	94.00	3	Horizontal	139	1.65	-	33.90	5.13	31.47
AV	5.526G	92.05	Inf	-Inf	84.49	3	Horizontal	139	1.65	-	33.90	5.13	31.47

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5510MHz\_TX




EUT X\_1TX  
Setting 14  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.34579G	47.64	74.00	-26.36	37.82	3	Vertical	335	1.80	-	36.49	5.77	32.44
AV	7.34735G	34.15	54.00	-19.85	24.33	3	Vertical	335	1.80	-	36.49	5.77	32.44
PK	11.02084G	55.54	74.00	-18.46	42.33	3	Vertical	226	1.91	-	38.52	7.46	32.77
AV	11.02876G	42.64	54.00	-11.36	29.42	3	Vertical	226	1.91	-	38.53	7.46	32.77

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5510MHz\_TX



EUT X\_1TX  
Setting 14  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.35631G	46.93	74.00	-27.07	37.10	3	Horizontal	174	2.63	-	36.49	5.78	32.44
AV	7.34647G	34.99	54.00	-19.01	25.17	3	Horizontal	174	2.63	-	36.49	5.77	32.44
PK	11.02092G	55.28	74.00	-18.72	42.07	3	Horizontal	226	1.91	-	38.52	7.46	32.77
AV	11.0198G	42.53	54.00	-11.47	29.32	3	Horizontal	226	1.91	-	38.52	7.46	32.77



802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5550MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4072G	63.96	74.00	-10.04	56.66	3	Vertical	234	2.80	-	33.83	5.01	31.54
PK	5.4618G	62.31	68.20	-5.89	54.77	3	Vertical	234	2.80	-	33.98	5.06	31.50
AV	5.4414G	50.33	54.00	-3.67	42.83	3	Vertical	234	2.80	-	33.97	5.04	31.51
PK	5.5548G	106.62	Inf	-Inf	99.04	3	Vertical	234	2.80	-	33.90	5.15	31.47
AV	5.5554G	96.80	Inf	-Inf	89.21	3	Vertical	234	2.80	-	33.90	5.16	31.47

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5550MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.439G	63.59	74.00	-10.41	56.11	3	Horizontal	140	1.64	-	33.96	5.04	31.52
PK	5.4618G	65.77	68.20	-2.43	58.23	3	Horizontal	140	1.64	-	33.98	5.06	31.50
AV	5.4588G	50.97	54.00	-3.03	43.43	3	Horizontal	140	1.64	-	33.98	5.06	31.50
PK	5.5656G	105.94	Inf	-Inf	98.34	3	Horizontal	140	1.64	-	33.90	5.17	31.47
AV	5.5656G	96.78	Inf	-Inf	89.18	3	Horizontal	140	1.64	-	33.90	5.17	31.47

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5550MHz\_TX




EUT X\_1TX  
Setting 19  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.69996G	45.72	74.00	-28.28	41.66	3	Vertical	341	2.56	-	32.00	4.00	31.94
AV	3.69996G	37.02	54.00	-16.98	32.96	3	Vertical	341	2.56	-	32.00	4.00	31.94
PK	7.39996G	47.43	74.00	-26.57	37.69	3	Vertical	360	1.96	-	36.40	5.80	32.46
AV	7.39992G	37.67	54.00	-16.33	27.93	3	Vertical	360	1.96	-	36.40	5.80	32.46
PK	11.09072G	53.50	74.00	-20.50	40.22	3	Vertical	321	1.74	-	38.59	7.48	32.79
AV	11.1016G	40.76	54.00	-13.24	27.46	3	Vertical	321	1.74	-	38.60	7.49	32.79

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5550MHz\_TX




EUT X\_1TX  
Setting 19  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.69996G	45.79	74.00	-28.21	41.73	3	Horizontal	205	2.61	-	32.00	4.00	31.94
AV	3.69992G	35.46	54.00	-18.54	31.40	3	Horizontal	205	2.61	-	32.00	4.00	31.94
PK	7.4G	51.30	74.00	-22.70	41.56	3	Horizontal	176	2.18	-	36.40	5.80	32.46
AV	7.39996G	45.12	54.00	-8.88	35.38	3	Horizontal	176	2.18	-	36.40	5.80	32.46
PK	11.10816G	55.18	74.00	-18.82	41.88	3	Horizontal	106	1.25	-	38.61	7.49	32.80
AV	11.10704G	42.72	54.00	-11.28	29.42	3	Horizontal	106	1.25	-	38.61	7.49	32.80

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5670MHz\_TX




EUT Y\_1TX  
Setting 17  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.664G	103.74	Inf	-Inf	96.19	3	Vertical	250	2.51	-	33.87	5.14	31.46
AV	5.6532G	94.24	Inf	-Inf	86.66	3	Vertical	250	2.51	-	33.89	5.15	31.46
PK	5.7426G	66.10	68.20	-2.10	58.70	3	Vertical	250	2.51	-	33.80	5.06	31.46

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5670MHz\_TX




EUT Y\_1TX  
Setting 17  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	103.92	Inf	-Inf	96.35	3	Horizontal	145	1.77	-	33.89	5.14	31.46
AV	5.6556G	94.18	Inf	-Inf	86.61	3	Horizontal	145	1.77	-	33.89	5.14	31.46
PK	5.7264G	66.74	68.20	-1.46	59.33	3	Horizontal	145	1.77	-	33.80	5.07	31.46

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5670MHz\_TX




EUT X\_1TX  
Setting 17  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.56008G	49.26	74.00	-24.74	39.42	3	Vertical	351	2.07	-	36.40	5.96	32.52
AV	7.56004G	41.02	54.00	-12.98	31.18	3	Vertical	351	2.07	-	36.40	5.96	32.52
PK	11.34108G	54.78	74.00	-19.22	41.41	3	Vertical	178	2.24	-	38.68	7.57	32.88
AV	11.33996G	42.22	54.00	-11.78	28.85	3	Vertical	178	2.24	-	38.68	7.57	32.88

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5670MHz\_TX



EUT X\_1TX  
Setting 17  
02-B-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.55992G	50.68	74.00	-23.32	40.84	3	Horizontal	185	2.18	-	36.40	5.96	32.52
AV	7.56004G	44.43	54.00	-9.57	34.59	3	Horizontal	185	2.18	-	36.40	5.96	32.52
PK	11.3422G	55.82	74.00	-18.18	42.45	3	Horizontal	299	1.93	-	38.68	7.57	32.88
AV	11.33988G	43.38	54.00	-10.62	30.01	3	Horizontal	299	1.93	-	38.68	7.57	32.88



802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5755MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	64.30	68.20	-3.90	56.67	3	Vertical	257	2.27	-	33.90	5.20	31.47
PK	5.741G	103.62	Inf	-Inf	96.22	3	Vertical	257	2.27	-	33.80	5.06	31.46
AV	5.74G	94.44	Inf	-Inf	87.04	3	Vertical	257	2.27	-	33.80	5.06	31.46
PK	5.927G	60.52	68.20	-7.68	52.49	3	Vertical	257	2.27	-	34.10	5.38	31.45

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5755MHz\_TX




EUT Y\_1TX  
Setting 19  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.45	68.20	-1.75	58.86	3	Horizontal	142	1.63	-	33.90	5.15	31.46
PK	5.749G	105.16	Inf	-Inf	97.77	3	Horizontal	142	1.63	-	33.80	5.05	31.46
AV	5.751G	94.81	Inf	-Inf	87.42	3	Horizontal	142	1.63	-	33.80	5.05	31.46
PK	5.931G	62.67	68.20	-5.53	54.63	3	Horizontal	142	1.63	-	34.10	5.39	31.45

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5755MHz\_TX




EUT X\_1TX  
Setting 19  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.83667G	58.47	74.00	-15.53	53.85	3	Vertical	316	2.42	-	32.45	4.10	31.93
AV	3.83667G	48.63	54.00	-5.37	44.01	3	Vertical	316	2.42	-	32.45	4.10	31.93
PK	7.67339G	54.09	74.00	-19.91	44.31	3	Vertical	349	2.25	-	36.40	5.93	32.55
AV	7.67341G	49.58	54.00	-4.42	39.80	3	Vertical	349	2.25	-	36.40	5.93	32.55
PK	11.51041G	57.48	74.00	-16.52	43.75	3	Vertical	171	2.17	-	39.03	7.63	32.93
AV	11.50932G	43.60	54.00	-10.40	29.87	3	Vertical	171	2.17	-	39.03	7.63	32.93

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5755MHz\_TX




EUT X\_1TX  
Setting 19  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.83657G	55.44	74.00	-18.56	50.82	3	Horizontal	211	2.48	-	32.45	4.10	31.93
AV	3.83671G	45.57	54.00	-8.43	40.95	3	Horizontal	211	2.48	-	32.45	4.10	31.93
PK	7.67342G	54.85	74.00	-19.15	45.07	3	Horizontal	186	2.14	-	36.40	5.93	32.55
AV	7.67335G	50.55	54.00	-3.45	40.77	3	Horizontal	186	2.14	-	36.40	5.93	32.55
PK	11.51086G	55.76	74.00	-18.24	42.03	3	Horizontal	294	1.89	-	39.03	7.63	32.93
AV	11.50981G	42.75	54.00	-11.25	29.02	3	Horizontal	294	1.89	-	39.03	7.63	32.93

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5795MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	66.81	68.20	-1.39	59.21	3	Vertical	255	2.62	-	33.90	5.16	31.46
PK	5.78G	103.06	Inf	-Inf	95.70	3	Vertical	255	2.62	-	33.80	5.02	31.46
AV	5.781G	94.14	Inf	-Inf	86.78	3	Vertical	255	2.62	-	33.80	5.02	31.46
PK	5.925G	63.49	68.20	-4.71	55.46	3	Vertical	255	2.62	-	34.10	5.38	31.45

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5795MHz\_TX




EUT Y\_1TX  
Setting 20  
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	66.79	68.20	-1.41	59.17	3	Horizontal	145	1.80	-	33.90	5.19	31.47
PK	5.78G	103.69	Inf	-Inf	96.33	3	Horizontal	145	1.80	-	33.80	5.02	31.46
AV	5.78G	94.89	Inf	-Inf	87.53	3	Horizontal	145	1.80	-	33.80	5.02	31.46
PK	5.937G	66.79	68.20	-1.41	58.73	3	Horizontal	145	1.80	-	34.10	5.41	31.45

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5795MHz\_TX




EUT X\_1TX  
Setting 20  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.86461G	57.01	74.00	-16.99	52.25	3	Vertical	333	1.95	-	32.59	4.10	31.93
AV	3.86665G	43.67	54.00	-10.33	38.90	3	Vertical	333	1.95	-	32.60	4.10	31.93
PK	7.72659G	50.25	74.00	-23.75	40.54	3	Vertical	5	1.00	-	36.40	5.87	32.56
AV	7.72663G	42.01	54.00	-11.99	32.30	3	Vertical	5	1.00	-	36.40	5.87	32.56
PK	11.58128G	55.85	74.00	-18.15	41.89	3	Vertical	181	2.79	-	39.24	7.65	32.93
AV	11.59144G	43.07	54.00	-10.93	29.07	3	Vertical	181	2.79	-	39.27	7.66	32.93

802.11n HT40\_Nss1,(MCS0)\_1TX

19/03/2021

5795MHz\_TX



EUT X\_1TX  
Setting 20  
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	3.86329G	53.66	74.00	-20.34	48.91	3	Horizontal	199	2.47	-	32.58	4.10	31.93
AV	3.86329G	40.60	54.00	-13.40	35.85	3	Horizontal	199	2.47	-	32.58	4.10	31.93
PK	7.72667G	51.31	74.00	-22.69	41.60	3	Horizontal	186	2.13	-	36.40	5.87	32.56
AV	7.72667G	45.61	54.00	-8.39	35.90	3	Horizontal	186	2.13	-	36.40	5.87	32.56
PK	11.59288G	56.25	74.00	-17.75	42.24	3	Horizontal	301	1.93	-	39.28	7.66	32.93
AV	11.58796G	43.20	54.00	-10.80	29.21	3	Horizontal	301	1.93	-	39.26	7.66	32.93