



RF EXPOSURE REPORT

REPORT NO.: SA961102L06

MODEL NO.: AW-BT253

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: AzureWave Technologies, Inc.

ADDRESS: 8F, No.94, Baozhong Rd., Xindian, Taipei , Taiwan
231.

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang
244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	1.69	1.476
EIRP Power	3.00	2.698

***Note:** The antenna is Printed antenna with 1.31dBi gain

Threshold for no SAR evaluation is 24.58mW
 Transmitter power is 2.698mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold