


### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5745MHz\_TX




EUT X\_2TX  
 Setting 18  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.65994G	52.14	74.00	-21.86	11.18	3	Horizontal	116	2.55	-	40.96
AV	7.65992G	43.26	54.00	-10.74	11.18	3	Horizontal	116	2.55	-	32.08
PK	11.48736G	57.26	74.00	-16.74	14.89	3	Horizontal	353	2.14	-	42.37
AV	11.4924G	44.01	54.00	-9.99	14.89	3	Horizontal	353	2.14	-	29.12

### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5785MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.40	68.20	-8.80	8.66	3	Vertical	228	1.56	-	50.74
PK	5.788G	109.28	Inf	-Inf	8.87	3	Vertical	228	1.56	-	100.41
AV	5.789G	99.91	Inf	-Inf	8.88	3	Vertical	228	1.56	-	91.03
PK	5.97G	59.48	68.20	-8.72	8.93	3	Vertical	228	1.56	-	50.55

### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5785MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.7132G	59.69	74.00	-14.31	11.22	3	Vertical	43	1.87	-	48.47
AV	7.7133G	52.66	54.00	-1.34	11.22	3	Vertical	43	1.87	-	41.44
PK	11.56512G	55.98	74.00	-18.02	14.99	3	Vertical	336	2.08	-	40.99
AV	11.57G	41.80	54.00	-12.20	15.00	3	Vertical	336	2.08	-	26.80

### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5785MHz\_TX




EUT X\_2TX  
Setting 14  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.71348G	51.70	74.00	-22.30	11.22	3	Horizontal	255	1.47	-	40.48
AV	7.71334G	40.90	54.00	-13.10	11.22	3	Horizontal	255	1.47	-	29.68
PK	11.57624G	55.73	74.00	-18.27	15.01	3	Horizontal	42	2.13	-	40.72
AV	11.57168G	42.99	54.00	-11.01	15.00	3	Horizontal	42	2.13	-	27.99

### 802.11a\_Nss1,(6Mbps)\_2TX

01/08/2019

### 5825MHz\_TX




EUT X\_2TX  
 Setting 23  
 02-D-1-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.637G	61.20	68.20	-7.00	8.64	3	Vertical	210	1.02	-	52.56
PK	5.829G	117.19	Inf	-Inf	8.91	3	Vertical	210	1.02	-	108.28
AV	5.829G	107.33	Inf	-Inf	8.91	3	Vertical	210	1.02	-	98.42
PK	5.926G	68.08	68.20	-0.12	8.93	3	Vertical	210	1.02	-	59.15

### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5825MHz\_TX




EUT X\_2TX  
 Setting 23  
 02-D-1  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.7665G	67.68	68.20	-0.52	11.27	3	Vertical	36	2.03	-	56.41
PK	11.64646G	59.07	74.00	-14.93	15.09	3	Vertical	156	1.61	-	43.98
AV	11.65096G	45.79	54.00	-8.21	15.10	3	Vertical	156	1.61	-	30.69

### 802.11a\_Nss1,(6Mbps)\_2TX

07/08/2019

### 5825MHz\_TX




EUT X\_2TX  
 Setting 23  
 02-D-1  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.76646G	58.76	68.20	-9.44	11.27	3	Horizontal	121	2.48	-	47.49
PK	11.65144G	57.87	74.00	-16.13	15.10	3	Horizontal	287	1.99	-	42.77
AV	11.65168G	45.05	54.00	-8.95	15.10	3	Horizontal	287	1.99	-	29.95

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5180MHz\_TX



EUT X\_2TX  
 Setting 16  
 02-M-1-10  
 FSU(100015)  
 Dipole ANT


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	73.75	74.00	-0.25	7.94	3	Vertical	307	1.80	-	65.81
AV	5.1482G	51.47	54.00	-2.53	7.94	3	Vertical	307	1.80	-	43.53
PK	5.1824G	115.20	Inf	-Inf	8.02	3	Vertical	307	1.80	-	107.18
AV	5.1834G	105.18	Inf	-Inf	8.03	3	Vertical	307	1.80	-	97.15



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5180MHz\_TX




EUT X\_2TX  
Setting 16  
02-M-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.90652G	61.24	68.20	-6.96	9.54	3	Vertical	47	2.37	-	51.70
PK	10.36068G	56.00	68.20	-12.20	14.66	3	Vertical	25	2.50	-	41.34
PK	15.54292G	58.50	74.00	-15.50	16.07	3	Vertical	290	1.91	-	42.43
AV	15.53868G	44.95	54.00	-9.05	16.08	3	Vertical	290	1.91	-	28.87

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5180MHz\_TX




EUT X\_2TX  
Setting 16  
02-M-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.90642G	53.85	68.20	-14.35	9.54	3	Horizontal	13	2.36	-	44.31
PK	10.35864G	58.64	68.20	-9.56	14.66	3	Horizontal	33	2.32	-	43.98
PK	15.5442G	58.32	74.00	-15.68	16.06	3	Horizontal	18	1.96	-	42.26
AV	15.5392G	44.64	54.00	-9.36	16.08	3	Horizontal	18	1.96	-	28.56

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5200MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-M-1-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	72.82	74.00	-1.18	7.94	3	Vertical	305	1.89	-	64.88
AV	5.1484G	51.89	54.00	-2.11	7.94	3	Vertical	305	1.89	-	43.95
PK	5.198G	117.95	Inf	-Inf	8.06	3	Vertical	305	1.89	-	109.89
AV	5.198G	107.82	Inf	-Inf	8.06	3	Vertical	305	1.89	-	99.76

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5200MHz\_TX




EUT X\_2TX  
Setting 19  
02-M-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.93316G	61.36	68.20	-6.84	9.58	3	Vertical	323	2.52	-	51.78
PK	10.39864G	61.87	68.20	-6.33	14.64	3	Vertical	304	3.00	-	47.23
PK	15.59788G	58.15	74.00	-15.85	15.92	3	Vertical	285	1.98	-	42.23
AV	15.60248G	44.85	54.00	-9.15	15.90	3	Vertical	285	1.98	-	28.95

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5200MHz\_TX




EUT X\_2TX  
Setting 19  
02-M-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.93336G	50.71	68.20	-17.49	9.58	3	Horizontal	110	2.41	-	41.13
PK	10.4032G	62.55	68.20	-5.65	14.64	3	Horizontal	30	2.30	-	47.91
PK	15.59396G	59.40	74.00	-14.60	15.93	3	Horizontal	9	1.93	-	43.47
AV	15.60404G	45.00	54.00	-9.00	15.90	3	Horizontal	9	1.93	-	29.10

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5240MHz\_TX




EUT\_X\_2TX  
 Setting 21  
 02-M-1-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1272G	63.66	74.00	-10.34	7.90	3	Vertical	309	1.84	-	55.76
AV	5.099G	49.02	54.00	-4.98	7.84	3	Vertical	309	1.84	-	41.18
PK	5.2424G	119.84	Inf	-Inf	8.12	3	Vertical	309	1.84	-	111.72
AV	5.2478G	109.93	Inf	-Inf	8.13	3	Vertical	309	1.84	-	101.80
PK	5.366G	68.67	74.00	-5.33	8.29	3	Vertical	309	1.84	-	60.38
AV	5.351G	52.62	54.00	-1.38	8.28	3	Vertical	309	1.84	-	44.34

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5240MHz\_TX




EUT X\_2TX  
Setting 21  
02-M-1  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.98652G	64.97	68.20	-3.23	9.66	3	Vertical	279	2.57	-	55.31
PK	10.48176G	60.55	68.20	-7.65	14.58	3	Vertical	345	1.46	-	45.97
PK	15.72272G	58.45	74.00	-15.55	15.59	3	Vertical	293	1.99	-	42.86
AV	15.72272G	44.84	54.00	-9.16	15.59	3	Vertical	293	1.99	-	29.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5240MHz\_TX



EUT X\_2TX  
Setting 21  
02-M-1  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.98646G	53.64	68.20	-14.56	9.66	3	Horizontal	100	2.97	-	43.98
PK	10.47884G	61.38	68.20	-6.82	14.58	3	Horizontal	35	2.27	-	46.80
PK	15.71936G	59.81	74.00	-14.19	15.60	3	Horizontal	15	1.91	-	44.21
AV	15.71952G	46.12	54.00	-7.88	15.60	3	Horizontal	15	1.91	-	30.52



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5260MHz\_TX




EUT\_X\_2TX  
 Setting 21  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1376G	62.39	74.00	-11.61	7.92	3	Vertical	323	1.60	-	54.47
AV	5.1154G	47.88	54.00	-6.12	7.87	3	Vertical	323	1.60	-	40.01
PK	5.2582G	119.28	Inf	-Inf	8.15	3	Vertical	323	1.60	-	111.13
AV	5.2636G	108.07	Inf	-Inf	8.16	3	Vertical	323	1.60	-	99.91
PK	5.3512G	71.60	74.00	-2.40	8.28	3	Vertical	323	1.60	-	63.32
AV	5.3506G	52.82	54.00	-1.18	8.28	3	Vertical	323	1.60	-	44.54

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5260MHz\_TX




EUT X\_2TX  
Setting 21  
02-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.01326G	65.24	68.20	-2.96	9.71	3	Vertical	41	2.62	-	55.53
PK	10.5209G	63.07	68.20	-5.13	14.57	3	Vertical	345	1.51	-	48.50
PK	15.7785G	58.72	74.00	-15.28	15.44	3	Vertical	332	1.78	-	43.28
AV	15.77802G	44.13	54.00	-9.87	15.44	3	Vertical	332	1.78	-	28.69

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

01/08/2019

### 5260MHz\_TX




EUT X\_2TX  
 Setting 21  
 02-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.01322G	53.63	68.20	-14.57	9.71	3	Horizontal	77	3.00	-	43.92
PK	10.51874G	63.19	68.20	-5.01	14.57	3	Horizontal	27	2.27	-	48.62
PK	15.78486G	62.00	74.00	-12.00	15.42	3	Horizontal	43	1.88	-	46.58
AV	15.7794G	47.91	54.00	-6.09	15.44	3	Horizontal	43	1.88	-	32.47

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5300MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3028G	116.07	Inf	-Inf	8.21	3	Vertical	356	1.88	-	107.86
AV	5.3028G	105.49	Inf	-Inf	8.21	3	Vertical	356	1.88	-	97.28
PK	5.354G	73.93	74.00	-0.07	8.28	3	Vertical	356	1.88	-	65.65
AV	5.3532G	52.48	54.00	-1.52	8.28	3	Vertical	356	1.88	-	44.20

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5300MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.06644G	67.79	68.20	-0.41	9.84	3	Vertical	48	2.33	-	57.95
PK	10.59466G	61.09	68.20	-7.11	14.51	3	Vertical	140	1.52	-	46.58
AV	10.60048G	46.66	54.00	-7.34	14.51	3	Vertical	140	1.52	-	32.15

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5300MHz\_TX




EUT X\_2TX  
Setting 19  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.06668G	57.52	68.20	-10.68	9.84	3	Horizontal	75	2.16	-	47.68
PK	10.5952G	57.38	68.20	-10.82	14.51	3	Horizontal	107	1.41	-	42.87
AV	10.60072G	42.55	54.00	-11.45	14.51	3	Horizontal	107	1.41	-	28.04

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5320MHz\_TX




EUT X\_2TX  
 Setting 17  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.328G	113.56	Inf	-Inf	8.25	3	Vertical	117	1.76	-	105.31
AV	5.328G	103.02	Inf	-Inf	8.25	3	Vertical	117	1.76	-	94.77
PK	5.3536G	73.85	74.00	-0.15	8.28	3	Vertical	117	1.76	-	65.57
AV	5.3528G	50.43	54.00	-3.57	8.28	3	Vertical	117	1.76	-	42.15

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5320MHz\_TX



EUT X\_2TX  
 Setting 17  
 02-E-2  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.09318G	62.55	68.20	-5.65	9.91	3	Vertical	61	2.51	-	52.64
PK	10.6409G	58.68	74.00	-15.32	14.49	3	Vertical	149	1.55	-	44.19
AV	10.64078G	43.71	54.00	-10.29	14.49	3	Vertical	149	1.55	-	29.22



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5320MHz\_TX




EUT X\_2TX  
Setting 17  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.09328G	53.75	68.20	-14.45	9.91	3	Horizontal	76	1.91	-	43.84
PK	10.64186G	56.12	74.00	-17.88	14.49	3	Horizontal	108	1.14	-	41.63
AV	10.6412G	42.28	54.00	-11.72	14.49	3	Horizontal	108	1.14	-	27.79

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5500MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	64.90	74.00	-9.10	8.45	3	Vertical	7	1.79	-	56.45
AV	5.4588G	46.36	54.00	-7.64	8.45	3	Vertical	7	1.79	-	37.91
PK	5.47G	66.82	68.20	-1.38	8.46	3	Vertical	7	1.79	-	58.36
PK	5.5036G	110.28	Inf	-Inf	8.52	3	Vertical	7	1.79	-	101.76
AV	5.5036G	99.30	Inf	-Inf	8.52	3	Vertical	7	1.79	-	90.78

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5500MHz\_TX




EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.32463G	49.63	74.00	-24.37	10.59	3	Vertical	112	2.31	-	39.04
AV	7.33933G	34.99	54.00	-19.01	10.64	3	Vertical	112	2.31	-	24.35
PK	11.00174G	55.48	74.00	-18.52	14.26	3	Vertical	151	1.50	-	41.22
AV	11.00048G	41.30	54.00	-12.70	14.26	3	Vertical	151	1.50	-	27.04

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5500MHz\_TX




EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.32415G	49.47	74.00	-24.53	10.59	3	Horizontal	193	2.28	-	38.88
AV	7.34749G	35.05	54.00	-18.95	10.65	3	Horizontal	193	2.28	-	24.40
PK	10.98596G	54.09	74.00	-19.91	14.27	3	Horizontal	133	1.50	-	39.82
AV	11.01464G	38.91	54.00	-15.09	14.28	3	Horizontal	133	1.50	-	24.63

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5580MHz\_TX




EUT X\_2TX  
 Setting 16  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.404G	59.40	74.00	-14.60	8.35	3	Vertical	238	1.59	-	51.05
AV	5.4128G	46.57	54.00	-7.43	8.36	3	Vertical	238	1.59	-	38.21
PK	5.4616G	58.49	68.20	-9.71	8.45	3	Vertical	238	1.59	-	50.04
PK	5.5784G	111.96	Inf	-Inf	8.57	3	Vertical	238	1.59	-	103.39
AV	5.5832G	101.45	Inf	-Inf	8.57	3	Vertical	238	1.59	-	92.88
PK	5.7504G	59.05	68.20	-9.15	8.83	3	Vertical	238	1.59	-	50.22

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5580MHz\_TX




EUT X\_2TX  
Setting 16  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.43992G	60.40	74.00	-13.60	10.90	3	Vertical	39	2.10	-	49.50
AV	7.4399G	53.44	54.00	-0.56	10.90	3	Vertical	39	2.10	-	42.54
PK	11.16016G	57.49	74.00	-16.51	14.46	3	Vertical	228	1.49	-	43.03
AV	11.16032G	43.44	54.00	-10.56	14.46	3	Vertical	228	1.49	-	28.98

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5580MHz\_TX




EUT X\_2TX  
Setting 16  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.4399G	53.04	74.00	-20.96	10.90	3	Horizontal	66	1.87	-	42.14
AV	7.43992G	43.33	54.00	-10.67	10.90	3	Horizontal	66	1.87	-	32.43
PK	11.1608G	54.17	74.00	-19.83	14.47	3	Horizontal	347	2.17	-	39.70
AV	11.1612G	40.19	54.00	-13.81	14.47	3	Horizontal	347	2.17	-	25.72

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5700MHz\_TX



EUT X\_2TX  
 Setting 13  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6984G	107.91	Inf	-Inf	8.75	3	Vertical	271	1.69	-	99.16
AV	5.6976G	97.47	Inf	-Inf	8.75	3	Vertical	271	1.69	-	88.72
PK	5.726G	64.26	68.20	-3.94	8.79	3	Vertical	271	1.69	-	55.47



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5700MHz\_TX




EUT X\_2TX  
Setting 13  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.5886G	49.34	74.00	-24.66	11.13	3	Vertical	176	2.44	-	38.21
AV	7.59556G	35.07	54.00	-18.93	11.14	3	Vertical	176	2.44	-	23.93
PK	11.40306G	53.81	74.00	-20.19	14.77	3	Vertical	199	1.33	-	39.04
AV	11.41458G	39.37	54.00	-14.63	14.79	3	Vertical	199	1.33	-	24.58

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

02/08/2019

### 5700MHz\_TX




EUT X\_2TX  
Setting 13  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.603G	48.79	74.00	-25.21	11.14	3	Horizontal	159	2.49	-	37.65
AV	7.60888G	35.07	54.00	-18.93	11.15	3	Horizontal	159	2.49	-	23.92
PK	11.40348G	53.30	74.00	-20.70	14.77	3	Horizontal	277	2.36	-	38.53
AV	11.40924G	39.40	54.00	-14.60	14.79	3	Horizontal	277	2.36	-	24.61

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5745MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.514G	60.87	68.20	-7.33	8.53	3	Vertical	233	1.62	-	52.34
PK	5.749G	114.35	Inf	-Inf	8.82	3	Vertical	233	1.62	-	105.53
AV	5.749G	103.44	Inf	-Inf	8.82	3	Vertical	233	1.62	-	94.62
PK	5.96G	60.32	68.20	-7.88	8.93	3	Vertical	233	1.62	-	51.39

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5745MHz\_TX




EUT X\_2TX  
Setting 19  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.66004G	60.35	74.00	-13.65	11.18	3	Vertical	39	2.07	-	49.17
AV	7.65984G	53.84	54.00	-0.16	11.18	3	Vertical	39	2.07	-	42.66
PK	11.49232G	61.13	74.00	-12.87	14.89	3	Vertical	321	2.94	-	46.24
AV	11.48848G	45.97	54.00	-8.03	14.89	3	Vertical	321	2.94	-	31.08

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5745MHz\_TX




EUT X\_2TX  
Setting 19  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.65968G	53.36	74.00	-20.64	11.18	3	Horizontal	120	2.46	-	42.18
AV	7.65988G	45.15	54.00	-8.85	11.18	3	Horizontal	120	2.46	-	33.97
PK	11.49184G	57.77	74.00	-16.23	14.89	3	Horizontal	358	2.11	-	42.88
AV	11.48776G	42.82	54.00	-11.18	14.89	3	Horizontal	358	2.11	-	27.93

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5785MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.628G	59.45	68.20	-8.75	8.63	3	Vertical	24	1.22	-	50.82
PK	5.783G	108.19	Inf	-Inf	8.88	3	Vertical	24	1.22	-	99.31
AV	5.788G	97.91	Inf	-Inf	8.87	3	Vertical	24	1.22	-	89.04
PK	5.978G	58.87	68.20	-9.33	8.94	3	Vertical	24	1.22	-	49.93

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5785MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.71322G	59.34	74.00	-14.66	11.22	3	Vertical	43	1.99	-	48.12
AV	7.71326G	52.48	54.00	-1.52	11.22	3	Vertical	43	1.99	-	41.26
PK	11.57096G	55.52	74.00	-18.48	15.00	3	Vertical	55	2.14	-	40.52
AV	11.57096G	41.56	54.00	-12.44	15.00	3	Vertical	55	2.14	-	26.56

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5785MHz\_TX



EUT X\_2TX  
Setting 14  
02-B-4  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.71328G	51.64	74.00	-22.36	11.22	3	Horizontal	247	1.63	-	40.42
AV	7.71326G	41.60	54.00	-12.40	11.22	3	Horizontal	247	1.63	-	30.38
PK	11.57128G	54.67	74.00	-19.33	15.00	3	Horizontal	1	2.19	-	39.67
AV	11.57184G	40.47	54.00	-13.53	15.00	3	Horizontal	1	2.19	-	25.47



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5825MHz\_TX




EUT X\_2TX  
 Setting 22  
 02-J-5-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.591G	60.62	68.20	-7.58	8.57	3	Vertical	169	1.57	-	52.05
PK	5.83G	115.58	Inf	-Inf	8.91	3	Vertical	169	1.57	-	106.67
AV	5.83G	104.27	Inf	-Inf	8.91	3	Vertical	169	1.57	-	95.36
PK	5.933G	68.09	68.20	-0.11	8.93	3	Vertical	169	1.57	-	59.16

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5825MHz\_TX




EUT X\_2TX  
 Setting 22  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.76642G	67.02	68.20	-1.18	11.27	3	Vertical	32	2.04	-	55.75
PK	11.65114G	62.50	74.00	-11.50	15.10	3	Vertical	187	2.34	-	47.40
AV	11.65042G	48.39	54.00	-5.61	15.09	3	Vertical	187	2.34	-	33.30

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

07/08/2019

### 5825MHz\_TX




EUT X\_2TX  
Setting 22  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.76659G	57.66	68.20	-10.54	11.27	3	Horizontal	98	1.70	-	46.39
PK	11.65084G	57.73	74.00	-16.27	15.09	3	Horizontal	104	1.50	-	42.64
AV	11.65072G	43.17	54.00	-10.83	15.09	3	Horizontal	104	1.50	-	28.08

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5190MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	69.71	74.00	-4.29	7.94	3	Vertical	289	1.75	-	61.77
AV	5.15G	53.96	54.00	-0.04	7.94	3	Vertical	289	1.75	-	46.02
PK	5.206G	108.09	Inf	-Inf	8.07	3	Vertical	289	1.75	-	100.02
AV	5.206G	98.63	Inf	-Inf	8.07	3	Vertical	289	1.75	-	90.56

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5190MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.91124G	46.96	68.20	-21.24	9.54	3	Vertical	59	2.00	-	37.42
PK	15.5571G	54.68	74.00	-19.32	16.02	3	Vertical	190	2.31	-	38.66
AV	15.5628G	42.15	54.00	-11.85	16.02	3	Vertical	190	2.31	-	26.13

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5190MHz\_TX




EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.93266G	47.56	68.20	-20.64	9.58	3	Horizontal	86	1.36	-	37.98
PK	15.56058G	55.15	74.00	-18.85	16.01	3	Horizontal	316	1.59	-	39.14
AV	15.558G	42.23	54.00	-11.77	16.02	3	Horizontal	316	1.59	-	26.21

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5230MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.14	74.00	-8.86	7.94	3	Vertical	290	1.57	-	57.20
AV	5.15G	51.05	54.00	-2.95	7.94	3	Vertical	290	1.57	-	43.11
PK	5.2456G	113.40	Inf	-Inf	8.12	3	Vertical	290	1.57	-	105.28
AV	5.2456G	104.22	Inf	-Inf	8.12	3	Vertical	290	1.57	-	96.10
PK	5.3668G	66.49	74.00	-7.51	8.29	3	Vertical	290	1.57	-	58.20
AV	5.3506G	52.44	54.00	-1.56	8.28	3	Vertical	290	1.57	-	44.16

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5230MHz\_TX



EUT X\_2TX  
Setting 19  
02-E-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.97322G	61.13	68.20	-7.07	9.63	3	Vertical	54	2.42	-	51.50
PK	15.69564G	55.22	74.00	-18.78	15.66	3	Vertical	336	2.02	-	39.56
AV	15.69084G	42.33	54.00	-11.67	15.68	3	Vertical	336	2.02	-	26.65



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5230MHz\_TX




EUT X\_2TX  
 Setting 19  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.97322G	53.98	68.20	-14.22	9.63	3	Horizontal	82	1.91	-	44.35
PK	15.70188G	54.74	74.00	-19.26	15.64	3	Horizontal	172	2.25	-	39.10
AV	15.69642G	42.29	54.00	-11.71	15.66	3	Horizontal	172	2.25	-	26.63

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5270MHz\_TX




EUT X\_2TX  
 Setting 18  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1356G	61.80	74.00	-12.20	7.92	3	Vertical	287	1.90	-	53.88
AV	5.1452G	48.83	54.00	-5.17	7.94	3	Vertical	287	1.90	-	40.89
PK	5.2856G	112.57	Inf	-Inf	8.19	3	Vertical	287	1.90	-	104.38
AV	5.2862G	103.12	Inf	-Inf	8.19	3	Vertical	287	1.90	-	94.93
PK	5.3558G	69.83	74.00	-4.17	8.28	3	Vertical	287	1.90	-	61.55
AV	5.351G	52.77	54.00	-1.23	8.28	3	Vertical	287	1.90	-	44.49

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5270MHz\_TX




EUT X\_2TX  
 Setting 18  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.02658G	57.78	68.20	-10.42	9.74	3	Vertical	152	2.71	-	48.04
PK	15.79506G	54.29	74.00	-19.71	15.39	3	Vertical	182	1.43	-	38.90
AV	15.79608G	41.44	54.00	-12.56	15.39	3	Vertical	182	1.43	-	26.05

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5270MHz\_TX




EUT X\_2TX  
Setting 18  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.02666G	51.28	68.20	-16.92	9.74	3	Horizontal	70	1.96	-	41.54
PK	15.81642G	53.87	74.00	-20.13	15.34	3	Horizontal	201	1.39	-	38.53
AV	15.79818G	41.23	54.00	-12.77	15.39	3	Horizontal	201	1.39	-	25.84

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5310MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3256G	107.98	Inf	-Inf	8.25	3	Vertical	291	1.69	-	99.73
AV	5.326G	98.82	Inf	-Inf	8.25	3	Vertical	291	1.69	-	90.57
PK	5.3564G	69.56	74.00	-4.44	8.28	3	Vertical	291	1.69	-	61.28
AV	5.352G	52.53	54.00	-1.47	8.28	3	Vertical	291	1.69	-	44.25

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5310MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.07844G	48.84	68.20	-19.36	9.88	3	Vertical	202	2.27	-	38.96
PK	10.62546G	53.49	74.00	-20.51	14.49	3	Vertical	77	1.83	-	39.00
AV	10.62648G	40.47	54.00	-13.53	14.49	3	Vertical	77	1.83	-	25.98

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5310MHz\_TX




EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.07226G	48.27	68.20	-19.93	9.86	3	Horizontal	198	1.80	-	38.41
PK	10.6281G	52.87	74.00	-21.13	14.49	3	Horizontal	215	1.91	-	38.38
AV	10.61184G	40.58	54.00	-13.42	14.50	3	Horizontal	215	1.91	-	26.08

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5510MHz\_TX



EUT X\_2TX  
 Setting 12  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	60.31	74.00	-13.69	8.44	3	Vertical	185	1.74	-	51.87
AV	5.4564G	48.16	54.00	-5.84	8.44	3	Vertical	185	1.74	-	39.72
PK	5.4672G	65.08	68.20	-3.12	8.46	3	Vertical	185	1.74	-	56.62
PK	5.5264G	106.12	Inf	-Inf	8.54	3	Vertical	185	1.74	-	97.58
AV	5.516G	96.73	Inf	-Inf	8.53	3	Vertical	185	1.74	-	88.20



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5510MHz\_TX




EUT X\_2TX  
Setting 12  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.34121G	49.21	74.00	-24.79	10.64	3	Vertical	286	2.14	-	38.57
AV	7.33413G	36.55	54.00	-17.45	10.62	3	Vertical	286	2.14	-	25.93
PK	11.03002G	53.45	74.00	-20.55	14.30	3	Vertical	355	1.41	-	39.15
AV	11.02774G	40.62	54.00	-13.38	14.29	3	Vertical	355	1.41	-	26.33

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5510MHz\_TX




EUT X\_2TX  
Setting 12  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35279G	49.52	74.00	-24.48	10.67	3	Horizontal	309	2.11	-	38.85
AV	7.34685G	36.61	54.00	-17.39	10.65	3	Horizontal	309	2.11	-	25.96
PK	11.03152G	53.26	74.00	-20.74	14.31	3	Horizontal	129	1.53	-	38.95
AV	11.01904G	40.49	54.00	-13.51	14.29	3	Horizontal	129	1.53	-	26.20

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5550MHz\_TX




EUT X\_2TX  
 Setting 15  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4162G	59.62	74.00	-14.38	8.36	3	Vertical	356	1.50	-	51.26
PK	5.4618G	59.62	68.20	-8.58	8.45	3	Vertical	356	1.50	-	51.17
AV	5.445G	47.56	54.00	-6.44	8.42	3	Vertical	356	1.50	-	39.14
PK	5.535G	107.56	Inf	-Inf	8.54	3	Vertical	356	1.50	-	99.02
AV	5.535G	98.32	Inf	-Inf	8.54	3	Vertical	356	1.50	-	89.78

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5550MHz\_TX




EUT X\_2TX  
Setting 15  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.39994G	57.81	74.00	-16.19	10.80	3	Vertical	36	2.11	-	47.01
AV	7.39994G	52.84	54.00	-1.16	10.80	3	Vertical	36	2.11	-	42.04
PK	11.09412G	58.35	74.00	-15.65	14.39	3	Vertical	302	2.99	-	43.96
AV	11.0985G	45.80	54.00	-8.20	14.39	3	Vertical	302	2.99	-	31.41

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5550MHz\_TX




EUT X\_2TX  
Setting 15  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.40008G	55.76	74.00	-18.24	10.80	3	Horizontal	113	1.86	-	44.96
AV	7.39988G	44.70	54.00	-9.30	10.80	3	Horizontal	113	1.86	-	33.90
PK	11.0994G	64.23	74.00	-9.77	14.39	3	Horizontal	249	2.06	-	49.84
AV	11.09862G	46.39	54.00	-7.61	14.39	3	Horizontal	249	2.06	-	32.00

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5670MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.684G	107.73	Inf	-Inf	8.72	3	Vertical	190	1.80	-	99.01
AV	5.6544G	98.23	Inf	-Inf	8.67	3	Vertical	190	1.80	-	89.56
PK	5.7304G	65.12	68.20	-3.08	8.80	3	Vertical	190	1.80	-	56.32

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5670MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.55388G	49.28	74.00	-24.72	11.10	3	Vertical	194	2.24	-	38.18
AV	7.54752G	36.73	54.00	-17.27	11.09	3	Vertical	194	2.24	-	25.64
PK	11.3394G	52.99	74.00	-21.01	14.70	3	Vertical	309	2.36	-	38.29
AV	11.32818G	40.13	54.00	-13.87	14.68	3	Vertical	309	2.36	-	25.45

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

02/08/2019

### 5670MHz\_TX



EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.55964G	49.29	74.00	-24.71	11.10	3	Horizontal	206	2.21	-	38.19
AV	7.5693G	36.77	54.00	-17.23	11.11	3	Horizontal	206	2.21	-	25.66
PK	11.33256G	52.76	74.00	-21.24	14.70	3	Horizontal	74	1.66	-	38.06
AV	11.3439G	39.99	54.00	-14.01	14.71	3	Horizontal	74	1.66	-	25.28



### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5755MHz\_TX




EUT X\_2TX  
 Setting 18  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	61.37	68.20	-6.83	8.66	3	Vertical	234	1.53	-	52.71
PK	5.772G	110.88	Inf	-Inf	8.85	3	Vertical	234	1.53	-	102.03
AV	5.772G	102.14	Inf	-Inf	8.85	3	Vertical	234	1.53	-	93.29
PK	5.936G	61.29	68.20	-6.91	8.93	3	Vertical	234	1.53	-	52.36

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5755MHz\_TX




EUT X\_2TX  
Setting 18  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.67306G	57.82	74.00	-16.18	11.19	3	Vertical	45	1.90	-	46.63
AV	7.67318G	53.22	54.00	-0.78	11.19	3	Vertical	45	1.90	-	42.03
PK	11.51018G	60.88	74.00	-13.12	14.92	3	Vertical	145	1.50	-	45.96
AV	11.50976G	47.87	54.00	-6.13	14.92	3	Vertical	145	1.50	-	32.95

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5755MHz\_TX




EUT X\_2TX  
Setting 18  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.67321G	49.55	74.00	-24.45	11.19	3	Horizontal	278	1.64	-	38.36
AV	7.67315G	40.96	54.00	-13.04	11.19	3	Horizontal	278	1.64	-	29.77
PK	11.51108G	58.80	74.00	-15.20	14.92	3	Horizontal	165	1.61	-	43.88
AV	11.5109G	45.85	54.00	-8.15	14.92	3	Horizontal	165	1.61	-	30.93

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5795MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-B-4-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.566G	60.41	68.20	-7.79	8.56	3	Vertical	174	1.50	-	51.85
PK	5.778G	107.89	Inf	-Inf	8.87	3	Vertical	174	1.50	-	99.02
AV	5.778G	98.16	Inf	-Inf	8.87	3	Vertical	174	1.50	-	89.29
PK	5.94G	58.79	68.20	-9.41	8.93	3	Vertical	174	1.50	-	49.86

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5795MHz\_TX




EUT X\_2TX  
Setting 14  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.72652G	58.65	74.00	-15.35	11.23	3	Vertical	39	1.99	-	47.42
AV	7.72658G	53.89	54.00	-0.11	11.23	3	Vertical	39	1.99	-	42.66
PK	11.58424G	55.26	74.00	-18.74	15.02	3	Vertical	14	1.50	-	40.24
AV	11.58838G	42.41	54.00	-11.59	15.02	3	Vertical	14	1.50	-	27.39

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

07/08/2019

### 5795MHz\_TX




EUT X\_2TX  
Setting 14  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.72653G	52.28	74.00	-21.72	11.23	3	Horizontal	102	1.69	-	41.05
AV	7.72661G	44.45	54.00	-9.55	11.23	3	Horizontal	102	1.69	-	33.22
PK	11.59126G	55.12	74.00	-18.88	15.02	3	Horizontal	198	1.60	-	40.10
AV	11.59696G	42.02	54.00	-11.98	15.04	3	Horizontal	198	1.60	-	26.98

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5210MHz\_TX




EUT\_X\_2TX  
 Setting 9  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	63.04	74.00	-10.96	7.94	3	Vertical	291	1.81	-	55.10
AV	5.148G	53.51	54.00	-0.49	7.94	3	Vertical	291	1.81	-	45.57
PK	5.234G	99.99	Inf	-Inf	8.11	3	Vertical	291	1.81	-	91.88
AV	5.244G	91.35	Inf	-Inf	8.12	3	Vertical	291	1.81	-	83.23
PK	5.423G	58.99	74.00	-15.01	8.38	3	Vertical	291	1.81	-	50.61
AV	5.351G	48.59	54.00	-5.41	8.28	3	Vertical	291	1.81	-	40.31

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5210MHz\_TX



EUT X\_2TX  
Setting 9  
02-E-2  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.94559G	47.51	68.20	-20.69	9.59	3	Vertical	256	1.39	-	37.92
PK	15.642G	54.72	74.00	-19.28	15.80	3	Vertical	233	1.89	-	38.92
AV	15.6195G	44.23	54.00	-9.77	15.85	3	Vertical	233	1.89	-	28.38



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5210MHz\_TX




EUT X\_2TX  
 Setting 9  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	6.95993G	48.39	68.20	-19.81	9.61	3	Horizontal	236	2.32	-	38.78
PK	15.64386G	54.69	74.00	-19.31	15.79	3	Horizontal	357	1.09	-	38.90
AV	15.62856G	44.27	54.00	-9.73	15.84	3	Horizontal	357	1.09	-	28.43

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5290MHz\_TX




EUT\_X\_2TX  
 Setting 11  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.139G	61.82	74.00	-12.18	7.93	3	Vertical	293	1.77	-	53.89
AV	5.138G	51.50	54.00	-2.50	7.92	3	Vertical	293	1.77	-	43.58
PK	5.318G	102.14	Inf	-Inf	8.23	3	Vertical	293	1.77	-	93.91
AV	5.319G	93.80	Inf	-Inf	8.23	3	Vertical	293	1.77	-	85.57
PK	5.359G	64.85	74.00	-9.15	8.28	3	Vertical	293	1.77	-	56.57
AV	5.35G	52.79	54.00	-1.21	8.28	3	Vertical	293	1.77	-	44.51
PK	5.47G	59.24	68.20	-8.96	8.46	3	Vertical	293	1.77	-	50.78

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5290MHz\_TX




EUT X\_2TX  
Setting 11  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.04823G	47.93	68.20	-20.27	9.80	3	Vertical	209	2.87	-	38.13
PK	15.87474G	54.27	74.00	-19.73	15.19	3	Vertical	219	1.64	-	39.08
AV	15.855G	42.69	54.00	-11.31	15.24	3	Vertical	219	1.64	-	27.45

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5290MHz\_TX




EUT X\_2TX  
Setting 11  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.05717G	48.09	68.20	-20.11	9.81	3	Horizontal	52	2.30	-	38.28
PK	15.88248G	53.74	74.00	-20.26	15.17	3	Horizontal	216	1.61	-	38.57
AV	15.858G	42.83	54.00	-11.17	15.23	3	Horizontal	216	1.61	-	27.60

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5530MHz\_TX




EUT\_X\_2TX  
Setting 11  
02-E-2-10  
FSU(100015)  
Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.333G	59.27	68.20	-8.93	8.26	3	Vertical	183	1.83	-	51.01
PK	5.444G	64.81	74.00	-9.19	8.42	3	Vertical	183	1.83	-	56.39
PK	5.468G	64.42	68.20	-3.78	8.46	3	Vertical	183	1.83	-	55.96
AV	5.46G	52.43	54.00	-1.57	8.45	3	Vertical	183	1.83	-	43.98
PK	5.499G	101.67	Inf	-Inf	8.52	3	Vertical	183	1.83	-	93.15
AV	5.504G	91.92	Inf	-Inf	8.52	3	Vertical	183	1.83	-	83.40
PK	5.741G	59.84	68.20	-8.36	8.80	3	Vertical	183	1.83	-	51.04

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5530MHz\_TX




EUT X\_2TX  
Setting 11  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38257G	48.47	74.00	-25.53	10.75	3	Vertical	278	2.32	-	37.72
AV	7.35995G	36.30	54.00	-17.70	10.68	3	Vertical	278	2.32	-	25.62
PK	11.07074G	53.28	74.00	-20.72	14.36	3	Vertical	158	1.77	-	38.92
AV	11.06228G	40.54	54.00	-13.46	14.34	3	Vertical	158	1.77	-	26.20

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5530MHz\_TX




EUT X\_2TX  
Setting 11  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36835G	49.42	74.00	-24.58	10.71	3	Horizontal	132	2.18	-	38.71
AV	7.37327G	36.44	54.00	-17.56	10.73	3	Horizontal	132	2.18	-	25.71
PK	11.04812G	53.32	74.00	-20.68	14.33	3	Horizontal	280	1.77	-	38.99
AV	11.06276G	40.45	54.00	-13.55	14.34	3	Horizontal	280	1.77	-	26.11

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5610MHz\_TX



EUT X\_2TX  
 Setting 12  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	63.69	74.00	-10.31	8.44	3	Vertical	182	1.77	-	55.25
AV	5.456G	52.14	54.00	-1.86	8.44	3	Vertical	182	1.77	-	43.70
PK	5.465G	62.13	68.20	-6.07	8.45	3	Vertical	182	1.77	-	53.68
PK	5.576G	102.17	Inf	-Inf	8.57	3	Vertical	182	1.77	-	93.60
AV	5.582G	93.49	Inf	-Inf	8.57	3	Vertical	182	1.77	-	84.92
PK	5.763G	60.02	68.20	-8.18	8.84	3	Vertical	182	1.77	-	51.18



### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5610MHz\_TX




EUT X\_2TX  
Setting 12  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.49374G	49.65	74.00	-24.35	11.03	3	Vertical	270	1.92	-	38.62
AV	7.4908G	38.18	54.00	-15.82	11.04	3	Vertical	270	1.92	-	27.14
PK	11.23344G	52.95	74.00	-21.05	14.56	3	Vertical	231	1.52	-	38.39
AV	11.22654G	42.03	54.00	-11.97	14.55	3	Vertical	231	1.52	-	27.48

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5610MHz\_TX




EUT X\_2TX  
Setting 12  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.48828G	49.37	74.00	-24.63	11.02	3	Horizontal	123	1.47	-	38.35
AV	7.47898G	38.41	54.00	-15.59	10.99	3	Horizontal	123	1.47	-	27.42
PK	11.21028G	52.74	74.00	-21.26	14.53	3	Horizontal	198	1.89	-	38.21
AV	11.21838G	42.01	54.00	-11.99	14.54	3	Horizontal	198	1.89	-	27.47

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5775MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2-10  
 FSU(100015)  
 Dipole ANT

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.618G	67.33	68.20	-0.87	8.61	3	Vertical	181	1.76	-	58.72
PK	5.744G	103.74	Inf	-Inf	8.82	3	Vertical	181	1.76	-	94.92
AV	5.744G	95.02	Inf	-Inf	8.82	3	Vertical	181	1.76	-	86.20
PK	5.925G	63.74	68.20	-4.46	8.93	3	Vertical	181	1.76	-	54.81

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5775MHz\_TX




EUT X\_2TX  
Setting 14  
02-E-2  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.7032G	49.86	74.00	-24.14	11.21	3	Vertical	338	2.95	-	38.65
AV	7.70208G	38.64	54.00	-15.36	11.21	3	Vertical	338	2.95	-	27.43
PK	11.55384G	53.98	74.00	-20.02	14.97	3	Vertical	135	1.50	-	39.01
AV	11.55954G	42.78	54.00	-11.22	14.99	3	Vertical	135	1.50	-	27.79

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

02/08/2019

### 5775MHz\_TX




EUT X\_2TX  
 Setting 14  
 02-E-2  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.69952G	50.05	74.00	-23.95	11.21	3	Horizontal	241	1.84	-	38.84
AV	7.6964G	38.43	54.00	-15.57	11.21	3	Horizontal	241	1.84	-	27.22
PK	11.56248G	53.87	74.00	-20.13	14.99	3	Horizontal	319	1.45	-	38.88
AV	11.54598G	42.54	54.00	-11.46	14.97	3	Horizontal	319	1.45	-	27.57



# RSE Co-location Result

Appendix F





# RSE Co-location Result

Appendix F

