


802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37668G	51.63	74.00	-22.37	38.50	3	Vertical	238	2.51	-	38.78	7.58	33.23
AV	11.37656G	40.72	54.00	-13.28	27.59	3	Vertical	238	2.51	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38412G	52.39	74.00	-21.61	39.26	3	Horizontal	164	1.43	-	38.78	7.58	33.23
AV	11.3839G	40.95	54.00	-13.05	27.82	3	Horizontal	164	1.43	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	64.27	68.20	-3.93	57.45	3	Vertical	47	1.40	-	33.81	5.15	32.14
PK	5.771G	99.62	Inf	-Inf	92.98	3	Vertical	47	1.40	-	33.76	5.03	32.15
AV	5.772G	90.99	Inf	-Inf	84.35	3	Vertical	47	1.40	-	33.76	5.03	32.15
PK	5.938G	58.90	68.20	-9.30	51.57	3	Vertical	47	1.40	-	34.08	5.41	32.16

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	60.69	68.20	-7.51	53.82	3	Horizontal	296	2.67	-	33.84	5.17	32.14
PK	5.779G	98.84	Inf	-Inf	92.23	3	Horizontal	296	2.67	-	33.74	5.02	32.15
AV	5.772G	90.31	Inf	-Inf	83.67	3	Horizontal	296	2.67	-	33.76	5.03	32.15
PK	5.927G	59.39	68.20	-8.81	52.12	3	Horizontal	296	2.67	-	34.05	5.38	32.16

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54922G	52.02	74.00	-21.98	38.46	3	Vertical	135	1.26	-	39.15	7.64	33.23
AV	11.54996G	41.50	54.00	-12.50	27.94	3	Vertical	135	1.26	-	39.15	7.64	33.23

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT V_1TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54678G	52.04	74.00	-21.96	38.49	3	Horizontal	118	2.49	-	39.14	7.64	33.23
AV	11.54866G	41.10	54.00	-12.90	27.54	3	Horizontal	118	2.49	-	39.15	7.64	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.97	54.00	-1.03	3	Horizontal	307	2.86	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.93	74.00	-2.07	65.58	3	Vertical	0	1.06	-	33.50	5.00	32.15
AV	5.1494G	52.67	54.00	-1.33	46.32	3	Vertical	0	1.06	-	33.50	5.00	32.15
PK	5.182G	108.70	Inf	-Inf	102.29	3	Vertical	0	1.06	-	33.50	5.06	32.15
AV	5.1816G	99.36	Inf	-Inf	92.95	3	Vertical	0	1.06	-	33.50	5.06	32.15

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.44	74.00	-12.56	55.09	3	Horizontal	208	2.58	-	33.50	5.00	32.15
AV	5.1498G	45.99	54.00	-8.01	39.64	3	Horizontal	208	2.58	-	33.50	5.00	32.15
PK	5.1808G	97.48	Inf	-Inf	91.07	3	Horizontal	208	2.58	-	33.50	5.06	32.15
AV	5.1812G	88.09	Inf	-Inf	81.68	3	Horizontal	208	2.58	-	33.50	5.06	32.15

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5351G	52.03	74.00	-21.97	38.39	3	Vertical	45	1.88	-	37.79	9.04	33.19
AV	15.53814G	38.92	54.00	-15.08	25.29	3	Vertical	45	1.88	-	37.79	9.04	33.20

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53656G	51.64	74.00	-22.36	38.00	3	Horizontal	107	2.98	-	37.79	9.04	33.19
AV	15.541G	38.67	54.00	-15.33	25.05	3	Horizontal	107	2.98	-	37.78	9.04	33.20

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.30	74.00	-7.70	59.95	3	Vertical	360	1.01	-	33.50	5.00	32.15
AV	5.15G	52.76	54.00	-1.24	46.41	3	Vertical	360	1.01	-	33.50	5.00	32.15
PK	5.2016G	109.76	Inf	-Inf	103.31	3	Vertical	360	1.01	-	33.50	5.10	32.15
AV	5.2016G	99.92	Inf	-Inf	93.47	3	Vertical	360	1.01	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 59
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.63	74.00	-11.37	56.28	3	Horizontal	345	2.73	-	33.50	5.00	32.15
AV	5.1484G	48.84	54.00	-5.16	42.49	3	Horizontal	345	2.73	-	33.50	5.00	32.15
PK	5.2008G	104.84	Inf	-Inf	98.39	3	Horizontal	345	2.73	-	33.50	5.10	32.15
AV	5.2008G	94.86	Inf	-Inf	88.41	3	Horizontal	345	2.73	-	33.50	5.10	32.15

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60164G	51.86	74.00	-22.14	38.47	3	Vertical	53	2.68	-	37.60	9.06	33.27
AV	15.5986G	38.60	54.00	-15.40	25.21	3	Vertical	53	2.68	-	37.60	9.06	33.27

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 59
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59976G	52.28	74.00	-21.72	38.89	3	Horizontal	189	1.27	-	37.60	9.06	33.27
AV	15.60426G	38.61	54.00	-15.39	25.23	3	Horizontal	189	1.27	-	37.59	9.06	33.27

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1068G	56.06	74.00	-17.94	49.80	3	Vertical	350	2.97	-	33.50	4.91	32.15
AV	5.1482G	44.53	54.00	-9.47	38.18	3	Vertical	350	2.97	-	33.50	5.00	32.15
PK	5.2406G	111.74	Inf	-Inf	105.23	3	Vertical	350	2.97	-	33.58	5.08	32.15
AV	5.2412G	101.84	Inf	-Inf	95.33	3	Vertical	350	2.97	-	33.58	5.08	32.15
PK	5.3582G	56.90	74.00	-17.10	50.30	3	Vertical	350	2.97	-	33.72	5.02	32.14
AV	5.387G	44.20	54.00	-9.80	37.56	3	Vertical	350	2.97	-	33.77	5.01	32.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	56.76	74.00	-17.24	50.46	3	Horizontal	305	2.83	-	33.50	4.95	32.15
AV	5.1482G	44.32	54.00	-9.68	37.97	3	Horizontal	305	2.83	-	33.50	5.00	32.15
PK	5.2394G	107.74	Inf	-Inf	101.23	3	Horizontal	305	2.83	-	33.58	5.08	32.15
AV	5.2394G	98.62	Inf	-Inf	92.11	3	Horizontal	305	2.83	-	33.58	5.08	32.15
PK	5.3648G	56.13	74.00	-17.87	49.52	3	Horizontal	305	2.83	-	33.73	5.02	32.14
AV	5.3522G	44.12	54.00	-9.88	37.54	3	Horizontal	305	2.83	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72376G	52.41	74.00	-21.59	39.32	3	Vertical	42	1.99	-	37.40	9.10	33.41
AV	15.72122G	39.36	54.00	-14.64	26.27	3	Vertical	42	1.99	-	37.40	9.10	33.41

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72488G	52.56	74.00	-21.44	39.48	3	Horizontal	111	1.87	-	37.40	9.10	33.42
AV	15.72488G	39.18	54.00	-14.82	26.10	3	Horizontal	111	1.87	-	37.40	9.10	33.42

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	56.34	74.00	-17.66	50.02	3	Vertical	347	2.94	-	33.50	4.97	32.15
AV	5.1112G	44.22	54.00	-9.78	37.95	3	Vertical	347	2.94	-	33.50	4.92	32.15
PK	5.2606G	112.01	Inf	-Inf	105.46	3	Vertical	347	2.94	-	33.62	5.07	32.14
AV	5.2588G	101.40	Inf	-Inf	94.85	3	Vertical	347	2.94	-	33.62	5.07	32.14
PK	5.3704G	56.60	74.00	-17.40	49.99	3	Vertical	347	2.94	-	33.74	5.01	32.14
AV	5.3518G	44.29	54.00	-9.71	37.71	3	Vertical	347	2.94	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	55.84	74.00	-18.16	49.49	3	Horizontal	304	2.77	-	33.50	5.00	32.15
AV	5.11G	43.87	54.00	-10.13	37.60	3	Horizontal	304	2.77	-	33.50	4.92	32.15
PK	5.2594G	107.41	Inf	-Inf	100.86	3	Horizontal	304	2.77	-	33.62	5.07	32.14
AV	5.2588G	97.46	Inf	-Inf	90.91	3	Horizontal	304	2.77	-	33.62	5.07	32.14
PK	5.3524G	57.30	74.00	-16.70	50.72	3	Horizontal	304	2.77	-	33.70	5.02	32.14
AV	5.3512G	44.98	54.00	-9.02	38.40	3	Horizontal	304	2.77	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77712G	51.90	74.00	-22.10	38.86	3	Vertical	276	1.07	-	37.40	9.12	33.48
AV	15.77708G	39.23	54.00	-14.77	26.19	3	Vertical	276	1.07	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77856G	51.68	74.00	-22.32	38.64	3	Horizontal	157	1.30	-	37.40	9.12	33.48
AV	15.77688G	39.65	54.00	-14.35	26.61	3	Horizontal	157	1.30	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	110.68	Inf	-Inf	104.07	3	Vertical	348	2.91	-	33.70	5.05	32.14
AV	5.3004G	101.12	Inf	-Inf	94.51	3	Vertical	348	2.91	-	33.70	5.05	32.14
PK	5.3548G	62.19	74.00	-11.81	55.60	3	Vertical	348	2.91	-	33.71	5.02	32.14
AV	5.3504G	49.03	54.00	-4.97	42.45	3	Vertical	348	2.91	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	107.52	Inf	-Inf	100.91	3	Horizontal	303	2.79	-	33.70	5.05	32.14
AV	5.2996G	98.15	Inf	-Inf	91.54	3	Horizontal	303	2.79	-	33.70	5.05	32.14
PK	5.3508G	62.01	74.00	-11.99	55.43	3	Horizontal	303	2.79	-	33.70	5.02	32.14
AV	5.3512G	48.12	54.00	-5.88	41.54	3	Horizontal	303	2.79	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90066G	51.98	74.00	-22.02	38.93	3	Vertical	33	2.92	-	37.50	9.17	33.62
AV	15.90076G	39.23	54.00	-14.77	26.18	3	Vertical	33	2.92	-	37.50	9.17	33.62

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9008G	51.20	74.00	-22.80	38.15	3	Horizontal	281	1.18	-	37.50	9.17	33.62
AV	15.90434G	38.48	54.00	-15.52	25.44	3	Horizontal	281	1.18	-	37.50	9.17	33.63

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	107.97	Inf	-Inf	101.37	3	Vertical	360	2.38	-	33.70	5.04	32.14
AV	5.3194G	99.09	Inf	-Inf	92.49	3	Vertical	360	2.38	-	33.70	5.04	32.14
PK	5.3528G	66.43	74.00	-7.57	59.84	3	Vertical	360	2.38	-	33.71	5.02	32.14
AV	5.351G	50.95	54.00	-3.05	44.37	3	Vertical	360	2.38	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	105.55	Inf	-Inf	98.95	3	Horizontal	307	2.86	-	33.70	5.04	32.14
AV	5.3208G	95.77	Inf	-Inf	89.17	3	Horizontal	307	2.86	-	33.70	5.04	32.14
PK	5.3536G	67.85	74.00	-6.15	61.26	3	Horizontal	307	2.86	-	33.71	5.02	32.14
AV	5.35G	52.97	54.00	-1.03	46.38	3	Horizontal	307	2.86	-	33.70	5.03	32.14

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.962G	51.35	74.00	-22.65	38.42	3	Vertical	95	2.30	-	37.44	9.19	33.70
AV	15.9559G	38.19	54.00	-15.81	25.26	3	Vertical	95	2.30	-	37.44	9.18	33.69

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96054G	51.32	74.00	-22.68	38.38	3	Horizontal	324	1.59	-	37.44	9.19	33.69
AV	15.9552G	38.23	54.00	-15.77	25.30	3	Horizontal	324	1.59	-	37.44	9.18	33.69

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.65	74.00	-11.35	55.82	3	Vertical	357	2.85	-	33.90	5.06	32.13
AV	5.4588G	47.70	54.00	-6.30	40.87	3	Vertical	357	2.85	-	33.90	5.06	32.13
PK	5.47G	66.62	68.20	-1.58	59.78	3	Vertical	357	2.85	-	33.90	5.07	32.13
PK	5.4994G	106.83	Inf	-Inf	99.96	3	Vertical	357	2.85	-	33.90	5.10	32.13
AV	5.4994G	97.91	Inf	-Inf	91.04	3	Vertical	357	2.85	-	33.90	5.10	32.13

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	63.91	74.00	-10.09	57.09	3	Horizontal	306	2.92	-	33.90	5.05	32.13
AV	5.46G	48.23	54.00	-5.77	41.40	3	Horizontal	306	2.92	-	33.90	5.06	32.13
PK	5.4696G	67.07	68.20	-1.13	60.23	3	Horizontal	306	2.92	-	33.90	5.07	32.13
PK	5.4986G	102.58	Inf	-Inf	95.71	3	Horizontal	306	2.92	-	33.90	5.10	32.13
AV	5.4992G	93.85	Inf	-Inf	86.98	3	Horizontal	306	2.92	-	33.90	5.10	32.13

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99766G	51.32	74.00	-22.68	38.64	3	Vertical	101	1.41	-	38.50	7.45	33.27
AV	11.00088G	37.95	54.00	-16.05	25.27	3	Vertical	101	1.41	-	38.50	7.45	33.27

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00216G	52.16	74.00	-21.84	39.48	3	Horizontal	36	2.27	-	38.50	7.45	33.27
AV	11.00212G	37.99	54.00	-16.01	25.31	3	Horizontal	36	2.27	-	38.50	7.45	33.27

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	56.44	74.00	-17.56	49.68	3	Vertical	360	2.80	-	33.86	5.03	32.13
AV	5.4264G	44.18	54.00	-9.82	37.43	3	Vertical	360	2.80	-	33.85	5.03	32.13
PK	5.4616G	55.99	68.20	-12.21	49.16	3	Vertical	360	2.80	-	33.90	5.06	32.13
PK	5.5808G	110.37	Inf	-Inf	103.42	3	Vertical	360	2.80	-	33.90	5.18	32.13
AV	5.5808G	100.16	Inf	-Inf	93.21	3	Vertical	360	2.80	-	33.90	5.18	32.13
PK	5.7568G	57.24	68.20	-10.96	50.56	3	Vertical	360	2.80	-	33.79	5.04	32.15

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	56.26	74.00	-17.74	49.49	3	Horizontal	298	2.67	-	33.87	5.03	32.13
AV	5.432G	44.20	54.00	-9.80	37.44	3	Horizontal	298	2.67	-	33.86	5.03	32.13
PK	5.4664G	56.23	68.20	-11.97	49.39	3	Horizontal	298	2.67	-	33.90	5.07	32.13
PK	5.5808G	109.40	Inf	-Inf	102.45	3	Horizontal	298	2.67	-	33.90	5.18	32.13
AV	5.5792G	99.48	Inf	-Inf	92.53	3	Horizontal	298	2.67	-	33.90	5.18	32.13
PK	5.7696G	56.52	68.20	-11.68	49.88	3	Horizontal	298	2.67	-	33.76	5.03	32.15

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1642G	52.89	74.00	-21.11	39.97	3	Vertical	302	2.92	-	38.66	7.51	33.25
AV	11.16214G	39.82	54.00	-14.18	26.90	3	Vertical	302	2.92	-	38.66	7.51	33.25

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15526G	53.11	74.00	-20.89	40.20	3	Horizontal	249	2.69	-	38.66	7.50	33.25
AV	11.15554G	38.54	54.00	-15.46	25.63	3	Horizontal	249	2.69	-	38.66	7.50	33.25

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 44
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	103.85	Inf	-Inf	97.19	3	Vertical	360	2.67	-	33.70	5.10	32.14
AV	5.6998G	94.82	Inf	-Inf	88.16	3	Vertical	360	2.67	-	33.70	5.10	32.14
PK	5.725G	67.05	68.20	-1.15	60.36	3	Vertical	360	2.67	-	33.75	5.08	32.14

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 44
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	103.52	Inf	-Inf	96.86	3	Horizontal	297	2.75	-	33.70	5.10	32.14
AV	5.701G	94.20	Inf	-Inf	87.54	3	Horizontal	297	2.75	-	33.70	5.10	32.14
PK	5.7264G	64.79	68.20	-3.41	58.11	3	Horizontal	297	2.75	-	33.75	5.07	32.14

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 44
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39878G	51.93	74.00	-22.07	38.77	3	Vertical	152	1.58	-	38.80	7.59	33.23
AV	11.40394G	38.71	54.00	-15.29	25.54	3	Vertical	152	1.58	-	38.81	7.59	33.23

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 44
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40468G	52.33	74.00	-21.67	39.16	3	Horizontal	93	1.01	-	38.81	7.59	33.23
AV	11.3982G	38.68	54.00	-15.32	25.52	3	Horizontal	93	1.01	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	110.22	Inf	-Inf	103.54	3	Vertical	360	2.93	-	33.74	5.08	32.14
AV	5.7192G	100.14	Inf	-Inf	93.46	3	Vertical	360	2.93	-	33.74	5.08	32.14
PK	5.9176G	57.12	68.20	-11.08	49.89	3	Vertical	360	2.93	-	34.04	5.35	32.16

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	109.54	Inf	-Inf	102.86	3	Horizontal	299	2.70	-	33.74	5.08	32.14
AV	5.7208G	99.45	Inf	-Inf	92.77	3	Horizontal	299	2.70	-	33.74	5.08	32.14
PK	5.9048G	57.45	68.20	-10.75	50.28	3	Horizontal	299	2.70	-	34.01	5.31	32.15

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4398G	53.06	74.00	-20.94	39.81	3	Vertical	257	1.75	-	38.88	7.60	33.23
AV	11.44494G	39.80	54.00	-14.20	26.53	3	Vertical	257	1.75	-	38.89	7.61	33.23

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44266G	52.28	74.00	-21.72	39.02	3	Horizontal	223	2.29	-	38.89	7.60	33.23
AV	11.43506G	38.89	54.00	-15.11	25.65	3	Horizontal	223	2.29	-	38.87	7.60	33.23

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	57.07	68.20	-11.13	50.22	3	Vertical	360	2.90	-	33.83	5.16	32.14
PK	5.745G	108.62	Inf	-Inf	101.92	3	Vertical	360	2.90	-	33.79	5.05	32.14
AV	5.745G	100.56	Inf	-Inf	93.86	3	Vertical	360	2.90	-	33.79	5.05	32.14
PK	5.941G	57.20	68.20	-11.00	49.86	3	Vertical	360	2.90	-	34.08	5.42	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	57.27	68.20	-10.93	50.34	3	Horizontal	302	2.68	-	33.88	5.19	32.14
PK	5.746G	108.50	Inf	-Inf	101.80	3	Horizontal	302	2.68	-	33.79	5.05	32.14
AV	5.746G	99.18	Inf	-Inf	92.48	3	Horizontal	302	2.68	-	33.79	5.05	32.14
PK	5.983G	56.82	68.20	-11.38	49.33	3	Horizontal	302	2.68	-	34.10	5.55	32.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49448G	52.25	74.00	-21.75	38.86	3	Vertical	81	2.05	-	38.99	7.62	33.22
AV	11.48688G	39.76	54.00	-14.24	26.39	3	Vertical	81	2.05	-	38.97	7.62	33.22

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48792G	51.91	74.00	-22.09	38.53	3	Horizontal	117	1.90	-	38.98	7.62	33.22
AV	11.485G	38.72	54.00	-15.28	25.35	3	Horizontal	117	1.90	-	38.97	7.62	33.22

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	57.08	68.20	-11.12	50.24	3	Vertical	25	2.98	-	33.82	5.16	32.14
PK	5.783G	109.36	Inf	-Inf	102.76	3	Vertical	25	2.98	-	33.73	5.02	32.15
AV	5.784G	99.79	Inf	-Inf	93.19	3	Vertical	25	2.98	-	33.73	5.02	32.15
PK	5.93G	57.59	68.20	-10.61	50.30	3	Vertical	25	2.98	-	34.06	5.39	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	56.69	68.20	-11.51	49.74	3	Horizontal	300	2.66	-	33.90	5.19	32.14
PK	5.786G	108.92	Inf	-Inf	102.33	3	Horizontal	300	2.66	-	33.73	5.01	32.15
AV	5.784G	99.38	Inf	-Inf	92.78	3	Horizontal	300	2.66	-	33.73	5.02	32.15
PK	6.012G	57.44	68.20	-10.76	49.87	3	Horizontal	300	2.66	-	34.15	5.58	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56774G	53.16	74.00	-21.60	38.79	3	Vertical	66	2.35	-	39.20	7.65	33.24
AV	11.56886G	39.14	54.00	-15.16	25.22	3	Vertical	66	2.35	-	39.21	7.65	33.24

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.572G	52.17	74.00	-21.83	38.54	3	Horizontal	105	2.79	-	39.22	7.65	33.24
AV	11.56768G	38.88	54.00	-15.12	25.27	3	Horizontal	105	2.79	-	39.20	7.65	33.24

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.828G	107.41	Inf	-Inf	100.72	3	Vertical	360	2.97	-	33.76	5.08	32.15
AV	5.825G	98.12	Inf	-Inf	91.44	3	Vertical	360	2.97	-	33.75	5.08	32.15
PK	6.031G	57.65	68.20	-10.55	50.04	3	Vertical	360	2.97	-	34.22	5.55	32.16
PK	5.705G	57.55	106.60	-49.05	50.88	3	Vertical	360	2.97	-	33.71	5.10	32.14

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	57.18	68.20	-11.02	50.25	3	Horizontal	304	2.62	-	33.88	5.19	32.14
PK	5.824G	106.63	Inf	-Inf	99.96	3	Horizontal	304	2.62	-	33.75	5.07	32.15
AV	5.826G	97.15	Inf	-Inf	90.47	3	Horizontal	304	2.62	-	33.75	5.08	32.15
PK	6.019G	57.10	68.20	-11.10	49.51	3	Horizontal	304	2.62	-	34.18	5.57	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64794G	51.64	74.00	-22.36	37.87	3	Vertical	339	2.89	-	39.35	7.68	33.26
AV	11.65258G	38.88	54.00	-15.12	25.11	3	Vertical	339	2.89	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64504G	52.93	74.00	-21.07	39.16	3	Horizontal	298	1.75	-	39.35	7.68	33.26
AV	11.65168G	39.43	54.00	-14.57	25.66	3	Horizontal	298	1.75	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 54
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	69.88	74.00	-4.12	63.53	3	Vertical	18	1.05	-	33.50	5.00	32.15
AV	5.1488G	52.96	54.00	-1.04	46.61	3	Vertical	18	1.05	-	33.50	5.00	32.15
PK	5.182G	108.32	Inf	-Inf	101.91	3	Vertical	18	1.05	-	33.50	5.06	32.15
AV	5.1794G	97.97	Inf	-Inf	91.56	3	Vertical	18	1.05	-	33.50	5.06	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 54
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	67.47	74.00	-6.53	61.13	3	Horizontal	307	2.50	-	33.50	4.99	32.15
AV	5.15G	49.02	54.00	-4.98	42.67	3	Horizontal	307	2.50	-	33.50	5.00	32.15
PK	5.1812G	103.71	Inf	-Inf	97.30	3	Horizontal	307	2.50	-	33.50	5.06	32.15
AV	5.1806G	94.88	Inf	-Inf	88.47	3	Horizontal	307	2.50	-	33.50	5.06	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 54
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53728G	52.08	74.00	-21.92	38.44	3	Vertical	26	2.35	-	37.79	9.04	33.19
AV	15.5373G	38.75	54.00	-15.25	25.11	3	Vertical	26	2.35	-	37.79	9.04	33.19

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_Z_2TX
Setting 54
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54076G	52.12	74.00	-21.88	38.50	3	Horizontal	96	1.60	-	37.78	9.04	33.20
AV	15.5419G	38.88	54.00	-15.12	25.27	3	Horizontal	96	1.60	-	37.77	9.04	33.20

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.42	74.00	-9.58	58.07	3	Vertical	360	2.93	-	33.50	5.00	32.15
AV	5.15G	50.78	54.00	-3.22	44.43	3	Vertical	360	2.93	-	33.50	5.00	32.15
PK	5.2032G	108.38	Inf	-Inf	101.92	3	Vertical	360	2.93	-	33.51	5.10	32.15
AV	5.2008G	99.92	Inf	-Inf	93.47	3	Vertical	360	2.93	-	33.50	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.53	74.00	-11.47	56.18	3	Horizontal	306	2.48	-	33.50	5.00	32.15
AV	5.15G	48.82	54.00	-5.18	42.47	3	Horizontal	306	2.48	-	33.50	5.00	32.15
PK	5.2024G	105.99	Inf	-Inf	99.54	3	Horizontal	306	2.48	-	33.50	5.10	32.15
AV	5.2008G	96.50	Inf	-Inf	90.05	3	Horizontal	306	2.48	-	33.50	5.10	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60032G	53.12	74.00	-20.88	39.73	3	Vertical	90	1.43	-	37.60	9.06	33.27
AV	15.6011G	39.67	54.00	-14.33	26.28	3	Vertical	90	1.43	-	37.60	9.06	33.27

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59818G	52.03	74.00	-21.97	38.63	3	Horizontal	311	2.19	-	37.61	9.06	33.27
AV	15.59788G	38.78	54.00	-15.22	25.38	3	Horizontal	311	2.19	-	37.61	9.06	33.27

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	59.44	74.00	-14.56	53.11	3	Vertical	347	2.96	-	33.50	4.98	32.15
AV	5.15G	46.06	54.00	-7.94	39.71	3	Vertical	347	2.96	-	33.50	5.00	32.15
PK	5.2394G	111.39	Inf	-Inf	104.88	3	Vertical	347	2.96	-	33.58	5.08	32.15
AV	5.2388G	101.05	Inf	-Inf	94.54	3	Vertical	347	2.96	-	33.58	5.08	32.15
PK	5.351G	57.40	74.00	-16.60	50.82	3	Vertical	347	2.96	-	33.70	5.02	32.14
AV	5.3504G	45.80	54.00	-8.20	39.22	3	Vertical	347	2.96	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.60	74.00	-16.40	51.25	3	Horizontal	307	2.59	-	33.50	5.00	32.15
AV	5.15G	44.69	54.00	-9.31	38.34	3	Horizontal	307	2.59	-	33.50	5.00	32.15
PK	5.2394G	107.85	Inf	-Inf	101.34	3	Horizontal	307	2.59	-	33.58	5.08	32.15
AV	5.2406G	98.75	Inf	-Inf	92.24	3	Horizontal	307	2.59	-	33.58	5.08	32.15
PK	5.35G	56.32	74.00	-17.68	49.73	3	Horizontal	307	2.59	-	33.70	5.03	32.14
AV	5.3522G	44.54	54.00	-9.46	37.96	3	Horizontal	307	2.59	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7232G	52.79	74.00	-21.21	39.70	3	Vertical	131	1.16	-	37.40	9.10	33.41
AV	15.72454G	39.26	54.00	-14.74	26.17	3	Vertical	131	1.16	-	37.40	9.10	33.41

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71838G	51.16	74.00	-22.84	38.07	3	Horizontal	336	1.33	-	37.40	9.10	33.41
AV	15.725G	38.43	54.00	-15.57	25.35	3	Horizontal	336	1.33	-	37.40	9.10	33.42

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.1382G	44.99	54.00	-9.01	38.66	3	Vertical	346	2.94	-	33.50	4.98	32.15
PK	5.143G	57.41	74.00	-16.59	51.07	3	Vertical	346	2.94	-	33.50	4.99	32.15
AV	5.2606G	100.70	Inf	-Inf	94.15	3	Vertical	346	2.94	-	33.62	5.07	32.14
PK	5.2612G	108.67	Inf	-Inf	102.12	3	Vertical	346	2.94	-	33.62	5.07	32.14
AV	5.4058G	45.29	54.00	-8.71	38.61	3	Vertical	346	2.94	-	33.81	5.01	32.14
PK	5.362G	57.59	74.00	-16.41	50.99	3	Vertical	346	2.94	-	33.72	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.52	74.00	-17.48	50.17	3	Horizontal	303	2.78	-	33.50	5.00	32.15
AV	5.1454G	43.97	54.00	-10.03	37.63	3	Horizontal	303	2.78	-	33.50	4.99	32.15
PK	5.2606G	106.04	Inf	-Inf	99.49	3	Horizontal	303	2.78	-	33.62	5.07	32.14
AV	5.2612G	96.62	Inf	-Inf	90.07	3	Horizontal	303	2.78	-	33.62	5.07	32.14
PK	5.4088G	56.42	74.00	-17.58	49.73	3	Horizontal	303	2.78	-	33.82	5.01	32.14
AV	5.3536G	44.20	54.00	-9.80	37.61	3	Horizontal	303	2.78	-	33.71	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77908G	53.09	74.00	-20.91	40.05	3	Vertical	193	2.88	-	37.40	9.12	33.48
AV	15.77508G	39.66	54.00	-14.34	26.61	3	Vertical	193	2.88	-	37.40	9.12	33.47

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77524G	53.04	74.00	-20.96	39.99	3	Horizontal	243	1.00	-	37.40	9.12	33.47
AV	15.77956G	38.61	54.00	-15.39	25.57	3	Horizontal	243	1.00	-	37.40	9.12	33.48

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	110.29	Inf	-Inf	103.68	3	Vertical	347	2.90	-	33.70	5.05	32.14
AV	5.2992G	100.97	Inf	-Inf	94.36	3	Vertical	347	2.90	-	33.70	5.05	32.14
PK	5.3524G	62.61	74.00	-11.39	56.03	3	Vertical	347	2.90	-	33.70	5.02	32.14
AV	5.3504G	50.95	54.00	-3.05	44.37	3	Vertical	347	2.90	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	107.34	Inf	-Inf	100.73	3	Horizontal	306	2.78	-	33.70	5.05	32.14
AV	5.3016G	96.66	Inf	-Inf	90.05	3	Horizontal	306	2.78	-	33.70	5.05	32.14
PK	5.35G	63.12	74.00	-10.88	56.53	3	Horizontal	306	2.78	-	33.70	5.03	32.14
AV	5.35G	50.37	54.00	-3.63	43.78	3	Horizontal	306	2.78	-	33.70	5.03	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90328G	52.54	74.00	-21.46	39.50	3	Vertical	291	1.47	-	37.50	9.17	33.63
AV	15.89978G	39.44	54.00	-14.56	26.40	3	Vertical	291	1.47	-	37.50	9.16	33.62

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89656G	51.81	74.00	-22.19	38.77	3	Horizontal	32	2.90	-	37.50	9.16	33.62
AV	15.90052G	38.50	54.00	-15.50	25.45	3	Horizontal	32	2.90	-	37.50	9.17	33.62

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	107.81	Inf	-Inf	101.21	3	Vertical	342	2.49	-	33.70	5.04	32.14
AV	5.3214G	98.44	Inf	-Inf	91.84	3	Vertical	342	2.49	-	33.70	5.04	32.14
PK	5.3552G	71.49	74.00	-2.51	64.90	3	Vertical	342	2.49	-	33.71	5.02	32.14
AV	5.35G	52.90	54.00	-1.10	46.31	3	Vertical	342	2.49	-	33.70	5.03	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	104.99	Inf	-Inf	98.39	3	Horizontal	304	2.86	-	33.70	5.04	32.14
AV	5.3188G	95.19	Inf	-Inf	88.59	3	Horizontal	304	2.86	-	33.70	5.04	32.14
PK	5.3502G	68.85	74.00	-5.15	62.27	3	Horizontal	304	2.86	-	33.70	5.02	32.14
AV	5.3502G	52.26	54.00	-1.74	45.68	3	Horizontal	304	2.86	-	33.70	5.02	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95866G	50.98	74.00	-23.02	38.04	3	Vertical	219	2.07	-	37.44	9.19	33.69
AV	15.95906G	38.30	54.00	-15.70	25.36	3	Vertical	219	2.07	-	37.44	9.19	33.69

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_Z_2TX
Setting 56
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9572G	51.50	74.00	-22.50	38.56	3	Horizontal	351	1.80	-	37.44	9.19	33.69
AV	15.95836G	38.15	54.00	-15.85	25.21	3	Horizontal	351	1.80	-	37.44	9.19	33.69

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.47	74.00	-12.53	54.64	3	Vertical	6	2.85	-	33.90	5.06	32.13
AV	5.4592G	47.34	54.00	-6.66	40.51	3	Vertical	6	2.85	-	33.90	5.06	32.13
PK	5.4684G	66.63	68.20	-1.57	59.79	3	Vertical	6	2.85	-	33.90	5.07	32.13
PK	5.5014G	106.27	Inf	-Inf	99.40	3	Vertical	6	2.85	-	33.90	5.10	32.13
AV	5.5006G	96.81	Inf	-Inf	89.94	3	Vertical	6	2.85	-	33.90	5.10	32.13

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	64.63	74.00	-9.37	57.80	3	Horizontal	306	2.89	-	33.90	5.06	32.13
AV	5.4598G	48.46	54.00	-5.54	41.63	3	Horizontal	306	2.89	-	33.90	5.06	32.13
PK	5.4678G	66.31	68.20	-1.89	59.47	3	Horizontal	306	2.89	-	33.90	5.07	32.13
PK	5.5G	104.26	Inf	-Inf	97.39	3	Horizontal	306	2.89	-	33.90	5.10	32.13
AV	5.5008G	94.71	Inf	-Inf	87.84	3	Horizontal	306	2.89	-	33.90	5.10	32.13

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0017G	50.96	74.00	-23.04	38.28	3	Vertical	354	2.39	-	38.50	7.45	33.27
AV	10.99974G	38.03	54.00	-15.97	25.35	3	Vertical	354	2.39	-	38.50	7.45	33.27

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_Z_2TX
Setting 52
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00474G	51.81	74.00	-22.19	39.13	3	Horizontal	55	2.29	-	38.50	7.45	33.27
AV	11.00346G	37.99	54.00	-16.01	25.31	3	Horizontal	55	2.29	-	38.50	7.45	33.27

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	57.05	74.00	-16.95	50.25	3	Vertical	39	1.03	-	33.89	5.04	32.13
PK	5.4664G	57.20	68.20	-11.00	50.36	3	Vertical	39	1.03	-	33.90	5.07	32.13
AV	5.46G	45.43	54.00	-8.57	38.60	3	Vertical	39	1.03	-	33.90	5.06	32.13
PK	5.5824G	106.85	Inf	-Inf	99.90	3	Vertical	39	1.03	-	33.90	5.18	32.13
AV	5.5792G	97.82	Inf	-Inf	90.87	3	Vertical	39	1.03	-	33.90	5.18	32.13
PK	5.7768G	57.85	68.20	-10.35	51.23	3	Vertical	39	1.03	-	33.75	5.02	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	56.72	74.00	-17.28	49.96	3	Horizontal	300	2.68	-	33.86	5.03	32.13
PK	5.464G	55.72	68.20	-12.48	48.89	3	Horizontal	300	2.68	-	33.90	5.06	32.13
AV	5.4504G	44.07	54.00	-9.93	37.25	3	Horizontal	300	2.68	-	33.90	5.05	32.13
PK	5.5808G	106.85	Inf	-Inf	99.90	3	Horizontal	300	2.68	-	33.90	5.18	32.13
AV	5.58G	97.81	Inf	-Inf	90.86	3	Horizontal	300	2.68	-	33.90	5.18	32.13
PK	5.7296G	56.59	68.20	-11.61	49.90	3	Horizontal	300	2.68	-	33.76	5.07	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16048G	52.82	74.00	-21.18	39.90	3	Vertical	44	2.47	-	38.66	7.51	33.25
AV	11.16128G	39.59	54.00	-14.41	26.67	3	Vertical	44	2.47	-	38.66	7.51	33.25

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16256G	51.46	74.00	-22.54	38.54	3	Horizontal	303	2.94	-	38.66	7.51	33.25
AV	11.1581G	38.49	54.00	-15.51	25.57	3	Horizontal	303	2.94	-	38.66	7.51	33.25

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	106.74	Inf	-Inf	100.08	3	Vertical	26	2.93	-	33.70	5.10	32.14
AV	5.6994G	96.77	Inf	-Inf	90.11	3	Vertical	26	2.93	-	33.70	5.10	32.14
PK	5.725G	66.79	68.20	-1.41	60.10	3	Vertical	26	2.93	-	33.75	5.08	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	104.95	Inf	-Inf	98.29	3	Horizontal	300	2.72	-	33.70	5.10	32.14
AV	5.7006G	96.30	Inf	-Inf	89.64	3	Horizontal	300	2.72	-	33.70	5.10	32.14
PK	5.7258G	65.79	68.20	-2.41	59.11	3	Horizontal	300	2.72	-	33.75	5.07	32.14

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3994G	52.21	74.00	-21.79	39.05	3	Vertical	346	1.05	-	38.80	7.59	33.23
AV	11.39586G	38.57	54.00	-15.43	25.41	3	Vertical	346	1.05	-	38.80	7.59	33.23

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_Z_2TX
Setting 51
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4008G	51.87	74.00	-22.13	38.71	3	Horizontal	272	2.38	-	38.80	7.59	33.23
AV	11.4031G	38.97	54.00	-15.03	25.80	3	Horizontal	272	2.38	-	38.81	7.59	33.23

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	108.76	Inf	-Inf	102.08	3	Vertical	360	2.91	-	33.74	5.08	32.14
AV	5.7184G	99.63	Inf	-Inf	92.95	3	Vertical	360	2.91	-	33.74	5.08	32.14
PK	5.8712G	57.70	68.20	-10.50	50.76	3	Vertical	360	2.91	-	33.88	5.21	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 66
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	106.98	Inf	-Inf	100.30	3	Horizontal	302	2.70	-	33.74	5.08	32.14
AV	5.7208G	98.41	Inf	-Inf	91.73	3	Horizontal	302	2.70	-	33.74	5.08	32.14
PK	5.904G	56.79	68.20	-11.41	49.62	3	Horizontal	302	2.70	-	34.01	5.31	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43668G	53.05	74.00	-20.95	39.81	3	Vertical	1	2.30	-	38.87	7.60	33.23
AV	11.44036G	39.88	54.00	-14.12	26.63	3	Vertical	1	2.30	-	38.88	7.60	33.23

802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44224G	53.27	74.00	-20.73	40.02	3	Horizontal	104	1.21	-	38.88	7.60	33.23
AV	11.44062G	38.86	54.00	-15.14	25.61	3	Horizontal	104	1.21	-	38.88	7.60	33.23

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	57.71	68.20	-10.49	50.90	3	Vertical	360	2.89	-	33.80	5.15	32.14
PK	5.747G	108.13	Inf	-Inf	101.43	3	Vertical	360	2.89	-	33.79	5.05	32.14
AV	5.745G	98.18	Inf	-Inf	91.48	3	Vertical	360	2.89	-	33.79	5.05	32.14
PK	5.93G	58.12	68.20	-10.08	50.83	3	Vertical	360	2.89	-	34.06	5.39	32.16

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.516G	56.90	68.20	-11.30	50.01	3	Horizontal	304	2.69	-	33.90	5.12	32.13
PK	5.743G	107.08	Inf	-Inf	100.37	3	Horizontal	304	2.69	-	33.79	5.06	32.14
AV	5.746G	98.16	Inf	-Inf	91.46	3	Horizontal	304	2.69	-	33.79	5.05	32.14
PK	5.944G	57.40	68.20	-10.80	50.04	3	Horizontal	304	2.69	-	34.09	5.43	32.16

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48638G	53.24	74.00	-21.76	38.87	3	Vertical	300	2.87	-	38.97	7.62	33.22
AV	11.48818G	39.80	54.00	-15.20	25.42	3	Vertical	300	2.87	-	38.98	7.62	33.22

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49056G	51.57	74.00	-22.43	38.19	3	Horizontal	101	1.59	-	38.98	7.62	33.22
AV	11.4866G	38.72	54.00	-15.28	25.35	3	Horizontal	101	1.59	-	38.97	7.62	33.22

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.787G	107.80	Inf	-Inf	101.21	3	Vertical	24	2.96	-	33.73	5.01	32.15
PK	6.024G	58.35	68.20	-9.85	50.75	3	Vertical	24	2.96	-	34.20	5.56	32.16
PK	5.611G	57.08	68.20	-11.12	50.15	3	Vertical	24	2.96	-	33.88	5.19	32.14
AV	5.784G	98.29	Inf	-Inf	91.69	3	Vertical	24	2.96	-	33.73	5.02	32.15

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.544G	56.85	68.20	-11.35	49.94	3	Horizontal	299	2.66	-	33.90	5.14	32.13
PK	5.783G	107.33	Inf	-Inf	100.73	3	Horizontal	299	2.66	-	33.73	5.02	32.15
AV	5.786G	98.57	Inf	-Inf	91.98	3	Horizontal	299	2.66	-	33.73	5.01	32.15
PK	5.936G	57.36	68.20	-10.84	50.04	3	Horizontal	299	2.66	-	34.07	5.41	32.16

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56918G	53.89	74.00	-20.11	40.27	3	Vertical	168	1.82	-	39.21	7.65	33.24
AV	11.57048G	39.98	54.00	-14.02	26.36	3	Vertical	168	1.82	-	39.21	7.65	33.24

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57422G	51.94	74.00	-22.06	38.31	3	Horizontal	19	1.78	-	39.22	7.65	33.24
AV	11.57322G	39.12	54.00	-14.88	25.49	3	Horizontal	19	1.78	-	39.22	7.65	33.24

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.825G	96.76	Inf	-Inf	90.08	3	Vertical	27	2.81	-	33.75	5.08	32.15
PK	5.825G	106.99	Inf	-Inf	100.31	3	Vertical	27	2.81	-	33.75	5.08	32.15
PK	5.598G	57.26	68.20	-10.94	50.30	3	Vertical	27	2.81	-	33.90	5.20	32.14
PK	6.016G	58.05	68.20	-10.15	50.47	3	Vertical	27	2.81	-	34.16	5.58	32.16

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	56.96	68.20	-11.24	50.00	3	Horizontal	304	2.63	-	33.90	5.20	32.14
PK	5.826G	106.69	Inf	-Inf	100.01	3	Horizontal	304	2.63	-	33.75	5.08	32.15
AV	5.826G	97.87	Inf	-Inf	91.19	3	Horizontal	304	2.63	-	33.75	5.08	32.15
PK	6.072G	57.44	68.20	-10.76	49.77	3	Horizontal	304	2.63	-	34.34	5.49	32.16

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6488G	53.15	74.00	-20.85	39.38	3	Vertical	245	1.49	-	39.35	7.68	33.26
AV	11.65488G	39.32	54.00	-14.68	25.55	3	Vertical	245	1.49	-	39.35	7.68	33.26

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_Z_2TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64998G	52.08	74.00	-21.92	38.31	3	Horizontal	178	1.67	-	39.35	7.68	33.26
AV	11.65056G	39.08	54.00	-14.92	25.31	3	Horizontal	178	1.67	-	39.35	7.68	33.26

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 45
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.71	74.00	-5.29	62.37	3	Vertical	16	1.00	-	33.50	4.99	32.15
AV	5.1496G	52.88	54.00	-1.12	46.53	3	Vertical	16	1.00	-	33.50	5.00	32.15
PK	5.184G	102.64	Inf	-Inf	96.22	3	Vertical	16	1.00	-	33.50	5.07	32.15
AV	5.1892G	93.24	Inf	-Inf	86.81	3	Vertical	16	1.00	-	33.50	5.08	32.15

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 45
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	63.22	74.00	-10.78	56.88	3	Horizontal	301	2.71	-	33.50	4.99	32.15
AV	5.15G	48.89	54.00	-5.11	42.54	3	Horizontal	301	2.71	-	33.50	5.00	32.15
PK	5.1932G	99.27	Inf	-Inf	92.83	3	Horizontal	301	2.71	-	33.50	5.09	32.15
AV	5.1932G	89.93	Inf	-Inf	83.49	3	Horizontal	301	2.71	-	33.50	5.09	32.15

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 45
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56756G	52.34	74.00	-21.66	38.82	3	Vertical	13	1.35	-	37.70	9.05	33.23
AV	15.57152G	39.78	54.00	-14.22	26.27	3	Vertical	13	1.35	-	37.69	9.05	33.23

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Z_2TX
Setting 45
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5703G	51.71	74.00	-22.29	38.20	3	Horizontal	229	1.45	-	37.69	9.05	33.23
AV	15.57114G	39.48	54.00	-14.52	25.97	3	Horizontal	229	1.45	-	37.69	9.05	33.23

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	65.68	74.00	-8.32	59.34	3	Vertical	346	2.98	-	33.50	4.99	32.15
AV	5.15G	52.58	54.00	-1.42	46.23	3	Vertical	346	2.98	-	33.50	5.00	32.15
PK	5.2258G	107.61	Inf	-Inf	101.12	3	Vertical	346	2.98	-	33.55	5.09	32.15
AV	5.2282G	98.80	Inf	-Inf	92.30	3	Vertical	346	2.98	-	33.56	5.09	32.15
PK	5.3512G	59.63	74.00	-14.37	53.05	3	Vertical	346	2.98	-	33.70	5.02	32.14
AV	5.35G	46.79	54.00	-7.21	40.20	3	Vertical	346	2.98	-	33.70	5.03	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
 Setting 63
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.98	74.00	-11.02	56.63	3	Horizontal	300	2.81	-	33.50	5.00	32.15
AV	5.15G	51.31	54.00	-2.69	44.96	3	Horizontal	300	2.81	-	33.50	5.00	32.15
PK	5.2282G	103.72	Inf	-Inf	97.22	3	Horizontal	300	2.81	-	33.56	5.09	32.15
AV	5.2282G	94.28	Inf	-Inf	87.78	3	Horizontal	300	2.81	-	33.56	5.09	32.15
PK	5.368G	57.64	74.00	-16.36	51.02	3	Horizontal	300	2.81	-	33.74	5.02	32.14
AV	5.3506G	45.59	54.00	-8.41	39.01	3	Horizontal	300	2.81	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68948G	51.34	74.00	-22.66	38.20	3	Vertical	80	1.76	-	37.42	9.09	33.37
AV	15.68638G	39.94	54.00	-14.06	26.79	3	Vertical	80	1.76	-	37.43	9.09	33.37

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6911G	51.09	74.00	-22.91	37.96	3	Horizontal	180	2.50	-	37.42	9.09	33.38
AV	15.68838G	39.19	54.00	-14.81	26.05	3	Horizontal	180	2.50	-	37.42	9.09	33.37

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	57.28	74.00	-16.72	50.93	3	Vertical	346	2.94	-	33.50	5.00	32.15
AV	5.1494G	45.63	54.00	-8.37	39.28	3	Vertical	346	2.94	-	33.50	5.00	32.15
PK	5.2718G	107.35	Inf	-Inf	100.79	3	Vertical	346	2.94	-	33.64	5.06	32.14
AV	5.2682G	98.12	Inf	-Inf	91.55	3	Vertical	346	2.94	-	33.64	5.07	32.14
PK	5.3522G	60.47	74.00	-13.53	53.89	3	Vertical	346	2.94	-	33.70	5.02	32.14
AV	5.3504G	48.69	54.00	-5.31	42.11	3	Vertical	346	2.94	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	57.45	74.00	-16.55	51.10	3	Horizontal	304	2.79	-	33.50	5.00	32.15
AV	5.144G	44.78	54.00	-9.22	38.44	3	Horizontal	304	2.79	-	33.50	4.99	32.15
PK	5.2676G	104.66	Inf	-Inf	98.09	3	Horizontal	304	2.79	-	33.64	5.07	32.14
AV	5.2658G	94.93	Inf	-Inf	88.37	3	Horizontal	304	2.79	-	33.63	5.07	32.14
PK	5.35G	61.50	74.00	-12.50	54.92	3	Horizontal	304	2.79	-	33.70	5.02	32.14
AV	5.3504G	49.94	54.00	-4.06	43.36	3	Horizontal	304	2.79	-	33.70	5.02	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81008G	51.54	74.00	-22.46	38.52	3	Vertical	31	2.50	-	37.41	9.13	33.52
AV	15.81014G	39.91	54.00	-14.09	26.89	3	Vertical	31	2.50	-	37.41	9.13	33.52

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81108G	51.96	74.00	-22.04	38.94	3	Horizontal	351	1.31	-	37.41	9.13	33.52
AV	15.81044G	39.42	54.00	-14.58	26.40	3	Horizontal	351	1.31	-	37.41	9.13	33.52

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 47
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	103.55	Inf	-Inf	96.64	3	Vertical	0	1.03	-	33.70	5.35	32.14
AV	5.3068G	92.96	Inf	-Inf	86.05	3	Vertical	0	1.03	-	33.70	5.35	32.14
PK	5.352G	69.26	74.00	-4.74	62.32	3	Vertical	0	1.03	-	33.70	5.38	32.14
AV	5.3504G	52.33	54.00	-1.67	45.39	3	Vertical	0	1.03	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 47
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	94.07	Inf	-Inf	87.15	3	Horizontal	295	2.91	-	33.70	5.36	32.14
AV	5.3092G	85.23	Inf	-Inf	78.32	3	Horizontal	295	2.91	-	33.70	5.35	32.14
PK	5.3508G	59.40	74.00	-14.60	52.46	3	Horizontal	295	2.91	-	33.70	5.38	32.14
AV	5.35G	46.27	54.00	-7.73	39.33	3	Horizontal	295	2.91	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 47
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6165G	51.29	74.00	-22.71	38.36	3	Vertical	106	1.80	-	38.48	7.55	33.10
AV	10.619G	38.20	54.00	-15.80	25.27	3	Vertical	106	1.80	-	38.48	7.55	33.10
PK	15.9296G	53.14	74.00	-20.86	39.36	3	Vertical	249	1.42	-	37.47	9.97	33.66
AV	15.9256G	41.00	54.00	-13.00	27.21	3	Vertical	249	1.42	-	37.47	9.97	33.65

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_Z_2TX
Setting 47
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62366G	50.59	74.00	-23.41	37.66	3	Horizontal	177	1.38	-	38.48	7.55	33.10
AV	10.61686G	38.37	54.00	-15.63	25.44	3	Horizontal	177	1.38	-	38.48	7.55	33.10
PK	15.93124G	52.95	74.00	-21.05	39.17	3	Horizontal	118	1.20	-	37.47	9.97	33.66
AV	15.93376G	40.79	54.00	-13.21	27.01	3	Horizontal	118	1.20	-	37.47	9.97	33.66

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.14	74.00	-10.86	56.31	3	Vertical	0	2.71	-	33.90	5.06	32.13
AV	5.46G	48.27	54.00	-5.73	41.44	3	Vertical	0	2.71	-	33.90	5.06	32.13
PK	5.5088G	103.49	Inf	-Inf	96.61	3	Vertical	0	2.71	-	33.90	5.11	32.13
AV	5.5112G	94.11	Inf	-Inf	87.23	3	Vertical	0	2.71	-	33.90	5.11	32.13
PK	5.47G	66.45	68.20	-1.75	59.61	3	Vertical	0	2.71	-	33.90	5.07	32.13

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 48
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.56	74.00	-10.44	56.73	3	Horizontal	300	2.72	-	33.90	5.06	32.13
AV	5.4592G	48.20	54.00	-5.80	41.37	3	Horizontal	300	2.72	-	33.90	5.06	32.13
PK	5.4676G	66.63	68.20	-1.57	59.79	3	Horizontal	300	2.72	-	33.90	5.07	32.13
PK	5.5152G	101.23	Inf	-Inf	94.34	3	Horizontal	300	2.72	-	33.90	5.12	32.13
AV	5.5116G	92.59	Inf	-Inf	85.71	3	Horizontal	300	2.72	-	33.90	5.11	32.13

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01758G	51.94	74.00	-22.06	39.23	3	Vertical	50	1.07	-	38.52	7.46	33.27
AV	11.02046G	39.26	54.00	-14.74	26.55	3	Vertical	50	1.07	-	38.52	7.46	33.27

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_Z_2TX
Setting 48
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02258G	52.24	74.00	-21.76	39.53	3	Horizontal	129	1.43	-	38.52	7.46	33.27
AV	11.02074G	39.24	54.00	-14.76	26.53	3	Horizontal	129	1.43	-	38.52	7.46	33.27

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	63.87	74.00	-10.13	57.04	3	Vertical	316	1.04	-	33.90	5.06	32.13
AV	5.4596G	50.38	54.00	-3.62	43.55	3	Vertical	316	1.04	-	33.90	5.06	32.13
PK	5.4676G	65.30	68.20	-2.90	58.46	3	Vertical	316	1.04	-	33.90	5.07	32.13
PK	5.5524G	105.06	Inf	-Inf	98.14	3	Vertical	316	1.04	-	33.90	5.15	32.13
AV	5.5516G	96.03	Inf	-Inf	89.11	3	Vertical	316	1.04	-	33.90	5.15	32.13
PK	5.734G	55.75	68.20	-12.45	49.05	3	Vertical	316	1.04	-	33.77	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.58	74.00	-12.42	54.75	3	Horizontal	291	2.72	-	33.90	5.06	32.13
AV	5.4572G	48.59	54.00	-5.41	41.76	3	Horizontal	291	2.72	-	33.90	5.06	32.13
PK	5.47G	65.43	68.20	-2.77	58.59	3	Horizontal	291	2.72	-	33.90	5.07	32.13
PK	5.554G	104.96	Inf	-Inf	98.04	3	Horizontal	291	2.72	-	33.90	5.15	32.13
AV	5.5492G	96.52	Inf	-Inf	89.60	3	Horizontal	291	2.72	-	33.90	5.15	32.13
PK	5.7428G	56.45	68.20	-11.75	49.74	3	Horizontal	291	2.72	-	33.79	5.06	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10186G	51.84	74.00	-22.16	39.01	3	Vertical	324	1.11	-	38.60	7.49	33.26
AV	11.10418G	39.74	54.00	-14.26	26.91	3	Vertical	324	1.11	-	38.60	7.49	33.26

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10282G	53.00	74.00	-21.00	40.17	3	Horizontal	283	2.29	-	38.60	7.49	33.26
AV	11.1035G	39.36	54.00	-14.64	26.53	3	Horizontal	283	2.29	-	38.60	7.49	33.26

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 62
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	104.71	Inf	-Inf	97.96	3	Vertical	1	3.00	-	33.76	5.13	32.14
AV	5.6688G	95.79	Inf	-Inf	89.04	3	Vertical	1	3.00	-	33.76	5.13	32.14
PK	5.7276G	64.16	68.20	-4.04	57.47	3	Vertical	1	3.00	-	33.76	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 62
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.668G	106.12	Inf	-Inf	99.37	3	Horizontal	300	2.73	-	33.76	5.13	32.14
AV	5.6684G	96.76	Inf	-Inf	90.01	3	Horizontal	300	2.73	-	33.76	5.13	32.14
PK	5.7252G	67.16	68.20	-1.04	60.48	3	Horizontal	300	2.73	-	33.75	5.07	32.14

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 62
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34246G	51.40	74.00	-22.60	38.33	3	Vertical	37	1.36	-	38.74	7.57	33.24
AV	11.33978G	39.75	54.00	-14.25	26.68	3	Vertical	37	1.36	-	38.74	7.57	33.24

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_Z_2TX
Setting 62
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3414G	51.34	74.00	-22.66	38.27	3	Horizontal	356	1.86	-	38.74	7.57	33.24
AV	11.33624G	38.93	54.00	-15.07	25.86	3	Horizontal	356	1.86	-	38.74	7.57	33.24

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	104.45	Inf	-Inf	97.78	3	Vertical	345	2.70	-	33.72	5.09	32.14
AV	5.7092G	94.85	Inf	-Inf	88.18	3	Vertical	345	2.70	-	33.72	5.09	32.14
PK	5.8564G	57.71	68.20	-10.49	50.86	3	Vertical	345	2.70	-	33.83	5.17	32.15

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	105.35	Inf	-Inf	98.67	3	Horizontal	296	2.71	-	33.73	5.09	32.14
AV	5.7084G	96.37	Inf	-Inf	89.70	3	Horizontal	296	2.71	-	33.72	5.09	32.14
PK	5.9004G	56.77	68.20	-11.43	49.62	3	Horizontal	296	2.71	-	34.00	5.30	32.15

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42034G	51.53	74.00	-22.47	38.32	3	Vertical	96	1.08	-	38.84	7.60	33.23
AV	11.42302G	39.81	54.00	-14.19	26.59	3	Vertical	96	1.08	-	38.85	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42444G	52.01	74.00	-21.99	38.79	3	Horizontal	120	2.13	-	38.85	7.60	33.23
AV	11.42258G	40.01	54.00	-13.99	26.79	3	Horizontal	120	2.13	-	38.85	7.60	33.23

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	57.37	68.20	-10.83	50.56	3	Vertical	342	2.66	-	33.80	5.15	32.14
PK	5.754G	104.40	Inf	-Inf	97.71	3	Vertical	342	2.66	-	33.79	5.05	32.15
AV	5.756G	95.10	Inf	-Inf	88.42	3	Vertical	342	2.66	-	33.79	5.04	32.15
PK	5.982G	57.27	68.20	-10.93	49.78	3	Vertical	342	2.66	-	34.10	5.55	32.16

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.60	68.20	-8.60	52.77	3	Horizontal	297	2.69	-	33.81	5.16	32.14
PK	5.754G	105.26	Inf	-Inf	98.57	3	Horizontal	297	2.69	-	33.79	5.05	32.15
AV	5.753G	96.20	Inf	-Inf	89.51	3	Horizontal	297	2.69	-	33.79	5.05	32.15
PK	5.938G	56.69	68.20	-11.51	49.36	3	Horizontal	297	2.69	-	34.08	5.41	32.16

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5065G	51.98	74.00	-22.02	38.55	3	Vertical	197	1.60	-	39.02	7.63	33.22
AV	11.5056G	39.82	54.00	-14.18	26.39	3	Vertical	197	1.60	-	39.02	7.63	33.22

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50858G	52.12	74.00	-21.88	38.68	3	Horizontal	212	1.28	-	39.03	7.63	33.22
AV	11.5129G	40.12	54.00	-13.88	26.67	3	Horizontal	212	1.28	-	39.04	7.63	33.22

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	56.39	68.20	-11.81	49.44	3	Vertical	360	3.00	-	33.89	5.20	32.14
PK	5.8G	105.03	Inf	-Inf	98.48	3	Vertical	360	3.00	-	33.70	5.00	32.15
AV	5.798G	95.77	Inf	-Inf	89.22	3	Vertical	360	3.00	-	33.70	5.00	32.15
PK	5.97G	57.07	68.20	-11.13	49.62	3	Vertical	360	3.00	-	34.10	5.51	32.16

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	56.25	68.20	-11.95	49.41	3	Horizontal	296	2.77	-	33.82	5.16	32.14
PK	5.793G	105.36	Inf	-Inf	98.79	3	Horizontal	296	2.77	-	33.71	5.01	32.15
AV	5.798G	95.98	Inf	-Inf	89.43	3	Horizontal	296	2.77	-	33.70	5.00	32.15
PK	6.025G	58.17	68.20	-10.03	50.57	3	Horizontal	296	2.77	-	34.20	5.56	32.16

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59082G	53.00	74.00	-21.00	39.31	3	Vertical	358	2.50	-	39.27	7.66	33.24
AV	11.5892G	40.23	54.00	-13.77	26.54	3	Vertical	358	2.50	-	39.27	7.66	33.24

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59062G	52.21	74.00	-21.79	38.52	3	Horizontal	244	1.26	-	39.27	7.66	33.24
AV	11.58528G	39.76	54.00	-14.24	26.09	3	Horizontal	244	1.26	-	39.26	7.65	33.24

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 41
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.28	74.00	-9.72	57.93	3	Vertical	350	3.00	-	33.50	5.00	32.15
AV	5.147G	52.60	54.00	-1.40	46.26	3	Vertical	350	3.00	-	33.50	4.99	32.15
PK	5.206G	97.75	Inf	-Inf	91.29	3	Vertical	350	3.00	-	33.51	5.10	32.15
AV	5.208G	89.82	Inf	-Inf	83.35	3	Vertical	350	3.00	-	33.52	5.10	32.15
PK	5.459G	56.87	74.00	-17.13	50.04	3	Vertical	350	3.00	-	33.90	5.06	32.13
AV	5.369G	46.42	54.00	-7.58	39.80	3	Vertical	350	3.00	-	33.74	5.02	32.14

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 41
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.00	74.00	-12.00	55.66	3	Horizontal	304	2.48	-	33.50	4.99	32.15
AV	5.15G	51.73	54.00	-2.27	45.38	3	Horizontal	304	2.48	-	33.50	5.00	32.15
PK	5.214G	95.77	Inf	-Inf	89.30	3	Horizontal	304	2.48	-	33.53	5.09	32.15
AV	5.212G	87.86	Inf	-Inf	81.40	3	Horizontal	304	2.48	-	33.52	5.09	32.15
PK	5.364G	56.64	74.00	-17.36	50.03	3	Horizontal	304	2.48	-	33.73	5.02	32.14
AV	5.354G	46.25	54.00	-7.75	39.66	3	Horizontal	304	2.48	-	33.71	5.02	32.14

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 41
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62706G	51.59	74.00	-22.41	38.27	3	Vertical	195	2.04	-	37.55	9.07	33.30
AV	15.63106G	40.73	54.00	-13.27	27.42	3	Vertical	195	2.04	-	37.54	9.07	33.30

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Z_2TX
Setting 41
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62864G	51.91	74.00	-22.09	38.60	3	Horizontal	282	1.88	-	37.54	9.07	33.30
AV	15.62648G	41.01	54.00	-12.99	27.69	3	Horizontal	282	1.88	-	37.55	9.07	33.30

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 43
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	56.77	74.00	-17.23	50.48	3	Vertical	360	2.64	-	33.50	4.94	32.15
AV	5.146G	46.97	54.00	-7.03	40.63	3	Vertical	360	2.64	-	33.50	4.99	32.15
PK	5.294G	99.83	Inf	-Inf	93.23	3	Vertical	360	2.64	-	33.69	5.05	32.14
AV	5.291G	91.51	Inf	-Inf	84.92	3	Vertical	360	2.64	-	33.68	5.05	32.14
PK	5.35G	63.75	74.00	-10.25	57.16	3	Vertical	360	2.64	-	33.70	5.03	32.14
AV	5.354G	52.47	54.00	-1.53	45.88	3	Vertical	360	2.64	-	33.71	5.02	32.14
PK	5.48G	56.47	68.20	-11.73	49.62	3	Vertical	360	2.64	-	33.90	5.08	32.13

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 43
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.107G	56.18	74.00	-17.82	49.92	3	Horizontal	307	2.78	-	33.50	4.91	32.15
AV	5.148G	45.91	54.00	-8.09	39.56	3	Horizontal	307	2.78	-	33.50	5.00	32.15
PK	5.282G	97.75	Inf	-Inf	91.17	3	Horizontal	307	2.78	-	33.66	5.06	32.14
AV	5.291G	89.46	Inf	-Inf	82.87	3	Horizontal	307	2.78	-	33.68	5.05	32.14
PK	5.354G	63.01	74.00	-10.99	56.42	3	Horizontal	307	2.78	-	33.71	5.02	32.14
AV	5.352G	52.08	54.00	-1.92	45.50	3	Horizontal	307	2.78	-	33.70	5.02	32.14
PK	5.526G	57.15	68.20	-11.05	50.25	3	Horizontal	307	2.78	-	33.90	5.13	32.13

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 43
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87084G	52.15	74.00	-21.85	39.12	3	Vertical	329	2.61	-	37.47	9.15	33.59
AV	15.86688G	41.12	54.00	-12.88	28.08	3	Vertical	329	2.61	-	37.47	9.15	33.58

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_Z_2TX
Setting 43
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86712G	52.66	74.00	-21.34	39.62	3	Horizontal	126	2.22	-	37.47	9.15	33.58
AV	15.86944G	40.72	54.00	-13.28	27.69	3	Horizontal	126	2.22	-	37.47	9.15	33.59

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 46
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	56.00	68.20	-12.20	49.40	3	Vertical	360	2.84	-	33.70	5.04	32.14
PK	5.459G	62.23	74.00	-11.77	55.40	3	Vertical	360	2.84	-	33.90	5.06	32.13
AV	5.46G	52.03	54.00	-1.97	45.20	3	Vertical	360	2.84	-	33.90	5.06	32.13
PK	5.467G	64.08	68.20	-4.12	57.24	3	Vertical	360	2.84	-	33.90	5.07	32.13
PK	5.527G	99.12	Inf	-Inf	92.22	3	Vertical	360	2.84	-	33.90	5.13	32.13
AV	5.527G	90.64	Inf	-Inf	83.74	3	Vertical	360	2.84	-	33.90	5.13	32.13
PK	5.764G	56.83	68.20	-11.37	50.17	3	Vertical	360	2.84	-	33.77	5.04	32.15

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 46
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	56.32	68.20	-11.88	49.73	3	Horizontal	298	2.72	-	33.70	5.03	32.14
PK	5.46G	66.54	74.00	-7.46	59.71	3	Horizontal	298	2.72	-	33.90	5.06	32.13
AV	5.458G	52.95	54.00	-1.05	46.12	3	Horizontal	298	2.72	-	33.90	5.06	32.13
PK	5.467G	65.60	68.20	-2.60	58.76	3	Horizontal	298	2.72	-	33.90	5.07	32.13
PK	5.536G	98.33	Inf	-Inf	91.42	3	Horizontal	298	2.72	-	33.90	5.14	32.13
AV	5.531G	90.16	Inf	-Inf	83.26	3	Horizontal	298	2.72	-	33.90	5.13	32.13
PK	5.757G	56.16	68.20	-12.04	49.48	3	Horizontal	298	2.72	-	33.79	5.04	32.15

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 46
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0628G	51.31	74.00	-22.69	38.54	3	Vertical	20	1.96	-	38.56	7.47	33.26
AV	11.05528G	40.66	54.00	-13.34	27.89	3	Vertical	20	1.96	-	38.56	7.47	33.26

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_Z_2TX
Setting 46
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0646G	51.59	74.00	-22.41	38.82	3	Horizontal	212	2.76	-	38.56	7.47	33.26
AV	11.05594G	40.48	54.00	-13.52	27.71	3	Horizontal	212	2.76	-	38.56	7.47	33.26

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 58
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	62.57	74.00	-11.43	55.74	3	Vertical	23	2.87	-	33.90	5.06	32.13
AV	5.456G	52.65	54.00	-1.35	45.82	3	Vertical	23	2.87	-	33.90	5.06	32.13
PK	5.466G	64.62	68.20	-3.58	57.78	3	Vertical	23	2.87	-	33.90	5.07	32.13
PK	5.608G	102.59	Inf	-Inf	95.66	3	Vertical	23	2.87	-	33.88	5.19	32.14
AV	5.612G	93.88	Inf	-Inf	86.95	3	Vertical	23	2.87	-	33.88	5.19	32.14
PK	5.73G	63.68	68.20	-4.52	56.99	3	Vertical	23	2.87	-	33.76	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 58
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	61.93	74.00	-12.07	55.10	3	Horizontal	300	2.79	-	33.90	5.06	32.13
AV	5.456G	51.29	54.00	-2.71	44.46	3	Horizontal	300	2.79	-	33.90	5.06	32.13
PK	5.47G	63.99	68.20	-4.21	57.15	3	Horizontal	300	2.79	-	33.90	5.07	32.13
PK	5.607G	101.27	Inf	-Inf	94.33	3	Horizontal	300	2.79	-	33.89	5.19	32.14
AV	5.613G	93.29	Inf	-Inf	86.37	3	Horizontal	300	2.79	-	33.87	5.19	32.14
PK	5.726G	63.60	68.20	-4.60	56.92	3	Horizontal	300	2.79	-	33.75	5.07	32.14

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 58
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21638G	52.27	74.00	-21.73	39.29	3	Vertical	248	2.96	-	38.70	7.53	33.25
AV	11.2212G	40.82	54.00	-13.18	27.84	3	Vertical	248	2.96	-	38.70	7.53	33.25

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_Z_2TX
Setting 58
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2182G	51.88	74.00	-22.12	38.90	3	Horizontal	153	1.06	-	38.70	7.53	33.25
AV	11.21756G	40.98	54.00	-13.02	28.00	3	Horizontal	153	1.06	-	38.70	7.53	33.25

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	56.25	74.00	-17.75	49.42	3	Vertical	360	2.95	-	33.90	5.06	32.13
PK	5.462G	56.57	68.20	-11.63	49.74	3	Vertical	360	2.95	-	33.90	5.06	32.13
AV	5.46G	46.35	54.00	-7.65	39.52	3	Vertical	360	2.95	-	33.90	5.06	32.13
PK	5.689G	103.08	Inf	-Inf	96.39	3	Vertical	360	2.95	-	33.72	5.11	32.14
AV	5.689G	94.66	Inf	-Inf	87.97	3	Vertical	360	2.95	-	33.72	5.11	32.14
PK	5.85G	61.42	68.20	-6.78	54.62	3	Vertical	360	2.95	-	33.80	5.15	32.15

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
 Setting 63
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	56.38	74.00	-17.62	49.56	3	Horizontal	299	2.72	-	33.90	5.05	32.13
AV	5.458G	46.55	54.00	-7.45	39.72	3	Horizontal	299	2.72	-	33.90	5.06	32.13
PK	5.47G	57.32	68.20	-10.88	50.48	3	Horizontal	299	2.72	-	33.90	5.07	32.13
PK	5.697G	102.57	Inf	-Inf	95.90	3	Horizontal	299	2.72	-	33.71	5.10	32.14
AV	5.693G	94.18	Inf	-Inf	87.50	3	Horizontal	299	2.72	-	33.71	5.11	32.14
PK	5.853G	61.05	68.20	-7.15	54.23	3	Horizontal	299	2.72	-	33.81	5.16	32.15

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37824G	51.90	74.00	-22.10	38.77	3	Vertical	328	1.19	-	38.78	7.58	33.23
AV	11.37614G	41.29	54.00	-12.71	28.16	3	Vertical	328	1.19	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_2TX
Setting 63
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37714G	51.72	74.00	-22.28	38.59	3	Horizontal	350	2.12	-	38.78	7.58	33.23
AV	11.3789G	41.17	54.00	-12.83	28.04	3	Horizontal	350	2.12	-	38.78	7.58	33.23

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.11	68.20	-1.09	60.29	3	Vertical	360	2.88	-	33.81	5.15	32.14
PK	5.773G	102.78	Inf	-Inf	96.15	3	Vertical	360	2.88	-	33.75	5.03	32.15
AV	5.776G	94.34	Inf	-Inf	87.72	3	Vertical	360	2.88	-	33.75	5.02	32.15
PK	5.929G	59.50	68.20	-8.70	52.21	3	Vertical	360	2.88	-	34.06	5.39	32.16

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 61
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.09	68.20	-2.11	59.28	3	Horizontal	304	2.66	-	33.80	5.15	32.14
PK	5.772G	101.74	Inf	-Inf	95.10	3	Horizontal	304	2.66	-	33.76	5.03	32.15
AV	5.781G	92.99	Inf	-Inf	86.38	3	Horizontal	304	2.66	-	33.74	5.02	32.15
PK	5.927G	61.23	68.20	-6.97	53.96	3	Horizontal	304	2.66	-	34.05	5.38	32.16

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Z_2TX
Setting 61
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54858G	51.86	74.00	-22.14	38.30	3	Vertical	81	2.12	-	39.15	7.64	33.23
AV	11.5542G	41.05	54.00	-12.95	27.48	3	Vertical	81	2.12	-	39.16	7.64	33.23

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT_Z_2TX
Setting 61
02-B-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55478G	51.84	74.00	-22.16	38.27	3	Horizontal	155	2.70	-	39.16	7.64	33.23
AV	11.54718G	41.15	54.00	-12.85	27.60	3	Horizontal	155	2.70	-	39.14	7.64	33.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.31242G	41.88	54.00	-12.12	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.30518G	51.45	74.00	-22.55	-7.68	3	Vertical	136	1.08	-	59.13	25.95	2.51	36.14
AV	1.30977G	41.69	54.00	-12.31	-7.61	3	Vertical	136	1.08	"Worst"	49.30	26.00	2.51	36.12

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.31581G	51.30	74.00	-22.70	-7.51	3	Horizontal	208	1.22	-	58.81	26.06	2.52	36.09
AV	1.31242G	41.88	54.00	-12.12	-7.58	3	Horizontal	208	1.22	"Worst"	49.46	26.02	2.51	36.11