


### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT X\_1TX  
Setting 68  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.83	74.00	-4.17	39.04	3	Horizontal	58	2.04	-	28.38	2.41	-
AV	2.39G	49.10	54.00	-4.90	18.31	3	Horizontal	58	2.04	-	28.38	2.41	-
PK	2.4106G	109.28	Inf	-Inf	78.47	3	Horizontal	58	2.04	-	28.40	2.41	-
AV	2.4128G	99.77	Inf	-Inf	68.96	3	Horizontal	58	2.04	-	28.40	2.41	-

VHT20\_Nss1,(MCS0)\_1TX

2412MHz\_TX




EUT X\_1TX  
Setting 68  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82508G	44.01	74.00	-29.99	38.73	3	Vertical	304	2.61	-	32.80	4.70	32.22
AV	4.8222G	30.26	54.00	-23.74	24.99	3	Vertical	304	2.61	-	32.79	4.70	32.22

### VHT20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT X\_1TX  
Setting 68  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82042G	43.66	74.00	-30.34	38.40	3	Horizontal	75	2.59	-	32.78	4.70	32.22
AV	4.82134G	30.20	54.00	-23.80	24.93	3	Horizontal	75	2.59	-	32.79	4.70	32.22

### VHT20\_Nss1,(MCS0)\_1TX

### 2417MHz\_TX




EUT X\_1TX  
Setting 75  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	68.63	74.00	-5.37	37.84	3	Vertical	348	1.20	-	28.38	2.41	-
AV	2.3898G	52.88	54.00	-1.12	22.09	3	Vertical	348	1.20	-	28.38	2.41	-
PK	2.4172G	110.85	Inf	-Inf	80.04	3	Vertical	348	1.20	-	28.40	2.41	-
AV	2.4162G	101.31	Inf	-Inf	70.50	3	Vertical	348	1.20	-	28.40	2.41	-

VHT20\_Nss1,(MCS0)\_1TX

2417MHz\_TX




EUT X\_1TX  
Setting 75  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	69.52	74.00	-4.48	38.73	3	Horizontal	60	2.02	-	28.38	2.41	-
AV	2.39G	52.84	54.00	-1.16	22.05	3	Horizontal	60	2.02	-	28.38	2.41	-
PK	2.4172G	111.58	Inf	-Inf	80.77	3	Horizontal	60	2.02	-	28.40	2.41	-
AV	2.4166G	102.12	Inf	-Inf	71.31	3	Horizontal	60	2.02	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT X\_1TX  
Setting 81  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	61.65	74.00	-12.35	30.86	3	Vertical	26	1.00	-	28.38	2.41	-
AV	2.3898G	48.59	54.00	-5.41	17.80	3	Vertical	26	1.00	-	28.38	2.41	-
PK	2.437G	109.89	Inf	-Inf	79.07	3	Vertical	26	1.00	-	28.40	2.42	-
AV	2.4374G	100.56	Inf	-Inf	69.74	3	Vertical	26	1.00	-	28.40	2.42	-
PK	2.485G	62.84	74.00	-11.16	31.86	3	Vertical	26	1.00	-	28.54	2.44	-
AV	2.4835G	49.43	54.00	-4.57	18.46	3	Vertical	26	1.00	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT X\_1TX  
Setting 81  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.44	74.00	-9.56	33.65	3	Horizontal	58	2.48	-	28.38	2.41	-
AV	2.3898G	50.50	54.00	-3.50	19.71	3	Horizontal	58	2.48	-	28.38	2.41	-
PK	2.4358G	111.66	Inf	-Inf	80.84	3	Horizontal	58	2.48	-	28.40	2.42	-
AV	2.4362G	102.12	Inf	-Inf	71.30	3	Horizontal	58	2.48	-	28.40	2.42	-
PK	2.4838G	64.91	74.00	-9.09	33.93	3	Horizontal	58	2.48	-	28.54	2.44	-
AV	2.4838G	49.35	54.00	-4.65	18.37	3	Horizontal	58	2.48	-	28.54	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT X\_1TX  
Setting 81  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87546G	49.08	74.00	-24.92	43.63	3	Vertical	12	2.48	-	32.95	4.70	32.20
AV	4.87502G	36.19	54.00	-17.81	30.74	3	Vertical	12	2.48	-	32.95	4.70	32.20
PK	7.3136G	53.04	74.00	-20.96	43.68	3	Vertical	143	1.73	-	36.43	5.76	32.83
AV	7.31048G	39.86	54.00	-14.14	30.50	3	Vertical	143	1.73	-	36.42	5.76	32.82



VHT20\_Nss1,(MCS0)\_1TX

2437MHz\_TX




EUT X\_1TX  
Setting 81  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87412G	48.32	74.00	-25.68	42.88	3	Horizontal	32	1.23	-	32.95	4.70	32.21
AV	4.87388G	35.26	54.00	-18.74	29.82	3	Horizontal	32	1.23	-	32.95	4.70	32.21
PK	7.30998G	52.01	74.00	-21.99	42.66	3	Horizontal	269	1.06	-	36.42	5.75	32.82
AV	7.31182G	38.88	54.00	-15.12	29.52	3	Horizontal	269	1.06	-	36.42	5.76	32.82

### VHT20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT X\_1TX  
Setting 75  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.455G	111.12	Inf	-Inf	80.27	3	Vertical	348	1.09	-	28.42	2.43	-
AV	2.4562G	101.24	Inf	-Inf	70.39	3	Vertical	348	1.09	-	28.42	2.43	-
PK	2.485G	68.55	74.00	-5.45	37.57	3	Vertical	348	1.09	-	28.54	2.44	-
AV	2.4836G	51.68	54.00	-2.32	20.71	3	Vertical	348	1.09	-	28.53	2.44	-

VHT20\_Nss1,(MCS0)\_1TX

2457MHz\_TX




EUT\_X\_1TX  
Setting 75  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.457G	110.81	Inf	-Inf	79.95	3	Horizontal	60	2.00	-	28.43	2.43	-
AV	2.4562G	101.34	Inf	-Inf	70.49	3	Horizontal	60	2.00	-	28.42	2.43	-
PK	2.484G	68.80	74.00	-5.20	37.82	3	Horizontal	60	2.00	-	28.54	2.44	-
AV	2.4835G	52.04	54.00	-1.96	21.07	3	Horizontal	60	2.00	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT X\_1TX  
Setting 66  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	106.04	Inf	-Inf	75.17	3	Vertical	7	1.10	-	28.44	2.43	-
AV	2.4616G	97.02	Inf	-Inf	66.14	3	Vertical	7	1.10	-	28.45	2.43	-
PK	2.4844G	71.80	74.00	-2.20	40.82	3	Vertical	7	1.10	-	28.54	2.44	-
AV	2.4835G	49.71	54.00	-4.29	18.74	3	Vertical	7	1.10	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT X\_1TX  
Setting 66  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	108.18	Inf	-Inf	77.31	3	Horizontal	57	2.71	-	28.44	2.43	-
AV	2.461G	98.40	Inf	-Inf	67.52	3	Horizontal	57	2.71	-	28.45	2.43	-
PK	2.4836G	71.34	74.00	-2.66	40.37	3	Horizontal	57	2.71	-	28.53	2.44	-
AV	2.4836G	49.65	54.00	-4.35	18.68	3	Horizontal	57	2.71	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT X\_1TX  
Setting 66  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9267G	43.39	74.00	-30.61	37.72	3	Vertical	306	2.05	-	33.16	4.70	32.19
AV	4.92876G	30.20	54.00	-23.80	24.52	3	Vertical	306	2.05	-	33.17	4.70	32.19
PK	7.38514G	47.03	74.00	-26.97	37.62	3	Vertical	117	1.95	-	36.57	5.79	32.95
AV	7.38714G	33.92	54.00	-20.08	24.51	3	Vertical	117	1.95	-	36.57	5.79	32.95

### VHT20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT X\_1TX  
Setting 66  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92712G	44.10	74.00	-29.90	38.43	3	Horizontal	346	1.75	-	33.16	4.70	32.19
AV	4.92524G	30.32	54.00	-23.68	24.66	3	Horizontal	346	1.75	-	33.15	4.70	32.19
PK	7.38482G	47.10	74.00	-26.90	37.69	3	Horizontal	289	1.84	-	36.57	5.79	32.95
AV	7.38958G	33.84	54.00	-20.16	24.43	3	Horizontal	289	1.84	-	36.58	5.79	32.96

VHT20\_Nss1,(MCS0)\_1TX

2467MHz\_TX




EUT\_X\_1TX  
Setting 58  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.467G	108.38	Inf	-Inf	77.04	3	Vertical	358	1.27	-	28.47	2.87	-
AV	2.4664G	98.97	Inf	-Inf	67.63	3	Vertical	358	1.27	-	28.47	2.87	-
PK	2.4848G	72.11	74.00	-1.89	40.69	3	Vertical	358	1.27	-	28.54	2.88	-
AV	2.4836G	50.69	54.00	-3.31	19.28	3	Vertical	358	1.27	-	28.53	2.88	-



VHT20\_Nss1,(MCS0)\_1TX

2467MHz\_TX




EUT\_X\_1TX  
Setting 58  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	102.75	Inf	-Inf	71.42	3	Horizontal	212	2.03	-	28.46	2.87	-
AV	2.4664G	92.39	Inf	-Inf	61.05	3	Horizontal	212	2.03	-	28.47	2.87	-
PK	2.4858G	62.16	74.00	-11.84	30.73	3	Horizontal	212	2.03	-	28.54	2.89	-
AV	2.4835G	47.92	54.00	-6.08	16.51	3	Horizontal	212	2.03	-	28.53	2.88	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2467MHz\_TX




EUT X\_1TX  
Setting 58  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93144G	44.60	74.00	-29.40	38.49	3	Vertical	62	2.48	-	33.19	5.10	32.18
AV	4.93374G	31.34	54.00	-22.66	25.22	3	Vertical	62	2.48	-	33.20	5.10	32.18
PK	7.39994G	48.80	74.00	-25.20	38.98	3	Vertical	152	1.09	-	36.60	6.20	32.98
AV	7.40168G	35.64	54.00	-18.36	25.82	3	Vertical	152	1.09	-	36.60	6.20	32.98

VHT20\_Nss1,(MCS0)\_1TX

2467MHz\_TX




EUT X\_1TX  
Setting 58  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93702G	44.83	74.00	-29.17	38.69	3	Horizontal	191	2.63	-	33.22	5.10	32.18
AV	4.93616G	31.08	54.00	-22.92	24.94	3	Horizontal	191	2.63	-	33.22	5.10	32.18
PK	7.39828G	48.80	74.00	-25.20	38.97	3	Horizontal	118	1.09	-	36.60	6.20	32.97
AV	7.406G	35.69	54.00	-18.31	25.89	3	Horizontal	118	1.09	-	36.59	6.20	32.99

VHT20\_Nss1,(MCS0)\_1TX

2472MHz\_TX




EUT X\_1TX  
Setting 33  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4716G	102.87	Inf	-Inf	71.51	3	Vertical	358	1.04	-	28.49	2.87	-
AV	2.4726G	93.12	Inf	-Inf	61.76	3	Vertical	358	1.04	-	28.49	2.87	-
PK	2.4835G	72.23	74.00	-1.77	40.82	3	Vertical	358	1.04	-	28.53	2.88	-
AV	2.4835G	52.15	54.00	-1.85	20.74	3	Vertical	358	1.04	-	28.53	2.88	-

VHT20\_Nss1,(MCS0)\_1TX

2472MHz\_TX




EUT X\_1TX  
Setting 33  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4722G	95.61	Inf	-Inf	64.25	3	Horizontal	211	2.04	-	28.49	2.87	-
AV	2.4726G	86.02	Inf	-Inf	54.66	3	Horizontal	211	2.04	-	28.49	2.87	-
PK	2.4835G	65.47	74.00	-8.53	34.06	3	Horizontal	211	2.04	-	28.53	2.88	-
AV	2.4835G	49.14	54.00	-4.86	17.73	3	Horizontal	211	2.04	-	28.53	2.88	-

### VHT20\_Nss1,(MCS0)\_1TX

### 2472MHz\_TX




EUT X\_1TX  
Setting 33  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9434G	44.65	74.00	-29.35	38.47	3	Vertical	71	1.65	-	33.26	5.10	32.18
AV	4.94676G	31.14	54.00	-22.86	24.94	3	Vertical	71	1.65	-	33.28	5.10	32.18
PK	7.41254G	48.45	74.00	-25.55	38.68	3	Vertical	161	2.73	-	36.57	6.20	33.00
AV	7.41254G	35.36	54.00	-18.64	25.59	3	Vertical	161	2.73	-	36.57	6.20	33.00

### VHT20\_Nss1,(MCS0)\_1TX

### 2472MHz\_TX



EUT\_X\_1TX  
Setting 33  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93922G	44.79	74.00	-29.21	38.63	3	Horizontal	220	1.47	-	33.24	5.10	32.18
AV	4.94626G	31.28	54.00	-22.72	25.08	3	Horizontal	220	1.47	-	33.28	5.10	32.18
PK	7.4159G	48.62	74.00	-25.38	38.85	3	Horizontal	170	2.60	-	36.57	6.20	33.00
AV	7.41688G	35.47	54.00	-18.53	25.71	3	Horizontal	170	2.60	-	36.57	6.20	33.01




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3878G	52.99	54.00	-1.01	3	Vertical	8	1.16	-



### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	62.22	74.00	-11.78	31.44	3	Vertical	8	1.16	-	28.37	2.41	-
AV	2.3878G	52.99	54.00	-1.01	22.20	3	Vertical	8	1.16	-	28.38	2.41	-
PK	2.413G	116.35	Inf	-Inf	85.54	3	Vertical	8	1.16	-	28.40	2.41	-
AV	2.4128G	112.57	Inf	-Inf	81.76	3	Vertical	8	1.16	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	60.69	74.00	-13.31	29.90	3	Horizontal	180	2.58	-	28.38	2.41	-
AV	2.3878G	49.57	54.00	-4.43	18.78	3	Horizontal	180	2.58	-	28.38	2.41	-
PK	2.413G	107.52	Inf	-Inf	76.71	3	Horizontal	180	2.58	-	28.40	2.41	-
AV	2.4128G	103.84	Inf	-Inf	73.03	3	Horizontal	180	2.58	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82394G	43.45	74.00	-30.55	38.17	3	Vertical	49	1.55	-	32.80	4.70	32.22
AV	4.8243G	29.80	54.00	-24.20	24.52	3	Vertical	49	1.55	-	32.80	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	29.76	54.00	-24.24	24.48	3	Horizontal	86	2.62	-	32.80	4.70	32.22
PK	4.82878G	43.96	74.00	-30.04	38.66	3	Horizontal	86	2.62	-	32.82	4.70	32.22

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 76  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	62.18	74.00	-11.82	31.39	3	Vertical	15	1.49	-	28.38	2.41	-
AV	2.39G	52.42	54.00	-1.58	21.63	3	Vertical	15	1.49	-	28.38	2.41	-
PK	2.4162G	115.00	Inf	-Inf	84.19	3	Vertical	15	1.49	-	28.40	2.41	-
AV	2.4164G	111.23	Inf	-Inf	80.42	3	Vertical	15	1.49	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 76  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	60.11	74.00	-13.89	29.32	3	Horizontal	47	2.81	-	28.38	2.41	-
AV	2.3886G	48.01	54.00	-5.99	17.22	3	Horizontal	47	2.81	-	28.38	2.41	-
PK	2.4162G	111.09	Inf	-Inf	80.28	3	Horizontal	47	2.81	-	28.40	2.41	-
AV	2.4164G	106.96	Inf	-Inf	76.15	3	Horizontal	47	2.81	-	28.40	2.41	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	60.74	74.00	-13.26	29.96	3	Vertical	11	1.00	-	28.37	2.41	-
AV	2.3866G	49.80	54.00	-4.20	19.02	3	Vertical	11	1.00	-	28.37	2.41	-
PK	2.4362G	115.88	Inf	-Inf	85.06	3	Vertical	11	1.00	-	28.40	2.42	-
AV	2.4362G	111.17	Inf	-Inf	80.35	3	Vertical	11	1.00	-	28.40	2.42	-
PK	2.4978G	59.35	74.00	-14.65	28.31	3	Vertical	11	1.00	-	28.59	2.45	-
AV	2.4835G	46.73	54.00	-7.27	15.76	3	Vertical	11	1.00	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3806G	58.94	74.00	-15.06	28.17	3	Horizontal	47	2.84	-	28.36	2.41	-
AV	2.3882G	47.23	54.00	-6.77	16.44	3	Horizontal	47	2.84	-	28.38	2.41	-
PK	2.4358G	110.22	Inf	-Inf	79.40	3	Horizontal	47	2.84	-	28.40	2.42	-
AV	2.4362G	105.46	Inf	-Inf	74.64	3	Horizontal	47	2.84	-	28.40	2.42	-
PK	2.4862G	58.75	74.00	-15.25	27.77	3	Horizontal	47	2.84	-	28.54	2.44	-
AV	2.4978G	46.58	54.00	-7.42	15.54	3	Horizontal	47	2.84	-	28.59	2.45	-



### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87436G	44.94	74.00	-29.06	39.50	3	Vertical	339	1.21	-	32.95	4.70	32.21
AV	4.8742G	34.59	54.00	-19.41	29.15	3	Vertical	339	1.21	-	32.95	4.70	32.21
PK	7.3124G	48.98	74.00	-25.02	39.62	3	Vertical	321	2.84	-	36.42	5.76	32.82
AV	7.31208G	38.84	54.00	-15.16	29.48	3	Vertical	321	2.84	-	36.42	5.76	32.82

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87416G	44.97	74.00	-29.03	39.53	3	Horizontal	302	2.11	-	32.95	4.70	32.21
AV	4.87415G	33.67	54.00	-20.33	28.23	3	Horizontal	302	2.11	-	32.95	4.70	32.21
PK	7.31288G	48.10	74.00	-25.90	38.73	3	Horizontal	295	2.90	-	36.43	5.76	32.82
AV	7.31048G	35.62	54.00	-18.38	26.26	3	Horizontal	295	2.90	-	36.42	5.76	32.82

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	59.39	74.00	-14.61	28.61	3	Vertical	10	1.00	-	28.37	2.41	-
AV	2.3866G	46.86	54.00	-7.14	16.08	3	Vertical	10	1.00	-	28.37	2.41	-
PK	2.4562G	116.09	Inf	-Inf	85.24	3	Vertical	10	1.00	-	28.42	2.43	-
AV	2.4562G	111.83	Inf	-Inf	80.98	3	Vertical	10	1.00	-	28.42	2.43	-
PK	2.4835G	60.76	74.00	-13.24	29.79	3	Vertical	10	1.00	-	28.53	2.44	-
AV	2.4835G	49.96	54.00	-4.04	18.99	3	Vertical	10	1.00	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	58.85	74.00	-15.15	28.07	3	Horizontal	48	2.77	-	28.37	2.41	-
AV	2.3894G	46.33	54.00	-7.67	15.54	3	Horizontal	48	2.77	-	28.38	2.41	-
PK	2.4562G	109.96	Inf	-Inf	79.11	3	Horizontal	48	2.77	-	28.42	2.43	-
AV	2.4562G	106.00	Inf	-Inf	75.15	3	Horizontal	48	2.77	-	28.42	2.43	-
PK	2.489G	59.37	74.00	-14.63	28.37	3	Horizontal	48	2.77	-	28.56	2.44	-
AV	2.4835G	47.37	54.00	-6.63	16.40	3	Horizontal	48	2.77	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	115.25	Inf	-Inf	84.37	3	Vertical	13	1.02	-	28.45	2.43	-
AV	2.4612G	110.54	Inf	-Inf	79.67	3	Vertical	13	1.02	-	28.44	2.43	-
PK	2.4836G	62.35	74.00	-11.65	31.38	3	Vertical	13	1.02	-	28.53	2.44	-
AV	2.4835G	52.71	54.00	-1.29	21.74	3	Vertical	13	1.02	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4612G	109.77	Inf	-Inf	78.90	3	Horizontal	49	2.78	-	28.44	2.43	-
AV	2.4614G	106.10	Inf	-Inf	75.22	3	Horizontal	49	2.78	-	28.45	2.43	-
PK	2.484G	59.40	74.00	-14.60	28.42	3	Horizontal	49	2.78	-	28.54	2.44	-
AV	2.4835G	46.87	54.00	-7.13	15.90	3	Horizontal	49	2.78	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92512G	44.00	74.00	-30.00	38.34	3	Vertical	288	2.26	-	33.15	4.70	32.19
AV	4.92726G	29.63	54.00	-24.37	23.96	3	Vertical	288	2.26	-	33.16	4.70	32.19

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9248G	43.32	74.00	-30.68	37.66	3	Horizontal	82	2.70	-	33.15	4.70	32.19
AV	4.92538G	29.71	54.00	-24.29	24.05	3	Horizontal	82	2.70	-	33.15	4.70	32.19



### 802.11b\_Nss1,(1Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4662G	114.15	Inf	-Inf	83.26	3	Vertical	12	1.08	-	28.46	2.43	-
AV	2.4662G	110.44	Inf	-Inf	79.55	3	Vertical	12	1.08	-	28.46	2.43	-
PK	2.4835G	61.09	74.00	-12.91	30.12	3	Vertical	12	1.08	-	28.53	2.44	-
AV	2.4835G	52.95	54.00	-1.05	21.98	3	Vertical	12	1.08	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4662G	109.21	Inf	-Inf	78.32	3	Horizontal	50	2.79	-	28.46	2.43	-
AV	2.4664G	105.42	Inf	-Inf	74.52	3	Horizontal	50	2.79	-	28.47	2.43	-
PK	2.4936G	59.18	74.00	-14.82	28.16	3	Horizontal	50	2.79	-	28.57	2.45	-
AV	2.4835G	48.13	54.00	-5.87	17.16	3	Horizontal	50	2.79	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93598G	43.90	74.00	-30.10	38.16	3	Vertical	6	2.25	-	33.22	4.70	32.18
AV	4.93792G	30.05	54.00	-23.95	24.30	3	Vertical	6	2.25	-	33.23	4.70	32.18

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9382G	44.19	74.00	-29.81	38.44	3	Horizontal	120	2.61	-	33.23	4.70	32.18
AV	4.93794G	29.95	54.00	-24.05	24.20	3	Horizontal	120	2.61	-	33.23	4.70	32.18

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 67  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	111.87	Inf	-Inf	80.94	3	Vertical	13	1.06	-	28.49	2.44	-
AV	2.4714G	107.46	Inf	-Inf	76.53	3	Vertical	13	1.06	-	28.49	2.44	-
PK	2.4835G	61.50	74.00	-12.50	30.53	3	Vertical	13	1.06	-	28.53	2.44	-
AV	2.4838G	51.94	54.00	-2.06	20.96	3	Vertical	13	1.06	-	28.54	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 67  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	106.28	Inf	-Inf	75.35	3	Horizontal	308	2.80	-	28.49	2.44	-
AV	2.4732G	102.15	Inf	-Inf	71.22	3	Horizontal	308	2.80	-	28.49	2.44	-
PK	2.4842G	60.61	74.00	-13.39	29.63	3	Horizontal	308	2.80	-	28.54	2.44	-
AV	2.4835G	49.35	54.00	-4.65	18.38	3	Horizontal	308	2.80	-	28.53	2.44	-

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 67  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94284G	45.07	74.00	-28.93	39.29	3	Vertical	191	2.70	-	33.26	4.70	32.18
AV	4.94564G	30.49	54.00	-23.51	24.70	3	Vertical	191	2.70	-	33.27	4.70	32.18

### 802.11b\_Nss1,(1Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 67  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94418G	44.90	74.00	-29.10	39.11	3	Horizontal	59	1.25	-	33.27	4.70	32.18
AV	4.94562G	30.54	54.00	-23.46	24.75	3	Horizontal	59	1.25	-	33.27	4.70	32.18



### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.87	74.00	-1.13	42.08	3	Vertical	336	1.17	-	28.38	2.41	-
AV	2.39G	51.00	54.00	-3.00	20.21	3	Vertical	336	1.17	-	28.38	2.41	-
PK	2.4112G	112.49	Inf	-Inf	81.68	3	Vertical	336	1.17	-	28.40	2.41	-
AV	2.4116G	103.70	Inf	-Inf	72.89	3	Vertical	336	1.17	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.31	74.00	-8.69	34.52	3	Horizontal	177	2.68	-	28.38	2.41	-
AV	2.39G	47.95	54.00	-6.05	17.16	3	Horizontal	177	2.68	-	28.38	2.41	-
PK	2.4108G	105.99	Inf	-Inf	75.18	3	Horizontal	177	2.68	-	28.40	2.41	-
AV	2.4112G	97.02	Inf	-Inf	66.21	3	Horizontal	177	2.68	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82316G	44.14	74.00	-29.86	38.87	3	Vertical	34	1.93	-	32.79	4.70	32.22
AV	4.82556G	30.68	54.00	-23.32	25.40	3	Vertical	34	1.93	-	32.80	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82632G	44.35	74.00	-29.65	39.06	3	Horizontal	1	1.98	-	32.81	4.70	32.22
AV	4.82256G	30.58	54.00	-23.42	25.31	3	Horizontal	1	1.98	-	32.79	4.70	32.22

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	70.60	74.00	-3.40	39.81	3	Vertical	5.1	1.16	-	28.38	2.41	-
AV	2.39G	52.84	54.00	-1.16	22.05	3	Vertical	5.1	1.16	-	28.38	2.41	-
PK	2.4164G	115.00	Inf	-Inf	84.19	3	Vertical	5.1	1.16	-	28.40	2.41	-
AV	2.4162G	105.86	Inf	-Inf	75.05	3	Vertical	5.1	1.16	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	64.53	74.00	-9.47	33.75	3	Horizontal	178	2.58	-	28.37	2.41	-
AV	2.39G	48.75	54.00	-5.25	17.96	3	Horizontal	178	2.58	-	28.38	2.41	-
PK	2.4158G	107.25	Inf	-Inf	76.44	3	Horizontal	178	2.58	-	28.40	2.41	-
AV	2.4162G	98.30	Inf	-Inf	67.49	3	Horizontal	178	2.58	-	28.40	2.41	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	69.76	74.00	-4.24	38.97	3	Vertical	13	1.27	-	28.38	2.41	-
AV	2.3898G	52.99	54.00	-1.01	22.20	3	Vertical	13	1.27	-	28.38	2.41	-
PK	2.4366G	115.00	Inf	-Inf	84.18	3	Vertical	13	1.27	-	28.40	2.42	-
AV	2.4366G	105.87	Inf	-Inf	75.05	3	Vertical	13	1.27	-	28.40	2.42	-
PK	2.4835G	62.97	74.00	-11.03	32.00	3	Vertical	13	1.27	-	28.53	2.44	-
AV	2.4835G	50.54	54.00	-3.46	19.57	3	Vertical	13	1.27	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	63.57	74.00	-10.43	32.78	3	Horizontal	47	2.82	-	28.38	2.41	-
AV	2.3898G	49.08	54.00	-4.92	18.29	3	Horizontal	47	2.82	-	28.38	2.41	-
PK	2.435G	109.89	Inf	-Inf	79.07	3	Horizontal	47	2.82	-	28.40	2.42	-
AV	2.4374G	101.00	Inf	-Inf	70.18	3	Horizontal	47	2.82	-	28.40	2.42	-
PK	2.4866G	59.48	74.00	-14.52	28.49	3	Horizontal	47	2.82	-	28.55	2.44	-
AV	2.4835G	47.40	54.00	-6.60	16.43	3	Horizontal	47	2.82	-	28.53	2.44	-



### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT Z\_2TX  
Setting 72  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87254G	44.53	74.00	-29.47	39.09	3	Vertical	324	1.89	-	32.95	4.70	32.21
AV	4.87226G	30.78	54.00	-23.22	25.35	3	Vertical	324	1.89	-	32.94	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8714G	44.40	74.00	-29.60	38.97	3	Horizontal	352	1.49	-	32.94	4.70	32.21
AV	4.87304G	30.65	54.00	-23.35	25.21	3	Horizontal	352	1.49	-	32.95	4.70	32.21

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 64  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	60.03	74.00	-13.97	29.24	3	Vertical	13	1.00	-	28.38	2.41	-
AV	2.3882G	47.14	54.00	-6.86	16.35	3	Vertical	13	1.00	-	28.38	2.41	-
PK	2.4566G	113.48	Inf	-Inf	82.62	3	Vertical	13	1.00	-	28.43	2.43	-
AV	2.4566G	104.90	Inf	-Inf	74.04	3	Vertical	13	1.00	-	28.43	2.43	-
PK	2.4835G	68.08	74.00	-5.92	37.11	3	Vertical	13	1.00	-	28.53	2.44	-
AV	2.4835G	52.65	54.00	-1.35	21.68	3	Vertical	13	1.00	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 64  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3746G	59.01	74.00	-14.99	28.25	3	Horizontal	46	2.78	-	28.35	2.41	-
AV	2.3846G	46.70	54.00	-7.30	15.92	3	Horizontal	46	2.78	-	28.37	2.41	-
PK	2.4578G	108.53	Inf	-Inf	77.67	3	Horizontal	46	2.78	-	28.43	2.43	-
AV	2.4574G	99.10	Inf	-Inf	68.24	3	Horizontal	46	2.78	-	28.43	2.43	-
PK	2.4835G	61.89	74.00	-12.11	30.92	3	Horizontal	46	2.78	-	28.53	2.44	-
AV	2.4835G	48.88	54.00	-5.12	17.91	3	Horizontal	46	2.78	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	111.86	Inf	-Inf	80.98	3	Vertical	341	1.09	-	28.45	2.43	-
AV	2.4616G	102.88	Inf	-Inf	72.00	3	Vertical	341	1.09	-	28.45	2.43	-
PK	2.4835G	72.77	74.00	-1.23	41.80	3	Vertical	341	1.09	-	28.53	2.44	-
AV	2.4835G	52.17	54.00	-1.83	21.20	3	Vertical	341	1.09	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	108.14	Inf	-Inf	77.26	3	Horizontal	48	2.78	-	28.45	2.43	-
AV	2.4626G	98.92	Inf	-Inf	68.04	3	Horizontal	48	2.78	-	28.45	2.43	-
PK	2.4835G	65.81	74.00	-8.19	34.84	3	Horizontal	48	2.78	-	28.53	2.44	-
AV	2.4836G	49.11	54.00	-4.89	18.14	3	Horizontal	48	2.78	-	28.53	2.44	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92422G	43.99	74.00	-30.01	38.33	3	Vertical	133	2.64	-	33.15	4.70	32.19
AV	4.92542G	30.47	54.00	-23.53	24.81	3	Vertical	133	2.64	-	33.15	4.70	32.19

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9225G	44.26	74.00	-29.74	38.62	3	Horizontal	343	1.89	-	33.13	4.70	32.19
AV	4.92552G	30.49	54.00	-23.51	24.83	3	Horizontal	343	1.89	-	33.15	4.70	32.19



### 802.11g\_Nss1,(6Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	110.89	Inf	-Inf	79.55	3	Vertical	348	1.00	-	28.47	2.87	-
AV	2.4662G	101.90	Inf	-Inf	70.57	3	Vertical	348	1.00	-	28.46	2.87	-
PK	2.4835G	72.21	74.00	-1.79	40.80	3	Vertical	348	1.00	-	28.53	2.88	-
AV	2.4838G	50.02	54.00	-3.98	18.60	3	Vertical	348	1.00	-	28.54	2.88	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4654G	107.63	Inf	-Inf	76.30	3	Horizontal	49	2.78	-	28.46	2.87	-
AV	2.4664G	98.30	Inf	-Inf	66.96	3	Horizontal	49	2.78	-	28.47	2.87	-
PK	2.4835G	69.19	74.00	-4.81	37.78	3	Horizontal	49	2.78	-	28.53	2.88	-
AV	2.4835G	48.18	54.00	-5.82	16.77	3	Horizontal	49	2.78	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93716G	44.51	74.00	-29.49	38.37	3	Vertical	61	1.60	-	33.22	5.10	32.18
AV	4.9365G	31.08	54.00	-22.92	24.94	3	Vertical	61	1.60	-	33.22	5.10	32.18
PK	7.39618G	50.25	74.00	-23.75	40.43	3	Vertical	23	1.40	-	36.59	6.20	32.97
AV	7.4008G	36.10	54.00	-17.90	26.28	3	Vertical	23	1.40	-	36.60	6.20	32.98

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93724G	44.79	74.00	-29.21	38.65	3	Horizontal	64	1.56	-	33.22	5.10	32.18
AV	4.93536G	30.99	54.00	-23.01	24.86	3	Horizontal	64	1.56	-	33.21	5.10	32.18
PK	7.40156G	49.74	74.00	-24.26	39.92	3	Horizontal	269	2.63	-	36.60	6.20	32.98
AV	7.40078G	36.20	54.00	-17.80	26.38	3	Horizontal	269	2.63	-	36.60	6.20	32.98

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4728G	104.61	Inf	-Inf	73.25	3	Vertical	360	1.03	-	28.49	2.87	-
AV	2.4726G	95.26	Inf	-Inf	63.90	3	Vertical	360	1.03	-	28.49	2.87	-
PK	2.4835G	72.75	74.00	-1.25	41.34	3	Vertical	360	1.03	-	28.53	2.88	-
AV	2.4835G	52.31	54.00	-1.69	20.90	3	Vertical	360	1.03	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4726G	98.28	Inf	-Inf	66.92	3	Horizontal	222	2.00	-	28.49	2.87	-
AV	2.4724G	88.93	Inf	-Inf	57.57	3	Horizontal	222	2.00	-	28.49	2.87	-
PK	2.4835G	67.70	74.00	-6.30	36.29	3	Horizontal	222	2.00	-	28.53	2.88	-
AV	2.4835G	49.48	54.00	-4.52	18.07	3	Horizontal	222	2.00	-	28.53	2.88	-

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94606G	44.86	74.00	-29.14	38.66	3	Vertical	320	1.04	-	33.28	5.10	32.18
AV	4.94788G	31.18	54.00	-22.82	24.97	3	Vertical	320	1.04	-	33.29	5.10	32.18
PK	7.42012G	48.58	74.00	-25.42	38.83	3	Vertical	268	1.40	-	36.56	6.20	33.01
AV	7.41428G	35.50	54.00	-18.50	25.73	3	Vertical	268	1.40	-	36.57	6.20	33.00

### 802.11g\_Nss1,(6Mbps)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94558G	44.59	74.00	-29.41	38.40	3	Horizontal	19	2.62	-	33.27	5.10	32.18
AV	4.94624G	31.31	54.00	-22.69	25.11	3	Horizontal	19	2.62	-	33.28	5.10	32.18
PK	7.41586G	48.15	74.00	-25.85	38.38	3	Horizontal	127	2.60	-	36.57	6.20	33.00
AV	7.41148G	35.32	54.00	-18.68	25.54	3	Horizontal	127	2.60	-	36.58	6.20	33.00



### VHT20\_Nss1,(MCS0)\_2TX

### 2412MHz\_TX




EUT Z\_2TX  
Setting 59  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.56	74.00	-1.44	41.77	3	Vertical	12	1.10	-	28.38	2.41	-
AV	2.39G	52.18	54.00	-1.82	21.39	3	Vertical	12	1.10	-	28.38	2.41	-
PK	2.4128G	112.24	Inf	-Inf	81.43	3	Vertical	12	1.10	-	28.40	2.41	-
AV	2.4118G	102.72	Inf	-Inf	71.91	3	Vertical	12	1.10	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 59  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	72.45	74.00	-1.55	41.66	3	Horizontal	176	2.90	-	28.38	2.41	-
AV	2.3896G	49.38	54.00	-4.62	18.59	3	Horizontal	176	2.90	-	28.38	2.41	-
PK	2.4126G	107.33	Inf	-Inf	76.52	3	Horizontal	176	2.90	-	28.40	2.41	-
AV	2.4116G	97.89	Inf	-Inf	67.08	3	Horizontal	176	2.90	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2412MHz\_TX




EUT Z\_2TX  
Setting 59  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8192G	44.17	74.00	-29.83	38.92	3	Vertical	295	1.68	-	32.78	4.70	32.23
AV	4.82434G	30.65	54.00	-23.35	25.37	3	Vertical	295	1.68	-	32.80	4.70	32.22

VHT20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




EUT Z\_2TX  
Setting 59  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82136G	44.50	74.00	-29.50	39.23	3	Horizontal	235	2.96	-	32.79	4.70	32.22
AV	4.82462G	30.71	54.00	-23.29	25.43	3	Horizontal	235	2.96	-	32.80	4.70	32.22

VHT20\_Nss1,(MCS0)\_2TX

2417MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.79	74.00	-1.21	42.00	3	Vertical	0	2.94	-	28.38	2.41	-
AV	2.3898G	51.83	54.00	-2.17	21.04	3	Vertical	0	2.94	-	28.38	2.41	-
PK	2.4164G	114.51	Inf	-Inf	83.70	3	Vertical	0	2.94	-	28.40	2.41	-
AV	2.4164G	105.27	Inf	-Inf	74.46	3	Vertical	0	2.94	-	28.40	2.41	-

VHT20\_Nss1,(MCS0)\_2TX

2417MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	63.84	74.00	-10.16	33.05	3	Horizontal	178	2.58	-	28.38	2.41	-
AV	2.3898G	47.92	54.00	-6.08	17.13	3	Horizontal	178	2.58	-	28.38	2.41	-
PK	2.4176G	105.55	Inf	-Inf	74.74	3	Horizontal	178	2.58	-	28.40	2.41	-
AV	2.4166G	96.52	Inf	-Inf	65.71	3	Horizontal	178	2.58	-	28.40	2.41	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 69  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.82	74.00	-5.18	38.03	3	Vertical	13	1.26	-	28.38	2.41	-
AV	2.3898G	52.28	54.00	-1.72	21.49	3	Vertical	13	1.26	-	28.38	2.41	-
PK	2.4358G	113.63	Inf	-Inf	82.81	3	Vertical	13	1.26	-	28.40	2.42	-
AV	2.4366G	104.11	Inf	-Inf	73.29	3	Vertical	13	1.26	-	28.40	2.42	-
PK	2.4838G	63.14	74.00	-10.86	32.16	3	Vertical	13	1.26	-	28.54	2.44	-
AV	2.4835G	49.41	54.00	-4.59	18.44	3	Vertical	13	1.26	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 69  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.13	74.00	-9.87	33.34	3	Horizontal	180	2.62	-	28.38	2.41	-
AV	2.3894G	49.65	54.00	-4.35	18.86	3	Horizontal	180	2.62	-	28.38	2.41	-
PK	2.4358G	108.09	Inf	-Inf	77.27	3	Horizontal	180	2.62	-	28.40	2.42	-
AV	2.4366G	98.03	Inf	-Inf	67.21	3	Horizontal	180	2.62	-	28.40	2.42	-
PK	2.4874G	59.48	74.00	-14.52	28.49	3	Horizontal	180	2.62	-	28.55	2.44	-
AV	2.4835G	47.43	54.00	-6.57	16.46	3	Horizontal	180	2.62	-	28.53	2.44	-



### VHT20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 69  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87038G	44.36	74.00	-29.64	38.93	3	Vertical	43	2.16	-	32.94	4.70	32.21
AV	4.8707G	30.87	54.00	-23.13	25.44	3	Vertical	43	2.16	-	32.94	4.70	32.21

VHT20\_Nss1,(MCS0)\_2TX

2437MHz\_TX




EUT Z\_2TX  
Setting 69  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8767G	44.96	74.00	-29.04	39.51	3	Horizontal	130	1.12	-	32.95	4.70	32.20
AV	4.87466G	30.83	54.00	-23.17	25.39	3	Horizontal	130	1.12	-	32.95	4.70	32.21

### VHT20\_Nss1,(MCS0)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3594G	58.95	74.00	-15.05	28.21	3	Vertical	9	1.00	-	28.32	2.42	-
AV	2.3898G	47.52	54.00	-6.48	16.73	3	Vertical	9	1.00	-	28.38	2.41	-
PK	2.4582G	113.06	Inf	-Inf	82.20	3	Vertical	9	1.00	-	28.43	2.43	-
AV	2.4558G	104.06	Inf	-Inf	73.21	3	Vertical	9	1.00	-	28.42	2.43	-
PK	2.4835G	68.46	74.00	-5.54	37.49	3	Vertical	9	1.00	-	28.53	2.44	-
AV	2.4835G	52.82	54.00	-1.18	21.85	3	Vertical	9	1.00	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 63  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	59.17	74.00	-14.83	28.39	3	Horizontal	46	2.76	-	28.37	2.41	-
AV	2.3822G	46.75	54.00	-7.25	15.98	3	Horizontal	46	2.76	-	28.36	2.41	-
PK	2.4566G	107.07	Inf	-Inf	76.21	3	Horizontal	46	2.76	-	28.43	2.43	-
AV	2.4574G	97.94	Inf	-Inf	67.08	3	Horizontal	46	2.76	-	28.43	2.43	-
PK	2.4842G	62.31	74.00	-11.69	31.33	3	Horizontal	46	2.76	-	28.54	2.44	-
AV	2.4835G	48.41	54.00	-5.59	17.44	3	Horizontal	46	2.76	-	28.53	2.44	-

VHT20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT\_Z\_2TX  
Setting 61  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	110.78	Inf	-Inf	79.90	3	Vertical	355	1.31	-	28.45	2.43	-
AV	2.4614G	101.52	Inf	-Inf	70.64	3	Vertical	355	1.31	-	28.45	2.43	-
PK	2.484G	72.77	74.00	-1.23	41.79	3	Vertical	355	1.31	-	28.54	2.44	-
AV	2.4835G	50.83	54.00	-3.17	19.86	3	Vertical	355	1.31	-	28.53	2.44	-

VHT20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT\_Z\_2TX  
Setting 61  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	106.95	Inf	-Inf	76.08	3	Horizontal	48	2.78	-	28.44	2.43	-
AV	2.4614G	97.40	Inf	-Inf	66.52	3	Horizontal	48	2.78	-	28.45	2.43	-
PK	2.4838G	66.54	74.00	-7.46	35.56	3	Horizontal	48	2.78	-	28.54	2.44	-
AV	2.4836G	47.97	54.00	-6.03	17.00	3	Horizontal	48	2.78	-	28.53	2.44	-

### VHT20\_Nss1,(MCS0)\_2TX

### 2462MHz\_TX




EUT Z\_2TX  
Setting 61  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92388G	43.85	74.00	-30.15	38.20	3	Vertical	353	1.30	-	33.14	4.70	32.19
AV	4.92638G	30.55	54.00	-23.45	24.88	3	Vertical	353	1.30	-	33.16	4.70	32.19

VHT20\_Nss1,(MCS0)\_2TX

2462MHz\_TX




EUT Z\_2TX  
Setting 61  
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.926G	44.19	74.00	-29.81	38.52	3	Horizontal	285	2.14	-	33.16	4.70	32.19
AV	4.9255G	30.59	54.00	-23.41	24.93	3	Horizontal	285	2.14	-	33.15	4.70	32.19



### VHT20\_Nss1,(MCS0)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 57  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4662G	112.09	Inf	-Inf	80.76	3	Vertical	360	1.28	-	28.46	2.87	-
AV	2.4662G	102.82	Inf	-Inf	71.49	3	Vertical	360	1.28	-	28.46	2.87	-
PK	2.4835G	72.05	74.00	-1.95	40.64	3	Vertical	360	1.28	-	28.53	2.88	-
AV	2.4835G	52.99	54.00	-1.01	21.58	3	Vertical	360	1.28	-	28.53	2.88	-

VHT20\_Nss1,(MCS0)\_2TX

2467MHz\_TX




EUT\_Z\_2TX  
Setting 57  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	106.13	Inf	-Inf	74.80	3	Horizontal	215	2.04	-	28.46	2.87	-
AV	2.4662G	96.57	Inf	-Inf	65.24	3	Horizontal	215	2.04	-	28.46	2.87	-
PK	2.484G	65.15	74.00	-8.85	33.73	3	Horizontal	215	2.04	-	28.54	2.88	-
AV	2.4836G	48.77	54.00	-5.23	17.36	3	Horizontal	215	2.04	-	28.53	2.88	-

VHT20\_Nss1,(MCS0)\_2TX

2467MHz\_TX




EUT\_Z\_2TX  
Setting 57  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93246G	44.44	74.00	-29.56	38.33	3	Vertical	52	2.98	-	33.19	5.10	32.18
AV	4.93884G	31.12	54.00	-22.88	24.97	3	Vertical	52	2.98	-	33.23	5.10	32.18
PK	7.3981G	48.39	74.00	-25.61	38.56	3	Vertical	115	1.43	-	36.60	6.20	32.97
AV	7.39614G	35.64	54.00	-18.36	25.82	3	Vertical	115	1.43	-	36.59	6.20	32.97

### VHT20\_Nss1,(MCS0)\_2TX

### 2467MHz\_TX




EUT\_Z\_2TX  
Setting 57  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93694G	44.77	74.00	-29.23	38.63	3	Horizontal	202	1.53	-	33.22	5.10	32.18
AV	4.9367G	31.34	54.00	-22.66	25.20	3	Horizontal	202	1.53	-	33.22	5.10	32.18
PK	7.39856G	48.76	74.00	-25.24	38.93	3	Horizontal	21	2.47	-	36.60	6.20	32.97
AV	7.3972G	35.57	54.00	-18.43	25.75	3	Horizontal	21	2.47	-	36.59	6.20	32.97

### VHT20\_Nss1,(MCS0)\_2TX

### 2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	104.40	Inf	-Inf	73.04	3	Vertical	2	1.06	-	28.49	2.87	-
AV	2.4724G	94.36	Inf	-Inf	63.00	3	Vertical	2	1.06	-	28.49	2.87	-
PK	2.4835G	72.93	74.00	-1.07	41.52	3	Vertical	2	1.06	-	28.53	2.88	-
AV	2.4835G	52.47	54.00	-1.53	21.06	3	Vertical	2	1.06	-	28.53	2.88	-

VHT20\_Nss1,(MCS0)\_2TX

2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	97.85	Inf	-Inf	66.50	3	Horizontal	219	2.02	-	28.48	2.87	-
AV	2.4724G	88.45	Inf	-Inf	57.09	3	Horizontal	219	2.02	-	28.49	2.87	-
PK	2.4835G	67.33	74.00	-6.67	35.92	3	Horizontal	219	2.02	-	28.53	2.88	-
AV	2.4835G	49.53	54.00	-4.47	18.12	3	Horizontal	219	2.02	-	28.53	2.88	-

VHT20\_Nss1,(MCS0)\_2TX

2472MHz\_TX




EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.946G	45.03	74.00	-28.97	38.83	3	Vertical	121	1.27	-	33.28	5.10	32.18
AV	4.94654G	31.22	54.00	-22.78	25.02	3	Vertical	121	1.27	-	33.28	5.10	32.18
PK	7.41178G	48.50	74.00	-25.50	38.72	3	Vertical	127	2.11	-	36.58	6.20	33.00
AV	7.41172G	35.31	54.00	-18.69	25.53	3	Vertical	127	2.11	-	36.58	6.20	33.00

VHT20\_Nss1,(MCS0)\_2TX

2472MHz\_TX



EUT\_Z\_2TX  
Setting 25  
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94548G	44.64	74.00	-29.36	38.45	3	Horizontal	97	1.05	-	33.27	5.10	32.18
AV	4.94656G	31.19	54.00	-22.81	24.99	3	Horizontal	97	1.05	-	33.28	5.10	32.18
PK	7.4202G	48.70	74.00	-25.30	38.95	3	Horizontal	282	1.64	-	36.56	6.20	33.01
AV	7.41964G	35.28	54.00	-18.72	25.53	3	Horizontal	282	1.64	-	36.56	6.20	33.01






**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.31242G	41.88	54.00	-12.12	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.30518G	51.45	74.00	-22.55	-7.68	3	Vertical	136	1.08	-	59.13	25.95	2.51	36.14
AV	1.30977G	41.69	54.00	-12.31	-7.61	3	Vertical	136	1.08	"Worst"	49.30	26.00	2.51	36.12

### Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.31581G	51.30	74.00	-22.70	-7.51	3	Horizontal	208	1.22	-	58.81	26.06	2.52	36.09
AV	1.31242G	41.88	54.00	-12.12	-7.58	3	Horizontal	208	1.22	"Worst"	49.46	26.02	2.51	36.11