


Registration number: W6M21706-17141-C-54  
FCC ID: TLZ-CM308NF

## **Appendix**

### **Measurement diagrams**

Spurious Emissions radiated




***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

Measurement diagrams

Spurious Emission Radiated \_TX



***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

ANT A



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:09:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.03	QP	-9.89	43.14	43.50	100	175	-0.36	
	232.1643	47.94	peak	-8.77	39.17	46.00	100	80	-6.83	
	267.1543	42.69	peak	-6.87	35.82	46.00	100	135	-10.18	
	298.2565	51.30	QP	-5.98	45.32	46.00	100	60	-0.68	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:09:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	45.01	peak	-10.12	34.89	43.50	100	60	-8.61	
*	166.0721	48.88	peak	-9.89	38.99	43.50	100	35	-4.51	
	298.2565	40.65	peak	-5.98	34.67	46.00	100	245	-11.33	
	799.7796	33.77	peak	1.39	35.16	46.00	100	170	-10.84	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:39:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:44:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:39:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:45:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:41:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.50	peak	9.36	44.86	74.00	150	175	-29.14	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:46:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.99	peak	9.36	45.35	74.00	150	255	-28.65	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:42:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	28.38	peak	20.24	48.62	74.00	150	95	-25.38	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:47:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	29.71	peak	20.24	49.95	74.00	150	145	-24.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:42:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:47:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:42:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:48:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:14:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.77	QP	-9.89	42.88	43.50	100	95	-0.62	
	232.1643	48.15	peak	-8.77	39.38	46.00	100	60	-6.62	
	265.2104	42.97	peak	-6.96	36.01	46.00	100	245	-9.99	
	300.2004	51.28	QP	-5.94	45.34	46.00	100	170	-0.66	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:11:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.33	peak	-10.12	34.21	43.50	100	90	-9.29	
*	166.0721	48.93	peak	-9.89	39.04	43.50	100	85	-4.46	
	232.1643	41.87	peak	-8.77	33.10	46.00	100	220	-12.90	
	300.2004	40.63	peak	-5.94	34.69	46.00	100	135	-11.31	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:54:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:01:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:55:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:02:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH40

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:56:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	35.59	peak	9.21	44.80	74.00	150	145	-29.20	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:03:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	36.12	peak	9.21	45.33	74.00	150	95	-28.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:57:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	28.71	peak	21.00	49.71	74.00	150	230	-24.29	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:04:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	28.75	peak	21.00	49.75	74.00	150	210	-24.25	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:57:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:04:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:58:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:05:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:16:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.60	QP	-9.89	42.71	43.50	100	155	-0.79	
	232.1643	48.15	peak	-8.77	39.38	46.00	100	240	-6.62	
*	300.2004	51.62	QP	-5.94	45.68	46.00	100	190	-0.32	
	900.8617	36.27	peak	3.24	39.51	46.00	100	130	-6.49	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:12:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.43	peak	-10.12	34.31	43.50	100	65	-9.19	
*	166.0721	48.66	peak	-9.89	38.77	43.50	100	90	-4.73	
	232.1643	41.35	peak	-8.77	32.58	46.00	100	145	-13.42	
	298.2565	40.90	peak	-5.98	34.92	46.00	100	220	-11.08	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:09:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:13:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:10:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:14:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:11:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	34.51	peak	9.78	44.29	74.00	150	175	-29.71	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:15:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.99	peak	9.78	45.77	74.00	150	255	-28.23	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:12:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.93	peak	18.61	46.54	74.00	150	135	-27.46	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:17:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.94	peak	18.61	46.55	74.00	150	90	-27.45	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:12:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:17:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:12:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:17:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:19:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.95	QP	-9.89	43.06	43.50	100	15	-0.44	
	232.1643	48.23	peak	-8.77	39.46	46.00	100	235	-6.54	
	265.2104	42.83	peak	-6.96	35.87	46.00	100	160	-10.13	
*	300.2004	51.52	QP	-5.94	45.58	46.00	100	90	-0.42	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:14:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.52	peak	-10.12	34.40	43.50	100	80	-9.10	
*	166.0721	49.16	peak	-9.89	39.27	43.50	100	255	-4.23	
	298.2565	40.79	peak	-5.98	34.81	46.00	100	110	-11.19	
	797.8357	34.63	peak	1.35	35.98	46.00	100	135	-10.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:07:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:12:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:08:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:13:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:09:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.65	peak	9.88	45.53	74.00	150	190	-28.47	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:16:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10517.074	51.67	peak	9.88	61.55	74.00	150	359	-12.45	
*	10517.074	37.61	AVG	9.88	47.49	54.00	150	359	-6.51	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:10:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	27.75	peak	18.74	46.49	74.00	150	65	-27.51	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	29.07	peak	18.74	47.81	74.00	150	45	-26.19	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:11:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:11:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:21:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.71	QP	-9.89	42.82	43.50	100	175	-0.68	
	232.1643	48.01	peak	-8.77	39.24	46.00	100	50	-6.76	
	267.1543	43.29	peak	-6.87	36.42	46.00	100	110	-9.58	
*	300.2004	51.60	QP	-5.94	45.66	46.00	100	135	-0.34	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:16:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.80	peak	-10.12	34.68	43.50	100	150	-8.82	
*	166.0721	48.61	peak	-9.89	38.72	43.50	100	75	-4.78	
	232.1643	40.98	peak	-8.77	32.21	46.00	100	140	-13.79	
	298.2565	40.80	peak	-5.98	34.82	46.00	100	160	-11.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:53:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:59:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:54:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:59:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:56:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10560.000	34.99	peak	9.79	44.78	74.00	150	210	-29.22	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:01:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10560.000	37.62	peak	9.79	47.41	74.00	150	275	-26.59	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:57:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.07	peak	19.07	47.14	74.00	150	230	-26.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:02:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.43	peak	19.07	47.50	74.00	150	210	-26.50	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:57:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:03:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:58:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:03:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:24:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.47	QP	-9.89	42.58	43.50	100	15	-0.92	
	232.1643	47.99	peak	-8.77	39.22	46.00	100	245	-6.78	
	267.1543	42.71	peak	-6.87	35.84	46.00	100	170	-10.16	
*	300.2004	51.50	QP	-5.94	45.56	46.00	100	90	-0.44	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:17:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.56	peak	-10.12	34.44	43.50	100	285	-9.06	
*	166.0721	49.01	peak	-9.89	39.12	43.50	100	90	-4.38	
	232.1643	41.51	peak	-8.77	32.74	46.00	100	110	-13.26	
	298.2565	41.13	peak	-5.98	35.15	46.00	100	175	-10.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:38:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:44:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:39:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:45:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:41:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.31	peak	9.81	45.12	74.00	150	85	-28.88	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:48:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.32	peak	9.81	46.13	74.00	150	175	-27.87	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:42:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.40	peak	19.62	49.02	74.00	150	220	-24.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:49:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.34	peak	19.62	48.96	74.00	150	35	-25.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:42:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:49:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:43:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:49:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:27:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.76	QP	-9.89	42.87	43.50	100	95	-0.63	
	232.1643	48.25	peak	-8.77	39.48	46.00	100	60	-6.52	
	263.2664	42.17	peak	-7.05	35.12	46.00	100	220	-10.88	
	300.2004	51.09	QP	-5.94	45.15	46.00	100	145	-0.85	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:20:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.42	peak	-10.12	34.30	43.50	100	85	-9.20	
*	166.0721	49.07	peak	-9.89	39.18	43.50	100	220	-4.32	
	232.1643	41.47	peak	-8.77	32.70	46.00	100	145	-13.30	
	298.2565	40.56	peak	-5.98	34.58	46.00	100	70	-11.42	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:28:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:33:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:29:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:34:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:31:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.70	peak	10.63	46.33	74.00	150	270	-27.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:36:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10998.497	37.46	peak	10.63	48.09	74.00	150	180	-25.91	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:32:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.80	peak	21.10	48.90	74.00	150	80	-25.10	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:37:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.72	peak	21.10	48.82	74.00	150	250	-25.18	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:32:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:37:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:32:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:37:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:30:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.70	QP	-9.89	42.81	43.50	100	15	-0.69	
	232.1643	47.77	peak	-8.77	39.00	46.00	100	245	-7.00	
	265.2104	42.82	peak	-6.96	35.86	46.00	100	170	-10.14	
*	298.2565	51.54	QP	-5.98	45.56	46.00	100	30	-0.44	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:22:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.0361	44.97	peak	-10.83	34.14	43.50	100	90	-9.36	
*	166.0721	49.16	peak	-9.89	39.27	43.50	100	65	-4.23	
	300.2004	40.69	peak	-5.94	34.75	46.00	100	215	-11.25	
	799.7796	35.96	peak	1.39	37.35	46.00	100	130	-8.65	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:48:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:52:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:48:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:53:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:49:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	34.88	peak	11.32	46.20	74.00	150	175	-27.80	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:54:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.49	peak	11.32	46.81	74.00	150	240	-27.19	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:50:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.90	peak	21.36	47.26	74.00	150	70	-26.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:55:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.97	peak	21.36	47.33	74.00	150	95	-26.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:51:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:55:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:51:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:55:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:31:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.76	QP	-9.89	42.87	43.50	100	85	-0.63	
	232.1643	48.16	peak	-8.77	39.39	46.00	100	265	-6.61	
	265.2104	43.24	peak	-6.96	36.28	46.00	100	90	-9.72	
*	300.2004	51.81	QP	-5.94	45.87	46.00	100	130	-0.13	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:24:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.72	peak	-10.12	34.60	43.50	100	60	-8.90	
*	166.0721	49.07	peak	-9.89	39.18	43.50	100	245	-4.32	
	232.1643	41.14	peak	-8.77	32.37	46.00	100	80	-13.63	
	300.2004	41.22	peak	-5.94	35.28	46.00	100	110	-10.72	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:00:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:04:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:01:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:05:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:02:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.39	peak	11.70	46.09	74.00	150	165	-27.91	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:06:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.80	peak	11.70	46.50	74.00	150	210	-27.50	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:03:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.55	peak	23.32	50.87	74.00	150	230	-23.13	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:07:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.67	peak	23.32	50.99	74.00	150	65	-23.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:03:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:08:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:03:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:08:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:34:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.06	QP	-9.89	43.17	43.50	100	65	-0.33	
	232.1643	48.13	peak	-8.77	39.36	46.00	100	220	-6.64	
	265.2104	43.90	peak	-6.96	36.94	46.00	100	75	-9.06	
	298.2565	51.36	QP	-5.98	45.38	46.00	100	80	-0.62	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:25:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.67	peak	-10.12	34.55	43.50	100	95	-8.95	
*	166.0721	49.41	peak	-9.89	39.52	43.50	100	60	-3.98	
	232.1643	40.91	peak	-8.77	32.14	46.00	100	220	-13.86	
	298.2565	40.57	peak	-5.98	34.59	46.00	100	145	-11.41	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:30:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:36:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:30:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:37:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:32:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.10	peak	12.24	46.34	74.00	150	275	-27.66	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:39:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.93	peak	12.24	47.17	74.00	150	235	-26.83	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:33:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.77	peak	21.18	48.95	74.00	150	95	-25.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:40:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.37	peak	21.18	48.55	74.00	150	50	-25.45	

\*:Maximum data x:Over limit l:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:34:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:41:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:34:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:41:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:36:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.74	QP	-9.89	42.85	43.50	100	65	-0.65	
	232.1643	48.28	peak	-8.77	39.51	46.00	100	90	-6.49	
	267.1543	41.54	peak	-6.87	34.67	46.00	100	220	-11.33	
*	298.2565	51.51	QP	-5.98	45.53	46.00	100	145	-0.47	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:26:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.55	peak	-10.12	34.43	43.50	100	55	-9.07	
	119.4188	36.14	peak	-6.90	29.24	43.50	100	210	-14.26	
*	166.0721	48.80	peak	-9.89	38.91	43.50	100	175	-4.59	
	300.2004	40.41	peak	-5.94	34.47	46.00	100	90	-11.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:45:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:50:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:45:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:50:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:47:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11579.158	38.32	peak	12.05	50.37	74.00	150	95	-23.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:52:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11569.639	37.85	peak	12.08	49.93	74.00	150	170	-24.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:48:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.10	peak	22.31	49.41	74.00	150	260	-24.59	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:53:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.71	peak	22.31	50.02	74.00	150	210	-23.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:48:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:53:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:48:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:53:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:38:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.82	QP	-9.89	42.93	43.50	100	95	-0.57	
	232.1643	48.09	peak	-8.77	39.32	46.00	100	60	-6.68	
	267.1543	42.69	peak	-6.87	35.82	46.00	100	220	-10.18	
	300.2004	51.08	QP	-5.94	45.14	46.00	100	175	-0.86	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:28:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.66	peak	-10.12	34.54	43.50	100	95	-8.96	
*	166.0721	49.59	peak	-9.89	39.70	43.50	100	60	-3.80	
	298.2565	40.47	peak	-5.98	34.49	46.00	100	230	-11.51	
	797.8357	34.58	peak	1.35	35.93	46.00	100	145	-10.07	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:08:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:14:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:09:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:15:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:10:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.13	peak	12.12	47.25	74.00	150	220	-26.75	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:16:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.10	peak	12.12	47.22	74.00	150	75	-26.78	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:11:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.71	peak	22.27	49.98	74.00	150	90	-24.02	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:17:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.17	peak	22.27	49.44	74.00	150	210	-24.56	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:12:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:18:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:12:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 10:18:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:


Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

ANT B



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:40:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.65	QP	-9.89	42.76	43.50	100	95	-0.74	
	232.1643	48.10	peak	-8.77	39.33	46.00	100	60	-6.67	
	265.2104	42.10	peak	-6.96	35.14	46.00	100	155	-10.86	
	300.2004	50.96	QP	-5.94	45.02	46.00	100	120	-0.98	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:31:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.69	peak	-10.12	34.57	43.50	100	25	-8.93	
*	166.0721	48.62	peak	-9.89	38.73	43.50	100	175	-4.77	
	232.1643	41.16	peak	-8.77	32.39	46.00	100	90	-13.61	
	298.2565	40.39	peak	-5.98	34.41	46.00	100	130	-11.59	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 06:59:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:05:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:00:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:06:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6906.691	49.80	peak	4.89	54.69	74.00	220	235	-19.31	
*	6906.691	46.76	AVG	4.89	51.65	54.00	220	235	-2.35	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:01:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	36.15	peak	9.36	45.51	74.00	150	240	-28.49	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:07:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	36.96	peak	9.36	46.32	74.00	150	230	-27.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:02:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	28.95	peak	20.24	49.19	74.00	150	90	-24.81	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:08:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	28.60	peak	20.24	48.84	74.00	150	280	-25.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:02:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:08:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:03:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:09:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:42:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.52	QP	-9.89	42.63	43.50	100	175	-0.87	
	232.1643	48.50	peak	-8.77	39.73	46.00	100	90	-6.27	
	263.2664	42.19	peak	-7.05	35.14	46.00	100	230	-10.86	
*	300.2004	51.53	QP	-5.94	45.59	46.00	100	165	-0.41	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:32:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.66	peak	-10.12	34.54	43.50	100	140	-8.96	
*	166.0721	48.94	peak	-9.89	39.05	43.50	100	220	-4.45	
	232.1643	41.37	peak	-8.77	32.60	46.00	100	80	-13.40	
	298.2565	40.83	peak	-5.98	34.85	46.00	100	175	-11.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:25:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:30:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:26:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:31:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6933.868	49.46	peak	4.95	54.41	74.00	160	135	-19.59	
*	6933.868	46.37	AVG	4.95	51.32	54.00	160	135	-2.68	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:27:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	35.61	peak	9.21	44.82	74.00	150	165	-29.18	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:33:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	36.26	peak	9.21	45.47	74.00	150	230	-28.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:28:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	29.70	peak	21.00	50.70	74.00	150	190	-23.30	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:34:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	29.84	peak	21.00	50.84	74.00	150	240	-23.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:29:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:34:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:29:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:34:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:44:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.90	QP	-9.89	43.01	43.50	100	55	-0.49	
	232.1643	48.09	peak	-8.77	39.32	46.00	100	185	-6.68	
	267.1543	41.98	peak	-6.87	35.11	46.00	100	20	-10.89	
	300.2004	51.11	QP	-5.94	45.17	46.00	100	145	-0.83	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:34:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.52	peak	-10.12	34.40	43.50	100	85	-9.10	
*	166.0721	48.58	peak	-9.89	38.69	43.50	100	220	-4.81	
	232.1643	41.17	peak	-8.77	32.40	46.00	100	145	-13.60	
	298.2565	40.52	peak	-5.98	34.54	46.00	100	170	-11.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:42:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:47:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:43:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:48:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6989.980	49.25	peak	5.07	54.32	74.00	160	235	-19.68	
*	6989.980	46.30	AVG	5.07	51.37	54.00	160	235	-2.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:44:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	36.56	peak	9.78	46.34	74.00	150	135	-27.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:49:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.69	peak	9.78	45.47	74.00	150	240	-28.53	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:45:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	28.49	peak	18.61	47.10	74.00	150	250	-26.90	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:50:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.98	peak	18.61	46.59	74.00	150	230	-27.41	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:45:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:50:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:45:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 07:50:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:45:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.73	QP	-9.89	42.84	43.50	100	65	-0.66	
	232.1643	48.00	peak	-8.77	39.23	46.00	100	90	-6.77	
	267.1543	41.32	peak	-6.87	34.45	46.00	100	220	-11.55	
*	300.2004	51.50	QP	-5.94	45.56	46.00	100	145	-0.44	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:38:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.44	peak	-10.12	34.32	43.50	100	110	-9.18	
*	166.0721	48.91	peak	-9.89	39.02	43.50	100	25	-4.48	
	232.1643	41.00	peak	-8.77	32.23	46.00	100	145	-13.77	
	300.2004	40.34	peak	-5.94	34.40	46.00	100	90	-11.60	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:00:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:05:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:01:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:06:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	7014.028	49.00	peak	5.11	54.11	74.00	190	275	-19.89	
*	7014.028	46.29	AVG	5.11	51.40	54.00	190	275	-2.60	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:02:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.34	peak	9.88	45.22	74.00	150	155	-28.78	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:08:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.95	peak	9.88	45.83	74.00	150	270	-28.17	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:03:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.40	peak	18.74	47.14	74.00	150	235	-26.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:09:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.38	peak	18.74	47.12	74.00	150	95	-26.88	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:04:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:09:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:04:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 09:09:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:47:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.97	QP	-9.89	43.08	43.50	100	55	-0.42	
	232.1643	48.11	peak	-8.77	39.34	46.00	100	120	-6.66	
	267.1543	41.77	peak	-6.87	34.90	46.00	100	140	-11.10	
	300.2004	51.47	QP	-5.94	45.53	46.00	100	170	-0.47	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:40:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.38	peak	-10.12	34.26	43.50	100	155	-9.24	
*	166.0721	48.98	peak	-9.89	39.09	43.50	100	20	-4.41	
	300.2004	40.48	peak	-5.94	34.54	46.00	100	150	-11.46	
	799.7796	34.21	peak	1.39	35.60	46.00	100	190	-10.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:48:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:53:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:49:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:54:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:50:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10560.000	35.39	peak	9.79	45.18	74.00	255		-28.82	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:55:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10560.000	35.97	peak	9.79	45.76	74.00	150	235	-28.24	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:52:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.88	peak	19.07	47.95	74.00	150	175	-26.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:56:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.57	peak	19.07	47.64	74.00	150	290	-26.36	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:52:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:56:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:52:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH56

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:56:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:49:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.51	QP	-9.89	42.62	43.50	100	35	-0.88	
	232.1643	48.16	peak	-8.77	39.39	46.00	100	60	-6.61	
	267.1543	42.73	peak	-6.87	35.86	46.00	100	220	-10.14	
*	300.2004	51.65	QP	-5.94	45.71	46.00	100	145	-0.29	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:41:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.30	peak	-10.12	34.18	43.50	100	35	-9.32	
*	166.0721	49.64	peak	-9.89	39.75	43.50	100	60	-3.75	
	232.1643	40.78	peak	-8.77	32.01	46.00	100	145	-13.99	
	300.2004	40.62	peak	-5.94	34.68	46.00	100	120	-11.32	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:33:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:38:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:34:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:39:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:35:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.92	peak	9.81	45.73	74.00	150	230	-28.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:40:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.76	peak	9.81	45.57	74.00	150	98	-28.43	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:36:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.66	peak	19.62	49.28	74.00	150	240	-24.72	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:41:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.27	peak	19.62	48.89	74.00	150	175	-25.11	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:37:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:41:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:37:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 08:41:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:50:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.82	QP	-9.89	42.93	43.50	100	15	-0.57	
	232.1643	48.10	peak	-8.77	39.33	46.00	100	220	-6.67	
	267.1543	42.37	peak	-6.87	35.50	46.00	100	175	-10.50	
	300.2004	51.32	QP	-5.94	45.38	46.00	100	90	-0.62	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:43:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.38	peak	-10.12	34.26	43.50	100	25	-9.24	
*	166.0721	49.24	peak	-9.89	39.35	43.50	100	110	-4.15	
	232.1643	40.90	peak	-8.77	32.13	46.00	100	60	-13.87	
	300.2004	40.40	peak	-5.94	34.46	46.00	100	145	-11.54	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:53:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:58:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:54:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:59:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:55:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.26	peak	10.63	45.89	74.00	150	135	-28.11	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:00:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.88	peak	10.63	46.51	74.00	150	185	-27.49	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:56:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.89	peak	21.10	48.99	74.00	150	235	-25.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:01:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	28.10	peak	21.10	49.20	74.00	150	90	-24.80	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:56:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:01:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:56:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:01:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:52:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.42	QP	-9.89	42.53	43.50	100	35	-0.97	
	232.1643	48.47	peak	-8.77	39.70	46.00	100	60	-6.30	
	267.1543	44.02	peak	-6.87	37.15	46.00	100	220	-8.85	
*	300.2004	51.53	QP	-5.94	45.59	46.00	100	145	-0.41	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:45:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.34	peak	-10.12	34.22	43.50	100	90	-9.28	
*	166.0721	49.22	peak	-9.89	39.33	43.50	100	50	-4.17	
	232.1643	41.35	peak	-8.77	32.58	46.00	100	125	-13.42	
	300.2004	40.49	peak	-5.94	34.55	46.00	100	170	-11.45	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:38:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:43:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:39:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH120

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:43:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:40:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.08	peak	11.32	46.40	74.00	150	245	-27.60	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:48:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	37.07	peak	11.32	48.39	74.00	150	185	-25.61	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:41:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.89	peak	21.36	47.25	74.00	150	230	-26.75	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:49:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	26.40	peak	21.36	47.76	74.00	150	210	-26.24	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:41:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:49:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH120

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:42:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:49:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:53:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.07	QP	-9.89	43.18	43.50	100	25	-0.32	
	232.1643	46.52	peak	-8.77	37.75	46.00	100	60	-8.25	
	265.2104	41.28	peak	-6.96	34.32	46.00	100	110	-11.68	
	300.2004	51.20	QP	-5.94	45.26	46.00	100	15	-0.74	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:46:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.47	peak	-10.12	34.35	43.50	100	60	-9.15	
*	166.0721	48.72	peak	-9.89	38.83	43.50	100	215	-4.67	
	232.1643	41.02	peak	-8.77	32.25	46.00	100	70	-13.75	
	300.2004	40.57	peak	-5.94	34.63	46.00	100	90	-11.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:24:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:29:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:25:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:30:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:26:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	35.01	peak	11.70	46.71	74.00	150	165	-27.29	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:32:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	35.56	peak	11.70	47.26	74.00	150	95	-26.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:27:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.56	peak	23.32	50.88	74.00	150	240	-23.12	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:33:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.05	peak	23.32	50.37	74.00	150	210	-23.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:27:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:33:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:28:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 10:33:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:56:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.87	QP	-9.89	42.98	43.50	100	75	-0.52	
	232.1643	48.20	peak	-8.77	39.43	46.00	100	40	-6.57	
	267.1543	43.85	peak	-6.87	36.98	46.00	100	110	-9.02	
	300.2004	51.27	QP	-5.94	45.33	46.00	100	135	-0.67	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:48:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.68	peak	-10.12	34.56	43.50	100	175	-8.94	
*	166.0721	48.86	peak	-9.89	38.97	43.50	100	40	-4.53	
	298.2565	40.40	peak	-5.98	34.42	46.00	100	120	-11.58	
	799.7796	34.91	peak	1.39	36.30	46.00	100	135	-9.70	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:21:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:26:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:22:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:27:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:23:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	35.35	peak	12.24	47.59	74.00	150	210	-26.41	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:28:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.95	peak	12.24	47.19	74.00	150	185	-26.81	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:24:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.08	peak	21.18	48.26	74.00	150	220	-25.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:29:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.39	peak	21.18	48.57	74.00	150	240	-25.43	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:24:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:29:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:24:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:30:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:57:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.41	QP	-9.89	42.52	43.50	100	175	-0.98	
	232.1643	46.59	peak	-8.77	37.82	46.00	100	80	-8.18	
	267.1543	41.76	peak	-6.87	34.89	46.00	100	230	-11.11	
*	300.2004	51.35	QP	-5.94	45.41	46.00	100	165	-0.59	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:50:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.62	peak	-10.12	34.50	43.50	100	95	-9.00	
*	166.0721	48.82	peak	-9.89	38.93	43.50	100	60	-4.57	
	300.2004	40.30	peak	-5.94	34.36	46.00	100	210	-11.64	
	799.7796	35.00	peak	1.39	36.39	46.00	100	50	-9.61	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:08:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:13:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:09:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:14:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:11:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	35.06	peak	12.08	47.14	74.00	150	165	-26.86	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:15:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	35.66	peak	12.08	47.74	74.00	150	240	-26.26	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:12:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.36	peak	22.31	49.67	74.00	150	250	-24.33	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:16:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	28.17	peak	22.31	50.48	74.00	150	60	-23.52	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:12:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:16:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:12:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:16:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:03:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.67	QP	-9.89	42.78	43.50	100	25	-0.72	
	199.1182	43.94	peak	-10.79	33.15	43.50	100	80	-10.35	
	232.1643	48.66	peak	-8.77	39.89	46.00	100	110	-6.11	
*	300.2004	51.32	QP	-5.94	45.38	46.00	100	135	-0.62	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:52:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.58	peak	-10.12	34.46	43.50	100	75	-9.04	
*	166.0721	48.64	peak	-9.89	38.75	43.50	100	190	-4.75	
	298.2565	40.41	peak	-5.98	34.43	46.00	100	325	-11.57	
	795.8918	34.37	peak	1.32	35.69	46.00	100	160	-10.31	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:55:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:01:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:56:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:02:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:57:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.30	peak	12.12	47.42	74.00	150	175	-26.58	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:03:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.04	peak	12.12	47.16	74.00	150	220	-26.84	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:58:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.50	peak	22.27	49.77	74.00	150	90	-24.23	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:04:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.69	peak	22.27	49.96	74.00	150	165	-24.04	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:59:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:04:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 上午 11:59:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/2

Temperature:24 °C

90.0 dBuV/m

Time: 下午 12:04:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:


Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

ANT A+B



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:06:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.81	QP	-9.89	42.92	43.50	100	15	-0.58	
	232.1643	48.33	peak	-8.77	39.56	46.00	100	220	-6.44	
	265.2104	42.82	peak	-6.96	35.86	46.00	100	55	-10.14	
	300.2004	51.21	QP	-5.94	45.27	46.00	100	10	-0.73	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:55:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.52	peak	-10.12	34.40	43.50	100	125	-9.10	
*	166.0721	49.24	peak	-9.89	39.35	43.50	100	60	-4.15	
	232.1643	41.39	peak	-8.77	32.62	46.00	100	90	-13.38	
	298.2565	40.80	peak	-5.98	34.82	46.00	100	140	-11.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:43:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:48:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:44:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:49:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:45:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.38	peak	9.36	44.74	74.00	150	235	-29.26	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:51:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	37.17	peak	9.36	46.53	74.00	150	215	-27.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:46:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.87	peak	20.24	48.11	74.00	150	75	-25.89	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:52:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.68	peak	20.24	47.92	74.00	150	175	-26.08	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:46:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:52:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:46:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:53:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:09:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.55	QP	-9.89	42.66	43.50	100	5	-0.84	
	232.1643	48.38	peak	-8.77	39.61	46.00	100	195	-6.39	
	265.2104	43.86	peak	-6.96	36.90	46.00	100	330	-9.10	
*	300.2004	51.34	QP	-5.94	45.40	46.00	100	355	-0.60	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:57:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.28	peak	-10.12	34.16	43.50	100	35	-9.34	
*	166.0721	48.73	peak	-9.89	38.84	43.50	100	60	-4.66	
	232.1643	41.10	peak	-8.77	32.33	46.00	100	245	-13.67	
	298.2565	40.54	peak	-5.98	34.56	46.00	100	170	-11.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:58:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:02:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:59:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:03:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:00:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	35.37	peak	9.21	44.58	74.00	150	230	-29.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:04:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10400.000	35.12	peak	9.21	44.33	74.00	150	285	-29.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:01:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	28.45	peak	21.00	49.45	74.00	150	210	-24.55	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:05:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15600.000	28.22	peak	21.00	49.22	74.00	150	35	-24.78	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:01:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:06:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:01:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:06:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:12:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.69	QP	-9.89	42.80	43.50	100	25	-0.70	
	232.1643	48.15	peak	-8.77	39.38	46.00	100	60	-6.62	
	267.1543	41.41	peak	-6.87	34.54	46.00	100	95	-11.46	
*	300.2004	51.61	QP	-5.94	45.67	46.00	100	30	-0.33	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:58:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.44	peak	-10.12	34.32	43.50	100	105	-9.18	
*	166.0721	49.00	peak	-9.89	39.11	43.50	100	240	-4.39	
	232.1643	41.01	peak	-8.77	32.24	46.00	100	75	-13.76	
	300.2004	40.41	peak	-5.94	34.47	46.00	100	90	-11.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:10:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:14:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:11:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:15:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:12:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.62	peak	9.78	45.40	74.00	150	175	-28.60	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:16:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	36.74	peak	9.78	46.52	74.00	150	65	-27.48	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:17:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	28.18	peak	18.61	46.79	74.00	150	90	-27.21	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:17:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:13:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.88	peak	18.61	46.49	74.00	150	230	-27.51	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:13:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:13:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:18:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:37:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.85	QP	-9.89	42.96	43.50	100	35	-0.54	
	232.1643	48.02	peak	-8.77	39.25	46.00	100	60	-6.75	
	267.1543	42.49	peak	-6.87	35.62	46.00	100	245	-10.38	
	300.2004	51.18	QP	-5.94	45.24	46.00	100	170	-0.76	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:16:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.93	peak	-10.12	34.81	43.50	100	95	-8.69	
*	166.0721	49.57	peak	-9.89	39.68	43.50	100	60	-3.82	
	300.2004	40.74	peak	-5.94	34.80	46.00	100	220	-11.20	
	799.7796	34.64	peak	1.39	36.03	46.00	100	135	-9.97	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:03:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:08:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:04:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:09:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:05:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10380.000	34.24	peak	9.29	43.53	74.00	150	260	-30.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:11:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10379.760	37.05	peak	9.29	46.34	74.00	150	235	-27.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:06:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	28.48	peak	20.62	49.10	74.00	150	210	-24.90	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:12:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	28.91	peak	20.62	49.53	74.00	150	255	-24.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:06:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:12:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:07:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:13:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:39:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.69	QP	-9.89	42.80	43.50	100	50	-0.70	
	232.1643	48.55	peak	-8.77	39.78	46.00	100	245	-6.22	
	265.2104	42.67	peak	-6.96	35.71	46.00	100	110	-10.29	
	300.2004	51.06	QP	-5.94	45.12	46.00	100	175	-0.88	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:18:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.96	peak	-10.12	34.84	43.50	100	145	-8.66	
*	166.0721	49.09	peak	-9.89	39.20	43.50	100	60	-4.30	
	232.1643	41.09	peak	-8.77	32.32	46.00	100	120	-13.68	
	300.2004	41.06	peak	-5.94	35.12	46.00	100	170	-10.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:19:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:26:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:20:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:27:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:22:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10460.000	34.49	peak	9.64	44.13	74.00	150	265	-29.87	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:29:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10460.000	36.38	peak	9.64	46.02	74.00	150	210	-27.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:23:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	28.33	peak	18.80	47.13	74.00	150	240	-26.87	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:30:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	28.11	peak	18.80	46.91	74.00	150	220	-27.09	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:23:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:30:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:23:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:31:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 04:51:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.88	QP	-9.89	42.99	43.50	100	95	-0.51	
	232.1643	48.07	peak	-8.77	39.30	46.00	100	60	-6.70	
	265.2104	43.17	peak	-6.96	36.21	46.00	100	170	-9.79	
	300.2004	51.40	QP	-5.94	45.46	46.00	100	245	-0.54	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:00:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.27	peak	-10.12	34.15	43.50	100	175	-9.35	
*	166.0721	48.68	peak	-9.89	38.79	43.50	100	80	-4.71	
	232.1643	40.88	peak	-8.77	32.11	46.00	100	220	-13.89	
	300.2004	40.85	peak	-5.94	34.91	46.00	100	135	-11.09	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:48:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:53:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:49:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:54:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:51:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	35.18	peak	9.35	44.53	74.00	150	135	-29.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:56:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	34.64	peak	9.35	43.99	74.00	150	75	-30.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:52:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	28.75	peak	20.27	49.02	74.00	150	95	-24.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:57:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	27.97	peak	20.27	48.24	74.00	150	230	-25.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:52:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:57:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:52:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/3

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:57:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:13:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.54	QP	-9.89	42.65	43.50	100	35	-0.85	
	232.1643	48.13	peak	-8.77	39.36	46.00	100	60	-6.64	
	267.1543	43.03	peak	-6.87	36.16	46.00	100	245	-9.84	
*	298.2565	51.21	QP	-5.98	45.23	46.00	100	170	-0.77	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:59:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.44	peak	-10.12	34.32	43.50	100	220	-9.18	
*	166.0721	49.30	peak	-9.89	39.41	43.50	100	65	-4.09	
	232.1643	41.13	peak	-8.77	32.36	46.00	100	145	-13.64	
	300.2004	40.96	peak	-5.94	35.02	46.00	100	130	-10.98	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:19:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:24:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:20:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:25:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:21:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	36.26	peak	9.88	46.14	74.00	150	145	-27.86	

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:27:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10519.960	56.16	peak	9.88	66.04	74.00	205	85	-7.96	
*	10519.960	43.06	AVG	9.88	52.94	54.00	205	85	-1.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:22:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	27.77	peak	18.74	46.51	74.00	150	165	-27.49	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:28:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.78	peak	18.74	47.52	74.00	150	95	-26.48	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:22:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:28:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:23:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:28:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:16:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.08	QP	-9.89	43.19	43.50	100	30	-0.31	
	232.1643	48.37	peak	-8.77	39.60	46.00	100	155	-6.40	
	265.2104	42.98	peak	-6.96	36.02	46.00	100	240	-9.98	
	300.2004	51.52	QP	-5.94	45.58	46.00	100	70	-0.42	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:00:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.45	peak	-10.12	34.33	43.50	100	35	-9.17	
*	166.0721	49.47	peak	-9.89	39.58	43.50	100	60	-3.92	
	232.1643	41.08	peak	-8.77	32.31	46.00	100	240	-13.69	
	298.2565	40.66	peak	-5.98	34.68	46.00	100	155	-11.32	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:06:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:11:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:07:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:12:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:08:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10560.000	35.81	peak	9.79	45.60	74.00	150	165	-28.40	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:13:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10560.621	56.51	peak	9.79	66.30	74.00	160	185	-7.70	
*	10560.621	43.06	AVG	9.79	52.85	54.00	160	185	-1.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:09:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.09	peak	19.07	47.16	74.00	150	190	-26.84	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:14:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15840.000	28.03	peak	19.07	47.10	74.00	150	260	-26.90	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:09:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:14:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:10:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:15:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:18:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.47	QP	-9.89	42.58	43.50	100	35	-0.92	
	232.1643	48.26	peak	-8.77	39.49	46.00	100	60	-6.51	
	265.2104	42.52	peak	-6.96	35.56	46.00	100	220	-10.44	
*	300.2004	51.66	QP	-5.94	45.72	46.00	100	175	-0.28	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:02:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.38	peak	-10.12	34.26	43.50	100	65	-9.24	
*	166.0721	49.40	peak	-9.89	39.51	43.50	100	30	-3.99	
	232.1643	40.95	peak	-8.77	32.18	46.00	100	145	-13.82	
	300.2004	40.71	peak	-5.94	34.77	46.00	100	70	-11.23	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:54:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:58:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:54:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:59:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:56:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.58	peak	9.81	45.39	74.00	150	225	-28.61	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:01:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10636.773	38.79	peak	9.80	48.59	74.00	150	85	-25.41	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:57:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.74	peak	19.62	49.36	74.00	150	230	-24.64	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:02:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.48	peak	19.62	49.10	74.00	150	170	-24.90	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:57:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:02:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:57:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:02:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:41:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.85	QP	-9.89	42.96	43.50	100	35	-0.54	
	232.1643	48.30	peak	-8.77	39.53	46.00	100	60	-6.47	
	265.2104	42.52	peak	-6.96	35.56	46.00	100	220	-10.44	
*	298.2565	51.72	QP	-5.98	45.74	46.00	100	10	-0.26	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:19:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.47	peak	-10.12	34.35	43.50	100	35	-9.15	
*	166.0721	49.93	peak	-9.89	40.04	43.50	100	60	-3.46	
	300.2004	40.59	peak	-5.94	34.65	46.00	100	110	-11.35	
	797.8357	35.12	peak	1.35	36.47	46.00	100	125	-9.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:38:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:44:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:38:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:45:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:41:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10540.000	35.44	peak	9.83	45.27	74.00	150	195	-28.73	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:46:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10540.000	35.33	peak	9.83	45.16	74.00	150	250	-28.84	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:42:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	28.58	peak	18.74	47.32	74.00	150	35	-26.68	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	27.84	peak	18.74	46.58	74.00	150	165	-27.42	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:42:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:42:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:43:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.91	QP	-9.89	43.02	43.50	100	95	-0.48	
	232.1643	47.99	peak	-8.77	39.22	46.00	100	60	-6.78	
	265.2104	41.81	peak	-6.96	34.85	46.00	100	220	-11.15	
*	300.2004	51.84	QP	-5.94	45.90	46.00	100	145	-0.10	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:20:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.49	peak	-10.12	34.37	43.50	100	220	-9.13	
*	166.0721	49.83	peak	-9.89	39.94	43.50	100	65	-3.56	
	232.1643	41.28	peak	-8.77	32.51	46.00	100	145	-13.49	
	298.2565	40.72	peak	-5.98	34.74	46.00	100	70	-11.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:24:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:29:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:25:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:30:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:26:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	34.71	peak	9.75	44.46	74.00	150	165	-29.54	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:31:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	35.97	peak	9.75	45.72	74.00	150	230	-28.28	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:27:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	28.97	peak	19.55	48.52	74.00	150	195	-25.48	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:32:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	29.12	peak	19.55	48.67	74.00	150	175	-25.33	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:28:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:32:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:28:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:32:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 04:57:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.88	QP	-9.89	42.99	43.50	100	175	-0.51	
	232.1643	48.07	peak	-8.77	39.30	46.00	100	40	-6.70	
	267.1543	42.73	peak	-6.87	35.86	46.00	100	110	-10.14	
	300.2004	51.10	QP	-5.94	45.16	46.00	100	135	-0.84	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:01:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.52	peak	-10.12	34.40	43.50	100	60	-9.10	
*	166.0721	48.67	peak	-9.89	38.78	43.50	100	95	-4.72	
	298.2565	40.76	peak	-5.98	34.78	46.00	100	220	-11.22	
	797.8357	33.69	peak	1.35	35.04	46.00	100	145	-10.96	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:10:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:15:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:11:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:16:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:12:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10580.000	35.00	peak	9.74	44.74	74.00	150	265	-29.26	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:17:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	10578.938	50.00	peak	9.75	59.75	74.00	150	0	-14.25	
*	10578.938	40.36	AVG	9.75	50.11	54.00	150	0	-3.89	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:13:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	28.11	peak	19.28	47.39	74.00	150	235	-26.61	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:18:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	28.78	peak	19.28	48.06	74.00	150	265	-25.94	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:14:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:18:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:14:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:18:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:24:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.52	QP	-9.89	42.63	43.50	100	35	-0.87	
	232.1643	48.16	peak	-8.77	39.39	46.00	100	60	-6.61	
	265.2104	42.66	peak	-6.96	35.70	46.00	100	220	-10.30	
*	300.2004	51.35	QP	-5.94	45.41	46.00	100	145	-0.59	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:03:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.42	peak	-10.12	34.30	43.50	100	90	-9.20	
*	166.0721	49.21	peak	-9.89	39.32	43.50	100	145	-4.18	
	300.2004	40.42	peak	-5.94	34.48	46.00	100	230	-11.52	
	366.2926	36.06	peak	-4.32	31.74	46.00	100	165	-14.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:45:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:49:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:46:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:50:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:47:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.92	peak	10.63	46.55	74.00	150	135	-27.45	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:52:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10998.497	37.15	peak	10.63	47.78	74.00	150	265	-26.22	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:48:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.71	peak	21.10	48.81	74.00	150	240	-25.19	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:53:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	27.70	peak	21.10	48.80	74.00	150	70	-25.20	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:48:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:53:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:48:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:53:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:26:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.94	QP	-9.89	43.05	43.50	100	85	-0.45	
	232.1643	48.22	peak	-8.77	39.45	46.00	100	90	-6.55	
	267.1543	41.66	peak	-6.87	34.79	46.00	100	220	-11.21	
*	300.2004	51.77	QP	-5.94	45.83	46.00	100	135	-0.17	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:06:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.25	peak	-10.12	34.13	43.50	100	25	-9.37	
*	166.0721	49.42	peak	-9.89	39.53	43.50	100	60	-3.97	
	232.1643	40.99	peak	-8.77	32.22	46.00	100	110	-13.78	
	300.2004	40.78	peak	-5.94	34.84	46.00	100	135	-11.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:28:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:35:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH120

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:29:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:35:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:32:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.26	peak	11.32	46.58	74.00	150	135	-27.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:37:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.20	peak	11.32	46.52	74.00	150	85	-27.48	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:33:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	26.96	peak	21.36	48.32	74.00	150	90	-25.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:38:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	26.07	peak	21.36	47.43	74.00	150	235	-26.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:33:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH120

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:38:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:33:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:39:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:28:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.14	QP	-9.89	43.25	43.50	100	15	-0.25	
	232.1643	48.14	peak	-8.77	39.37	46.00	100	235	-6.63	
	265.2104	42.02	peak	-6.96	35.06	46.00	100	90	-10.94	
	300.2004	51.21	QP	-5.94	45.27	46.00	100	10	-0.73	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:10:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.77	peak	-10.12	34.65	43.50	100	95	-8.85	
*	166.0721	49.47	peak	-9.89	39.58	43.50	100	60	-3.92	
	232.1643	41.28	peak	-8.77	32.51	46.00	100	245	-13.49	
	298.2565	41.33	peak	-5.98	35.35	46.00	100	170	-10.65	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:13:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:18:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:14:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:19:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:16:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.31	peak	11.70	46.01	74.00	150	235	-27.99	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:21:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.73	peak	11.70	46.43	74.00	150	85	-27.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.87	peak	23.32	51.19	74.00	150	90	-22.81	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:22:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	27.65	peak	23.32	50.97	74.00	150	65	-23.03	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:22:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:17:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:22:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:44:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.88	QP	-9.89	42.99	43.50	100	65	-0.51	
	232.1643	47.99	peak	-8.77	39.22	46.00	100	220	-6.78	
	267.1543	40.58	peak	-6.87	33.71	46.00	100	75	-12.29	
*	298.2565	51.65	QP	-5.98	45.67	46.00	100	90	-0.33	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:28:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.39	peak	-10.12	34.27	43.50	100	240	-9.23	
*	166.0721	49.01	peak	-9.89	39.12	43.50	100	55	-4.38	
	298.2565	40.83	peak	-5.98	34.85	46.00	100	135	-11.15	
	799.7796	35.48	peak	1.39	36.87	46.00	100	90	-9.13	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:59:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:03:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 11:59:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:04:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:01:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	34.69	peak	10.62	45.31	74.00	150	235	-28.69	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:05:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	34.97	peak	10.62	45.59	74.00	150	265	-28.41	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:02:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	26.74	peak	20.84	47.58	74.00	150	240	-26.42	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:06:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	26.96	peak	20.84	47.80	74.00	150	60	-26.20	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:02:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:06:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:02:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:06:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:46:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.99	QP	-9.89	43.10	43.50	100	65	-0.40	
	232.1643	48.09	peak	-8.77	39.32	46.00	100	235	-6.68	
	263.2664	41.73	peak	-7.05	34.68	46.00	100	90	-11.32	
	300.2004	51.30	QP	-5.94	45.36	46.00	100	110	-0.64	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:39:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.46	peak	-10.12	34.34	43.50	100	25	-9.16	
*	166.0721	49.42	peak	-9.89	39.53	43.50	100	110	-3.97	
	300.2004	40.50	peak	-5.94	34.56	46.00	100	170	-11.44	
	801.7234	35.00	peak	1.43	36.43	46.00	100	135	-9.57	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:12:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:18:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:13:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:18:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH118

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:14:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	35.18	peak	11.18	46.36	74.00	150	55	-27.64	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:19:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	35.53	peak	11.18	46.71	74.00	150	310	-27.29	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:15:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	25.98	peak	21.32	47.30	74.00	150	230	-26.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:20:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	27.35	peak	21.32	48.67	74.00	150	95	-25.33	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:16:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:21:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#6


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:16:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH118

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:21:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:47:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.55	QP	-9.89	42.66	43.50	100	95	-0.84	
	232.1643	48.24	peak	-8.77	39.47	46.00	100	60	-6.53	
	267.1543	42.46	peak	-6.87	35.59	46.00	100	230	-10.41	
*	298.2565	51.46	QP	-5.98	45.48	46.00	100	170	-0.52	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:40:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.48	peak	-10.12	34.36	43.50	100	60	-9.14	
*	166.0721	49.34	peak	-9.89	39.45	43.50	100	95	-4.05	
	232.1643	41.22	peak	-8.77	32.45	46.00	100	135	-13.55	
	300.2004	40.92	peak	-5.94	34.98	46.00	100	20	-11.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:26:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:30:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:27:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH134

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:31:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:28:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	35.61	peak	11.62	47.23	74.00	150	160	-26.77	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:33:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	34.73	peak	11.62	46.35	74.00	150	85	-27.65	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:29:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	28.20	peak	20.74	48.94	74.00	150	90	-25.06	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:34:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	28.62	peak	20.74	49.36	74.00	150	50	-24.64	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:29:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:34:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH134

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:29:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:34:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:00:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	53.10	QP	-9.89	43.21	43.50	100	175	-0.29	
	232.1643	48.40	peak	-8.77	39.63	46.00	100	40	-6.37	
	265.2104	43.53	peak	-6.96	36.57	46.00	100	230	-9.43	
	298.2565	51.47	QP	-5.98	45.49	46.00	100	195	-0.51	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:03:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.67	peak	-10.12	34.55	43.50	100	85	-8.95	
*	166.0721	49.05	peak	-9.89	39.16	43.50	100	245	-4.34	
	232.1643	40.67	peak	-8.77	31.90	46.00	100	90	-14.10	
	300.2004	41.06	peak	-5.94	35.12	46.00	100	170	-10.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:39:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:43:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:40:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :3

Data :#8


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:44:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11ac 80M CH106

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:41:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	34.80	peak	10.61	45.41	74.00	150	235	-28.59	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:46:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	34.71	peak	10.61	45.32	74.00	150	255	-28.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:42:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	28.03	peak	20.33	48.36	74.00	150	210	-25.64	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	28.71	peak	20.33	49.04	74.00	150	135	-24.96	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:42:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:43:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 12:47:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:02:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.84	QP	-9.89	42.95	43.50	100	75	-0.55	
	199.1182	43.62	peak	-10.79	32.83	43.50	100	90	-10.67	
	232.1643	48.13	peak	-8.77	39.36	46.00	100	220	-6.64	
	298.2565	51.37	QP	-5.98	45.39	46.00	100	135	-0.61	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:04:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.48	peak	-10.12	34.36	43.50	100	85	-9.14	
*	166.0721	49.01	peak	-9.89	39.12	43.50	100	60	-4.38	
	232.1643	40.91	peak	-8.77	32.14	46.00	100	220	-13.86	
	298.2565	40.73	peak	-5.98	34.75	46.00	100	135	-11.25	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:05:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:10:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:05:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:11:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:07:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	35.39	peak	11.37	46.76	74.00	150	245	-27.24	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:12:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	34.93	peak	11.37	46.30	74.00	150	60	-27.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:08:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	28.25	peak	21.20	49.45	74.00	150	270	-24.55	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:13:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	28.08	peak	21.20	49.28	74.00	150	75	-24.72	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:09:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:14:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:09:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/5

Temperature:24 °C

90.0 dBuV/m

Time: 上午 01:14:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:30:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.78	QP	-9.89	42.89	43.50	100	35	-0.61	
	232.1643	48.22	peak	-8.77	39.45	46.00	100	60	-6.55	
	265.2104	42.82	peak	-6.96	35.86	46.00	100	220	-10.14	
*	300.2004	51.61	QP	-5.94	45.67	46.00	100	145	-0.33	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:12:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.58	peak	-10.12	34.46	43.50	100	0	-9.04	
*	166.0721	49.26	peak	-9.89	39.37	43.50	100	70	-4.13	
	300.2004	40.85	peak	-5.94	34.91	46.00	100	110	-11.09	
	799.7796	34.74	peak	1.39	36.13	46.00	100	135	-9.87	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:29:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:35:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:30:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:36:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:32:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11493.487	36.51	peak	12.26	48.77	74.00	150	340	-25.23	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:37:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	11489.299	57.13	peak	12.24	69.37	74.00	143	154	-4.63	
*	11489.299	40.56	AVG	12.24	52.80	54.00	143	154	-1.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:33:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.75	peak	21.18	48.93	74.00	150	230	-25.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:38:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:33:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:38:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:33:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:39:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:31:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	166.0721	52.80	QP	-9.89	42.91	43.50	100	65	-0.59	
	232.1643	43.63	peak	-8.77	34.86	46.00	100	90	-11.14	
	269.0982	40.32	peak	-6.77	33.55	46.00	100	220	-12.45	
	300.2004	51.29	QP	-5.94	45.35	46.00	100	175	-0.65	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:13:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.94	peak	-10.12	34.82	43.50	100	25	-8.68	
*	166.0721	49.11	peak	-9.89	39.22	43.50	100	110	-4.28	
	298.2565	40.90	peak	-5.98	34.92	46.00	100	80	-11.08	
	550.9620	37.38	peak	-1.89	35.49	46.00	100	165	-10.51	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:57:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:02:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:58:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:03:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:59:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.99	peak	12.08	47.07	74.00	150	165	-26.93	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:05:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11569.639	38.22	peak	12.08	50.30	74.00	150	255	-23.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:00:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.38	peak	22.31	49.69	74.00	150	240	-24.31	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:07:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	27.25	peak	22.31	49.56	74.00	150	210	-24.44	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:00:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:07:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:00:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:07:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:34:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.73	QP	-9.89	42.84	43.50	100	10	-0.66	
	232.1643	48.04	peak	-8.77	39.27	46.00	100	110	-6.73	
	265.2104	43.95	peak	-6.96	36.99	46.00	100	155	-9.01	
*	300.2004	51.64	QP	-5.94	45.70	46.00	100	40	-0.30	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:14:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.56	peak	-10.12	34.44	43.50	100	80	-9.06	
*	166.0721	49.38	peak	-9.89	39.49	43.50	100	55	-4.01	
	232.1643	41.26	peak	-8.77	32.49	46.00	100	110	-13.51	
	300.2004	40.78	peak	-5.94	34.84	46.00	100	125	-11.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:16:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:20:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:17:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:21:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:18:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.30	peak	12.12	46.42	74.00	150	240	-27.58	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:22:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.95	peak	12.12	47.07	74.00	150	250	-26.93	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:19:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.04	peak	22.27	49.31	74.00	150	95	-24.69	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:24:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.40	peak	22.27	49.67	74.00	150	35	-24.33	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:19:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:24:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:19:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 09:24:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:48:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.51	QP	-9.89	42.62	43.50	100	30	-0.88	
	232.1643	48.67	peak	-8.77	39.90	46.00	100	175	-6.10	
	265.2104	42.34	peak	-6.96	35.38	46.00	100	90	-10.62	
*	300.2004	51.17	QP	-5.94	45.23	46.00	100	20	-0.77	





Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:42:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.34	peak	-10.12	34.22	43.50	100	55	-9.28	
	129.1383	36.63	peak	-6.67	29.96	43.50	100	175	-13.54	
*	166.0721	49.30	peak	-9.89	39.41	43.50	100	240	-4.09	
	300.2004	40.58	peak	-5.94	34.64	46.00	100	90	-11.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:51:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:57:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:52:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:58:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:54:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	11512.244	50.61	peak	12.26	62.87	74.00	305	0	-11.13	
*	11512.244	35.45	AVG	12.26	47.71	54.00	305	0	-6.29	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:59:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	36.19	peak	12.27	48.46	74.00	150	265	-25.54	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:56:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	27.38	peak	21.75	49.13	74.00	150	95	-24.87	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:00:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	27.74	peak	21.75	49.49	74.00	150	240	-24.51	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:56:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:00:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:56:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:00:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 06:54:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.82	QP	-9.89	42.93	43.50	100	20	-0.57	
	232.1643	48.57	peak	-8.77	39.80	46.00	100	110	-6.20	
	267.1543	43.25	peak	-6.87	36.38	46.00	100	135	-9.62	
*	298.2565	51.63	QP	-5.98	45.65	46.00	100	60	-0.35	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 08:43:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.38	peak	-10.12	34.26	43.50	100	95	-9.24	
*	166.0721	49.02	peak	-9.89	39.13	43.50	100	60	-4.37	
	232.1643	41.02	peak	-8.77	32.25	46.00	100	220	-13.75	
	298.2565	40.82	peak	-5.98	34.84	46.00	100	145	-11.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:09:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:14:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:10:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:15:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:11:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	34.61	peak	12.01	46.62	74.00	150	95	-27.38	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:16:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11588.677	36.82	peak	12.02	48.84	74.00	150	199	-25.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:12:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	27.12	peak	22.25	49.37	74.00	150	220	-24.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:17:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	27.82	peak	22.25	50.07	74.00	150	95	-23.93	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:13:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:18:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:13:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 08:18:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 05:06:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	166.0721	52.78	QP	-9.89	42.89	43.50	100	175	-0.61	
	232.1643	48.07	peak	-8.77	39.30	46.00	100	80	-6.70	
	267.1543	40.74	peak	-6.87	33.87	46.00	100	220	-12.13	
*	298.2565	51.46	QP	-5.98	45.48	46.00	100	135	-0.52	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/16

Temperature:24 °C

80.0 dBuV/m

Time: 上午 07:08:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.9800	44.54	peak	-10.12	34.42	43.50	100	85	-9.08	
*	166.0721	49.00	peak	-9.89	39.11	43.50	100	60	-4.39	
	232.1643	41.02	peak	-8.77	32.25	46.00	100	135	-13.75	
	298.2565	40.64	peak	-5.98	34.66	46.00	100	220	-11.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:31:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:35:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:32:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:36:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:33:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	35.01	peak	12.14	47.15	74.00	150	135	-26.85	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:38:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	35.90	peak	12.14	48.04	74.00	150	60	-25.96	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:34:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	28.26	peak	22.36	50.62	74.00	150	90	-23.38	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:39:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	27.35	peak	22.36	49.71	74.00	150	40	-24.29	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:34:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:39:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:34:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 2017/7/4

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:39:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:


Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

Mask (for ANT A)



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-149

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 08:50:04

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : 802.11A CH149

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-149

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:24:50

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-157

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 08:55:07

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-157

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:26:24

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-165

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 08:56:55

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : 802.11A CH165

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-165

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:28:05

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :

Polarization: *Vertical*


Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

Mask (for ANT B)



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-149

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:03:20

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-149

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:29:08

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-157

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:04:40

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-157

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:29:58

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5787.5	5			5	35			30	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-165

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:06:11

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : 802.11A CH165

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :A-165

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:31:01

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :


Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

\*:Maximum data    x:Over limit    !:over margin



***Worldwide Testing Services(Taiwan) Co., Ltd.***

---

Mask (for ANT A+B)





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N20-149

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:08:13

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N20-149

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:20:12

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :N20-157

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:09:23

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5787.5	8			8	35			27	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N20-157

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:21:15

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH157

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N20-165

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:10:40

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N20-165

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:22:35

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N40-151

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:12:48

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N40-151

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:17:56

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N40-159

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:14:03

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :N40-159

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:18:58

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :AC80-155

Data :#1


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:15:22

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11AC 80MHz CH155

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :AC80-155

Data :#2


Date: 2017/7/13

Temperature:24 °C

40.0 dBm

Time: 下午 09:16:37

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11AC 80MHz CH155

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin