


802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.60	74.00	-5.40	63.88	3	Horizontal	122	2.06	-	31.70	5.00	31.98
AV	5.1496G	51.14	54.00	-2.86	46.42	3	Horizontal	122	2.06	-	31.70	5.00	31.98
PK	5.198G	110.30	Inf	-Inf	105.89	3	Horizontal	122	2.06	-	31.41	5.00	32.00
AV	5.204G	101.02	Inf	-Inf	96.63	3	Horizontal	122	2.06	-	31.39	5.00	32.00

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60136G	60.14	74.00	-13.86	45.81	3	Vertical	180	1.61	-	38.19	10.40	34.26
AV	15.6014G	47.19	54.00	-6.81	32.86	3	Vertical	180	1.61	-	38.19	10.40	34.26

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60752G	59.40	74.00	-14.60	45.09	3	Horizontal	277	2.91	-	38.17	10.40	34.26
AV	15.60028G	46.86	54.00	-7.14	32.52	3	Horizontal	277	2.91	-	38.20	10.40	34.26

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1038G	57.24	74.00	-16.76	52.22	3	Vertical	151	1.98	-	31.98	5.00	31.96
AV	5.0942G	45.55	54.00	-8.45	40.56	3	Vertical	151	1.98	-	31.94	5.00	31.95
PK	5.2412G	105.85	Inf	-Inf	101.72	3	Vertical	151	1.98	-	31.15	5.00	32.02
AV	5.2424G	96.50	Inf	-Inf	92.37	3	Vertical	151	1.98	-	31.15	5.00	32.02
PK	5.3648G	57.07	74.00	-16.93	52.95	3	Vertical	151	1.98	-	31.19	5.00	32.07
AV	5.381G	45.00	54.00	-9.00	40.79	3	Vertical	151	1.98	-	31.29	5.00	32.08

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	59.65	74.00	-14.35	54.75	3	Horizontal	126	2.09	-	31.86	5.00	31.96
AV	5.0942G	45.63	54.00	-8.37	40.64	3	Horizontal	126	2.09	-	31.94	5.00	31.95
PK	5.2352G	110.58	Inf	-Inf	106.40	3	Horizontal	126	2.09	-	31.19	5.00	32.01
AV	5.2424G	101.11	Inf	-Inf	96.98	3	Horizontal	126	2.09	-	31.15	5.00	32.02
PK	5.3516G	57.28	74.00	-16.72	53.23	3	Horizontal	126	2.09	-	31.11	5.00	32.06
AV	5.3846G	45.23	54.00	-8.77	41.00	3	Horizontal	126	2.09	-	31.31	5.00	32.08

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48956G	56.48	68.20	-11.72	43.12	3	Vertical	342	1.80	-	39.59	7.90	34.13
PK	15.72516G	59.35	74.00	-14.65	45.40	3	Vertical	121	1.00	-	37.80	10.46	34.31
AV	15.71984G	46.32	54.00	-7.68	32.37	3	Vertical	121	1.00	-	37.80	10.46	34.31

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47124G	56.64	68.20	-11.56	43.30	3	Horizontal	0	1.98	-	39.57	7.89	34.12
PK	15.72388G	59.11	74.00	-14.89	45.16	3	Horizontal	310	1.80	-	37.80	10.46	34.31
AV	15.72016G	46.66	54.00	-7.34	32.71	3	Horizontal	310	1.80	-	37.80	10.46	34.31

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	56.36	74.00	-17.64	51.47	3	Vertical	153	1.94	-	31.85	5.00	31.96
AV	5.137G	45.58	54.00	-8.42	40.77	3	Vertical	153	1.94	-	31.78	5.00	31.97
PK	5.2552G	106.54	Inf	-Inf	102.46	3	Vertical	153	1.94	-	31.10	5.00	32.02
AV	5.263G	96.80	Inf	-Inf	92.73	3	Vertical	153	1.94	-	31.10	5.00	32.03
PK	5.3566G	56.58	74.00	-17.42	52.51	3	Vertical	153	1.94	-	31.14	5.00	32.07
AV	5.3992G	45.17	54.00	-8.83	40.86	3	Vertical	153	1.94	-	31.40	5.00	32.09

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	56.50	74.00	-17.50	51.60	3	Horizontal	126	2.10	-	31.86	5.00	31.96
AV	5.1142G	45.85	54.00	-8.15	40.90	3	Horizontal	126	2.10	-	31.91	5.00	31.96
PK	5.2588G	110.80	Inf	-Inf	106.72	3	Horizontal	126	2.10	-	31.10	5.00	32.02
AV	5.2624G	101.26	Inf	-Inf	97.19	3	Horizontal	126	2.10	-	31.10	5.00	32.03
PK	5.3506G	56.58	74.00	-17.42	52.54	3	Horizontal	126	2.10	-	31.10	5.00	32.06
AV	5.3932G	45.23	54.00	-8.77	40.95	3	Horizontal	126	2.10	-	31.36	5.00	32.08

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7894G	57.98	74.00	-16.02	44.03	3	Vertical	214	1.20	-	37.80	10.49	34.34
AV	15.77016G	45.95	54.00	-8.05	31.99	3	Vertical	214	1.20	-	37.80	10.49	34.33

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78148G	57.93	74.00	-16.07	43.97	3	Horizontal	91	1.61	-	37.80	10.49	34.33
AV	15.77296G	45.78	54.00	-8.22	31.82	3	Horizontal	91	1.61	-	37.80	10.49	34.33

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	105.78	Inf	-Inf	101.72	3	Vertical	324	1.80	-	31.10	5.00	32.04
AV	5.2952G	96.01	Inf	-Inf	91.95	3	Vertical	324	1.80	-	31.10	5.00	32.04
PK	5.3504G	58.21	74.00	-15.79	54.17	3	Vertical	324	1.80	-	31.10	5.00	32.06
AV	5.3508G	46.05	54.00	-7.95	42.01	3	Vertical	324	1.80	-	31.10	5.00	32.06

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	111.07	Inf	-Inf	107.01	3	Horizontal	125	2.04	-	31.10	5.00	32.04
AV	5.2952G	101.18	Inf	-Inf	97.12	3	Horizontal	125	2.04	-	31.10	5.00	32.04
PK	5.3564G	64.06	74.00	-9.94	59.99	3	Horizontal	125	2.04	-	31.14	5.00	32.07
AV	5.3512G	48.90	54.00	-5.10	44.85	3	Horizontal	125	2.04	-	31.11	5.00	32.06

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90148G	57.68	74.00	-16.32	43.91	3	Vertical	36	1.05	-	37.60	10.55	34.38
AV	15.89256G	45.30	54.00	-8.70	31.52	3	Vertical	36	1.05	-	37.61	10.55	34.38

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90944G	58.26	74.00	-15.74	44.51	3	Horizontal	286	1.26	-	37.58	10.55	34.38
AV	15.89572G	45.39	54.00	-8.61	31.61	3	Horizontal	286	1.26	-	37.61	10.55	34.38

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 68
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	103.13	Inf	-Inf	99.08	3	Vertical	329	1.91	-	31.10	5.00	32.05
AV	5.3262G	93.17	Inf	-Inf	89.12	3	Vertical	329	1.91	-	31.10	5.00	32.05
PK	5.3508G	63.18	74.00	-10.82	59.14	3	Vertical	329	1.91	-	31.10	5.00	32.06
AV	5.35G	48.44	54.00	-5.56	44.40	3	Vertical	329	1.91	-	31.10	5.00	32.06

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 68
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	108.86	Inf	-Inf	104.81	3	Horizontal	123	1.98	-	31.10	5.00	32.05
AV	5.3262G	98.88	Inf	-Inf	94.83	3	Horizontal	123	1.98	-	31.10	5.00	32.05
PK	5.3502G	68.98	74.00	-5.02	64.94	3	Horizontal	123	1.98	-	31.10	5.00	32.06
AV	5.35G	52.80	54.00	-1.20	48.76	3	Horizontal	123	1.98	-	31.10	5.00	32.06

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 68
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9508G	56.97	74.00	-17.03	43.29	3	Vertical	110	1.34	-	37.50	10.58	34.40
AV	15.9626G	45.17	54.00	-8.83	31.53	3	Vertical	110	1.34	-	37.47	10.58	34.41

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 68
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95356G	57.02	74.00	-16.98	43.35	3	Horizontal	130	2.67	-	37.49	10.58	34.40
AV	15.95992G	45.06	54.00	-8.94	31.40	3	Horizontal	130	2.67	-	37.48	10.58	34.40

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_V_1TX
Setting 57
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.414G	57.51	74.00	-16.49	53.16	3	Vertical	360	2.76	-	31.43	5.01	32.09
PK	5.4696G	62.70	68.20	-5.50	58.25	3	Vertical	360	2.76	-	31.50	5.07	32.12
AV	5.4556G	46.00	54.00	-8.00	41.55	3	Vertical	360	2.76	-	31.50	5.06	32.11
PK	5.4956G	102.52	Inf	-Inf	98.05	3	Vertical	360	2.76	-	31.50	5.10	32.13
AV	5.5024G	92.39	Inf	-Inf	87.92	3	Vertical	360	2.76	-	31.50	5.10	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_V_1TX
Setting 57
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.95	74.00	-14.05	55.50	3	Horizontal	126	2.00	-	31.50	5.06	32.11
AV	5.4572G	46.79	54.00	-7.21	42.34	3	Horizontal	126	2.00	-	31.50	5.06	32.11
PK	5.4696G	66.78	68.20	-1.42	62.33	3	Horizontal	126	2.00	-	31.50	5.07	32.12
PK	5.4956G	105.91	Inf	-Inf	101.44	3	Horizontal	126	2.00	-	31.50	5.10	32.13
AV	5.5024G	95.87	Inf	-Inf	91.40	3	Horizontal	126	2.00	-	31.50	5.10	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00492G	56.24	74.00	-17.76	42.19	3	Vertical	119	2.26	-	40.18	8.10	34.23
AV	10.99284G	43.89	54.00	-10.11	29.83	3	Vertical	119	2.26	-	40.19	8.10	34.23

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 57
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9938G	55.56	74.00	-18.44	41.50	3	Horizontal	323	2.57	-	40.19	8.10	34.23
AV	10.99244G	43.68	54.00	-10.32	29.62	3	Horizontal	323	2.57	-	40.19	8.10	34.23

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4072G	58.04	74.00	-15.96	53.71	3	Vertical	360	2.45	-	31.41	5.01	32.09
PK	5.4648G	55.73	68.20	-12.47	51.28	3	Vertical	360	2.45	-	31.50	5.06	32.11
AV	5.452G	45.43	54.00	-8.57	40.99	3	Vertical	360	2.45	-	31.50	5.05	32.11
PK	5.5728G	104.99	Inf	-Inf	100.44	3	Vertical	360	2.45	-	31.55	5.17	32.17
AV	5.5864G	96.06	Inf	-Inf	91.48	3	Vertical	360	2.45	-	31.57	5.19	32.18
PK	5.7584G	57.73	68.20	-10.47	52.74	3	Vertical	360	2.45	-	32.00	5.28	32.29

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4384G	56.67	74.00	-17.33	52.25	3	Horizontal	125	2.00	-	31.48	5.04	32.10
PK	5.4672G	56.11	68.20	-12.09	51.66	3	Horizontal	125	2.00	-	31.50	5.07	32.12
AV	5.4584G	45.33	54.00	-8.67	40.88	3	Horizontal	125	2.00	-	31.50	5.06	32.11
PK	5.5752G	109.29	Inf	-Inf	104.74	3	Horizontal	125	2.00	-	31.55	5.18	32.18
AV	5.5752G	99.76	Inf	-Inf	95.21	3	Horizontal	125	2.00	-	31.55	5.18	32.18
PK	5.7384G	57.63	68.20	-10.57	52.68	3	Horizontal	125	2.00	-	31.95	5.27	32.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15844G	55.13	74.00	-18.87	41.55	3	Vertical	40	2.02	-	39.68	8.16	34.26
AV	11.15288G	43.36	54.00	-10.64	29.76	3	Vertical	40	2.02	-	39.69	8.16	34.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15176G	55.27	74.00	-18.73	41.66	3	Horizontal	274	2.00	-	39.70	8.16	34.25
AV	11.16892G	42.97	54.00	-11.03	29.40	3	Horizontal	274	2.00	-	39.66	8.17	34.26

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	103.65	Inf	-Inf	98.87	3	Vertical	196	2.48	-	31.78	5.25	32.25
AV	5.695G	93.83	Inf	-Inf	89.05	3	Vertical	196	2.48	-	31.78	5.25	32.25
PK	5.7264G	64.64	68.20	-3.56	59.74	3	Vertical	196	2.48	-	31.91	5.26	32.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	107.69	Inf	-Inf	102.91	3	Horizontal	128	1.99	-	31.78	5.25	32.25
AV	5.695G	97.67	Inf	-Inf	92.89	3	Horizontal	128	1.99	-	31.78	5.25	32.25
PK	5.7262G	67.17	68.20	-1.03	62.28	3	Horizontal	128	1.99	-	31.90	5.26	32.27

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39968G	54.68	74.00	-19.32	40.91	3	Vertical	329	2.88	-	39.80	8.26	34.29
AV	11.39232G	42.76	54.00	-11.24	29.01	3	Vertical	329	2.88	-	39.78	8.26	34.29

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39588G	54.81	74.00	-19.19	41.05	3	Horizontal	307	2.38	-	39.79	8.26	34.29
AV	11.39804G	42.86	54.00	-11.14	29.09	3	Horizontal	307	2.38	-	39.80	8.26	34.29

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	105.03	Inf	-Inf	100.17	3	Vertical	154	1.80	-	31.86	5.26	32.26
AV	5.7152G	95.32	Inf	-Inf	90.46	3	Vertical	154	1.80	-	31.86	5.26	32.26
PK	5.856G	57.24	68.20	-10.96	52.21	3	Vertical	154	1.80	-	32.01	5.36	32.34

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	107.09	Inf	-Inf	102.23	3	Horizontal	149	1.88	-	31.86	5.26	32.26
AV	5.7144G	97.21	Inf	-Inf	92.35	3	Horizontal	149	1.88	-	31.86	5.26	32.26
PK	5.8744G	56.63	68.20	-11.57	51.56	3	Horizontal	149	1.88	-	32.05	5.37	32.35

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44288G	57.57	74.00	-16.43	43.88	3	Vertical	25	2.81	-	39.71	8.28	34.30
AV	11.44236G	44.82	54.00	-9.18	31.12	3	Vertical	25	2.81	-	39.72	8.28	34.30

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43668G	56.95	74.00	-17.05	43.25	3	Horizontal	50	1.35	-	39.73	8.27	34.30
AV	11.44008G	44.78	54.00	-9.22	31.08	3	Horizontal	50	1.35	-	39.72	8.28	34.30

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.559G	56.78	68.20	-11.42	52.27	3	Vertical	2	1.68	-	31.52	5.16	32.17
PK	5.743G	103.98	Inf	-Inf	99.02	3	Vertical	2	1.68	-	31.97	5.27	32.28
AV	5.751G	94.61	Inf	-Inf	89.61	3	Vertical	2	1.68	-	32.00	5.28	32.28
PK	5.968G	57.77	68.20	-10.43	52.51	3	Vertical	2	1.68	-	32.20	5.47	32.41

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.524G	56.93	68.20	-11.27	52.45	3	Horizontal	129	1.75	-	31.50	5.12	32.14
PK	5.743G	107.46	Inf	-Inf	102.50	3	Horizontal	129	1.75	-	31.97	5.27	32.28
AV	5.739G	98.11	Inf	-Inf	93.15	3	Horizontal	129	1.75	-	31.96	5.27	32.27
PK	5.925G	58.11	68.20	-10.09	52.92	3	Horizontal	129	1.75	-	32.15	5.42	32.38

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48988G	56.79	74.00	-17.21	43.18	3	Vertical	353	1.80	-	39.62	8.30	34.31
AV	11.48112G	44.50	54.00	-9.50	30.88	3	Vertical	353	1.80	-	39.64	8.29	34.31
PK	17.24252G	62.95	68.20	-5.25	45.01	3	Vertical	351	1.34	-	41.07	11.47	34.60

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49372G	55.91	74.00	-18.09	42.31	3	Horizontal	23	2.27	-	39.61	8.30	34.31
AV	11.49132G	43.31	54.00	-10.69	29.70	3	Horizontal	23	2.27	-	39.62	8.30	34.31
PK	17.24116G	62.50	68.20	-5.70	44.57	3	Horizontal	350	1.80	-	41.06	11.47	34.60

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	56.69	68.20	-11.51	52.08	3	Vertical	2.2	1.68	-	31.60	5.20	32.19
PK	5.783G	103.93	Inf	-Inf	98.94	3	Vertical	2.2	1.68	-	32.00	5.29	32.30
AV	5.778G	94.47	Inf	-Inf	89.48	3	Vertical	2.2	1.68	-	32.00	5.29	32.30
PK	6.005G	57.40	68.20	-10.80	52.10	3	Vertical	2.2	1.68	-	32.23	5.50	32.43

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	56.51	68.20	-11.69	51.96	3	Horizontal	133	2.00	-	31.55	5.18	32.18
PK	5.78G	106.52	Inf	-Inf	101.53	3	Horizontal	133	2.00	-	32.00	5.29	32.30
AV	5.78G	97.67	Inf	-Inf	92.68	3	Horizontal	133	2.00	-	32.00	5.29	32.30
PK	6.007G	58.10	68.20	-10.10	52.79	3	Horizontal	133	2.00	-	32.24	5.50	32.43

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56772G	55.28	74.00	-18.72	41.72	3	Vertical	233	2.01	-	39.53	8.33	34.30
AV	11.57078G	42.97	54.00	-11.03	29.41	3	Vertical	233	2.01	-	39.53	8.33	34.30

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56978G	55.04	74.00	-18.96	41.48	3	Horizontal	227	1.88	-	39.53	8.33	34.30
AV	11.57224G	43.03	54.00	-10.97	29.47	3	Horizontal	227	1.88	-	39.53	8.33	34.30

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	56.38	68.20	-11.82	51.78	3	Vertical	6	1.80	-	31.60	5.22	32.22
PK	5.823G	104.78	Inf	-Inf	99.78	3	Vertical	6	1.80	-	32.00	5.32	32.32
AV	5.831G	95.36	Inf	-Inf	90.36	3	Vertical	6	1.80	-	32.00	5.33	32.33
PK	5.975G	57.89	68.20	-10.31	52.63	3	Vertical	6	1.80	-	32.20	5.47	32.41

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	57.13	68.20	-11.07	52.53	3	Horizontal	133	1.95	-	31.60	5.21	32.21
PK	5.822G	106.01	Inf	-Inf	101.01	3	Horizontal	133	1.95	-	32.00	5.32	32.32
AV	5.82G	96.98	Inf	-Inf	91.98	3	Horizontal	133	1.95	-	32.00	5.32	32.32
PK	6.054G	58.12	68.20	-10.08	52.58	3	Horizontal	133	1.95	-	32.49	5.50	32.45

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6485G	55.07	74.00	-18.93	41.64	3	Vertical	102	2.91	-	39.35	8.36	34.28
AV	11.65314G	43.16	54.00	-10.84	29.74	3	Vertical	102	2.91	-	39.34	8.36	34.28

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64634G	55.57	74.00	-18.43	42.13	3	Horizontal	181	2.00	-	39.36	8.36	34.28
AV	11.65122G	42.99	54.00	-11.01	29.56	3	Horizontal	181	2.00	-	39.35	8.36	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 60
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	67.07	74.00	-6.93	62.32	3	Vertical	159	1.80	-	31.72	5.00	31.97
AV	5.1484G	48.21	54.00	-5.79	43.48	3	Vertical	159	1.80	-	31.71	5.00	31.98
PK	5.1848G	101.43	Inf	-Inf	96.93	3	Vertical	159	1.80	-	31.49	5.00	31.99
AV	5.1752G	91.51	Inf	-Inf	86.95	3	Vertical	159	1.80	-	31.55	5.00	31.99

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 60
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	71.35	74.00	-2.65	66.59	3	Horizontal	324	1.80	-	31.73	5.00	31.97
AV	5.15G	52.76	54.00	-1.24	48.04	3	Horizontal	324	1.80	-	31.70	5.00	31.98
PK	5.1828G	105.47	Inf	-Inf	100.96	3	Horizontal	324	1.80	-	31.50	5.00	31.99
AV	5.1724G	96.00	Inf	-Inf	91.42	3	Horizontal	324	1.80	-	31.57	5.00	31.99

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53546G	58.78	74.00	-15.22	44.12	3	Vertical	288	2.14	-	38.52	10.37	34.23
AV	15.53982G	46.91	54.00	-7.09	32.28	3	Vertical	288	2.14	-	38.50	10.37	34.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT V_1TX
Setting 60
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53806G	59.50	74.00	-14.50	44.86	3	Horizontal	37	1.57	-	38.51	10.37	34.24
AV	15.53848G	46.84	54.00	-7.16	32.20	3	Horizontal	37	1.57	-	38.51	10.37	34.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.41	74.00	-10.59	58.68	3	Vertical	158	1.80	-	31.71	5.00	31.98
AV	5.15G	48.48	54.00	-5.52	43.76	3	Vertical	158	1.80	-	31.70	5.00	31.98
PK	5.2016G	104.99	Inf	-Inf	100.60	3	Vertical	158	1.80	-	31.39	5.00	32.00
AV	5.2052G	95.48	Inf	-Inf	91.11	3	Vertical	158	1.80	-	31.37	5.00	32.00

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.07	74.00	-3.93	65.34	3	Horizontal	325	1.80	-	31.71	5.00	31.98
AV	5.15G	52.81	54.00	-1.19	48.09	3	Horizontal	325	1.80	-	31.70	5.00	31.98
PK	5.2032G	109.45	Inf	-Inf	105.07	3	Horizontal	325	1.80	-	31.38	5.00	32.00
AV	5.1932G	99.98	Inf	-Inf	95.54	3	Horizontal	325	1.80	-	31.44	5.00	32.00

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59818G	58.89	74.00	-15.11	44.54	3	Vertical	18	1.49	-	38.21	10.40	34.26
AV	15.59716G	47.23	54.00	-6.77	32.88	3	Vertical	18	1.49	-	38.21	10.40	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59528G	59.83	74.00	-14.17	45.47	3	Horizontal	109	2.75	-	38.22	10.40	34.26
AV	15.5987G	47.12	54.00	-6.88	32.77	3	Horizontal	109	2.75	-	38.21	10.40	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1074G	57.08	74.00	-16.92	52.08	3	Vertical	161	1.79	-	31.96	5.00	31.96
AV	5.105G	45.30	54.00	-8.70	40.29	3	Vertical	161	1.79	-	31.97	5.00	31.96
PK	5.2472G	105.56	Inf	-Inf	101.46	3	Vertical	161	1.79	-	31.12	5.00	32.02
AV	5.2466G	95.51	Inf	-Inf	91.41	3	Vertical	161	1.79	-	31.12	5.00	32.02
PK	5.354G	56.22	74.00	-17.78	52.17	3	Vertical	161	1.79	-	31.12	5.00	32.07
AV	5.3786G	44.95	54.00	-9.05	40.76	3	Vertical	161	1.79	-	31.27	5.00	32.08

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	58.44	74.00	-15.56	53.71	3	Horizontal	323	1.76	-	31.71	5.00	31.98
AV	5.1008G	45.41	54.00	-8.59	40.36	3	Horizontal	323	1.76	-	32.00	5.00	31.95
PK	5.246G	109.88	Inf	-Inf	105.78	3	Horizontal	323	1.76	-	31.12	5.00	32.02
AV	5.2472G	100.00	Inf	-Inf	95.90	3	Horizontal	323	1.76	-	31.12	5.00	32.02
PK	5.3858G	56.37	74.00	-17.63	52.14	3	Horizontal	323	1.76	-	31.31	5.00	32.08
AV	5.384G	44.62	54.00	-9.38	40.40	3	Horizontal	323	1.76	-	31.30	5.00	32.08

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48068G	56.42	68.20	-11.78	43.08	3	Vertical	340	2.70	-	39.58	7.89	34.13
PK	15.71892G	58.35	74.00	-15.65	44.40	3	Vertical	5	1.80	-	37.80	10.46	34.31
AV	15.72252G	46.17	54.00	-7.83	32.22	3	Vertical	5	1.80	-	37.80	10.46	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48888G	55.65	68.20	-12.55	42.29	3	Horizontal	162	1.80	-	39.59	7.90	34.13
PK	15.71668G	58.91	74.00	-15.09	44.96	3	Horizontal	316	1.78	-	37.80	10.46	34.31
AV	15.71256G	46.71	54.00	-7.29	32.76	3	Horizontal	316	1.78	-	37.80	10.46	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.05	74.00	-16.95	52.29	3	Vertical	159	1.79	-	31.73	5.00	31.97
AV	5.1148G	45.11	54.00	-8.89	40.16	3	Vertical	159	1.79	-	31.91	5.00	31.96
PK	5.2534G	106.00	Inf	-Inf	101.92	3	Vertical	159	1.79	-	31.10	5.00	32.02
AV	5.2522G	96.20	Inf	-Inf	92.12	3	Vertical	159	1.79	-	31.10	5.00	32.02
PK	5.3986G	56.45	74.00	-17.55	52.15	3	Vertical	159	1.79	-	31.39	5.00	32.09
AV	5.4052G	44.70	54.00	-9.30	40.37	3	Vertical	159	1.79	-	31.41	5.01	32.09

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	56.46	74.00	-17.54	51.58	3	Horizontal	321	1.98	-	31.85	5.00	31.97
AV	5.113G	45.25	54.00	-8.75	40.29	3	Horizontal	321	1.98	-	31.92	5.00	31.96
PK	5.2576G	109.78	Inf	-Inf	105.70	3	Horizontal	321	1.98	-	31.10	5.00	32.02
AV	5.2558G	100.33	Inf	-Inf	96.25	3	Horizontal	321	1.98	-	31.10	5.00	32.02
PK	5.371G	56.28	74.00	-17.72	52.12	3	Horizontal	321	1.98	-	31.23	5.00	32.07
AV	5.3968G	44.87	54.00	-9.13	40.57	3	Horizontal	321	1.98	-	31.38	5.00	32.08

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7788G	58.41	74.00	-15.59	44.45	3	Vertical	252	2.06	-	37.80	10.49	34.33
AV	15.77704G	45.84	54.00	-8.16	31.88	3	Vertical	252	2.06	-	37.80	10.49	34.33

802.11ac VHT20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78134G	58.08	74.00	-15.92	44.12	3	Horizontal	283	1.19	-	37.80	10.49	34.33
AV	15.778G	46.07	54.00	-7.93	32.11	3	Horizontal	283	1.19	-	37.80	10.49	34.33

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	105.23	Inf	-Inf	101.17	3	Vertical	157	1.86	-	31.10	5.00	32.04
AV	5.294G	95.87	Inf	-Inf	91.81	3	Vertical	157	1.86	-	31.10	5.00	32.04
PK	5.3504G	60.38	74.00	-13.62	56.34	3	Vertical	157	1.86	-	31.10	5.00	32.06
AV	5.35G	46.48	54.00	-7.52	42.44	3	Vertical	157	1.86	-	31.10	5.00	32.06

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	109.03	Inf	-Inf	104.97	3	Horizontal	326	1.99	-	31.10	5.00	32.04
AV	5.2952G	99.90	Inf	-Inf	95.84	3	Horizontal	326	1.99	-	31.10	5.00	32.04
PK	5.35G	63.88	74.00	-10.12	59.84	3	Horizontal	326	1.99	-	31.10	5.00	32.06
AV	5.35G	48.96	54.00	-5.04	44.92	3	Horizontal	326	1.99	-	31.10	5.00	32.06

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90068G	57.37	74.00	-16.63	43.60	3	Vertical	284	2.09	-	37.60	10.55	34.38
AV	15.90176G	45.77	54.00	-8.23	32.00	3	Vertical	284	2.09	-	37.60	10.55	34.38

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9023G	57.75	74.00	-16.25	43.98	3	Horizontal	350	1.48	-	37.60	10.55	34.38
AV	15.89816G	45.49	54.00	-8.51	31.72	3	Horizontal	350	1.48	-	37.60	10.55	34.38

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 69
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	102.71	Inf	-Inf	98.66	3	Vertical	168	1.80	-	31.10	5.00	32.05
AV	5.312G	93.41	Inf	-Inf	89.36	3	Vertical	168	1.80	-	31.10	5.00	32.05
PK	5.3528G	64.44	74.00	-9.56	60.39	3	Vertical	168	1.80	-	31.12	5.00	32.07
AV	5.35G	50.05	54.00	-3.95	46.01	3	Vertical	168	1.80	-	31.10	5.00	32.06

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Y_1TX
Setting 69
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	107.13	Inf	-Inf	103.08	3	Horizontal	326	1.95	-	31.10	5.00	32.05
AV	5.326G	97.40	Inf	-Inf	93.35	3	Horizontal	326	1.95	-	31.10	5.00	32.05
PK	5.352G	68.02	74.00	-5.98	63.97	3	Horizontal	326	1.95	-	31.11	5.00	32.06
AV	5.3504G	52.67	54.00	-1.33	48.63	3	Horizontal	326	1.95	-	31.10	5.00	32.06

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9567G	57.82	74.00	-16.18	44.15	3	Vertical	154	2.35	-	37.49	10.58	34.40
AV	15.95804G	45.08	54.00	-8.92	31.42	3	Vertical	154	2.35	-	37.48	10.58	34.40

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT V_1TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95812G	57.03	74.00	-16.97	43.37	3	Horizontal	51	1.33	-	37.48	10.58	34.40
AV	15.95818G	44.97	54.00	-9.03	31.31	3	Horizontal	51	1.33	-	37.48	10.58	34.40

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 54
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	57.56	74.00	-16.44	53.12	3	Vertical	348	2.56	-	31.50	5.05	32.11
PK	5.4648G	64.09	68.20	-4.11	59.64	3	Vertical	348	2.56	-	31.50	5.06	32.11
AV	5.46G	45.45	54.00	-8.55	41.00	3	Vertical	348	2.56	-	31.50	5.06	32.11
PK	5.5044G	100.94	Inf	-Inf	96.47	3	Vertical	348	2.56	-	31.50	5.10	32.13
AV	5.5056G	91.55	Inf	-Inf	87.07	3	Vertical	348	2.56	-	31.50	5.11	32.13

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 54
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	57.72	74.00	-16.28	53.27	3	Horizontal	327	1.88	-	31.50	5.06	32.11
AV	5.4596G	45.93	54.00	-8.07	41.48	3	Horizontal	327	1.88	-	31.50	5.06	32.11
PK	5.4652G	67.02	68.20	-1.18	62.56	3	Horizontal	327	1.88	-	31.50	5.07	32.11
PK	5.496G	102.93	Inf	-Inf	98.46	3	Horizontal	327	1.88	-	31.50	5.10	32.13
AV	5.5068G	93.71	Inf	-Inf	89.23	3	Horizontal	327	1.88	-	31.50	5.11	32.13

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00286G	56.62	74.00	-17.38	42.56	3	Vertical	132	1.36	-	40.19	8.10	34.23
AV	11.0047G	44.11	54.00	-9.89	30.06	3	Vertical	132	1.36	-	40.18	8.10	34.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT V_1TX
Setting 54
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99874G	56.64	74.00	-17.36	42.57	3	Horizontal	161	1.75	-	40.20	8.10	34.23
AV	11.00446G	44.11	54.00	-9.89	30.06	3	Horizontal	161	1.75	-	40.18	8.10	34.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	57.25	74.00	-16.75	52.83	3	Vertical	339	2.00	-	31.49	5.04	32.11
AV	5.4168G	44.91	54.00	-9.09	40.55	3	Vertical	339	2.00	-	31.43	5.02	32.09
PK	5.468G	56.56	68.20	-11.64	52.11	3	Vertical	339	2.00	-	31.50	5.07	32.12
PK	5.584G	105.33	Inf	-Inf	100.76	3	Vertical	339	2.00	-	31.57	5.18	32.18
AV	5.576G	96.29	Inf	-Inf	91.74	3	Vertical	339	2.00	-	31.55	5.18	32.18
PK	5.78G	58.43	68.20	-9.77	53.44	3	Vertical	339	2.00	-	32.00	5.29	32.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4264G	56.99	74.00	-17.01	52.61	3	Horizontal	330	1.79	-	31.45	5.03	32.10
AV	5.4152G	44.82	54.00	-9.18	40.46	3	Horizontal	330	1.79	-	31.43	5.02	32.09
PK	5.4648G	56.30	68.20	-11.90	51.85	3	Horizontal	330	1.79	-	31.50	5.06	32.11
PK	5.5744G	107.38	Inf	-Inf	102.83	3	Horizontal	330	1.79	-	31.55	5.17	32.17
AV	5.5752G	97.71	Inf	-Inf	93.16	3	Horizontal	330	1.79	-	31.55	5.18	32.18
PK	5.7696G	57.25	68.20	-10.95	52.26	3	Horizontal	330	1.79	-	32.00	5.28	32.29

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16044G	55.80	74.00	-18.20	42.22	3	Vertical	297	2.29	-	39.68	8.16	34.26
AV	11.1588G	43.52	54.00	-10.48	29.94	3	Vertical	297	2.29	-	39.68	8.16	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16128G	55.45	74.00	-18.55	41.87	3	Horizontal	204	2.27	-	39.68	8.16	34.26
AV	11.1564G	43.35	54.00	-10.65	29.76	3	Horizontal	204	2.27	-	39.69	8.16	34.26

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 73
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	104.28	Inf	-Inf	99.51	3	Vertical	349	2.31	-	31.77	5.25	32.25
AV	5.6948G	95.12	Inf	-Inf	90.34	3	Vertical	349	2.31	-	31.78	5.25	32.25
PK	5.7256G	66.23	68.20	-1.97	61.34	3	Vertical	349	2.31	-	31.90	5.26	32.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 73
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7032G	104.88	Inf	-Inf	100.07	3	Horizontal	325	1.80	-	31.81	5.25	32.25
AV	5.6948G	95.39	Inf	-Inf	90.61	3	Horizontal	325	1.80	-	31.78	5.25	32.25
PK	5.7252G	67.18	68.20	-1.02	62.29	3	Horizontal	325	1.80	-	31.90	5.26	32.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT V_1TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3978G	55.56	74.00	-18.44	41.79	3	Vertical	7	1.56	-	39.80	8.26	34.29
AV	11.3974G	43.01	54.00	-10.99	29.25	3	Vertical	7	1.56	-	39.79	8.26	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT V_1TX
Setting 73
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40256G	55.30	74.00	-18.70	41.54	3	Horizontal	307	2.52	-	39.79	8.26	34.29
AV	11.39944G	42.99	54.00	-11.01	29.22	3	Horizontal	307	2.52	-	39.80	8.26	34.29

802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
 Setting 80
 06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	104.36	Inf	-Inf	99.46	3	Vertical	155	1.79	-	31.90	5.26	32.26
AV	5.7128G	95.26	Inf	-Inf	90.41	3	Vertical	155	1.79	-	31.85	5.26	32.26
PK	5.8664G	57.22	68.20	-10.98	52.17	3	Vertical	155	1.79	-	32.03	5.37	32.35

802.11ac VHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	106.07	Inf	-Inf	101.20	3	Horizontal	152	1.85	-	31.87	5.26	32.26
AV	5.7136G	96.82	Inf	-Inf	91.97	3	Horizontal	152	1.85	-	31.85	5.26	32.26
PK	5.9104G	58.09	68.20	-10.11	52.94	3	Horizontal	152	1.85	-	32.12	5.41	32.38

802.11ac VHT20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_1TX
 Setting 80
 06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44112G	57.05	74.00	-16.95	43.35	3	Vertical	58	1.99	-	39.72	8.28	34.30
AV	11.43792G	44.80	54.00	-9.20	31.10	3	Vertical	58	1.99	-	39.72	8.28	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44516G	57.24	74.00	-16.76	43.55	3	Horizontal	100	2.67	-	39.71	8.28	34.30
AV	11.44476G	44.62	54.00	-9.38	30.93	3	Horizontal	100	2.67	-	39.71	8.28	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	56.67	68.20	-11.53	52.12	3	Vertical	346	2.10	-	31.55	5.17	32.17
PK	5.742G	105.80	Inf	-Inf	100.84	3	Vertical	346	2.10	-	31.97	5.27	32.28
AV	5.738G	96.64	Inf	-Inf	91.69	3	Vertical	346	2.10	-	31.95	5.27	32.27
PK	5.957G	57.67	68.20	-10.53	52.41	3	Vertical	346	2.10	-	32.20	5.46	32.40

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	57.06	68.20	-11.14	52.55	3	Horizontal	304	1.84	-	31.52	5.16	32.17
PK	5.738G	106.84	Inf	-Inf	101.89	3	Horizontal	304	1.84	-	31.95	5.27	32.27
AV	5.737G	96.90	Inf	-Inf	91.95	3	Horizontal	304	1.84	-	31.95	5.27	32.27
PK	5.967G	56.97	68.20	-11.23	51.71	3	Horizontal	304	1.84	-	32.20	5.47	32.41

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48968G	56.29	74.00	-17.71	42.68	3	Vertical	58	1.61	-	39.62	8.30	34.31
AV	11.49194G	43.27	54.00	-10.73	29.66	3	Vertical	58	1.61	-	39.62	8.30	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49204G	55.54	74.00	-18.46	41.93	3	Horizontal	314	1.29	-	39.62	8.30	34.31
AV	11.48708G	43.07	54.00	-10.93	29.46	3	Horizontal	314	1.29	-	39.63	8.29	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	56.26	68.20	-11.94	51.68	3	Vertical	341	2.23	-	31.58	5.19	32.19
PK	5.784G	104.66	Inf	-Inf	99.67	3	Vertical	341	2.23	-	32.00	5.29	32.30
AV	5.78G	95.74	Inf	-Inf	90.75	3	Vertical	341	2.23	-	32.00	5.29	32.30
PK	5.937G	57.72	68.20	-10.48	52.50	3	Vertical	341	2.23	-	32.17	5.44	32.39

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	56.33	68.20	-11.87	51.82	3	Horizontal	304	1.80	-	31.51	5.16	32.16
PK	5.792G	105.91	Inf	-Inf	100.92	3	Horizontal	304	1.80	-	32.00	5.30	32.31
AV	5.778G	96.52	Inf	-Inf	91.53	3	Horizontal	304	1.80	-	32.00	5.29	32.30
PK	5.925G	57.71	68.20	-10.49	52.52	3	Horizontal	304	1.80	-	32.15	5.42	32.38

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5731G	55.65	74.00	-18.35	42.09	3	Vertical	356	1.68	-	39.53	8.33	34.30
AV	11.57324G	43.29	54.00	-10.71	29.73	3	Vertical	356	1.68	-	39.53	8.33	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.569G	55.84	74.00	-18.16	42.28	3	Horizontal	243	2.55	-	39.53	8.33	34.30
AV	11.57384G	43.22	54.00	-10.78	29.66	3	Horizontal	243	2.55	-	39.53	8.33	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	56.41	68.20	-11.79	51.81	3	Vertical	339	2.44	-	31.60	5.22	32.22
PK	5.827G	104.69	Inf	-Inf	99.69	3	Vertical	339	2.44	-	32.00	5.33	32.33
AV	5.832G	95.59	Inf	-Inf	90.59	3	Vertical	339	2.44	-	32.00	5.33	32.33
PK	6.02G	57.51	68.20	-10.69	52.13	3	Vertical	339	2.44	-	32.32	5.50	32.44

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	56.37	68.20	-11.83	51.78	3	Horizontal	306	1.80	-	31.58	5.19	32.18
PK	5.828G	105.38	Inf	-Inf	100.38	3	Horizontal	306	1.80	-	32.00	5.33	32.33
AV	5.832G	96.30	Inf	-Inf	91.30	3	Horizontal	306	1.80	-	32.00	5.33	32.33
PK	6.04G	57.68	68.20	-10.52	52.19	3	Horizontal	306	1.80	-	32.44	5.50	32.45

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65172G	56.25	74.00	-17.75	42.83	3	Vertical	212	1.36	-	39.34	8.36	34.28
AV	11.64648G	43.12	54.00	-10.88	29.68	3	Vertical	212	1.36	-	39.36	8.36	34.28

802.11ac VHT20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64686G	55.04	74.00	-18.96	41.60	3	Horizontal	40	2.05	-	39.36	8.36	34.28
AV	11.645G	43.25	54.00	-10.75	29.80	3	Horizontal	40	2.05	-	39.37	8.36	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.27	74.00	-11.73	57.55	3	Vertical	158	1.80	-	31.70	5.00	31.98
AV	5.1488G	48.85	54.00	-5.15	44.12	3	Vertical	158	1.80	-	31.71	5.00	31.98
PK	5.1776G	93.75	Inf	-Inf	89.21	3	Vertical	158	1.80	-	31.53	5.00	31.99
AV	5.2032G	83.98	Inf	-Inf	79.60	3	Vertical	158	1.80	-	31.38	5.00	32.00

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 42
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	65.78	74.00	-8.22	61.04	3	Horizontal	323	1.79	-	31.71	5.00	31.97
AV	5.1496G	52.88	54.00	-1.12	48.16	3	Horizontal	323	1.79	-	31.70	5.00	31.98
PK	5.2064G	98.24	Inf	-Inf	93.88	3	Horizontal	323	1.79	-	31.36	5.00	32.00
AV	5.2052G	88.47	Inf	-Inf	84.10	3	Horizontal	323	1.79	-	31.37	5.00	32.00

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5658G	58.94	74.00	-15.06	44.44	3	Vertical	31	2.78	-	38.37	10.38	34.25
AV	15.5689G	46.90	54.00	-7.10	32.41	3	Vertical	31	2.78	-	38.36	10.38	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT V_1TX
Setting 42
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57242G	58.78	74.00	-15.22	44.30	3	Horizontal	117	1.03	-	38.34	10.39	34.25
AV	15.5656G	46.97	54.00	-7.03	32.47	3	Horizontal	117	1.03	-	38.37	10.38	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	60.55	74.00	-13.45	55.72	3	Vertical	160	1.80	-	31.80	5.00	31.97
AV	5.149G	48.02	54.00	-5.98	43.29	3	Vertical	160	1.80	-	31.71	5.00	31.98
PK	5.2426G	101.55	Inf	-Inf	97.43	3	Vertical	160	1.80	-	31.14	5.00	32.02
AV	5.2444G	91.98	Inf	-Inf	87.87	3	Vertical	160	1.80	-	31.13	5.00	32.02
PK	5.3512G	56.31	74.00	-17.69	52.26	3	Vertical	160	1.80	-	31.11	5.00	32.06
AV	5.3704G	44.61	54.00	-9.39	40.46	3	Vertical	160	1.80	-	31.22	5.00	32.07

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	65.49	74.00	-8.51	60.73	3	Horizontal	321	1.80	-	31.73	5.00	31.97
AV	5.15G	52.69	54.00	-1.31	47.97	3	Horizontal	321	1.80	-	31.70	5.00	31.98
PK	5.2336G	105.45	Inf	-Inf	101.26	3	Horizontal	321	1.80	-	31.20	5.00	32.01
AV	5.2426G	95.78	Inf	-Inf	91.66	3	Horizontal	321	1.80	-	31.14	5.00	32.02
PK	5.356G	56.52	74.00	-17.48	52.45	3	Horizontal	321	1.80	-	31.14	5.00	32.07
AV	5.3518G	45.18	54.00	-8.82	41.13	3	Horizontal	321	1.80	-	31.11	5.00	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Y_1TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69092G	58.59	74.00	-15.41	44.60	3	Vertical	89	2.46	-	37.84	10.45	34.30
AV	15.68814G	46.76	54.00	-7.24	32.77	3	Vertical	89	2.46	-	37.85	10.44	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68622G	58.59	74.00	-15.41	44.58	3	Horizontal	304	2.89	-	37.86	10.44	34.29
AV	15.68544G	46.41	54.00	-7.59	32.40	3	Horizontal	304	2.89	-	37.86	10.44	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	57.58	74.00	-16.42	52.67	3	Vertical	161	1.76	-	31.87	5.00	31.96
AV	5.1488G	45.77	54.00	-8.23	41.04	3	Vertical	161	1.76	-	31.71	5.00	31.98
PK	5.2736G	102.81	Inf	-Inf	98.74	3	Vertical	161	1.76	-	31.10	5.00	32.03
AV	5.2604G	93.11	Inf	-Inf	89.03	3	Vertical	161	1.76	-	31.10	5.00	32.02
PK	5.3504G	63.33	74.00	-10.67	59.29	3	Vertical	161	1.76	-	31.10	5.00	32.06
AV	5.35G	48.98	54.00	-5.02	44.94	3	Vertical	161	1.76	-	31.10	5.00	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	61.47	74.00	-12.53	56.75	3	Horizontal	328	1.80	-	31.70	5.00	31.98
AV	5.15G	47.77	54.00	-6.23	43.05	3	Horizontal	328	1.80	-	31.70	5.00	31.98
PK	5.2646G	106.79	Inf	-Inf	102.72	3	Horizontal	328	1.80	-	31.10	5.00	32.03
AV	5.258G	97.20	Inf	-Inf	93.12	3	Horizontal	328	1.80	-	31.10	5.00	32.02
PK	5.35G	67.18	74.00	-6.82	63.14	3	Horizontal	328	1.80	-	31.10	5.00	32.06
AV	5.35G	52.77	54.00	-1.23	48.73	3	Horizontal	328	1.80	-	31.10	5.00	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80578G	57.94	74.00	-16.06	43.99	3	Vertical	305	1.99	-	37.79	10.50	34.34
AV	15.81428G	45.85	54.00	-8.15	31.92	3	Vertical	305	1.99	-	37.77	10.51	34.35

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81038G	58.09	74.00	-15.91	44.14	3	Horizontal	319	1.39	-	37.78	10.51	34.34
AV	15.81466G	45.71	54.00	-8.29	31.78	3	Horizontal	319	1.39	-	37.77	10.51	34.35

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Y_1TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3202G	98.58	Inf	-Inf	94.53	3	Vertical	158	1.73	-	31.10	5.00	32.05
AV	5.3238G	89.02	Inf	-Inf	84.97	3	Vertical	158	1.73	-	31.10	5.00	32.05
PK	5.3508G	69.50	74.00	-4.50	65.46	3	Vertical	158	1.73	-	31.10	5.00	32.06
AV	5.3508G	50.13	54.00	-3.87	46.09	3	Vertical	158	1.73	-	31.10	5.00	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 61
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	102.08	Inf	-Inf	98.02	3	Horizontal	322	1.84	-	31.10	5.00	32.04
AV	5.3238G	92.69	Inf	-Inf	88.64	3	Horizontal	322	1.84	-	31.10	5.00	32.05
PK	5.3544G	72.52	74.00	-1.48	68.46	3	Horizontal	322	1.84	-	31.13	5.00	32.07
AV	5.35G	52.85	54.00	-1.15	48.81	3	Horizontal	322	1.84	-	31.10	5.00	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92648G	57.63	74.00	-16.37	43.91	3	Vertical	49	2.68	-	37.55	10.56	34.39
AV	15.92762G	45.52	54.00	-8.48	31.81	3	Vertical	49	2.68	-	37.54	10.56	34.39

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT V_1TX
Setting 61
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92608G	57.29	74.00	-16.71	43.57	3	Horizontal	105	1.51	-	37.55	10.56	34.39
AV	15.9311G	45.39	54.00	-8.61	31.67	3	Horizontal	105	1.51	-	37.54	10.57	34.39

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_V_1TX
Setting 50
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	59.80	74.00	-14.20	55.35	3	Vertical	349	2.03	-	31.50	5.06	32.11
AV	5.46G	46.61	54.00	-7.39	42.16	3	Vertical	349	2.03	-	31.50	5.06	32.11
PK	5.4698G	64.32	68.20	-3.88	59.87	3	Vertical	349	2.03	-	31.50	5.07	32.12
PK	5.5202G	96.88	Inf	-Inf	92.40	3	Vertical	349	2.03	-	31.50	5.12	32.14
AV	5.522G	87.29	Inf	-Inf	82.81	3	Vertical	349	2.03	-	31.50	5.12	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 50
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.84	74.00	-10.16	59.39	3	Horizontal	328	1.90	-	31.50	5.06	32.11
AV	5.46G	48.61	54.00	-5.39	44.16	3	Horizontal	328	1.90	-	31.50	5.06	32.11
PK	5.4692G	67.19	68.20	-1.01	62.74	3	Horizontal	328	1.90	-	31.50	5.07	32.12
PK	5.5238G	99.41	Inf	-Inf	94.93	3	Horizontal	328	1.90	-	31.50	5.12	32.14
AV	5.5238G	89.41	Inf	-Inf	84.93	3	Horizontal	328	1.90	-	31.50	5.12	32.14

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01548G	56.01	74.00	-17.99	41.99	3	Vertical	45	2.57	-	40.14	8.11	34.23
AV	11.02066G	43.73	54.00	-10.27	29.73	3	Vertical	45	2.57	-	40.12	8.11	34.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT V_1TX
Setting 50
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01678G	56.87	74.00	-17.13	42.86	3	Horizontal	179	2.38	-	40.13	8.11	34.23
AV	11.02056G	43.72	54.00	-10.28	29.72	3	Horizontal	179	2.38	-	40.12	8.11	34.23

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.31	74.00	-10.69	58.86	3	Vertical	348	2.12	-	31.50	5.06	32.11
AV	5.4588G	49.55	54.00	-4.45	45.10	3	Vertical	348	2.12	-	31.50	5.06	32.11
PK	5.4696G	64.15	68.20	-4.05	59.70	3	Vertical	348	2.12	-	31.50	5.07	32.12
PK	5.5416G	104.37	Inf	-Inf	99.88	3	Vertical	348	2.12	-	31.50	5.14	32.15
AV	5.5416G	94.24	Inf	-Inf	89.75	3	Vertical	348	2.12	-	31.50	5.14	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	65.25	74.00	-8.75	60.80	3	Horizontal	327	2.01	-	31.50	5.06	32.11
AV	5.46G	51.40	54.00	-2.60	46.95	3	Horizontal	327	2.01	-	31.50	5.06	32.11
PK	5.47G	66.97	68.20	-1.23	62.52	3	Horizontal	327	2.01	-	31.50	5.07	32.12
PK	5.554G	105.61	Inf	-Inf	101.10	3	Horizontal	327	2.01	-	31.51	5.16	32.16
AV	5.5368G	95.90	Inf	-Inf	91.41	3	Horizontal	327	2.01	-	31.50	5.14	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09576G	55.81	74.00	-18.19	42.10	3	Vertical	286	1.09	-	39.82	8.14	34.25
AV	11.09568G	43.40	54.00	-10.60	29.69	3	Vertical	286	1.09	-	39.82	8.14	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09674G	55.83	74.00	-18.17	42.13	3	Horizontal	2	1.32	-	39.81	8.14	34.25
AV	11.0955G	43.43	54.00	-10.57	29.72	3	Horizontal	2	1.32	-	39.82	8.14	34.25

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	102.79	Inf	-Inf	98.08	3	Vertical	344	2.67	-	31.70	5.24	32.23
AV	5.6568G	93.28	Inf	-Inf	88.64	3	Vertical	344	2.67	-	31.63	5.23	32.22
PK	5.7408G	66.29	68.20	-1.91	61.33	3	Vertical	344	2.67	-	31.96	5.27	32.27

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6784G	103.71	Inf	-Inf	99.00	3	Horizontal	332	1.80	-	31.71	5.24	32.24
AV	5.6568G	93.63	Inf	-Inf	88.99	3	Horizontal	332	1.80	-	31.63	5.23	32.22
PK	5.7366G	66.99	68.20	-1.21	62.04	3	Horizontal	332	1.80	-	31.95	5.27	32.27

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33874G	55.45	74.00	-18.55	41.81	3	Vertical	222	2.11	-	39.68	8.24	34.28
AV	11.33558G	43.44	54.00	-10.56	29.82	3	Vertical	222	2.11	-	39.67	8.23	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT V_1TX
Setting 78
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34272G	55.75	74.00	-18.25	42.10	3	Horizontal	101	2.60	-	39.69	8.24	34.28
AV	11.3368G	43.13	54.00	-10.87	29.51	3	Horizontal	101	2.60	-	39.67	8.23	34.28

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	102.94	Inf	-Inf	98.14	3	Vertical	156	1.72	-	31.80	5.25	32.25
AV	5.6948G	92.97	Inf	-Inf	88.19	3	Vertical	156	1.72	-	31.78	5.25	32.25
PK	5.894G	56.75	68.20	-11.45	51.64	3	Vertical	156	1.72	-	32.09	5.39	32.37

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	104.00	Inf	-Inf	99.23	3	Horizontal	152	1.80	-	31.77	5.25	32.25
AV	5.694G	94.19	Inf	-Inf	89.41	3	Horizontal	152	1.80	-	31.78	5.25	32.25
PK	5.8852G	56.75	68.20	-11.45	51.65	3	Horizontal	152	1.80	-	32.07	5.39	32.36

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41168G	56.36	74.00	-17.64	42.62	3	Vertical	98	2.31	-	39.78	8.26	34.30
AV	11.41712G	44.33	54.00	-9.67	30.59	3	Vertical	98	2.31	-	39.77	8.27	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4292G	56.32	74.00	-17.68	42.61	3	Horizontal	291	2.19	-	39.74	8.27	34.30
AV	11.42944G	43.94	54.00	-10.06	30.23	3	Horizontal	291	2.19	-	39.74	8.27	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.38	68.20	-3.82	59.78	3	Vertical	333	2.09	-	31.60	5.22	32.22
PK	5.742G	103.42	Inf	-Inf	98.46	3	Vertical	333	2.09	-	31.97	5.27	32.28
AV	5.741G	93.63	Inf	-Inf	88.67	3	Vertical	333	2.09	-	31.96	5.27	32.27
PK	5.99G	56.78	68.20	-11.42	51.51	3	Vertical	333	2.09	-	32.20	5.49	32.42

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.25	68.20	-4.95	58.64	3	Horizontal	305	1.80	-	31.60	5.21	32.20
PK	5.744G	104.21	Inf	-Inf	99.24	3	Horizontal	305	1.80	-	31.98	5.27	32.28
AV	5.741G	94.65	Inf	-Inf	89.69	3	Horizontal	305	1.80	-	31.96	5.27	32.27
PK	6.001G	57.27	68.20	-10.93	51.99	3	Horizontal	305	1.80	-	32.21	5.50	32.43

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.506G	55.62	74.00	-18.38	42.04	3	Vertical	148	2.24	-	39.59	8.30	34.31
AV	11.50554G	43.46	54.00	-10.54	29.88	3	Vertical	148	2.24	-	39.59	8.30	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51094G	56.26	74.00	-17.74	42.68	3	Horizontal	111	2.81	-	39.59	8.30	34.31
AV	11.50572G	43.61	54.00	-10.39	30.03	3	Horizontal	111	2.81	-	39.59	8.30	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	58.92	68.20	-9.28	54.31	3	Vertical	343	2.46	-	31.60	5.22	32.21
PK	5.781G	103.22	Inf	-Inf	98.23	3	Vertical	343	2.46	-	32.00	5.29	32.30
AV	5.78G	93.86	Inf	-Inf	88.87	3	Vertical	343	2.46	-	32.00	5.29	32.30
PK	5.958G	57.40	68.20	-10.80	52.14	3	Vertical	343	2.46	-	32.20	5.46	32.40

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.02	68.20	-9.18	54.42	3	Horizontal	305	1.97	-	31.60	5.21	32.21
PK	5.781G	103.75	Inf	-Inf	98.76	3	Horizontal	305	1.97	-	32.00	5.29	32.30
AV	5.78G	94.30	Inf	-Inf	89.31	3	Horizontal	305	1.97	-	32.00	5.29	32.30
PK	6.038G	57.34	68.20	-10.86	51.86	3	Horizontal	305	1.97	-	32.43	5.50	32.45

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58956G	55.99	74.00	-18.01	42.43	3	Vertical	2	1.12	-	39.51	8.34	34.29
AV	11.5937G	42.98	54.00	-11.02	29.42	3	Vertical	2	1.12	-	39.51	8.34	34.29

802.11ac VHT40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59284G	55.88	74.00	-18.12	42.32	3	Horizontal	148	2.37	-	39.51	8.34	34.29
AV	11.58502G	43.09	54.00	-10.91	29.54	3	Horizontal	148	2.37	-	39.51	8.33	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 44
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	58.79	74.00	-15.21	53.93	3	Vertical	161	1.80	-	31.83	5.00	31.97
AV	5.143G	48.86	54.00	-5.14	44.09	3	Vertical	161	1.80	-	31.74	5.00	31.97
PK	5.236G	90.31	Inf	-Inf	86.14	3	Vertical	161	1.80	-	31.18	5.00	32.01
AV	5.22G	81.71	Inf	-Inf	77.44	3	Vertical	161	1.80	-	31.28	5.00	32.01
PK	5.445G	56.34	74.00	-17.66	51.92	3	Vertical	161	1.80	-	31.49	5.04	32.11
AV	5.438G	45.99	54.00	-8.01	41.57	3	Vertical	161	1.80	-	31.48	5.04	32.10

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_V_1TX
Setting 44
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.82	74.00	-11.18	58.07	3	Horizontal	323	1.80	-	31.72	5.00	31.97
AV	5.144G	52.98	54.00	-1.02	48.21	3	Horizontal	323	1.80	-	31.74	5.00	31.97
PK	5.238G	94.79	Inf	-Inf	90.63	3	Horizontal	323	1.80	-	31.17	5.00	32.01
AV	5.238G	85.88	Inf	-Inf	81.72	3	Horizontal	323	1.80	-	31.17	5.00	32.01
PK	5.392G	56.77	74.00	-17.23	52.50	3	Horizontal	323	1.80	-	31.35	5.00	32.08
AV	5.35G	46.32	54.00	-7.68	42.28	3	Horizontal	323	1.80	-	31.10	5.00	32.06

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62888G	59.83	74.00	-14.17	45.61	3	Vertical	30	2.64	-	38.08	10.41	34.27
AV	15.63094G	48.87	54.00	-5.13	34.64	3	Vertical	30	2.64	-	38.08	10.42	34.27

802.11ac VHT80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT V_1TX
Setting 44
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.633G	59.54	74.00	-14.46	45.32	3	Horizontal	355	2.31	-	38.07	10.42	34.27
AV	15.62678G	48.81	54.00	-5.19	34.58	3	Horizontal	355	2.31	-	38.09	10.41	34.27

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	57.31	74.00	-16.69	52.45	3	Vertical	155	1.80	-	31.83	5.00	31.97
AV	5.091G	46.98	54.00	-7.02	42.02	3	Vertical	155	1.80	-	31.91	5.00	31.95
PK	5.313G	94.98	Inf	-Inf	90.93	3	Vertical	155	1.80	-	31.10	5.00	32.05
AV	5.309G	86.00	Inf	-Inf	81.95	3	Vertical	155	1.80	-	31.10	5.00	32.05
PK	5.363G	61.31	74.00	-12.69	57.20	3	Vertical	155	1.80	-	31.18	5.00	32.07
AV	5.367G	50.14	54.00	-3.86	46.01	3	Vertical	155	1.80	-	31.20	5.00	32.07
PK	5.529G	56.32	68.20	-11.88	51.84	3	Vertical	155	1.80	-	31.50	5.13	32.15

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




11/09/2021

EUT V_1TX
Setting 59
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	57.83	74.00	-16.17	53.10	3	Horizontal	323	2.04	-	31.71	5.00	31.98
AV	5.149G	47.15	54.00	-6.85	42.42	3	Horizontal	323	2.04	-	31.71	5.00	31.98
PK	5.307G	98.45	Inf	-Inf	94.40	3	Horizontal	323	2.04	-	31.10	5.00	32.05
AV	5.315G	89.55	Inf	-Inf	85.50	3	Horizontal	323	2.04	-	31.10	5.00	32.05
PK	5.379G	64.84	74.00	-9.16	60.65	3	Horizontal	323	2.04	-	31.27	5.00	32.08
AV	5.364G	52.83	54.00	-1.17	48.72	3	Horizontal	323	2.04	-	31.18	5.00	32.07
PK	5.484G	56.79	68.20	-11.41	52.33	3	Horizontal	323	2.04	-	31.50	5.08	32.12

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87038G	58.01	74.00	-15.99	44.18	3	Vertical	154	2.78	-	37.66	10.54	34.37
AV	15.87162G	47.38	54.00	-6.62	33.55	3	Vertical	154	2.78	-	37.66	10.54	34.37

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT V_1TX
Setting 59
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8671G	58.68	74.00	-15.32	44.85	3	Horizontal	243	2.60	-	37.67	10.53	34.37
AV	15.87098G	47.01	54.00	-6.99	33.18	3	Horizontal	243	2.60	-	37.66	10.54	34.37

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 52
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.305G	56.03	68.20	-12.17	51.97	3	Vertical	353	2.32	-	31.10	5.00	32.04
PK	5.439G	61.18	74.00	-12.82	56.76	3	Vertical	353	2.32	-	31.48	5.04	32.10
AV	5.452G	50.23	54.00	-3.77	45.79	3	Vertical	353	2.32	-	31.50	5.05	32.11
PK	5.466G	60.05	68.20	-8.15	55.60	3	Vertical	353	2.32	-	31.50	5.07	32.12
PK	5.524G	93.61	Inf	-Inf	89.13	3	Vertical	353	2.32	-	31.50	5.12	32.14
AV	5.55G	85.03	Inf	-Inf	80.54	3	Vertical	353	2.32	-	31.50	5.15	32.16
PK	5.758G	57.22	68.20	-10.98	52.22	3	Vertical	353	2.32	-	32.00	5.28	32.28

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_V_1TX
Setting 52
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	56.25	68.20	-11.95	52.21	3	Horizontal	330	1.81	-	31.10	5.00	32.06
PK	5.438G	62.74	74.00	-11.26	58.32	3	Horizontal	330	1.81	-	31.48	5.04	32.10
PK	5.462G	62.92	68.20	-5.28	58.47	3	Horizontal	330	1.81	-	31.50	5.06	32.11
AV	5.458G	52.79	54.00	-1.21	48.34	3	Horizontal	330	1.81	-	31.50	5.06	32.11
PK	5.558G	95.96	Inf	-Inf	91.44	3	Horizontal	330	1.81	-	31.52	5.16	32.16
AV	5.515G	86.70	Inf	-Inf	82.22	3	Horizontal	330	1.81	-	31.50	5.12	32.14
PK	5.754G	57.59	68.20	-10.61	52.59	3	Horizontal	330	1.81	-	32.00	5.28	32.28

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05786G	55.98	74.00	-18.02	42.13	3	Vertical	39	2.32	-	39.97	8.12	34.24
AV	11.0601G	45.17	54.00	-8.83	31.33	3	Vertical	39	2.32	-	39.96	8.12	34.24

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT V_1TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06218G	55.91	74.00	-18.09	42.08	3	Horizontal	353	1.94	-	39.95	8.12	34.24
AV	11.06342G	45.08	54.00	-8.92	31.24	3	Horizontal	353	1.94	-	39.95	8.13	34.24

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.46	74.00	-14.54	55.01	3	Vertical	340	2.27	-	31.50	5.06	32.11
AV	5.455G	50.38	54.00	-3.62	45.94	3	Vertical	340	2.27	-	31.50	5.05	32.11
PK	5.468G	60.58	68.20	-7.62	56.13	3	Vertical	340	2.27	-	31.50	5.07	32.12
PK	5.611G	99.57	Inf	-Inf	94.96	3	Vertical	340	2.27	-	31.60	5.21	32.20
AV	5.598G	90.65	Inf	-Inf	86.04	3	Vertical	340	2.27	-	31.60	5.20	32.19
PK	5.754G	64.21	68.20	-3.99	59.21	3	Vertical	340	2.27	-	32.00	5.28	32.28

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	60.83	74.00	-13.17	56.40	3	Horizontal	329	1.80	-	31.49	5.04	32.10
PK	5.465G	61.93	68.20	-6.27	57.48	3	Horizontal	329	1.80	-	31.50	5.06	32.11
AV	5.458G	51.31	54.00	-2.69	46.86	3	Horizontal	329	1.80	-	31.50	5.06	32.11
PK	5.591G	101.21	Inf	-Inf	96.62	3	Horizontal	329	1.80	-	31.58	5.19	32.18
AV	5.581G	92.06	Inf	-Inf	87.50	3	Horizontal	329	1.80	-	31.56	5.18	32.18
PK	5.743G	66.45	68.20	-1.75	61.49	3	Horizontal	329	1.80	-	31.97	5.27	32.28

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21682G	55.38	74.00	-18.62	41.85	3	Vertical	201	2.98	-	39.60	8.19	34.26
AV	11.21718G	45.25	54.00	-8.75	31.72	3	Vertical	201	2.98	-	39.60	8.19	34.26

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT V_1TX
Setting 80
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21758G	55.58	74.00	-18.42	42.05	3	Horizontal	198	1.27	-	39.60	8.19	34.26
AV	11.2235G	44.84	54.00	-9.16	31.32	3	Horizontal	198	1.27	-	39.60	8.19	34.27

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	98.88	Inf	-Inf	94.11	3	Vertical	156	1.73	-	31.77	5.25	32.25
AV	5.6628G	89.85	Inf	-Inf	85.20	3	Vertical	156	1.73	-	31.65	5.23	32.23
PK	5.8516G	58.17	68.20	-10.03	53.16	3	Vertical	156	1.73	-	32.00	5.35	32.34

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6764G	100.16	Inf	-Inf	95.45	3	Horizontal	152	1.78	-	31.71	5.24	32.24
AV	5.682G	91.96	Inf	-Inf	87.23	3	Horizontal	152	1.78	-	31.73	5.24	32.24
PK	5.8556G	58.88	68.20	-9.32	53.85	3	Horizontal	152	1.78	-	32.01	5.36	32.34

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3818G	56.20	74.00	-17.80	42.48	3	Vertical	133	2.85	-	39.76	8.25	34.29
AV	11.384G	45.20	54.00	-8.80	31.47	3	Vertical	133	2.85	-	39.77	8.25	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_1TX
Setting 80
06-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3762G	55.99	74.00	-18.01	42.28	3	Horizontal	175	1.14	-	39.75	8.25	34.29
AV	11.38024G	45.49	54.00	-8.51	31.77	3	Horizontal	175	1.14	-	39.76	8.25	34.29

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	66.14	68.20	-2.06	61.53	3	Vertical	338	2.29	-	31.60	5.21	32.20
PK	5.748G	99.86	Inf	-Inf	94.88	3	Vertical	338	2.29	-	31.99	5.27	32.28
AV	5.747G	91.09	Inf	-Inf	86.11	3	Vertical	338	2.29	-	31.99	5.27	32.28
PK	5.929G	59.09	68.20	-9.11	53.89	3	Vertical	338	2.29	-	32.16	5.43	32.39

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	66.96	68.20	-1.24	62.35	3	Horizontal	304	1.79	-	31.60	5.22	32.21
PK	5.751G	100.39	Inf	-Inf	95.39	3	Horizontal	304	1.79	-	32.00	5.28	32.28
AV	5.744G	91.60	Inf	-Inf	86.63	3	Horizontal	304	1.79	-	31.98	5.27	32.28
PK	5.925G	60.12	68.20	-8.08	54.93	3	Horizontal	304	1.79	-	32.15	5.42	32.38

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT V_1TX
Setting 76
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55146G	55.59	74.00	-18.41	42.02	3	Vertical	279	1.49	-	39.55	8.32	34.30
AV	11.54638G	44.81	54.00	-9.19	31.24	3	Vertical	279	1.49	-	39.55	8.32	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT V_1TX
Setting 76
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5468G	55.67	74.00	-18.33	42.10	3	Horizontal	153	2.77	-	39.55	8.32	34.30
AV	11.54912G	44.98	54.00	-9.02	31.41	3	Horizontal	153	2.77	-	39.55	8.32	34.30



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	AV	1.9955G	35.64	54.00	-18.36	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.9655G	45.90	74.00	-28.10	-4.56	3	Vertical	122	2.16	-	50.46	25.96	3.48	34.00
AV	1.9955G	35.64	54.00	-18.36	-4.38	3	Vertical	122	2.16	"Worst"	40.02	26.08	3.50	33.96

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.105G	41.75	74.00	-32.25	-3.46	3	Horizontal	95	2.11	-	45.21	26.85	3.60	33.91
AV	2.096G	28.10	54.00	-25.90	-3.55	3	Horizontal	95	2.11	"Worst"	31.65	26.76	3.60	33.91