

The Derivation of Maximum Allowable Gain

The Justification How Gain is Derived:

This submittal(s) (test report) is intended to comply with Section Part 27, subpart C & subpart L of the FCC CFR 47 Rules. As per FCC’s ruling part, 1.1310, the power density limit for General Population/Uncontrolled Exposure is f/1500 mW/cm² through 300MHz to 1500MHz, and 1.0 mW/cm² through 1.5 GHz to 100 GHz, respectively. Since this related application is characterized as mobile application as defined by FCC, the MPE is obtained at 20cm in determination for its compliance with the power density limit.

The formula listing as follows is applied in determination of Power Density:

$$S = (P * G) / (4\pi * R^2)$$

Where,

S = Power Density

P = Conducted Output Power Measured at Antenna Port

G = Gain of Maximum Transmitting Antenna (linear gain)

R = Separating Distance from Transmitting Antenna

This related radio application is classified as mobile device in operation of general population / uncontrolled exposure condition.

Limitation

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	F/1500	30
1500-15000	/	/	1.0	30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Maximum Linear Gain Determination using MPE

Re-arrange the formula of Power Density in terms of maximum gain,

It yields,

$$G = S \cdot (4 \cdot R^2) / P$$

Where,

S = F/150W/m² (300MHz -1500MHz) or 10W/m² (1.5GHz-150GHz)

P = Conducted Output Power Measured at Antenna Port with respect to applied band.

G = Maximum Linear Gain

R = 20cm

Maximum Linear Gain Determination using ERP/EIRP

As per 27.50 (d)(2) , 27.50 (c)(9) ERP/EIRP is limited as 1W,30W, Maximum allowable gain that complies with them can be obtained by the following relationship.

EIRP/ERP = Maximum Allowable Gain + Maximum Burst Power as measured at antenna terminal.

Re-arrange the above equation in terms of Maximum Allowable Gain, *It yields,*

Maximum Allowable Gain = EIRP/ERP – Maximum Burst Power as measured at antenna terminal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Maximum Source-based Time Average power for LTE mode:

24.58dBm (1720.0MHz) for band 4, 23.43dBm (782.0 MHz) for band 13.

The Computation of Maximum Allowable Linear Gain using MPE limitOperation in LTE band 4

Given the maximum source-based time-averaged power as 24.58dBm, and MPE limit as $1\text{W}/\text{m}^2$. Therefore, antenna gain is calculated as 12.43dBi

Operation in LTE band 13

Given the maximum source-based time-averaged power as 23.43dBm, and MPE limit as $0.52\text{W}/\text{m}^2$. Therefore, antenna gain is calculated as 10.75dBi

The Computation of Maximum Allowable Linear Gain using ERP/EIRP limitOperation in LTE band 4

Given the maximum source-based time-averaged power as 24.58dBm, and EIRP limit as 1W
Therefore, antenna gain is calculated as 5.42dBi

Operation in LTE band 13

Given the maximum source-based time-averaged power as 23.43dBm, and ERP limit as 30W
Therefore, antenna gain is calculated as 21.34dBi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.